Catalogus Coleopterorum

hucusque descriptorum

synonymicus et systematicus

autoribus

Dr. Max Gemminger et B. de Harold.

Tom. VIII.

Curculionidae.

Monachii, 1871.
Sumptu E. H. Gummi (G. Beck).
Paris: E. Deyrolle fils, 19 Rue de la Monnaie.
London: Williams & Norgate, 14 Henrietta-Street Coventgarden.

FAMILIA LXII.

CURCULIONIDAE.

Episus

ἐπίσος, aequalis.

Schönherr. *Disp. meth. 1826. p. 78; Gen. Curcul. V. 1840. p. 590.*

aculeatus Bohem. *Schh. Gen. Curc. V. p. 601.* — Labr. et Imh. *I. nr. 24.*	Cap bon. spei.
bellicosus Chevrol. *in litt.*	„
albulus Buquet *in litt.* — Lacord. *Gen. Atl. VII. t. 61. f. 1. a-b.*	„
cristatus Gylh. *Schh. Gen. Curc. V. p. 596.*	„
cyathiformis Gylh. *l. c. I. p. 376.* — Chevrol. *Dej. Cat. 3. ed. p. 267.*	Senegal.
senegalensis Dej. *Cat. l. c.*	„
dentatus Bohem. *Schh. Gen. Curc. V. p. 592.*	Cap bon. spei.
Dregei Bohem. *l. c. p. 595.*	Africa mer.
echinatus Bohem. *l. c. p. 594.*	Cap bon. spei.
ovatulus Chevrol. *in litt.*	„
fictus Gylh. *Schh. Gen. Curc. V. p. 597.*	Caffraria.
flexuosus Bohem. *Schh. Gen. Curc. V. p. 599.*	Cap bon. spei.
ganglionicus Bohem. *l. c. p. 603.*	Caffraria.
Hopei Bohem. *l. c. p. 600.*	Cap bon. spei.
inermicollis Gylh. *Schh. Gen. Curc. V. p. 590.*	„
mendosus Gylh. *l. c. I. p. 377.*	Africa mer.
rostratus Fabr. *Spec. Ins. I. p. 194. (forte.)*	„
muricatus Bohem. *Schh. Gen. Curc. V. p. 598.*	Cap bon. spei.
rostratus Oliv. *Encycl. méth. V. p. 186; Ent. V. 82. p. 65. t. 1. f. 4.*	„
hypocritus Gylh. *Schh. Gen. Curc. I. p. 375.*	„
simulator Dalm. *Schh. Gen. Curc. I. p. 377.* — Gylh. *l. c. V. p. 593.*	Africa mer.
spinosus Gylh. *Schh. Gen. Curc. V. p. 602.*	Cap bon. spei.
sputatilius Gylh. *l. c. I. p. 378.*	„
Thunbergi Bohem. *Schh. Gen. Curc. V. p. 591.*	„
rostratus Thunb. *Nov. Act. Ups. VI. p. 32.*	„
truncatus Bohem. *Schh. Gen. Curc. VIII. p. 374.*	„
tuberosus Gerstäck. *Wiegm. Arch. 1871. I. p. 68.*	Uru.

21

Microcerus

μικρὸς, parvus; κέρας, cornu.

Schönherr. *Gen. Curc. 1. 1833. p. 441.*

albiventer Gerstäck. *Monatsb. Berl. Ac. 1855. p. 84; Peters Reise. 1862. p. 308.*	Mozambique.

Besckei Fåhrs. *Schh. Gen. Curc. V. p. 729.* Mozambique.
cretaceus Gylh. *l. c. p. 727.* Caffraria.
Dregei Gylh. *l. c. p. 725.* — Lacord. *Gen. Atl. VII. t. 61. f. 2. a-b.* Cap bon. spei.
grisescens Gylh. *l. c. p. 728.* — Labr. et Imh. *Gen. Curc. II. nr. 17.* „
idolum Gylh. *Schh. Gen. Curc. I. p. 443.* „
ephippiatus var. Sparrm. *Act. Holm. 1785. p. 52.* „
inaequalis Gylh. *Schh. Gen. Curc. V. p. 730.* „
melancholicus Gylh. *l. c. p. 726.* „
retusus Fabr. *Spec. ins. I. p. 195.* — Gylh. *Schh. Gen. Curc. I. p. 442; V. p. 724.* „
bimaculatus Thunb. *Nov. Act. Ups. VI. p. 33.* „
ephippiatus Sparrm. *Act. Holm. 1785. p. 52. t. 3. f. 27.* „
spiniger Gerstäck. *Monatsb. Berl. Ac. 1855. p. 83; Peters Reise. 1862. p. 307. t. 18. f. 8.* Mozambique.
subcaudatus Gerstäck. *l. c. p. 84; l. c. p. 308. t. 18. f. 9.* „
11

Protomantis

πρωτόμαντις, princeps vates.

Schönherr. *Gen. Curc. V. 1840. p. 721.*

Dregei Gylh. *Schh. Gen. Curc. V. p. 723.* Cap bon. spei.
1

Holonychus

ὅλος, integer; ὄνυξ, unguis.

Schönherr. *Gen. Curc. V. 1840. p. 833.*

Lithinus Chevrol.

acanthosus Fåhrs. *Schh. Gen. Curc. V. p. 834.* — Chevrol. *Dej. Cat. 3. ed. p. 271.* — Coquerel. *Ann. Fr. 1859. p. 242.* — Labr. et Imh. *Gen. Curc. II. nr. 57.* Madagascar.
pustulosus Petit. *Dej. Cat. l. c.* „
aeruginosus Fåhrs. *Schh. Gen. Curc. V. p. 835.* — Coquerel. *Ann. Fr. 1859. p. 243.* „
camelus Coquerel. *l. c. p. 243. t. 7. f. 4. a-d.* „
saxosus Coquerel. *l. c. p. 244. t. 7. f. 3. a-b.* „
4

Blosyrus

βλοσυρός, terribilis.

Schönherr. *Disp. meth. 1826. p. 99; Gen. Curc. I. 1833. p. 552; V. 1840. p. 906.*

angulatus Gerstäck. *Wiegm. Arch. 1871. I. p. 68.* Wanga.
asellus Oliv. *Ent. V. 83. p. 356. t. 24. f. 347.* — Fåhrs. *Schh. Gen. Curc. V. p. 909.* — Labr. et Imh. *Gen. Curc. II. nr. 40.* Bengal.

carinatus Bohem. *Schh. Gen. Curc. VIII. 1845. p. 401.* Port Natal.
chinensis Bohem. *Res. Eugen. 1859. p. 120.* China.
costatus Redtenb. *Hüg. Kaschm. IV. 2. 1848. p. 540.* Kaschmir.
herthus Herbst. *Käf. VII. p. 64. t. 98. f. 14.* — Bohem. *Schh. Gen. Curc. VIII. p. 401.* Assam.
hystrix Bohem. *Schh. Gen. Curc. I. p. 553.* India or.
inaequalis Bohem. *l. c. VIII. p. 402.* — Labr. et Imh. *Gen. Curc. II. nr. 40.* Pondichery.
oniscus Oliv. *Ent. V. 83. p. 355. t. 24. f. 346.* — Bohem. *Schh. Gen. Curc. I. p. 552.* Calcutta.
saevus Bohem. *l. c. V. p. 907.* Cap bon. spei.
spongifer Bohem. *l. c. VIII. p. 403.* India or.
trux Fåhrs. *Schh. Gen. Curc. V. p. 908.* Ins. Comores.
tuberculatus Redtenb. *Reis. Novar. II. p. 145.* Java.
variegatus Redtenb. *Hüg. Kaschm. IV. 2. 1848. p. 539.* Kaschmir.
14

Proscephaladeres

προσκεφάλαιον, pulvinar; δέρις, collum.

Schönherr. *Gen. Curc. V. 1840. p. 892.*

obesus Bohem. *Schh. Gen. Curc. V. p. 893.* Cap bon. spei.
punctifrons Bohem. *l. c. p. 894.* — Lacord. *Gen. Atl. VII. t. 61. f. 3. a.* „
2

Dactylotus

δακτύλωτος, digitatus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 21.*

Popoffi Mannerh. *Bull. Mosc. 1853. I. p. 106. (indscrpt.)* Kiachta.
Sedakoffi Schönh. *Mant. sec. p. 23. (indscrpt.)* — Lacord. *Gen. Atl. VII. t. 61. f. 4. a.* Dauria.
2

Ectatops

ἔκτατος, extensus; ὤψ, oculus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 19.*

cineracea Schönh. *Mant. sec. p. 21. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 33.* Cap bon. spei.
1

Mimaulus

μίμαυλος, tibicen.

Schönherr. *Mantiss. sec. Curc. 1847. p. 18.*

testudo Schönh. *Mant. sec. p. 19. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 33.* Port Natal.
verrucicollis Schönh. *Mant. sec. p. 19. (indscrpt.)* „
2

Mestorus

μήστωρ, consultor.

Schönherr. *Gen. Curc. V. 1840. p. 910.*

adumbratus Fåhrs. *Schh. Gen. Curc. V. p. 911.* Mexico.
1

Oenassus

Etym. dub.

Pascoe. *Journ. Linn. Soc X. 1870. p. 470.*

sellifer Pascoe. *Journ. Linn. Soc. X. 1870. p. 471. t. 18. f. 12.* Old Calabar.
1

Cneorrhinus

κνέω, lacero; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 96; Gen. Curc. V. 1840. p. 860.*

Philopedon Stephens.

albinus Bohem. *Schh. Gen. Curc. I. p. 531.* Caucasus.
amplicollis Bohem. *l. c. V. p. 867.* Lusitania.
angusticollis Motsch. *Bull. Mosc. 1866. I. p. 179.* Japonia.
argentifer Mars. *Cat. Col. Eur. 1866. p. 91.* Escurial.
argentatus Perris. *Ann. Fr. 1864. p. 295.* ,,
argentatus Gebl. *Ledeb. Reis. II. 3. p. 150.* — Bohem. *Schh. Gen. Curc. I. p. 527.* Altai.
Bellieri Brisout. *Ann. Fr. 1869. p. 597.* Pyrenaei.
barcelonicus Herbst. *Käf. VII. p. 45. t. 98. f. 2.* — Gylh. *Schh. Gen. Curc. I. p. 525.* Hispania.
var. *innocuus* Fabr. *Syst. El. II. p. 512.* Tanger.
caesicollis Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 348.* Algeria.
carinirostris Bohem. *Schh. Gen. Curc. V. p. 863.* Lusitania.
Baulnyi Bris. *Ann. Fr. 1866. p. 389.* Madrid.
gypsiventer Graëlls. *Mem. Map. geol. 1858. p. 80. t. 4. f. 10. a.* Escurial.
cordubensis Kirsch. *Berl. Zeit. 1870. p. 173. (Beiheft.)* Andalusia.
cuprescens Motsch. *Bull. Mosc. 1866. I. p. 178.* Japonia.
dispar Graëlls. *Mem. Map. geol. 1858. p. 78. t. 4. f. 8.* ♂♀. Hispania.
Graellsi Bris. *Ann. Fr. 1866. p. 387.* Escurial.
exaratus Marsh. *Ent. Brit. p. 303.* — Bohem. *Schh. Gen. Curc. I. p. 532.* Anglia.
signatifrons Chevrol. *in litt.* Gallia.
fossulatus Motsch. *Schrenck. Reis. 1860. II. 2. p. 168. t. 10. f. 22.* Amur.
globatus Herbst. *Füssl. Arch. V. 1783. p. 83. t. 24. f. 32.* M. Germania.
geminatus Fabr. *Mant. I. p. 46.* — Oliv. *Ent. V. 83. p. 357. t. 19. f. 246.* — Bohem. *Schh. Gen. Curc. V. p. 861.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 5. f. 23.*

maritimus Marsh. *Ent. Brit. p. 307.* Anglia.
plagiatus Schall. *Act. Hal. I. p. 284.* Germania.
scrobiculatus Marsh. *l. c. p. 307.* Anglia.
hispanicus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 349.* Sevilla.
hypocyanus Bohem. *Schh. Gen. Curc. I. p. 529.* Lusitania.
languidus Bohem. *l. c. V. p. 865.* Caffraria.
lateralis Graëlls. *Rev. Zool. 1849. p. 622; Ann. Fr. 1851. p. 21. t. 1. f. 6. a-b; Mem. Ac. Madr. 1851. I. 2. p. 144.* Guadarrama.
meridionalis Jacq. Duv. *Gen. Col. Curc. 1854. p. 14. not.* Gallia mer.
nodosus Motsch. *Etud. ent. IX. 1860. p. 21.* Japonia.
oblongus Bohem. *Schh. Gen. Curc. V. p. 866.* Caffraria.
parapleurus Marsh. *Ent. Brit. p. 305.* — Steph. *Ill. Brit. IV. p. 124.* Anglia.
albicans Bohem. *Schh. Gen. Curc. I. p. 530.* — Dej. *Cat. 3. ed. p. 270.* Gallia.
plumbeus Marsh. *Ent. Brit. p. 302.* Anglia.
prodigus Fabr. *Ent. Syst. Suppl. p. 170.* — Oliv. *Ent. V. 83. p. 340. t. 18. f. 232.* — Gylh. *Schh. Gen. Curc. I. p. 525.* — Lacord. *Gen. Col. VI. 1863. p. 35. note 1.* Hispania.
hispanus Herbst. *Käf. VII. p. 41. t. 97. f. 11.* „
ludificator Gylh. *l. c. p. 526.* — Lacord. *Gen. Col. VI. 1863. p. 35. not. 1.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 372.* „
pubescens Allard. *Abeille. V. 1869. p. 470.* Cette.
pyriformis Bohem. *Schh. Gen. Curc. I. p. 528.* Lusitania.
quadrilineatus Gebl. *Ledeb. Reis. 1830. II. 3. p. 150.* — Eschsch. *Dej. Cat. 3. ed. p. 270.* — Bohem. *Schh. Gen. Curc. I. p. 526.* Sibiria.
rugosicollis Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 352.* „
setarius Fairm. *Ann. Fr. 1867. p. 408.* Marocco.
viridanus Bohem. *Schh. Gen. Curc. V. p. 864.* Caffraria.
viridimetallicus Motsch. *Etud. ent. IX. 1860. p. 21.* Japonia.
32

Synaptoplus

συναπτός, conjunctus; ὅπλον, arma.

Gerstäcker. *Wiegm. Arch. XXXVII. 1871. I. p. 69.*

cervinus Gerstäck. *Wiegm. Arch. 1871. I. p. 69.* Mombas.
1

Cyphometopus

κυφός, gibbus; μέτωπον, frons.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 314.*

angustus Blanch. *Gay. Hist. Chil. V. p. 315.* Chili.
cylindricollis Bohem. *Res. Eugen. 1859. p. 122.* „
tessellatipennis Blanch. *Gay. Hist. Chil. V. p. 315. t. 23. f. 6. a-g.* „
3

Trigonoscuta

τρίγωνος, triangulus; σκύτος, cutis.

Motschulsky. *Etud. ent. I. 1852. p. 79.*

pilosa Motsch. *Etud. ent. I. p. 79.* — Lacord. *Gen. Atl. VII. t. 61. f. 5. a-b.* California.
1

Symmathetes

συμμαθητής, condiscipulus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 31.*

Kollari Schönh. *Mant. sec. p. 32. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 37.* Brasilia.
1

Catoptes

κατόπτης, speculator.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 243.*

obliquesignatus Bohem. *Schh. Gen. Curc. VI. 2. p. 244.* Nov. Zeeland.
1

Mimetes

μιμητής, imitator.

Schönherr. *Mantiss. sec. Curc. 1847. p. 23.*

setulosus Schönh. *Mant. sec. p. 24. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 40.* California.
1

Aosseterus

ἀοσσητήρ, auxiliator.

Schönherr. *Mantiss. sec. Curc. 1847. p. 75.*

argentatus Schönh. *Mant. sec. p. 77. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 624.* Port Natal.
cinerasceus Schönh. *Mant. sec. p. 77. (indscrpt.)* „
marginatus Schönh. *l. c. (indscrpt.).* „
melancholicus Schönh. *l. c. (indscrpt.)* „
4

Heteroschoenus

ἕτερος, diversus; σχοῖνος, funiculus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 42. (emend.)*

Heteroschoinos Schönherr.

albovarius Schönh. *Mant. sec. p. 43. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 40.* Port Natal.
1

Liophloeus

λεῖος, laevis; φλοιός, cortex.

Germar. *Ins. Spec. nov. 1824. p. 341.*

Gastrodus Megerle. — *Leiophloeus* Stephens.

aquisgranensis Först. *Verhandl. Ver. Preuss. Rheinl. VI. 1849. Nachtrg. p. 26.* — Bach. *Käferf. II. 1854. p. 235.* Germania.
atricornis Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 353.* Clermont.
chrysopterus Bohem. *Schh. Gen. Curc. VI. 2. p. 237.* — Frivald. *Dej. Cat. 3. ed. p. 284.* Hungaria.
cyanescens Fairm. *Ann. Fr. 1859. p. 57.* Gallia.
geminatus Bohem. *Schh. Gen. Curc. VI. 2. p. 238.* „
gibbus Bohem. *l. c. p. 241.* — Meg. *Dej. Cat. 3. ed. p. 284.* Hungaria.
Herbsti Gylh. *l. c. II. p. 305.* — Meg. *l. c. p. 284.* Germania.
inquinatus Mannerh. *Bull. Mosc. 1852. II. p. 351.* Sitkha.
tessellatus Motsch. *i. litt.* Kadjak.
lentus Germ. *Ins. Spec. nov. p. 343.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 240.* Hungaria.
maroccanus Fairm. *Ann. Fr. 1868. p. 494.* Tanger.
nubiculosus Schönh. *Ménétr. Cat. rais. 1832. p. 218.* — Gylh. *Schh. Gen. Curc. II. p. 304.* Persia.
nubilus Fabr. *Gen. Ins. Mant. p. 228.* — Oliv. *Ent. V. 83. p. 408. t. 26. f. 374.* — Gylh. *Schh. Gen. Curc. II. p. 303.* — Jacq. Duv. *Gen. Col. Curc. t. 9. f. 42.* M.
chrysopterus Herbst. *Käf. VI. p. 339. t. 86. f. 10.* Germania.
floccosus Marsh. *Ent. Brit. p. 314.* Anglia.
maurus Marsh. *l. c. p. 316.* Gallia.
tessellatus Bonsd. *Curc. Suec. II. p. 38. f. 32.* Suecia.
obsequiosus Gylh. *Schh. Gen. Curc. II. p. 304.* Volhynia.
opacus Chevrol. *Cat. Grenier. 1863. p. 100.* Gallia.
ovipennis Fairm. *Ann. Fr. 1858. p. 878.* „
pulverulentus Gylh. *Schh. Gen. Curc. VI. 2. p. 239.* — Dej. *Cat. 3. ed. p. 284.* „
Schmidti Bohem. *Schh. Gen. Curc. VI. 2. p. 242.* Bohemia.
17

Catapionus

καταπίονος, obesus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 245.*

basilicus Bohem. *Schh. Gen. Curc. VI. 2. p. 247.* — Lacord. *Gen. Atl. VII. t. 62. f. 1. a.* Kaschmir.
1

Barynotus

βαρύς, gravis; νῶτος, dorsum.

Germar. *Ins. Spec. nov. 1824. p. 337.*

Brius Megerle. — *Merionus* Stephens.

alternans Bohem. *Schh. Gen. Curc. II. p. 310.* — Dej. *Cat. 3. ed. p. 284.* Gallia or.

granulatus Say. *Descrpt. of Curc. N. Amer. p. 12.* — Amer. bor.
illaesirostris Fairm. *Ann. Fr. 1859. p. 58.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 373.* — Pyrenaei.
maculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 248.* — S. Bernhard.
margaritaceus Germ. *Ins. Spec. nov. p. 340.* — Gylh. *Schh. Gen. Curc. II. p. 308.* — Italia.
Cherrieri Schönh. *in litt.* — Helvetia.
tardus Dej. *Cat. 1. ed. p. 90.* — Gallia.
moerens Fabr. *Ent. Syst. I. 2. p. 465.* — Panz. *Ent. Germ. p. 325.* — M.
Bohemani Gylh. *Ins. Suec. IV. p. 611.* — Suecia.
elevatus Marsh. *Ent. Brit. p. 306.* — Anglia.
obscurus Fabr. *Syst. Ent. p. 150.* — Oliv. *Ent. V. 83. p. 353. t. 6. f. 64. et t. 31. f. 465.* — Gylh. *Schh. Gen. Curc. II. p. 308.* — Jacq. Duv. *Gen. Col. Curc. t. 8. f. 43.* — M.
murinus Bonsd. *Curc. Suec. II. p. 37. f. 31.* — Suecia.
var. *honorus* Herbst. *Käf. VII. p. 59. t. 100. f. 3.* — Meg. *Dej. Cat. 3. ed. p. 284.* — Germania.
„ *pilosulus* Marsh. *Ent. Brit. p. 299.* — Anglia.
pyrenaeus Brisout. *Cat. Gren. II. 1867. p. 186.* — Dej. *Cat. 3. ed. p. 284.* — Pyrenaei.
Schönherri Zetterst. *Ins. Lapp. I. p. 187.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 250.* — Dalm. *Dej. Cat. 3. ed. p. 284.* — Norwegia.
squalidus Gylh. *Schh. Gen. Curc. II. p. 311.* — Gallia.
squamosus Germ. *Ins. Spec. nov. p. 340.* — Dej. *Cat. 3. ed. p. 284.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 251.* — Pyrenaei.
umbilicatus Dufour. *Act. Soc. Linn. Bord. ser. 2. VII. 1851.* — „
auronubilus Fairm. *Ann. Fr. 1856. p. 539; 1864. Bull. p. 42.* — „
viridanus Fairm. *Ann. Fr. 1856. p. 538.* — „
13

Evas

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 182.*

acuminata Pascoe. *Trans. ent. Soc. 1870. p. 183.* — King Georg S.
argenteiventris Pascoe. *l. c.* — Queensland.
crassirostris Pascoe. *l. c.* — Austral. mer.
3

Metoponeurys

μέτωπον, frons; εὐρύς, latus.

Gemminger. *Col. Heft. VII. 1871.*

Eurymetopus Schönh.

fallax Bohem. *Schh. Gen. Curc. VI. 1. p. 113.* — Maldonado.
1

Prosaulius

προσαύλειος, rusticanus.

Schönherr. *Gen. Curc. V. 1840. p. 840. (emend.)*

Nephodes Schönh. *olim.* — *Prosayleus* Schönh.

ateropterus Bohem. *Schh. Gen. Curc. V. p. 842.* — Labr. et Imh. *Gen. Curc. II. nr. 37.* Nov. Holland.
comosus Germ. *Linn. ent. III. 1848. p. 213.* Adelaida.
dispar Germ. *l. c. p. 213.* „
Hopei Bohem. *Schh. Gen. Curc. V. p. 841.* Nov. Holland.
4

Aedophronus

αἰδόφρονος, verecundus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 16.*

setosus Schönh. *Mant. sec. p. 18. (indscrpt.)* Port Natal.
1

Proictes

προΐκτης, mendicus.

Schönherr. *Gen. Curc. V. 1840. p. 926.*

hirtipennis Bohem. *Schh. Gen. Curc. I. 1833. p. 551.* Guinea.
1

Platycopes

πλατύς, latus; κώπη, manubrium.

Schönherr. *Disp. meth. 1826. p. 100.*

alternans Bohem. *Schh. Gen. Curc. V. p. 900.* Africa occ.
argyrellus Sparrm. *Act. Holm. 1785. I. p. 56. t. 3. f. 39.* — Gylh. *Schh. Gen. Curc. I. p. 554.* Cap bon. spei.
gonopterus Bohem. *Schh. Gen. Curc. V. p. 899.* Africa occ.
prasinatus Bohem. *l. c. p. 905.* Cap bon. spei.
pygmaeus Bohem. *l. c. p. 903.* „
spathulatus Gylh. *Schh. Gen. Curc. I. p. 555.* — Lacord. *Gen. Atl. VII. t. 62. f. 2. a.* „
squalidus Bohem. *Schh. Gen. Curc. V. p. 901.* — Labr. et Imh. *Gen. Curc. II. nr. 39.* Caffraria.
turgidus Bohem. *Schh. Gen. Curc. V. p. 902.* Cap bon. spei.
virens Bohem. *l. c. p. 904.* Africa occ.
9

Strophosomus

στροφή, versura; σῶμα, corpus.

Schönherr. *Disp. meth. 1826. p. 97.*

Bryssus Megerle. — *Caulostrophus* Fairm. — *Julodes* Meg. — *Neliocarus* Thomson. — *Strophomorphus* Seidlitz.

Revis. Seidlitz. *Berl. Ent. Zeit. 1870. p. 379.*

aberrans Fairm. *Ann. Fr. 1870. p. 397.* Marocco.

albarius Reiche. *Ann. Fr. 1857. p. 668.* — Kiesenw. *Berl. Zeit. 1864. p. 243.*	Graecia.
lineolatus Fairm. *Ann. Fr. 1859. Bull. p. 104.*	Byzant.
albolineatus Seidl. *Berl. Zeit. 1867. p. 184. not. 1.* — Becker *in litt.*	Sarepta.
alternans Redtenb. *Fn. Austr. ed. 2. p. 699.*	Austria.
albosignatus Bohem. *Schh. Gen. Curc. V. p. 879.*	Mare caspic.
alticola Seidl. *Berl. Zeit. 1867. p. 184.*	Sierra Nevada.
ancorifrons Bohem. *Schh. Gen. Curc. V. p. 871.*	Cap bon. spei.
angulicollis Bohem. *l. c. I. p. 535.*	Caffraria.
baeticus Schauf. *Sitzgb. Ges. Isis. p. 49.* — Seidl. *Berl. Zeit. 1867. p. 185; 1868. (Beiheft.) p. 23. not.*	Hispania mer.
cinereus Bohem. *Schh. Gen. Curc. V. p. 886.*	Peru.
constrictus Seidl. *Berl. Zeit. 1867. p. 183.*	Andalusia.
coryli Fabr. *Syst. Ent. p. 148.* — Oliv. *Ent. V. 83. p. 356. t. 24. f. 348.*	M.
illibatus Bohem. *Schh. Gen. Curc. I. p. 538.*	Volhynia.
obesus Thoms. *Skand. Col. VII. p. 138.*	Suecia.
var. *fagi* Chevrol. *Rev. Zool. 1865. p. 395. not. 1.*	Corsica.
cristatus Bohem. *Schh. Gen. Curc. I. p. 542.*	Hispania.
crucifer Bohem. *l. c. p. 540.*	Cap bon. spei.
crucifrons Bohem. *l. c. p. 533.*	„
curvipes Thoms. *Skand. Col. VII. p. 138.*	Suecia.
Delarouzeei Fairm. *Ann. Fr. 1859. p. 55.*	Gallia mer.
dilaticollis Bohem. *Schh. Gen. Curc. V. p. 883.*	Caffraria.
ebenista Seidl. *Revis. p. 386; Berl. Zeit. 1870. p. 153. (Beiheft.)*	Castilia.
erinaceus Chevrol. *Rev. Zool. 1865. p. 394.* — Seidl. *Berl. Zeit. 1867. p. 182.*	Hispania.
faber Herbst. *Füssl. Arch. V. p. 81. t. 24. f. 28.* — Gylh. *Schh. Gen. Curc. I. p. 540.*	M.
chaetophorus Steph. *Brit. ent. IV. p. 129.*	Anglia.
limbatus Oliv. *Ent. V. 83. p. 360. t. 31. f. 470.* — Marsh. *Ent. Brit. p. 301.*	Gallia.
lineolatus Meg. *Dej. Cat. 3. ed. p. 270.*	Germania.
latirostris Gmel. *ed Linn. I. 4. p. 1807.*	Suecia.
pilosellus Gylh. *Ins. Suec. III. p. 300.* — Steph. *Brit. Ent. IV. p. 130.*	„
pilosus Herbst. *Käf. VI. p. 237. t. 77. f. 6.*	Germania.
flavipes Chevrol. *Col. Heft. V. 1869. p. 71.*	Asturia.
formosus Seidl. *Revis. p. 386; Berl. Zeit. 1870. p. 153. (Beiheft.)*	Lusitania.
fulvicornis Walton. *Ann. nat. Hist. XVII. 1846. p. 307.* — Seidl. *Revis. p. 385.*	Anglia.
globosus Bohem. *Schh. Gen. Curc. I. p. 539.*	Altaï.
globulus Seidl. *Revis. p. 385; Berl. Zeit. 1870. p. 153. (Beiheft.)*	Coimbra.
granicollis Bohem. *Schh. Gen. Curc. V. p. 875.*	Mozambique.
gravis Bohem. *l. c. I. p. 534.*	Cap bon. spei.
hispidus Bohem. *l. c. p. 544.* — Dej. *Cat. 3. ed. p. 270.* — Kolenati. *Bull. Mosc. 1858. I. p. 181. t. 3. f. 5. a-b.*	Gallia mer.
porcellus Schönh. *Ménétr. Cat. rais. p. 213.* — Bohem. *Schh. Gen. Curc. I. p. 543.* — Seidl. *Berl. Zeit. 1867. p. 181. not. 2.*	Tauria.

var. *comatus* Bohem. *Schh. Gen. Curc. V. p. 884.* — Dej. *Cat. 3. ed. p. 270.* — Dalmatia.
Javeti Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 353.* — Taurus.
indoctus Bohem. *Schh. Gen. Curc. V. p. 870.* — Cap bon. spei.
lateralis Payk. *Mon. Curc. p. 95.* — Germania.
limbatus Fabr. *Ent. Syst. 1. 2. p. 469.* — Gylh. *Ins. Suec. III. p. 301.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 5. f. 25.* — Suecia.
squamiger Dej. *Cat. 1. ed. p. 95.* — Gallia.
sus Steph. *Brit. Ent. IV. p. 130.* — Anglia.
longulus Bohem. *Schh. Gen. Curc. V. p. 880.* — Caffraria.
monachus Seidl. *Berl. Zeit. 1867. p. 184; Revis. p. 387.* — Granada.
nodulipennis Bohem. *Schh. Gen. Curc. I. p. 538.* — Bengal.
obesus Marsh. *Ent. Brit. p. 304.* — Europa.
asperifoliarum Steph. *Brit. Ent. IV. p. 126.* — Anglia.
cognatus Steph. *l. c. p. 127.* — „
coryli Gylh. *Ins. Suec. III. p. 304.* — Bohem. *Schh. Gen. Curc. V. p. 877.* — Suecia.
nebulosus Steph. *Brit. Ent. IV. p. 129.* — Anglia.
rufipes Steph. *l. c. p. 126.* — „
subrotundatus Steph. *l. c. p. 128.* — „
obliquecinctus Bohem. *Schh. Gen. Curc. V. p. 874.* — Caffraria.
obsoletehispidus Luc. *Rev. Zool. 1854. p. 36.* — Creta.
obsoletesignatus Bohem. *Schh. Gen. Curc. V. p. 869.* — Caffraria.
ottomanus Fairm. *Ann. Fr. 1869. Bull. p. 104.* — Kiesenw. *Berl. Zeit. 1864. p. 249.* — Seidl. *Revis. p. 387.* — Turcia.
ovulum Seidl. *Revis. p. 387; Berl. Zeit. 1870. p. 154. (Beiheft.)* — Galaecia.
peruvianus Bohem. *Schh. Gen. Curc. V. p. 885.* — Dej. *Cat. 3. ed. p. 270.* — Peru.
var. *tomentosus* Bohem. *l. c. I. p. 545.* — „
picticollis Seidl. *Berl. Zeit. 1867. p. 183.* — Andalusia.
poricollis Fairm. *Ann. Fr. 1868. p. 493.* — Tanger.
praelongatus Bohem. *Schh. Gen. Curc. V. p. 881.* — Cap bon. spei.
pupillatus Bohem. *l. c. p. 873.* — Caffraria.
retusus Marsh. *Ent. Brit. p. 306.* — Steph. *Ill. Brit. IV. p. 129.* — Seidl. *Berl. Zeit. 1870. p. 154. (Beiheft.)* — Anglia.
alternans Bohem. *Schh. Gen. Curc. I. p. 537.* — Seidl. *Revis. p. 387.* — Gallia.
oxyops Bohem. *l. c. p. 541.* — Chevrol. *Dej. Cat. 3. ed. p. 270.* — „
rotundicollis Bohem. *Schh. Gen. Curc. V. p. 876.* — Caffraria.
sagitta Seidl. *Revis. p. 387; Berl. Zeit. 1870. p. 155. (Beiheft.)* — Valenzia.
subsulcatus Bohem. *Schh. Gen. Curc. I. p. 545; V. p. 887.* — Istria.
cephalotes Küster. — „
suturalis Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 262.* — Ceylon.
tubericollis Fairm. *Ann. Fr. 1852. p. 86.* — Pyrenaei.
turpis Bohem. *Schh. Gen. Curc. V. p. 872.* — Cap bon. spei.
52

Neocnemis

νέος, novus; κνήμη, tibia.

Crotch. *Proc. Zool. Soc. 1867. p. 389.*

occidentalis Crotch. *Proc. Zool. Soc. 1867. p. 389. t. 23. f. 7.* — Azores.
1

Foucartia

Nom. propr.

Jacquelin Duval. *Gen. Col. Curc. 1855. p. 14.*

chloris Kiesenw. *Berl. Zeit. 1864. p. 244.* Graecia.
Cremieri Jacq. Duv. *Gen. Col. Curc. p. 15. not. 1. t. 6. f. 24.* Gallia.
depilis Kraatz. *Berl. Zeit. 1859. p. 77.* Hercynia.
elegans Kraatz. *l. c. p. 77.* Creta.
ptochoides Bach. *Stett. Zeit. 1856. p. 244.* Thuringia.
ruficornis Allard. *Abeille. V. 1869. p. 471.* Constantine.
squamulata Herbst. *Käf. VI. p. 353. t. 87. f. 12.* — Gylh. *Ins. Suec. III. p. 306.* Europa.
grisea Meg. *Dej. Cat. 3. ed. p. 270.* Germania.
7

Dinas

δεινός, insolitus.

Wollaston. *Coleopt. Hesperid. 1867. p. 132.*

angustula Wollast. *Col. Hesperid. p. 135.* S. Antão.
elliptipennis Wollast. *l. c. p. 134.* Fogo.
obsita Wollast. *l. c. p. 136.* St. Vincent.
rugicollis Wollast. *l. c. p. 133.* „
sitonaeformis Wollast. *l. c. p. 137.* S. Nicolão.
5

Eutinophaea

εὖ, bene; τείνω, extendo; φαιός, fuscus.

Pascoe. *Trans ent. Soc. 1870. p. 181.*

nana Pascoe. *Trans. ent. Soc. 1870. p. 182. t. 5. f. 6. a-b.* Nov. Holland.
1

Sciaphilus

σκιά, umbra; φίλος, amicus.

Schönherr. *Disp. meth. 1826. p. 98.*

Chiloneus Schönh. — *Cyrtops* Schönh. — *Eudypnus* Thomson.

afflatus Bohem. *Schh. Gen. Curc. I. p. 550; V. p. 919.* Europa.
algericus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 349.* Algeria.
alternans Fairm. *An. Fr. 1866. p. 58.* Tanger.
bellus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 39.* Tirolis.
brevipes Kiesenw. *Berl. Zeit. 1864. p. 245. nota 1.* Dalmatia.
carinidorsum Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 354.* Algeria.
carinula Oliv. *Ent. V. 83. p. 420. t. 26. f. 389.* — Bohem. *Schh. Gen. Curc. I. p. 551.* Lusitania.
cristatus Graëlls. *Mem. Ac. Madrid. 1851. I. 2. p. 147. t. 8. f. 8. a-b.* Castilia.
asferculatus Germ. *in litt.*

cocciferae Kiesenw. *Berl. Zeit. 1864. p. 245.* — Graecia.
var. *creticus* Kiesenw. *l. c. p. 246.* — Creta.
corpulentus Kiesenw. *l. c. p. 244.* — Graecia.
costulatus Kiesenw. *Ann. Fr. 1851. p. 629.* — Catalonia.
fasciolatus Fairm. *Ann. Fr. 1866. p. 59.* — Tanger.
giganteus Fairm. *Ann. Fr. 1860. Bull. p. 31.; 1866. p. 58.* — Oran.
Hampei Seidl. *Berl. Zeit. 1867. p. 432. not. 1.* — Kraatz. *Berl. Zeit. 1868. p. 297.* — Transylvania.
Henoni Allard. *Abeille. V. 1869. p. 471.* — Constantine.
infuscatus Chevrol. *Rev. Zool. 1861. p. 118.* — Algeria.
jonicus Kraatz. *Berl. Zeit. 1859. p. 56.* — Seidl. *Berl. Zeit. 1867. p. 432.* — Corfu.
latiscrobs Hochh. *Bull. Mosc. 1847. II. p. 468.* — Caucasus.
micans Fabr. *Ent. Syst. I. 2. p. 463.* — Herbst. *Käf. VI. p. 249. t. 78. f. 3.* — Gylh. *Schh. Gen. Curc. II. p. 150.* — M.
argentatus Fourcr. *Ent. Par. I. p. 119.* — Gallia.
pomonae Ulrich. *Dej. Cat. 3. ed. p. 279.* — Illyria.
var. *aethiops* Sturm. *Cat. 1826. p. 186.* — Germania.
„ *pyri* Linn. *Fn. Suec. ed. 2. p. 182.* — Suecia.
muricatus Fabr. *Ent. Syst. I. 2. p. 489;* — Bohem. *Schh. Gen. Curc. V. p. 913.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 5. f. 26.* — M.
asperatus Fabr. *Syst. El. II. p. 541.* — Bonsd. *Curc. Suec. II. p. 34. f. 25.* — Suecia.
planirostris Gmel. *ed. Linn. I. 4. p. 1806.* — Gallia.
pusillus Steph. *Ill. Brit. IV. p. 131.* — Anglia.
setosus Sturm. *Cat. 1826. p. 196.* — Germania.
var. *lucidulus* Bohem. *l. c. p. 913.* — Mannh. *in litt.* — Russia.
ninguidus Germ. *Ins. Spec. nov. p. 412.* — Bohm. *Schh. Gen. Curc. V. p. 918.* — Saxonia.
rubi Gylh. *Ins. Suec. III. p. 329.* — Suecia.
oblongus Bohem. *Schh. Gen. Curc. I. p. 549.* — Dej. *Cat. 1. ed. p. 96.* — Hispania.
pertusicollis Fairm. *Ann. Fr. 1868. p. 494.* — Constantine.
rasus Seidl. *Berl. Zeit. 1867. p. 433. not. 1.* — Dalmatia.
scitulus Germ. *Ins. Spec. nov. p. 459.* — Bohem. *Schh. Gen. Curc. V. p. 916.* — Illyria.
parvulus Fabr. *Ent. Syst. I. 2. p. 469. (forte).* — Germania.
punctatus Sturm. *Cat. 1826. p. 187.* — Tergestum.
setifer Bohem. *Schh. Gen. Curc. V. p. 917.* — Brasilia.
setosulus Germ. *Ins. Spec. nov. p. 461.* — Bohem. *Schh. Gen. Curc. V. p. 916.* — Illyria.
hirtellus Sturm. *Cat. 1826. p. 187.* — Istria.
siculus Bohem. *Schh. Gen. Curc. VII. 1. p. 235.* — Jacq. Duv. *Gen. Col. Curc. p. 37. not. 2.* — Sicilia.
♀ *meridionalis* Bohem. *l. c. V. p. 913.* — „
sparsus Fåhrs. *Schh. Gen. Curc. V. p. 925.* — Lacord. *Gen. Col. VI. 1863. p. 54.* — Comores.
squalidus Gylh. *Schh. Gen. Curc. II. p. 151.* — Podolia.
Beckeri Stierl. *Bull. Mosc. 1863. IV. p. 494.* — Sarepta.
viridis Bohem. *Schh. Gen. Curc. I. p. 548.* — Italia.
vittatus Gylh. *Schh. l. c. II. p. 152.* — Istria.

Eusomus

εὖ, bene; σῶμα, corpus.

Germar. *Ins. Spec. nov. 1824. p. 457.*

Chrysoloma Megerle. — *Eusoma* Germ. — *Eusomatus* Dejean. *olim.*

acuminatus Bohem. *Schh. Gen. Curc. V. p. 941.* Sibiria.
affinis Luc. *Expl. Alg. 1849. p. 417. t. 35. f. 11. a—c.* Algeria.
angusticollis Luc. *Rev. Zool. 1854. p. 39.* Creta.
angustus Luc. *l. c. p. 38.* „
virens Kiesenw. *Berl. Zeit. 1864. p. 252. t. 3. f. 6.* Graecia.
armeniacus Kirsch. *Berl. Zeit. 1871. p. 44.* Erzerum.
elongatus Bohem. *Schh. Gen. Curc. I. p. 566.* Tauria.
crinitus Dej. *Cat. 3. ed. p. 271.* Bokharia.
hirsutus Sturm. *Cat. 1826. p. 141.* „
minutus Parreyss. *Dej. Cat. l. c.* „
furcillatus Motsch. *Etud. Ent. I. 1852. p. 80.* — Moraw. *Hor. Soc. ent. Ross. II. 1863. p. 171.* Russia mer.
griseus Hochh. *Bull. Mosc. 1851. I. p. 19.* Turcomania.
mucronatus Hochh. *l. l. p. 20.* „
obovatus Bohem. *Schh. Gen. Curc. V. p. 939.* Sibiria occ.
ovulum Germ. *Ins. Spec. nov. p. 459. t. 2. f. 5; Fn. Ins. Eur. 11. 15.* — Bohem. *Schh. Gen. Curc. V. p. 938.* — Jacq. Duv. *Gen. Col. Curc. t. 6. f. 28.* M.
alneti Meg. *Dej. Cat. 3. ed. p. 271.* Germania.
pilifer Schönh. *Ménétr. Cat. rais. 1832. p. 216.* — Bohem. *Schh. Gen. Curc. I. 1833. p. 565.* Talysch.
pilosus Schönh. *Ménétr. Cat. rais. p. 217.* — Bohem. *Schh. Gen. Curc. V. p. 940.* Caucasus.
Richteri Motsch. *Bull. Mosc. 1845. I. p. 105. t. 3. f. 5.* Songoria.
smaragdulus Fairm. *Ann. Fr. 1859. Bull. p. 151.* Galaecia.
sphaeropterus Allard. *Abeille. V. 1869. p. 475.* Constantine.
taeniatus Krynick. *Bull. Mosc. VII. 1834. p. 169. t. 5. f. 2.* Cherson.
virens Bohem. *Schh. Gèn. Curc. I. p. 566.* Podolia.
18

Syzygops

σύζυγος, conjunctus; ὤψ, oculus.

Schönherr. *Disp. meth. 1826. p. 93.*

Cyclopus Dejean. *olim.*

cinerea Guér. *Ic. règn. anim. 1830. p. 143.* Mauritius.
cyclops Gylh. *Schh. Gen. Curc. I. p. 515.* — Guér. *Ic. règn. anim. t. 37. f. 7. a—d.* — Lacord. *Gen. Atl. VII. t. 62. f. 3. a.* Ins. Bourbon.
polyphemus Latr. *Dej. Cat. 3. ed. p. 270.* „
tereticollis Dej. *Cat. 1. ed. p. 96.* „
Desjardinsi Guér. *Ic. règn. anim. p. 143.* Mauritius.

fuscipes Guér. *l. c. p. 143.* Bourbon.
hystrix Rosensch. *Schh. Gen. Curc. V. p. 832.* Mauritius.
prasina Guér. *Ic. règn. anim. p. 143.* Bourbon.
tuberculata Guér. *l. c. p. 142.* Mauritius.
7

Macrostylus

μακρός, longus; στύλος, scapus.

Boheman. *Schh. Gen. Curc. V. 1840. p. 921.*

crinitus Bohem. *Schh. Gen. Curc. V. p. 923.* Brasil. mer.
1

Mitophorus

μίτος, filum; φέρω, fero.

Gerstäcker. *Monatsb. Berl. Ac. 1855. p. 84.*

aeneipennis Gerstäck. *Wiegm. Arch. 1871. I. p. 69.* Endara.
inflatus Gerstäck. *l. c.* „
pruinosus Gerstäck. *Monatsb. Berl. Ac. 1855. p. 84; Peters Reise. 1862. p. 312. t. 18. f. 12.* Mozambique.
3

Tanycerus

τανύω, tendo; κέρας, cornu.

Lacordaire. *Gen. Col. VI. 1863. p. 58.*

Nematocerus Reiche.

metallicus Reiche. *Galin. Voy. Abyss. 1850. p. 384. t. 24. f. 1.* Abyssinia.
1

Achradidius

ἀχράς, pyrum; εἶδος, aspectus.

Kiesenwetter. *Berl. Ent. Zeit. 1864. p. 247.*

creticus Kiesenw. *Berl. Zeit. 1864. p. 248. t. 3. f. 5.* Creta.
1

Brachyderes

βραχὺς, brevis; δέρις, collum.

Schönherr. *Disp. meth. 1826. p. 102.*

albidus Bohem. *Schh. Gen. Curc. V. p. 935.* Caucasus.
angustus Fairm. *Ann. Fr. 1870. p. 396.* Bona.
aurovittatus Fairm. *l. c. 1862. p. 551.* Murcia.
chinensis Bohem. *Schh. Gen. Curc. V. p. 933.* China.

constrictus Bohem. *Schh. Gen. Curc. I. p. 563.* — Falderm. *Fn. transc. II. p. 172. t. 5. f. 4.*	Persia occ.
cribricollis Fairm. *Cat. Grenier. 1863. p. 97.*	Gallia.
Gougeleti Fairm. *Ann. Fr. 1870. p. 395.*	Tanger.
gracilis Bohem. *Schh. Gen. Curc. I. p. 557.*	Lusitania.
alboguttatus Chevrol. *Rev. Zool. 1866. p. 321.*	Escurial.
grisescens Fairm. *Ann. Fr. 1862. p. 552.*	Andalusia.
illaesus Bohem. *Schh. Gen. Curc. I. p. 559.*	Lusitania.
incanus Linn. *Syst. nat. ed. X. p. 385. nr. 68.* — Bohem. *Schh. Gen. Curc. V. p. 932.*	M.
griseo-apterus Degeer. *Ins. V. p. 242.*	Gallia.
rufipes Linn. *l. c. nr. 70.*	Suecia.
testipes Schrank. *Fn. boic. p. 495.*	Germania.
lepidopterus Gylh. *Schh. Gen. Curc. I. p. 561.*	Gallia.
lineolatus Fairm. *Ann. Fr. 1862. p. 551.*	Andalusia.
longicollis Hochh. *Bull. Mosc. 1851. I. p. 17.*	Turcomania.
lusitanicus Fabr. *Spec. Ins. I. p. 187.* — Oliv. *Ent. V. 83. p. 329. t. 16. f. 202.* — Bohem. *Schh. Gen. Curc. I. p. 557.* — Jacq. Duv. *Gen. Col. Curc. t. 6. f. 27.*	Lusitania.
marginellus Graëlls. *Mem. Map. geol. 1858. p. 81. t. 4. f. 11. a-b.*	Castilia.
murinus Bohem. *Schh. Gen. Curc. V. p. 934.*	Arabia.
opacus Bohem. *l. c. I. p. 558.*	Gallia occ.
ophthalmicus Fairm. *Stett. Zeit. 1869. p. 232; Ann. Fr. 1870. p. 397.*	Andalusia.
ovipennis Fairm. *Ann. Fr. 1862. p. 554.*	"
pubescens Bohem *Schh. Gen. Curc. I. p. 561.* — Dej. *Cat. 3. ed. p. 271.*	Gallia mer.
quercus Bellier. *Ann. Fr. 1870. Bull. p. 26.*	"
rugatus Wollast. *Cat. Canar. Col. 1864. p 379.*	Palma.
sabaudus Fairm. *Ann. Fr. 1861 p. 649.*	Sabaudia.
sculpturatus Wollast. *Cat. Canar. Col. p. 379.*	Canariae.
scutellaris Seidlitz. *Berl. Zeit. 1867. p. 185.*	Cordova.
siculus Fairm. *Ann. Fr. 1862. p. 553.*	Sicilia.
signatus Waltl. *Reis. Span. II. p. 80.*	Andalusia.
sparsutus Fairm. *Ann. Fr. 1862. p. 553.*	Lusitania.
suturalis Graëlls. *Mem. Ac. Madrid. 1851. I. 2. p. 145. t. 8. f. 7. a-b.*	Castilia.

30

Asynonychus

α priv; σύν, simul; ὄνυξ, unguis.

Crotch. *Proc. Zool. Soc. 1867. p. 388.*

Godmani Crotch. *Proc. Zool. Soc. 1867. p. 389. t. 23. f. 9.*	Azores.

1

Porophorus

πῶρος, callus; φέρω, fero.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 406.*

odiosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 407.*	Cap bon. spei.

1

Stenotherium

στενός, angustus; θηρίον, animal.

Wollaston. *Journ. of Ent. I. 1861. p. 143.*

tapirus Wollast. *Journ. of Ent. I. p. 144. t. 11. f. 4.* Cap bon. spei.
1

Rhadinosomus

ῥαδινὸς, tenuis; σῶμα, corpus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 473.*

Leptosomus Schönh.

acuminatus Fabr. *Syst. Ent. p. 152.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 473.* — Waterh. *Trans. ent. Soc. II. 1839. p. 193. t. 17. f. 2. a.* Nov. Zeeland.
impressus Pascoe. *Journ. Linn. Joc. X. 1870. p. 448.* Austral. occ.
Lacordairei Pascoe. *l. c. p. 449.* — Lacord *Gen. Col. VI. 1863. p. 64.* Queensland.
3

Hypsometopus

ὕψος, altitudo; μέτωπον, frons.

Kirsch. *Berl. Ent. Zeit. 1867. p. 222.*

inquinatus Kirsch. *Berl. Zeit. 1867. p. 223.* Columbia.
sus Jekel *in litt.* „
1

Naupactus

Ναύπακτος, nom. propr.

Schönherr. *Gen. Curc. I. 1833. p. 567.*

Alceis Billberg. — *Iphius* Schönh. *olim.* — *Leptocerus* Germar.

acerbus Bohem. *Schh. Gen. Curc. VI. 1. p. 31.* Brasilia.
aerosus Bohem. *l. c. p. 2.* „
albidus Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. 1853. p. 461.* „
albopunctatus Bohem. *Schh. Gen. Curc. VI. 1. p. 53.* „
albulus Bohem. *l. c. I. p. 609.* — Chevrol. *Dej. Cat. 3. ed. p. 273.* „
ambiguus Bohem. *Schh. Gen. Curc. VI. I. p. 16.* „
ambitiosus Bohem. *l. c. I. p. 603.* „
amens Bohem. *l. c. p. 576.* „
amoenus Bohem. *l. c. p. 604.* „
anceps Bohem. *l. c. p. 574.* „
angulicollis Luc. *Casteln. Voy. 1859. p. 153. t. 9. f. 8.a-b.* „
aptus Bohem. *Schh. Gen. Curc. VI. 1. p. 5.* „

argyrostomus Bohem. *Schh. Gen. Curc. VI. 1. p. 105.* Brasilia.
aulacus Germ. *Ins. Spec. nov. p. 421.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 13.* „
histrio Dej. *Cat. 1. ed. p. 95.* „
aurichalceus Bohem. *Schh. Gen. Curc. I. p. 603.* — Dej. *Cat. 3. ed. p. 273.* „
mitis Bohem. *l. c. p. 606.* „
auricinctus Bohem. *l. c. p. 584; VI. 1. p. 40.* „
basalis Klug *in litt.* „
auriventris Germ. *Ins. Spec. nov. p. 425.* „
granicollis Bohem. *Schh. Gen. Curc. I. p. 597.* „
aurolimbatus Bohem. *l. c. VI. 1. p. 41.* „
auromarginatus Bohem. *l. c. p. 42.* „
aurulans Bohem. *l. c. p. 82.* „
balteatus Bohem. *l. c. p. 77.* „
barbicauda Bohem. *l. c. p. 79.* „
basilicus Germ. *Ins. Spec. nov. p. 421.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 86.* „
viridiustulatus Chevrol. *in litt.* „
bellus Bohem. *Schh. Gen. Curc. I. p. 598.* „
bipes Germ. *Ins. Spec. nov. p. 426.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 34.* „
bistigma Bohem. *l. c. p. 84.* „
Bridgesi Waterh. *Ann. nat. Hist. XIII. 1844. p. 54.* Chili.
calvus Bohem. *Schh. Gen. Curc. VI. 1. p. 100.* Brasilia.
binotatus Germ. *in litt.* „
canaliculatus Bohem. *Schh. Gen. Curc. VI. 1. p. 104.* Amer. mer.
capucinus Perty. *Del. anim. 1830. p. 73. t. 15. f. 3.* Brasilia.
retusus Bohem. *Schh. Gen. Curc. I. p. 583.* — Dej. *Cat. 3. ed. p. 272.* „
celator Bohem. *Schh. Gen. Curc. I. p. 607.* „
var. *bipunctatus* Chevrol. *in litt.* — Bohem. *l. c.* „
cervinus Bohem. l. *c. VI. 1. p. 17.* „
chalybeipes Bohem. *l. c. p. 47.* „
Chevrolati Bohem. *l. c. p. 85.* Cayennae.
chloraspis Erichs. *Wiegm. Arch. 1847. I. p. 128.* Peru.
chordinus Bohem. *Schh. Gen. Curc. I. p. 573.* Buenos Aires.
virens Sturm. *Cat. 1826. p. 172.* „
cinerascens Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. 1853. p. 454.* Guatemala.
cinerosus Bohem. *Schh. Gen. Curc. I. p. 577.* Brasilia.
concinnus Bohem. *l. c. VI. 1. p. 48.* „
condecoratus Bohem. *l. c. p. 38.* „
contractus Bohem. *l. c. p. 25.* Mexico.
crinitus Bohem. *l. c. p. 20.* — Chevrol. *Dej. Cat. 3. ed. p. 272.* „
curialis Germ. *Ins. Spec. nov. p. 423.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 13.* Brasilia.
curtus Bohem. *l. c. I. p. 570; VI. 1. p. 11.* — Chevrol. *Dej. Cat. 3. ed. p. 271.* „
trivittatus Dej. *Cat. 1. ed. p. 95.* „
var. *unicolor* Chevrol. *in litt.* „
curvilineus Bohem. *Schh. Gen. Curc. VI. 1. p. 63.* Amer. mer.
dapsilis Perty. *Del. anim. p. 73. t. 15. f. 2.* Brasilia.
Winthemi Bohem. *Schh. Gen. Curc. I. p. 595.* „

dasypus Bohem. *Schh. Gen. Curc. VI. 1. p. 72.* Cayennae.
decolor Bohem. *l. c. p. 106.* Columbia.
decorus Fabr. *Syst. Ent. p. 146.* — Herbst. *Käf. VI. p. 317. t. 85. f. 2.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 4.* Brasilia.
deplorabundus Bohem. *l. c. I. p. 609; VI. 1. p. 85.* „
modestus Dej. *Cat. 3. ed. p. 273.* „
depressicollis Bohem. *Schh. Gen. Curc. VI. 1. p. 66.* Columbia.
deses Schönh. *Gen. Curc. VI. 1. p. 49.* Brasilia.
loripes Bohem. *Schh. Gen. Curc. I. p. 590.* „
dissimulator Bohem. *l. c. VI. 1. p. 8.* Buenos Aires.
durius Germ. *Ins. Spec. nov. p. 417.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 27.* „
elegantulus Bohem. *l. c. p. 64.* Columbia.
elegans Luc. *Casteln. Voy. 1859. p. 152. t. 9. f. 7. a-b.* — Dej. *Cat. 3. ed. p. 272.* Brasilia.
enitescus Bohem. *Schh. Gen. Curc. VI. 1. p. 99.* „
gracilis Germ. *in litt.* „
equestris Bohem. *Schh. Gen. Curc. I. p. 581.* Amer. mer.
Faldermanni Bohem. *l. c. VI. 1. p. 70.* Brasilia.
fallax Bohem. *l. c. p. 9.* „
fatuus Bohem. *l. c. I. p. 588.* „
faustus Erichs. *Schomb. Reis. III. 1848. p. 568.* Guyana.
flavipennis Bohem. *Schh. Gen. Curc. VI. 1. p. 55.* Brasilia.
fluctuosus Bohem. *l. c. p. 15.* „
fulgurans Luc. *Casteln. Voy. p. 151. t. 9. f. 6. a-b.* „
fuscus Bohem. *Schh. Gen. Curc. VI. 1. p. 54.* „
gibbicollis Bohem. *l. c. I. p. 582.* — Dej. *Cat. 3. ed. p. 272.* „
glaucivittatus Blanch. *Voy. d'Orb. 1843. p. 202. t. 17. f. 3.* Bolivia.
glaucus Perty. *Del. anim. p. 72. t. 14. f. 16.* Brasilia.
hypocrita Germ. *Ins. Spec. nov. p. 120.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 62.* „
illotus Germ. *Ins. Spec. nov. p. 424.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 69.* „
impurus Bohem. *l. c. I. p. 580.* „
injucundus Bohem. *l. c. p. 601; VI. 1. p. 106.* Cayennae.
♂ *temperans* Bohem. *l. c. I. p. 610.* Brasilia.
insignis Bohem. *l. c. VI. 1. p. 95.* Incert. sedis.
instabilis Bohem. *l. c. p. 71.* Columbia.
institor Bohem. *l. c. I. p. 597.* Brasilia.
Klugi Bohem. *l. c. p. 572.* „
dives Klug. *Dej. Cat. 3. ed. p. 272.* „
lacertosus Erichs. *Wiegm. Arch. 1847. I. p. 128.* Peru.
lar Germ. *Ins. Spec. nov. p. 427.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 58.* Brasilia.
♀ {*lanipes* Sturm. *Cat. 1826. p. 172.* „
♀ {*rufipes* Bohem. *l. c. I. p. 589.* „
var. *griseus* Dej. *Cat. 3. ed. p. 272.* — Sturm. *Cat. l. c.* „
lateralis Bohem. *Schh. Gen. Curc. VI. 1. p. 43.* „
latifrons Bohem. *l. c. I. p. 592.* „
leporinus Erichs. *Wiegm. Arch. 1847. I. p. 128.* Peru.
leucogaster Perty. *Del. anim. p. 72. t. 15. f. 1.* Brasilia.
nodicollis Bohem. *Schh. Gen. Curc. I. p. 585.* — Blanch. *Voy. d'Orb. t. 18. f. 1.* „

leucographus Bohem. *Schh. Gen. Curc. VI. 1. p. 45.* Brasilia.
leucoloma Bohem. *l. c. p. 62.* — Dej. *Cat. 3. ed. p. 272.* Tucuman.
leucophaeus Bohem. *Schh. Gen. Curc. I. p. 600.* Brasilia.
caliginosus Dej. *Cat. 3. ed. p. 272.* „
leucospilus Germ. *Ins. Spec. nov. p. 422.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 14.* „
lineatus Bohem. *l. c. p. 3.* „
longimanus Fabr. *Syst. Ent. p. 147.* — Herbst. *Käf. VI. p. 491. t. 95. f. 4.* — Bohem. *Schh. Gen. Curc. I. p. 568.* „
distinctus Dej. *Cat. 3. ed. p. 271.* „
globicollis Sturm. *Cat. 1826. p. 172.* „
interruptus Dej. *Cat. l. c.* „
loripes Germ. *Ins. Spec. nov. p. 419.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 46.* „
macilentus Bohem. *l. c. I. p. 594.* — Guér. *Ic. règn. anim. t. 37. f. 5.* „
maculosus Bohem. *Schh. Gen. Curc. VI. 1. p. 21.* Mexico.
marginalis Bohem. *l. c. I. p. 577.* Brasilia.
minimus Blanch. *Gay. Hist. Chil. V. 1851. p. 317. t. 23. f. 7. a-c.* Chili.
morio Bohem. *Schh. Gen. Curc. I. p. 592.* Brasilia.
Mulsanti Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. 1853. p. 457.* „
mundus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 381.* Peru.
navicularis Bohem. *Schh. Gen. Curc. VI. 1. p. 23.* Brasilia.
nobilis Bohem. *Schh. l. c. p. 19.* — Dej. *Cat. 3. ed. p. 272.* Mexico.
nubilosus Bohem. *Schh. Gen. Curc. VI. 1. p. 51.* Amer. mer.
optatus Herbst. *Käf. VII. p. 40. t. 99. f. 12.* — Bohem. *Schh. Gen. Curc. I. p. 575.* „
ypsilon Oliv. *Ent. V. 83. p. 330. t. 16. f. 203.* „
ornatus Bohem. *Schh. Gen. Curc. VI. 1. p. 88.* Brasilia.
pavidus Bohem. *l. c. p. 107.* Columbia.
perpastus Bohem. *l. c. p. 29.* Brasilia.
pictus Bohem. *l. c. p. 24.* „
pithecius Germ. *Ins. Spec. nov. p. 426.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 36.* „
bipes var. *β.* Bohem. *l. c. I. p. 584.* „
squamifer Dej. *Cat. 1. ed. p. 95.* „
plagiatus Luc. *Casteln. Voy. p. 154. t. 10. f. 2. a.* „
polliger Bohem. *Schh. Gen. Curc. I. p. 588.* „
praedatus Erichs. *Wiegm. Arch. 1847. I. p. 128.* Peru.
propinquus Bohem. *Res. Eugen. 1859. p. 121.* Ins. Puna.
psittacinus Bohem. *Schh. Gen. Curc. VI. 1. p. 90.* Brasilia.
pulverulentus Bohem. *l. c. p. 98.* — Dej. *Cat. 3. ed. p. 272.* „
suturalis Germ. *in litt.* „
pupulus Bohem. *Schh. Gen. Curc. VI. 1. p. 81.* „
quadrigatus Bohem. *l. c. p. 78.* „
rivulosus Fabr. *Ent. Syst. I. 2. p. 477.* — Oliv. *Ent. V. 83. p. 317. t. 11. f. 133.* — Bohem. *Schh. Gen. Curc. I. p. 586.* „

roborosus Germ. *Ins. Spec. nov. p. 423.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 12.*	Brasilia.
roscidus Erichs. *Schomb. Reis. III. 1848. p. 568.*	Guyana.
roseiventris Bohem. *Schh. Gen. Curc. VI. 1. p. 87.*	Brasilia.
rubiginosus Fabr. *Syst. El. II. p. 521.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 67.*	Amer. mer.
rubricollis Blanch. *Voy. d'Orb. p. 202. t. 17. f. 4.*	Bolivia.
ruticornis Bohem. *Schh. Gen. Curc. VI. 1. p. 40.*	Brasilia.
ruricola Bohem. *l. c. I. p 608; VI. 1. p. 83.*	"
Sahlbergi Bohem. *l. c. VI. 1. p. 32.*	"
scelestus Bohem. *l. c. I. p. 579.*	"
scintillans Bohem. *l. c. VI. 1. p. 80.*	"
sellatus Bohem. *l. c. p. 96.*	"
obliquus Germ. *in litt.*	"
senex Bohem. *Schh. Gen. Curc. I. p. 582.*	"
thoracicus Dej. *Cat. 3. ed. p. 272.*	"
serripes Bohem. *Schh. Gen. Curc. VI. 1. p. 28.*	"
setarius Bohem. *l. c. I. p. 578.*	"
sexmaculatus Luc. *Casteln. Voy. p. 153. t. 10. f. 1. a.*	"
signatus Bohem. *Schh. Gen. Curc. I. p. 599.*	"
signipennis Bohem. *l. c. VI. 1. p. 92.*	"
virescens Germ. *in litt.*	"
Sommeri Bohem. *Schh. Gen. Curc. VI. 1. p. 76.*	"
sparsus Bohem. *l. c. p. 103.*	"
squameus Bohem. *l. c. p. 94.* — Dej. *Cat. 3. ed. p. 272.*	"
var. *viridulus* Sturm *in litt.*	"
stauropterus Germ. *Ins. Spec. nov. p. 419.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 74.*	"
cruciatus Sturm. *Cat. 1826. p. 172.*	"
crucifer Dej. *Cat. 3. ed. p. 272.*	"
stigmaticus Bohem. *Schh. Curc. VI. 1. p. 57.*	"
stultus Bohem. *l. c. p. 73.*	"
stupidus Bohem. *l. c. p. 18.* — Chevrol. *Dej. Cat. 3. ed. p. 272.*	Mexico.
suavis Bohem. *Schh. Gen. Curc. I. p. 605; VI. 1 p. 91.*	Brasilia.
subacutus Bohem. *l. c. VI. 1. p. 33.*	"
subvittatus Bohem. *l. c. p. 102.*	"
subvittatus Fairm. et Germain. *Col. Chil. II. 1861. p. 7.*	Chili.
suffitus Bohem. *Schh. Gen. Curc. I. p. 573.*	Buenos Aires.
sulphureosignatus Blanch. *Voy. d'Orb. p. 202. t. 17. f. 2.*	Bolivia.
suturalis Bohem. *Schh. Gen. Curc. VI. 1. p. 52.* — Petit. *Dej. Cat. 3. ed. p. 271.*	Brasilia.
tarsalis Bohem *Schh. Gen. Curc. VI. 1. p. 58.*	Amer. mer.
rubripes Sturm. *Cat. 1826. p. 172.*	"
tibialis Bohem. *Schh. Gen. Curc. VI. 1. p. 97.*	Brasilia.
farinosus Germ. *in litt.*	"
transversus Bohem. *Schh. Gen. Curc. VI. 1. p. 11.*	"
turmalinus Bohem. *l. c. p. 59.*	"
varians Bohem. *l. c. p. 65.*	Columbia.
viduatus Bohem. *l. c. p. 60.*	Amer. mer.
virens Bohem. *l. c. p. 6.*	Brasilia.
viridicinctus Bohem. *l. c. I. p. 596.*	"
viridiplagiatus Bohem. *l. c. VI. 1. p. 75.*	"
viridisquamosus Bohem. *l. c. p. 37.*	"

vittatus Mannerh. *Schh. Gen. Curc. I. p. 591.* — Sturm. *Dej. Cat. 3. ed. p. 272.* Brasilia.
miniatus Dej. *Cat. l. c.* „
Wilsoni Bohem. *Schh. Gen. Curc. VI. 1. p. 50.* „
xanthographus Germ. *Ins. Spec. nov. p. 424.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 7.* Buenos Aires.
159

Ochrometa

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 449.*

amoena Pascoe. *Journ. Linn. Soc. X. 1870. p. 450. t. 17. f. 6. a-c.* Championbay.
1

Pantoplanes

παντοπλανής, omnivagus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 111.*

anthribiformis Bohem. *Schh. Gen. Curc. I. p. 601.* Brasilia.
viridisquamosus Bohem. *Res. Eugen. 1859. p. 121.* Buenos Aires.
2

Amphideritus

ἀμφιδήριτος, anceps.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 117.*

formosus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 382. t. 48. f. 10.* Peru.
rugicollis Kirsch. *Berl. Zeit. 1867. p. 223.* Columbia.
squamosus Kirsch. *l. c. p. 224.* „
vilis Bohem. *Schh. Gen. Curc. VI. 1. p. 118.* „
4

Mimographus

μιμογράφος, qui mimos scribit.

Schönherr. *Mantiss. sec. Curc. 1847. p. 34.*

amandus Kirsch. *Berl. Zeit. 1867. p. 225.* — Lacord. *Gen. Col. VI. 1863. p. 69. note 1.* — Buquet *in litt.* Columbia.
ardosiacus Kirsch. *Berl. Zeit. 1867. p. 229.* „
argutulus Kirsch. *l. c. p. 228.* — Buquet *i. litt.* „
dentipes Kirsch. *l. c. p. 231.* „
Jekeli Kirsch. *l. c. p. 226.* „
ingenuus Schönh. *Mant. sec. p. 36. (indscrpt.)* „
laesicollis Schönh. *l. c. (indscrpt.)* „
levidensis Schönh. *l. c. (indscrpt.)* „
lugens Kirsch. *l. c. p. 227.* „
micans Kirsch. *l. c. p. 229.* „

moestus Kirsch. *Berl. Zeit. 1867. p. 227.* Columbia.
rufipes Kirsch. *l. c. p. 230.* „
suturalis Kirsch. *l. c. p. 230.* „
viridanus Kirsch. *l. c. p. 226.* „
14

Pantomorus

παντόμωρος, stultissimus.

Schönherr. *Gen. Curc. V. 1840. p. 942.*

Pterotropis Schönh. *olim.*

albosignatus Bohem. *Schh. Gen. Curc. V. p. 943.* Mexico.
setosus Schönh. *Mant. sec. p. 29. (indscrpt.)* Columbia.
2

Plectrophorus

πληκτροφόρος, calcaria-ferens.

Schönherr. *Disp. meth. 1826. p. 106.*

lutra Dalm. *Schh. Gen. Curc. 1. p. 612.* — Gylh. *Schh. Gen. Curc. VI. 1. p. 109.* Cayennae.
♀ *serrimanus* Gylh. *l. c. p. 109.* — Dej. *Cat. 1. ed. p. 94.* „
chalcocephalus Chevrol. *in litt.* Brasilia.
1

Anypotactus

ἀνυπότακτος, perturbatus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 299.*

exilis Bohem. *Schh. Gen. Curc. VI. 1. p. 300.* Columbia.
1

Amitrus

ἄμιτρος, mitram non habens.

Schönherr. *Gen. Curc. V. 1840. p. 929.*

alutaceus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 256.* Peru.
coriaceus Erichs. *Wiegm. Arch. 1847. I. p. 128.* „
2

Mesagroicus

μεσάγροικος, subrusticus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 281.*

obscurus Bohem. *Schh. Gen. Curc. VI. 1. p. 282.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 30. f. 146.* Tauria.

occipitalis Germ. *Fn. Ins. Eur. 24. 11-12.* Dalmatia.
pilifer Bohem. *Schh. Gen. Curc. I. p. 522.* Caucasus.
3

Sitones

σιτώνης, mercator frumenti.

Germar. *Ins. Spec. nov. 1824. p. 414.*

Brachyrhinus Billberg. — *Charagmus* Schönh. *olim.* — *Sitona* Germar.

Monogr. Allard. *Ann. Fr. 1864. p. 329.*

albovittatus Chevrol. *Rev. Zool. 1860. p. 448.* — Allard. *Mon. p. 355.* Algeria.
Allardi Chevrol. *Rev. Zool. 1866. p. 322.* Hispania.
Allardi Kirsch. *Berl. Zeit. 1870. p. 390.* Aegyptus.
ambiguus Gylh. *Schh. Gen. Curc. II. p. 116.* — Allard. *Berl. Zeit. 1869. p. 321.* M.
decorus Sturm. *Cat. 1843. p. 194.* Germania.
lineellus var. *δ.* Gylh. *Ins. Suec. III. p. 282.* Suecia.
ambulans Gylh. *Schh. Gen. Curc. II. p. 99; VI. 1. p. 253.* — Chevrol. *Dej. Cat. 3. ed. p. 278.* — Allard. *Mon. p. 358.* Italia.
var. *limosus* Rossi. *Fn. Etr. Mant. I. p. 12.* Etruria.
anchora Gylh. *Schh. Gen. Curc. II. p. 118.* — Allard. *Mon. p. 348.* Tauria.
arcticollis Gylh. *l. c. p. 121.* — Allard. *Mon. p. 352.* „
audax Allard. *Mon. p. 345.* Dauria.
bicolor Fåhrs. *Schh. Gen. Curc. VI. 1. p. 275.* — Allard. *Mon. p. 373.* Dalmatia.
biseriatus Allard. *Mon. p. 374.* Gallia.
bituberculatus Motsch. *Bull. Mosc. 1849. III. p. 142.* — Allard. *Berl. Zeit. 1869. p. 322.* Hispania.
Blanchardi Allard. *Mon. p. 375.* Algeria.
brevicollis Sahlb. *Ins. Fenn. II. p. 120.* — Gylh. *Schh. Gen. Curc. II. p. 114.* — Allard. *Berl. Zeit. 1869. p. 322.* Fennia.
Brucki Allard. *Berl. Zeit. 1870. p. 156. (Beiheft.)* Malaga.
cachecta Gylh. *Schh. Gen. Curc. II. p. 108.* — Allard. *Mon. p. 343.* Hispania.
variegatus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 265.* — Dahl. *Sturm. Cat. 1843. p. 194.* — Allard. *Mon. p. 342.* Sardinia.
{ *vestitus* Waltl. *Reis. Span. II. p. 79.* — Rosenh. *Thier. Andal. p. 248.* Andalusia.
{ *alternans* Schönh. *i. litt.* „
californicus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 267.* — Dej. *Cat. 3. ed. p. 278.* — Mannerh. *Bull. Mosc. 1843. II. p. 289.* — Allard. *Mon. p. 370.* California.
callosus Gyllh. *Schh. Gen. Curc. II. p. 105.* — Allard. *Mon. p. 353.* Tauria.
cambricus Steph. *Brit. Ent. IV. 1831. p. 140.* — Allard. *Mon. p. 361.* M.

constrictus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 257.* Saxonia.
cribricollis Gylh. *Schh. Gen. Curc. II. p. 101.* Anglia.
luridus Waltl. *Reis. Span. II. p. 79.* Andalusia.
chloroloma Fåhrs. *Schh. Gen. Curc. VI. 1. p. 260.* — Allard. *Mon. p. 368.* Sardinia.
cinerascens Fåhrs. *l. c. p. 256.* — Allard. *Mon. p. 362.* Gallia.
cinnamomeus Allard. *Cat. Grenier. 1863. p. 98; Mon. p. 365.* „
circumductus Desbroch. *Mittheil. schwz. ent. Ges. VIII. 1870. p. 193.* Russia mer.
concavirostris Hochh. *Bull. Mosc. 1851. I. p. 27.* Sibiria.
conspectus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 268.* — Allard. *Mon. p. 341.* Sicilia.
costatus Fisch. *Cat. Col. Karel. 1843. p. 24.* Sibiria or.
crinitus Oliv. *Ent. V. 83. p. 382. t. 35. f. 550.* — Gylh. *Schh. Gen. Curc. II. p. 124.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 265.* — Allard. *Mon. p. 356.* M.
albescens Steph. *Brit. Ent. IV. p. 140;* Anglia.
lineellus Steph. *l. c. p. 139.* „
macularius Marsh. *Ent. Brit. p. 312.* „
{*nanus* Gylh. *l. c. p. 123.* Gallia.
{*tessullatus* Meg. *in litt.* Germania.
setulosus Meg. *Dej. Cat. 3. ed. p. 278.* „
cylindricollis Fåhrs. *Schh. Gen. Curc. VI. 1. p. 269.* — Allard. *Mon. p. 377.* Lotharinga.
discoideus Gylh. *Schh. Gen. Curc. II. p. 112.* — Allard. *Mon. p. 372.* Europa.
var. *maculatus* Motsch. *Bull. Mosc. 1849. III. p. 143.* Algeria.
dispersus Muls. et Rey. *Opusc. ent. IX. p. 17.* Hyères.
ellipticus Allard. *Mon. p. 380.* Algeria.
Fairmairei Allard. *Berl. Zeit. 1869. p. 322.* Oran.
fallax Rosenh. *Thier. Andal. 1856. p. 248.* — Allard. *Mon. p. 357.* Algesiras.
flavescens Marsh. *Ent. Brit. p. 311.* — Steph. *Brit. Ent. IV. p. 137.* — Allard. *Mon. p. 346.* M.
caninus Gylh. *Ins. Suec. III. p. 277.* Suecia.
obsoletus Gmel. *ed. Linn. I. 4. p. 1807.* „
var. {*lineatus* var. β. Bonsd. *Curc. Suec. II. p. 30. f. 16.* „
var. {*subrufus* Gmel. *l. c. p. 1807.* „
„ *longiclavis* Steph. *l. c. p. 137.* Anglia.
„ *nigriclavis* Marsh. *l. c. p. 312.* — Steph. *l. c. p. 136.* „
„ *octopunctatus* Fåhrs. *Schh. Gen. Curc. VI. 1. p. 269.* Germania.
„ *sulcifrons* Sturm *in litt.* — Schönh. *Gen. Curc. II. p. 104.* „
foedus Gylh. *Schh. Gen. Curc. II. p. 120.* — Allard. *Mon. p. 371.* Tauria.
gemellatus Gylh. *l. c. p. 100.* — Allard. *Mon. p. 365.* Hispania.
ocellatus Küst. *Käf. Eur. 17. 69.* „
geniculatus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 263.* — Allard. *Berl. Zeit. 1869. p. 322.* M.
{*humilis* Sturm. *Cat. 1843. p. 194.* Germania.
{*neophytis* Herbst. *Käf. VI. p. 218. t. 75. f. 7.* „
{*rotundicollis* Chevrol. *i. litt.* Gallia.

var. *viridifrons* Motsch. *Bull. Mosc. 1849. III. p. 142.* — Hispania.
giganteus Fairm. *Ann. Fr. 1870. p. 399.* — Tanger.
granulatus Fisch. *Lettre à Pander. 1821. p. 14.* — Bokharia.
gressorius Fabr. *Ent. Syst. I. 2. p. 465.* — Oliv. *Ent. V. 83. p. 346. t. 19. f. 251.* — Gylh. *Schh. Gen. Curc. II. p. 97.* — Italia.
grissonus Fabr. *Syst. El. II. p. 523. (error. typ.)* — Lusitania.
griseus Fabr. *Syst. Ent. p. 148.* — Gylh. *Schh. Gen. Curc. II. p. 98.* — Jacq. Duv. *Gen. Col. Curc. t. 7. f. 32.* — Allard. *Mon. p. 340.* — M.
fuscus Marsh. *Ent. Brit. p. 313.* — Anglia.
{*hinnulus* Schrank. *Enum. Ins. I. p. 124.* — Bavaria.
{*infossor* Herbst. *Käf. VI. p. 248. t. 78. f. 2.* — Germania.
intermedius Küst. *Käf. Eur. 9. 66.* — Dalmatia.
lupinus Dahl. *Dej. Cat. 3. ed. p. 278.* — Etruria.
palliatus Oliv. *Ent. V. 83. p. 345. t. 19. f. 247.* — Gallia.
sutura alba Oliv. *Enc. méth. V. p. 572.* — „
suturalis Herbst. *Füssl. Arch. IV. p. 84. t. 24. f. 34.* — Helvetia.
trisulcus Kirby *in litt.* — Anglia.
hispidulus Fabr. *Gen. Ins. Mant. p. 226.* — Gylh. *Schh. Gen. Curc. II. p. 123.* — Allard. *Mon. p. 376.* — M.
crinitus Herbst. *Käf. VI. p. 245. t. 77. f. 13.* — Germania.
haemorrhoidalis Gylh. *l. c. p. 115.* — „
hirsutulus Sturm. *Cat. 1826. p. 196.* — „
hirtus Gmel. *ed. Linn. I. 4. p. 1807.* — Suecia.
pallipes Steph. *Brit. Ent. IV. p. 135.* — Anglia.
humeralis Steph. *Brit. Ent. IV. p. 138.* — Allard. *Mon. p. 378.* — „
pisi Steph. *l. c. p. 139.* — Gallia.
{*promptus* Gylh. *Schh. Gen. Curc. II. p. 113.* — Volhynia.
{*discoideus* Gyssel. *Dej. Cat. 3. ed. p. 278.* — Germania.
var. *attritus* Gylh. *l. c. p. 107.* — Tauria.
inops Schönh. *Ménétr. Cat. rais. 1832. p. 217.* — Gylh. *Schh. Gen. Curc. II. p. 110.* — Allard. *Mon. p. 379.* — Europa.
interruptus Chevrol. *Rev. Zool. 1861. p. 118.* — Algeria.
languidus Gylh. *Schh. Gen. Curc. II. p. 116.* — Allard. *Mon. p. 352.* — Tauria.
var. *obscuripes* Gylh. *l. c. p. 122; VI. 1. p. 239.* — Caucasus.
lateralis Gylh. *Schh. Gen. Curc. II. p. 105.* — Allard. *Mon. p. 371.* — Tauria.
latipennis Gylh. *l. c. p. 99; VI. 1. p. 255.* — Allard. *Mon. p. 360.* — Lusitania.
lepidus Gylh. *l. c. p. 104.* — Amer. bor.
carmelita Chevrol. *in litt.* — Mexico.
flavescens var. γ. Allard. *Mon. p. 346.* — „
lineatus Linn. *Syst. nat. ed. X. p. 385. nr. 67.* — Oliv. *Ent. V. 83. p. 381. t. 35. f. 549.* — Gylh. *Schh. Gen. Curc. II. p. 109.* — Allard. *Mon. p. 367.* — M.
intersectus Fourcr. *Ent. Par. I. p. 120.* — Gallia.
squamosus Gmel. *ed. Linn. I. 4. p. 1804.* — Suecia.
var. *caninus* Fabr. *Ent. Syst. I. 2. p. 467.* — „
„ *chloropus* Linn. *l. c. nr. 69.* — Bonsd. *Curc. Suec. II. p. 31. f. 19.* — „
„ *griseus* Marsh. *Ent. Brit. p. 313.* — Germania.

var. *ruficlavis* Marsh. *l. c. p. 312.*	Anglia.
" { *turbatus* Schönh. *Gen. Curc. VI. 1. p. 279.*	"
griseus Steph. *Brit. Ent. IV. p. 135.* }	"
lineellus Bonds. *Curc. Suec. II. p. 30. f. 18.* — Gylh. *Ins. Suec. III. p. 281; Schh. Gen. Curc. II. p. 111.* — Allard. *Mon. p. 354.*	Suecia.
occator Herbst. *Käf. VI. p. 219. t. 75. f. 8.*	Germania.
var. { *scissifrons* Say. *Descr. of Curc. p. 10.*	Amer. bor.
indifferens Say. *l. c.* }	"
lividipes Fåhrs. *Schh. Gen. Curc. VI. 1. p. 259.* — Allard. *Mon. p. 369.*	Aegyptus.
longicollis Fåhrs. *l. c. p. 271.* — Allard. *Mon. p. 345.*	Tauria.
alpinus Motsch. *in litt.*	Caucasus.
lapidicola Ocskay *in litt.*	Hungaria.
longulus Gylh. *Schh. Gen. Curc. II. p. 108.* — Allard. *Mon. p. 344.*	Sibiria.
megacephalus Motsch. *in litt.*	Russia mer.
robustus Motsch. *in litt.*	Germania.
mauritanicus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 258.* — Allard. *Mon. p. 359.*	Hispania.
bisphaericus Reiche. *Ann. Fr. 1857. p. 669.*	Syria.
meliloti Walton. *Ann. nat. Hist. XVII. 1846. p. 232.* — Allard. *Mon. p. 377.*	Anglia.
var. *maculosus* Allard. *l. c. p. 378.*	Andalusia.
niger Allard. *Mon. p. 381.*	Algeria.
ononidis Sharp. *Trans. ent. Soc. V. 1866. p. 438.*	Anglia.
ophthalmicus Desbroch. *Mittheil. Schwz. ent. Ges. 1870. p. 194.*	Ajaccio.
ordinarius Fåhrs. *Schh. Gen. Curc. VI. 2. p. 266.* — Allard. *Mon. p. 363.*	Mexico.
ovipennis Hochh. *Bull. Mosc. 1851. I. p. 23.*	Sibiria.
parallelipennis Desbroch. *Ann. Fr. 1869. p. 398.*	Russia mer.
puncticollis Steph. *Brit. Ent. IV. p. 137.* — Allard. *Mon. p. 364.*	Anglia.
insulsus Gylh. *Schh. Gen. Curc. II. p. 103.*	Caucasus.
octopunctatus Germ. *in litt.*	Tauria.
punctiger Wollast. *Ann. nat. Hist. XI. 1863. p. 220.*	Canariae.
punctiger Thoms. *Skand. Col. X. 1868. p. 167.*	Suecia.
rasilis Hochh. *Bull. Mosc. 1851. I. p. 25.*	Sibiria.
regensteinensis Herbst. *Käf. VII. p. 46. t. 98. f. 3.* — Gylh. *Schh. Gen. Curc. II. p. 101.* — Allard. *Mon. p. 360.*	M.
femoralis Steph. *Brit. Ent. IV. p. 134.*	Anglia.
spartii Steph. *l. c. p. 133.*	"
strumosus Sturm. *Dej. Cat. 3. ed. p. 278.*	Germania.
ulicis Steph. *l. c. p. 133.*	Anglia.
var. *globulicollis* Gylh. *l. c. p. 102; VI. 1. p. 258.*	Gallia.
seniculus Mannerh. *Bull. Mosc. 1843. II. p. 290.*	California.
seriesetosus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 277.* — Allard. *Mon. p. 358.*	Aegyptus.
setiger Wollast. *Ann. nat. Hist. XI. 1863. p. 221.*	Palma.
serpentarius Allard. *Mon. p. 381.*	Amur.
setulifer Fåhr. *Schh. Gen. Curc. VI. 1. p. 273.* — Allard. *Mon. p. 344.* — Wollast. *Col. Atlant. p. 337. note.*	Africa bor.

sordidus Lec. *Entom. Report. 1857. p. 54.*	California.
subcostatus Allard. *Mon. p. 340.*	Algeria.
striatus Heyden *in litt.*	Hungaria.
sulcifrons Thunb. *Mus. Ac. Ups. VI. p. 113.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 264.* — Allard. *Mon. p. 349.*	M.
argutulus Gylh. *Schh. Gen. Curc. II. p. 119.*	Italia.
campestris Oliv. *Ent. V. 83. p. 380. t. 25. f. 366.*	Gallia.
chloropus Marsh. *Ent. Brit. p. 312.*	Anglia.
medicaginis Redtenb. *Fn. Austr. I. p. 452.*	Germania.
pleuriticus Steph. *Brit. Ent. IV. p. 134.*	Anglia.
subauratus Steph. *l. c. p. 138.*	"
tibialis Gylh. *Ins. Suec. III. p. 283; Schh. Gen. Curc. II. p. 117.*	Suecia.
verecundus Rossi. *Fn. Etr. p. 129.*	Toscana.
var. *atomarius* Marsh. *Ent. Brit. p. 312.*	Anglia.
suturalis Steph. *Brit. Ent. IV. p. 138.* — Allard. *Mon. p. 347.*	"
rufipes Marsh. *Ent. Brit. p. 312.*	"
var. { *albarius* Fåhrs. *Schh. Gen. Curc. VI. 1 p. 274.*	Bokharia.
var. { *aurarius* Motsch. *in litt.*	Russia mer.
" { *elegans* Gylh. *Schh. Gen. Curc. II. p. 117.*	German. bor.
" { *albolineatus* Dahl *in litt.*	Hungaria.
tenuis Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 40.*	Tirolis.
tibialis Herbst. *Käf. VI. p. 217. t. 75. f. 5.* — Gylh. *Schh. Gen. Curc. II. p. 114.* — Allard. *Mon. p. 350.*	M.
affinis Kirby *i. litt.*	Anglia.
lineatulus Kirby *i. litt.*	"
rugulosus Dillw. *in litt.*	"
♀ { *striatellus* Gylh. *Schh. Gen. Curc. II. p. 106.*	Tauria.
♀ { *canus* Gylh. *l. c. p. 119.*	"
tibiellus Gylh. *l. c. p. 121.* — Allard. *Mon. p. 376.*	M.
trisulcatus Gylh. *l. c. VI. 1. p. 276.*	Europa mer.
verrucosus Brullé. *Webb et Berth. Ins. Canar. 1838. p. 72.*	Canariae.
villosus Allard. *Berl. Zeit. 1869. p. 323.*	Tarsus.
virgatus Fåhr. *Schh. Gen. Curc. VI. 1. p. 261.* — Allard. *Mon. p. 366.*	Sicilia.
vittatus Lec. *Entom. Report. 1857. p. 54.*	California.
Waterhousei Walton. *Ann. nat. Hist. XVII. 1846. p. 234.* — Allard. *Mon. p. 355.*	Anglia.
setosus Redtenb. *Fn. Austr. ed. I. p. 453.*	Germania.

82

Pandeletius

πανδελέτειος, fallax.

Schönherr. *Gen. Curc. II. 1834. p. 129. (emend.)*

Pandeleteius Schönh.

hilaris Herbst. *Käf. VII. p. 58. t. 100. f. 7. 8.* — Say. *Descr. of Curc. p. 10.*	Pennsylvania.
pauperculus Gylh. *Schh. Gen. Curc. II. p. 130.* — Dej. *Cat. 3. ed. p. 278.*	"
nubilosus Bohem. *Schh. Gen. Curc. VI. 1. p. 296.*	Mexico.
tibialis Bohem. *l. c. p. 297.*	"

3

Polydacrys

πολύδακρυς, multum lacrymans.

Schönherr. *Gen. Curc. II. 1834. p. 130.*

modestus Gylh. *Schh. Gen. Curc. II. p. 131.* — Dej. *Cat. 3. ed. p. 278.* — Cuba.
scansorius Klug *in litt.* — „
var. *luctuosus* Dej. *Cat. l. c.* — „
1

Baladaeus

Nomen geograph.

Fauvel. *Bull. Soc. Linn. Norm. VII. 1862. p. 154.*

Urvillei Fauvel. *Bull. Soc. Linn. Normand. VII. p. 155. t. 10. f. 44-45.* — Nov. Caledon.
1

Ischnotrachelus

ἰσχνὸς, gracilis; τράχηλος, collum.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 287.*

cinerarius Thoms. *Arch ent. II. 1858. p. 125.* — Gabon.
dissimulator Thoms. *l. c. p. 124.* — „
fastidiosus Thoms. *l. c. p. 126.* — „
granulicollis Bohem. *Schh. Gen. Curc. VI. 1. p. 289.* — Senegal.
ligneus Thoms. *Arch. ent. II. p. 123.* — Gabon.
submaculosus Thoms. *l. c. p. 125.* — „
uniformis Thoms. *l. c. p. 124.* — „
viridanus Thoms. *l. c. p. 124.* — „
8

Podionops

πόδιον, petiolus; ὤψ, oculus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 37.*

Wahlbergi Schönh. *Mant. sec. p. 39. (indscrpt.).* — Lacord. *Gen. Col. VI. 1863. p. 77.* — Port. Natal.
1

Metallites

μεταλλίτης, metallicus.

Germar. *Ins. Spec. nov. 1824. p. 455.*

Homapterus Fairmaire. — *Muranus* Megerle.

affinis Chevrol. *Rev. Zool. 1865. p. 395.* — Hispania.
punctulatus Brisout. *Ann. Fr. 1866. p. 392.* — Reynosa.

anchoralifer Chevrol. *Rev. Zool. 1859. p. 386.* Algeria.
atomarius Oliv. *Ent. V. 83. p. 424. t. 35. f. 547.* — Gylh. *Schh. Gen. Curc. II. p. 155.* M.
aeratus Grav. *Dej. Cat. 3. ed. p. 279.* Germania.
tibialis Meg. *in litt.* Helvetia.
pallidus Gylh. *l. c. p. 155.* — Meg. *Dej. Cat. l. c.* Germania.
cylindricollis Bohem. *Schh. Gen. Curc. VI. 1. p. 459.* Illyria.
elegantulus Bohem. *l. c. p. 457.* Dalmatia.
Fairmairei Kiesenw. *Ann. Fr. 1851. p. 633.* Mont Serrat.
geminatus Chevrol. *Cat. Grenier. 1863. p. 99.* Pyrenaei.
globosus Gylh. *Schh. Gen. Curc. II. p. 158.* Gallia mer.
iris Oliv. *Ent. V. 83. p. 417. t. 26. f. 388.* — Dej. *Cat. 1. ed. p. 93.* M.
ambiguus Gylh. *Schh. Gen. Curc. II. p. 157.* Anglia.
fulvipes Germ. *Ins. Spec. nov. p. 456.* Germania.
mali Meg. *in litt.* Styria.
marginatus Steph. *Ill. Brit. IV. p. 142.* — Jacq. Duv. *Gen. Col. Curc. t. 8. f. 37.* Gallia.
laricis Chevrol. *Cat. Grenier 1863. p. 99.* Nizza.
modestus Stierl. *Berl. Zeit. 1864. p. 150.* Sicilia.
mollis Germ. *Ins. Spec. nov. p. 456.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 457.* M.
cupreoaeneus Illig. *Dej. Cat. 1. ed. p. 93.* Styria.
viridinitens Knoch *in litt.* Volhynia.
murinus Gylh. *Schh. Gen. Curc. II. p. 157.* — Dej. *Cat. 3. ed. p. 279.* Gallia mer.
ovipennis Brisout. *Ann. Fr. 1861. p. 604.* Gallia.
parallelus Chevrol. *Ann. Fr. 1860. p. 507.* Corsica.
Pirazzolii Stierl. *Stett. Zeit. 1857. p. 62.* Italia.
pistaciae Kiesenw. *Berl. Zeit. 1864. p. 249.* Graecia.
pruinosus Chevrol. *Col. Heft V. 1869. p. 71.* Algeria.
scutellaris Chevrol. *Ann. Fr. 1860. p. 506.* Neapolis.
sicanus Chevrol. *l. c. p. 505.* Sicilia.
subnudus Fairm. *Ann. Fr. 1856. p. 537.* Pyrenaei.
tibialis Gylh. *Schh. Gen. Curc. II. p. 156.* — Dej. *Cat. 3. ed. p. 279.* Istria.

22

Menetypus

μένω, maneo; τύπος, typus.

Kirsch. *Berl. Ent. Zeit. 1867. p. 233.*

hadromeroides Kirsch. *Berl. Zeit. 1867. p. 234.* Columbia.

1

Auchmeresthes

αὐχμηρὸς, squalidus; ἐσθής, vestis.

Kraatz. *Berl. Ent. Zeit. 1862. p. 119.*

Kiesenwetteri Kraatz. *Berl. Zeit. 1862. p. 119. t. 2. f. 2. a-c.* Graecia.

1

Polydrosus

πολυδρόσος, valde roscidus.

Germar. *Ins. Spec. nov. 1824. p. 451. (emend.)*

Chaerodrys Jacquelin Duval. — *Dascillus* Megerle. — *Eustolus* Thoms. — *Phyllerastes* Schönh. *olim.* — *Polydrusus* Germ.

Abeillei Desbroch. *Ann. Fr. 1869. p. 394.*	Gallia mer.
alveolus Desbroch. *Berl. Zeit. 1870. p. 157. (Beiheft.)*	Sierra Moren.
americanus Gylh. *Schh. Gen. Curc. II. p. 136.*	Amer. bor.
amoenus Germ. *Ins. Spec. nov. p. 457; Fn. Ins. Eur. 15. 9.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 454.*	Germania.
armipes Brullé. *Exp. Mor. p. 237. t. 42. f. 2.* — Gylh. *Schh. Gen. Curc. II. p. 139.*	Sicilia.
chrysocephalus Chevrol. *Rev. Zool. 1859. p. 298; Col. Heft. V. 1869. p. 73.*	Algeria.
astutus Gylh. *Schh. Gen. Curc. II. p. 145.*	Tauria.
barbatulus Germ. *Ins. Spec. nov. p. 460.* — Bohem. *Schh. Gen. Curc. V. p. 914.* — Gerstäck. *Wiegm. Arch. 1855. II. p. 180.*	Illyria.
bardus Gylh. *Schh. Gen. Curc. II. p. 143.*	Chersonesus.
bellus Kraatz. *Berl. Zeit. 1859. p. 78.*	Graecia.
binotatus Thoms. *Skand. Col. X. p. 340.*	Suecia.
Bohemani Kiesenw. *Ann. Fr. 1851. p. 632.*	Mont Serrat.
cedri Mars. *Abeille. V. 1868. p. 193.*	Blidah.
cervinus Linn. *Fn. Suec. p. 183.* — Gylh. *Ins. Suec. III. p. 332; Schh. Curc. II. p. 144.* — Desbroch. *Ann. Fr. 1869. p. 391.* — ♀ Bouché. *Stett. Zeit. 1847. p. 165.*	M.
iris Fabr. *Ent. Syst. I. 2. p. 486.*	Suecia.
messor Herbst. *Käf. VI. p. 222. t. 75. f. 11.*	Germania.
var. *atomarius* Creutz. *Dej. Cat. 1. ed. p. 93.*	Gallia.
„ *griseoaeneus* Degeer. *Ins. V. p. 220.*	„
„ *maculatus* Dahl. *Dej. Cat. 3. ed. p. 279.*	Hungaria.
„ *maculosus* Herbst. *l. c. p. 232. t. 76. f. 10.*	Illyria.
„ *melanotus* Steph. *Ill. Brit. IV. p. 143.*	Anglia.
„ *pilosus* Gredler. *Käf. Tirol. II. 1866. p. 313.*	Tirolis.
chaerodrysius Gredl. *l. c. p. 314.*	„
chrysomela Oliv. *Ent. V. 83. p. 415. t. 26. f. 386.* — Gylh. *Schh. Gen. Curc. VI. 1. p. 447.*	Germania.
pulchellus Steph. *Ill. Brit. IV. p. 142.*	Anglia.
sericeus Steph. *l. c. p. 141.*	„
confluens Steph. *l. c. p. 142.*	„
amaurus Steph. *l. c. p. 141.*	Gallia.
{*chrysomela* Gylh. *Schh. Gen. Curc. II. p. 146.*	Lusitania.
{*perplexus* Gylh. *l. c. VI. 1. p. 448.*	Germania.
coruscus *Germ. Ins. Spec. nov. p. 454.*	M.
herbeus Gylh. *Schh. Gen. Curc. II. p. 141.*	Germania.
{*sericatus* Dahl. *Dej. Cat. 3. ed. p. 278.*	Hungaria.
{*sericeus* Ulrich. *Dej. Cat. l. c.*	„
dilutus Motsch. *Bull. Mosc. 1849. III. p. 141.*	Hispania mer.
dorsualis Gylh. *Schh. Gen. Curc. VI. 1. p. 452.*	Corcyra.
elegans Couper. *The Canad. Natural. 1865. p. 63.*	Quebec.

fasciatus Müll. *Zool. Dan. Prodr. 1776. p. 87.* Germania.
fulvicornis Fabr. *Ent. Syst. I. 2. p. 468.* — Herbst. *Käf. VI. p. 223. t. 75. f. 13.* — Gylh. *Schh. Gen. Curc. II. p. 136.* „
penninus Bremi. *Stett. Zeit. 1855. p. 196.* Helvetia.
ruficornis Bonsd. *Curc. Suec. II. p. 27. f. 13.* Suecia.
undulatus Gmel. *ed. Linn. I. 4. p. 1823.* „
ferrugineus Bohem. *Schh. Gen. Curc. VI. 1. p. 443.* Tauria.
flavipes Degeer. *Ins. V. p. 245.* — Gylh. *Schh. Gen. Curc. II. p. 141; Schh. Gen. Curc. VI. 1. p. 445.* M.
argentatus var. β. Bonsd. *Curc. Suec. II. p. 27.* Suecia.
holosericeus Sturm. *Cat. 1826. p. 187.* Germania.
ochropus Gmel. *ed. Linn. I. 4. p. 1805.* Gallia.
pallipes Meg. *Dej. Cat. 3. ed. p. 278.* „
flavovirens Gylh. *Schh. Gen. Curc. II. p. 142.* M.
sericeus Herbst. *Käf. VII. p. 37. t. 97. f. 10.* Germania.
florentinus Chevrol. *Col. Heft. V. 1869. p. 73.* Fiesole.
glabratus Gylh. *Schh. Gen. Curc. II. p. 148.* — Falderm. *Fn. Transc. II. p. 182.* Persia.
gracilicornis Kiesenw. *Berl. Zeit. 1864. p. 253.* Creta.
griseomaculatus Desbroch. *Ann. Fr. 1869. p. 390.* Gallia mer.
impressifrons Gylh. *Schh. Gen. Curc. II. p. 140.* — Dej. *Cat. 3. ed. p. 278.* M.
azureus Sturm. *Cat. 1826. p. 186.* Germania.
intermedius Zetterst. *Fn. Ins. Lapp. I. p. 337.* — Gylh. *Schh. Gen. Curc. II. p. 135.* Suecia.
interstitialis Perris. *Ann. Fr. 1864. p. 296.* Madrid.
aceris Chevrol. *Rev. Zool. 1866. p. 24.* „
inustus Germ. *Ins. Spec. nov. p. 453.* Tauria.
Martini Humm. *Ess. VI. p. 12.* Russia.
vilis Gylh. *Schh. Gen. Curc. II. p. 146.* — Stev. *Dej. Cat. 3. ed. p. 279.* Caucasus.
Kahri Kirsch. *Berl. Zeit. 1865. p. 122.* Mont. Baldo.
gentilis Bertolini. *Verh. zool. bot. Ver. Wien. 1868. p. 120.* Tirolis mer.
lateralis Gylh. *Schh. Gen. Curc. II. p. 150.* — Meg. *Dej. Cat. 3. ed. p. 279.* Germania.
leucaspis Bohem. *Schh. Gen. Curc. VI. 1. p. 453.* Sardinia.
suturellus Chevrol *Ann. Fr. 1860. p. 507.* Corsica.
marcidus Kiesenw. *Berl. Zeit. 1864. p. 253.* Graecia.
Martinezi Perez. *Ins. nuev. III. 1868. p. 80.* Hispania.
melanostictus Chevrol. *Col. Heft. V. 1869. p. 74.* Gallia or.
arvernicus Desbroch. *Ann. Fr. 1869. p. 393.* „
mollis Bohem. *Schh. Gen. Curc. VI. 1. p. 451.* Lusitania.
morosus Bohem. *l. c. p. 449.* Columbia.
niveopictus Reiche. *Ann. Fr. 1864. p. 248.* Pyrenaei.
nodulosus Chevrol. *Col. Heft. V. 1869. p. 73.* Gallia mer.
Peragalloi Desbroch. *Ann. Fr. 1869. p. 392.* Nizza.
ornatus Stev. *Mus. Mosq. II. p. 95.* — Gylh. *Schh. Gen. Curc. II. p. 137.* Tauria.
pallipes Luc. *Expl. Alg. 1849. p. 419. t. 35. f. 12. a-d.* Algeria.
paradoxus Stierl. *Berl. Zeit. 1859. p. 270.* Helvetia.
picus Fabr. *Ent. Syst. I. 2. p. 490.* — Gylh. *Schh. Gen. Curc. II. p. 147.* Germania.
ornatus Herbst. *Käf. VI. p. 215. t. 75. f. 3.* Gallia.

pilifer Hochh. *Bull. Mosc. 1847. II. p. 477.* — Caucasus.
pilosulus Chevrol. *Rev. Zool. 1865. p. 396.* — Hispania.
planifrons Gylh. *Schh. Gen. Curc. II. p. 138.* — Dej. *Cat. 3. ed. p. 278.* — Gallia.
argentatus Oliv. *Ent. V. 83. p. 416. t. 5. f. 56. a-b.* — „
pterygomalis Bohem. *Schh. Gen. Curc. VI. 1. p. 445.* — Germania.
flavipes Marsh. *Ent. Brit. p. 311.* — Anglia.
rufulus Hochh. *Bull. Mosc. 1847. II. p. 479.* — Caucasus.
salsicola Fairm. *Ann. Fr. 1852. p. 689.* — Gallia.
senex Chevrol. *Rev. Zool. 1866. p. 24.* — Aranjuez.
sericeus Schall. *Abhandl. Hal. Ges. I. 1783. p. 286.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 450.* — Jacq. Duv. *Gen. Col. Curc. t. 8. f. 36.* — M.
♀ *auratus* Ulrich. *Dej. Col. 3. ed. p. 279.* — Illyria.
formosus Mayer. *Abh. Böhm. Ges. IV. p. 183.* — Bohemia
♂ *malachiticus* Ulrich. *Dej. Cat. l. c.* — Illyria.
smaragdinus Meg. *Dej. Cat. l. c.* — Germania.
speciosus Steph. *Ill. Brit. IV. p. 143.* — Anglia.
splendidus Herbst. *Füssl. Arch. V. p. 82. t. 24. f. 30.* — Gallia.
squamosus Knoch *in litt.* — Germania.
setifrons Jacq. Duv. *Ann. Fr. 1852. p. 710; Gen. Col. Curc. 1854. t. 7. f. 33.* — Gallia.
sibiricus Hochh. *Bull. Mosc. 1851. I. p. 31.* — Sibiria.
smaragdinus Bohem. *Schh. Gen. Curc. V. p. 915.* — Gerstäck. *Wiegm. Arch. 1855. II. p. 183.* — Dalmatia.
barbatulus var. Dej. *Cat. 3. ed. p. 271.* — „
sparsus Gylh. *Schh. Gen. Curc. II. p. 147.* — Gallia mer.
subundatus Peiroleri *in litt.* — Italia.
subglaber Desbroch. *Berl. Zeit. 1870. p. 157. (Beiheft.)* — Andalusia.
thalassinus Gylh. *Schh. Gen. Curc. II. p. 149.* — Tauria.
var. *jucundus* Miller. *Wien. Ent. Monatsschr. 1862. p. 349.* — Cephalonia.
undatus Fabr. *Spec. Ins. I. p. 189.* — Oliv. *Ent. V. 83. p. 383. t. 35. f. 553.* — Gylh. *Schh. Gen. Curc. II. p. 135.* — M.
albofasciatus Herbst. *Käf. VI. p. 220. t. 75. f. 9.* — Germania.
cinereus Schall. *Abhandl. Hal. Ges. 1. p. 285.* — „
fulvicornis Steph. *Ill. Brit. IV. p. 144.* — Anglia.
selcneus Marsh. *Ent. Brit. p. 269.* — „
tereticollis Degeer. *Ins. V. p. 246.* — Gallia.
vagabundus Bohem. *Schh. Gen. Curc. VI. 1. p. 455.* — Brasilia.
variegatus Desbroch. *Berl. Zeit. 1870. p. 157. (Beiheft).* — Andalusia.
villosulus Chevrol. *Rev. Zool. 1865. p. 397.* — Hispania.
viridicinctus Gylh. *Schh. Gen. Curc. II. p. 138.* — Croatia.
{*aurifer* Dej. *Cat. 3. ed. p. 279.* — Carniolia.
{*festivus* Parreyss. *Dej. Cat. l. c.* — Hungaria.
xanthopus Gylh. *Schh. Gen. Curc. II. p. 142.* — Lusitania.
66

Piezocnemus

πιέζω, comprimo; κνήμη, tibia.

Chevrolat. *Col. Heft. V. 1869. p. 72.*

pedemontanus Chevrol. *Col. Heft. V. p. 72.* — Pedemont.
1

Lissorrhinus

λισσός, laevis; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 130.*

Eryx Gylh. *Schh. Gen. Curc. II. p. 93.* — Lacord. *Gen. Atl. VII. t. 62. f. 4. a.* — Sierra Leona.

1

Apotomoderes

ἀπότομος, abscissus; δέρις, collum.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 402.*

Apotomus Schönh. *olim.*

albicans Lacord. *Gen. Atl. VII. t. 62. f. 5. a.* — Incert. sedis.
lateralis Gylh. *Schh. Gen. Curc. II. p. 45.* — Mannerh. *Dej. Cat. 3. ed. p. 276.* — Haiti.

2

Anemerus

ἀνήμερος, ferox.

Schönherr. *Disp. meth. 1826. p. 126. (emend.)*

Anaemerus Schönh.

fuscus Oliv. *Ent. V. 83. p. 322. t. 8. f. 93.* — Gylh. *Schh. Gen. Curc. II. p. 74.* — Labr. et Imh. *Gen. Curc. II. nr. 43.* — Senegal.
ochraceus Thoms. *Arch. ent. II. 1858. p. 121.* — Gabon.
tomentosus Fabr. *Syst. El. II. p. 520.* — Gylh. *Schh. Gen. Curc. II. p. 74.* — Senegal.
obliquus Dej. *Cat. 3. ed. p. 277.* — „
senegalensis Dupont *in litt.* — „
variegatus Bohem. *Schh. Gen. Curc. VI. 1. p. 212.* — Madagascar.

4

Atmetonychus

ἄτμητος, indivisus; ὄνυξ, unguis.

Schönherr. *Gen. Curc. VI 1. 1840. p. 213.*

inaequalis Bohem. *Schh. Gen. Curc. VI. 1. p. 214.* — Bengal.
peregrinus Oliv. *Ent. V. 83. p. 324. t. 24. f. 349.* — Gylh. *Schh. Gen. Curc. II. p. 75.* — Labr. et Imh. *Gen. Curc. II. nr. 60.* — „
rugosus Wiedem. *Germ. Mag. IV. p. 155.* — „
tabinosus Murray *i. litt.* — Lacord. *Gen. Col. VI. 1863. p. 85. note 2.* — Old Calabar.
latinasus Chevrol. *in litt.* — Guinea.

3

Protenomus

προτείνω, protendo; ὦμος, humerus.

Schönherr. *Disp. meth. 1826. p. 131.*

saisanensis Bohem. *Schh. Gen. Curc. II. p. 94.* — Gebl. *Dej. Cat. 3. ed. p. 277.* — Labr. et Imh. *Gen. Curc. II. nr. 46.* — Mongolia.

1

Diglossotrox

δίγλωσσος, bilinguis; τρώξ, rodens.

Lacordaire. *Gen. Col. VI. 1863. p. 86.*

Mannerheimi Popoff *i. litt.* — Lacord. *Gen. Col. VI. 1863. p. 87.; Gen. Atl. VII. t. 63. f. 1. a-b.* — Mongolia.

1

Phacephorus

φακή, lenticula; φέρω, fero.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 244.*

vilis Fåhrs. *Schh. Gen. Curc. VI. 1. p. 246.* — China bor.

1

Thylacites

θύλακος, saccus.

Germar. *Ins. Spec. nov. 1824. p. 410.*

Adrosomus Motschulsky. — *Cycloderes* Schönh. *olim.*

argenteus Perris. *Ann. Fr. 1866. p. 190.* — Madrid.
asperulus Fairm. *Ann. Fr. 1870. p. 398.* — Algeria.
auratus Blanch. *Gay. Hist. Chil. V. 1851. p. 313. t. 23. f. 5. a-e.* — Chili.
cataractes Sahlb. *Spec. Ins. I. p. 21. t. 2. f. 10.* — Bohem. *Schh. Gen. Curc. V. p. 854.* — Lusitania.
chalcogrammus Bohem. *l. c. I. p. 521.* — Hispania.
comatus Erichs. *Wagn. Reis. III. 1841. p. 186.* — Algeria.
corsicus Perris. *Ann. Fr. 1866. p. 188.* — Corsica.
Crotchi Fairm. *Ann. Fr. 1870. p. 398.* — Mogador.
depilis Fairm. *Cat. Grenier. 1863. p. 97.* — Gallia.
fasciculatus Motsch. *Bull. Mosc. 1845. I. p. 106.* — Georgia russ.
fritillum Panz. *Fn. Germ. 18. 19.* — Gylh. *Schh. Gen. Curc. I. p. 516.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 5. f. 22.* — Gallia mer.
  raucus Panz. *Naturf. XXIV. p. 23. t. 1. f. 31.* — „
  robiniae Herbst. *Käf. VI. p. 288. t. 82. f. 5.* — „
  var. { *canescens* Rossi. *Fn. Etr. Mant. I. p. 40. t. 2. f. 5.* — Etruria.
  var. { *lapidarius* Gylh. *l. c.* — Dej. *Cat. 1. ed. p. 95.* — „
  „ *Höpfneri* Jenison *in litt.* — Pyrenaei.
fulgidivittatus Blanch. *Gay. Hist. Chil. V. p. 314.* — Chili.

fullo Erichs. *Wagn. Reis. III. p 186. t. 8.*	Algeria.
glabratus Gylh. *Schh. Gen. Curc. I. p. 517.*	Lusitania.
Guinardi Jacq. Duv. *Ann. Fr. 1852. p. 708.*	Gallia.
heliophilus Chevrol. *Rev. Zool. 1866. p. 24.*	Valladolid.
insidiosus Fairm. *Ann. Fr. 1859. Bull. p. 151.*	Galaecia.
lasius Bohem. *Schh. Gen. Curc. 1. p. 521.*	Lusitania.
longipilis Seidlitz. *Berl. Zeit. 1867. p. 186.*	Hispania occ.
microps Say. *Descr. of Curc. p. 9.*	Missouri.
microsus Bohem. *Schh. Gen. Curc. I. p. 523.*	"
quercus Melsh. *Sturm. Cat. 1826. p. 202.*	"
mus Herbst. *Käf. VII. p. 53. t. 98. f. 10.* — Bohem. *Schh. Gen. Curc. V. p. 855.*	Lusitania.
rattus Sturm. *Cat. 1826. p. 202.*	"
obesulus Wollast. *Cat. Canar. Col. 1864. p. 374.*	Lanzarote.
oblongus Graëlls. *Rev. Zool. 1849. p. 621; Ann. Fr. 1851. p. 22. t. 1. f. 7. a.; Mem. Ac. Madrid. 1851. I. p. 143.*	Castilia.
persulcatus Fairm. *Ann. Fr. 1870. p. 399.*	Algeria.
pilosus Fabr. *Ent. Syst. I. 2. p. 468.* — Bohem. *Schh. Gen. Curc. I. p. 522.*	Germania.
licinus Herbst. *Käf. VI. p. 299. t. 83. f. 6.*	Hungaria.
pilosulus Herbst. *l. c. p. 292. (nec. fig.).*	Sibiria.
preciosus Schauf. *Sitzgb. Ges. Isis. 1861. p. 49.*	Hispan. mer.
puberulus Bohem. *Res. Eugen. 1859. p. 120.*	Peru.
pusillus Seidl. *Berl. Zeit. 1867. p. 186.*	Sierra Nevad.
Rolphi Fairm. *Ann. Fr. 1867. p. 409.*	Marocco.
scobinatus Kolen. *Bull. Mosc. 1858. I. p. 177.*	Persia bor.
seriepunctatus Reiche. *Ann. Fr. 1857. p. 666.*	Syria.
setosus Bohem. *Schh. Gen. Curc. V. p. 859.* — Lacord. *Gen. Col. VI. 1863. p. 89.*	Cap bon. spei.
tessellatus Gylh. *Schh. Gen. Curc. I. p. 518; V. p. 856.*	Lusitania.
rotundicollis Dej. *Cat. 3. ed. p. 270.*	Hispania.
tonsus Chevrol. *Rev. Zool. 1866. p. 103.*	Escurial.
turbatus Gylh. *Schh. Gen. Curc. I. p. 519.*	Lusitania.
sabulosus Dej. *Cat. 1. ed. p. 95.*	Hispania.
serripes Dufour. *Dej. Cat. 3. ed. p. 270.*	"
umbrinus Gylh. *Sch. Gen. Curc. I. p. 520.*	Lusitania.
elongatus Dej. *Cat. 3. ed. p. 270.*	Hispania.
variegatus Luc. *Expl. Alg. p. 416. t. 35. f. 10. a-d.*	Algeria.
vittatus Bohem. *Schh. Gen. Curc. V. p. 857.*	Hispania.

38

Herpysticus

ἑρπυστικός, *repens.*

Germar. *Ins. Spec. nov. 1824. p. 415. (emend.)*

Herpisticus Germ.

calvus Wollast. *Cat. Canar. Col. 1864. p. 372.*	Canariae.
eremita Heer. *Hart. Geol. Verhältn. 141. 142.*	"
eremita Oliv. *Ent. V. 1807. 83. p. 321. t. 24. f. 338.*	Teneriffa.
alutaceus Sturm. *Cat. 1826. p. 201.*	"
laesicollis Germ. *Ins. Spec. nov. p. 415.*	"
tessellatus Dej. *Cat. 3. ed. p. 271.*	"
oculatus Wollast. *Cat. Canar. Col. p. 373.*	Lanzarote.

3

Piazomias

πιάζω, comprimo; ὠμίας, humerosus.

Schönherr. *Gen. Curc. V. 1840. p. 936; Mantiss. sec. Curc. 1847. p. 24.*

Brachyaspistes Schönh. *(pars.)* — *Geotragus* Schönh. — *Pachynotus* Redtenb. — *Taphrorhynchus* Schönh. *olim.*

acutipennis Bohem. *Schh. Gen. Curc. VIII. 2. p. 415.* India or.
aequalis Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 263.* Ceylon.
angustatus Redtenb. *Hüg. Kaschm. IV. 2. p. 542.* Kaschmir.
♀ *globulicollis* Redtenb. *l. c. p. 541. t. 26. f. 5.* „
assamensis Schönh. *Mant. sec. p. 34. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 91.* Assam.
egenus Schönh. *Mant. sec. p. 25. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 91. note 2.* Songoria.
globulicollis Falderm. *Mém. Ac. Petr. II. 1835. p. 422. t. 5. f. 3.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 410.* China bor.
himalayanus Bohem. *l. c. p. 412.* Himalaya.
inauratus Gebl. *Bull. Ac. Petr. I. 1843. p. 39.* Songoria.
Karelini Gebl. *l. c.* „
lituratus Redtenb. *Hüg. Kaschm. IV. 2. p. 543.* — Lacord. *Gen. Col. VI. 1863. p. 35. note 2.* Kaschmir.
obscurus Redtenb. *Hüg. Kaschm. IV. 2. p. 544.* „
Peroteti Bohem. *Schh. Gen. Curc. VIII. 2. p. 416.* India or.
pictus Redtenb. *Hüg. Kaschm. IV. 2. p. 543. t. 26. f. 2.* — Lacord. *Gen. Col. VI. 1863. p. 35. note 2.* Kaschmir.
prasinus Bohem. *Schh. Gen. Curc. VIII. 2. p. 416.* India or.
pullatus Schönh. *Mant. sec. p. 26. (indscrpt.)* Port Natal.
Schrencki Bohem. *Schh. Gen. Curc. VIII. 2. p. 410.* Kirgisia.
validus Motsch. *Etud. ent. II. 1853. p. 49.* Peking.
velatus Chevrol. *Rev. Zool. 1845. p. 98.* Macao.
virescens Bohem. *Schh. Gen. Curc. V. p. 937.* China bor.
viridanus Schönh. *Mant. sec. p. 26. (indscrpt.)* Port Natal.
Welwitschi Wollast. *Ann. nat. Hist. 1862. ser. 3. IX. p. 22.* — Paiva. *Gazeta medica de Lisboa. 1862. nr. 11; Rev. Zool. 1862. p. 361.* Angola.

21

Enaptorrhinus

ἔναπτος, adjungens; ῥίν, nasus.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 179.*

sinensis Waterh. *Trans. ent. Soc. ser. 2. II. p. 180.* China bor.

1

Amomphus

ἄμομφος, non vituperandus.

Schönherr. *Stett. Ent. Zeit. 1848. p. 359.*

Aspidiotes Schönh. *olim.* — *Phaenognathus* Schönh. *olim.*

concinnus Küst. *Käf. Eur. 18. 77.* Hispania.

Cottyi Luc. *Ann. Fr. 1857. Bull. p. 124.* — Algeria.
Dohrni Küst. *Käf. Eur. 18. 75.* — Graecia.
thalassinus Schönh. *Mantiss. sec. 1847. p. 31. (indscrpt.)* — Jacq. Duv. *Gen. Col. Curc. t. 6. f. 29.* — „
Westringi Küst. *Käf Eur. 18. 76.* — Schönh *Mant. sec. p. 28. (indscrpt.)* — Jacq. Duv. *Gen. Col. Curc. t. 6. f. 30.* — Hispania.
4

Astycus

ἀστυκὸς, urbanus.

Schönherr. *Disp. meth. 1826. p. 129.*

Lepropus Schönh. 1823

chrysochlorus Wiedem. *Zool. Mag. II. 1. 1823. p. 122.* — Bengal.
variabilis Gylh. *Schh. Gen. Curc. II. p. 91.* — „
var. *adultus* Oliv. *Ent. V. 83. p. 310. t. 17. f. 118.* — „
ebeninus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 263.* — Ceylon.
immunis Walker. *l. c.* — „
lateralis Fabr. *Ent. Syst. I. 2. p. 454.* — Gylh. *Schh. Gen. Curc. II. p. 92.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 249.* — Bengal.
obtusus Sturm. *Cat. 1826. p. 172.* — „
rutilans Oliv. *Ent. V. 83. p. 333. t. 25. f. 367.* — „
4

Brachyaspistes

βραχὺς, brevis; ἀσπιστής, clypeatus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 249.*

femoralis Fåhrs. *Schh. Gen. Curc. VI. 1. p. 251.* — India or.
1

Prospelates

προςπελάτης, cliens.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 246.*

vittatus Bohem. *Schh. Gen. Curc. VI. 1. p. 248.* — Sumatra.
1

Tanymecus

τανύω, extendo; μῆκος, longitudo.

Schönherr. *Disp. meth. 1826. p. 127.*

Asemus Schönh.

acutus Gylh. *Schh. Gen. Curc. II p. 82.* — Senegal.
albicans Rosenh. *Thier. Andal. 1856. p. 246.* — Andalusia.
albomarginatus Gylh. *Schh. Gen. Curc. II. p. 81.* — Lefeb. *Dej. Cat. 3. ed. p. 277.* — Mäklin. *Act. Soc. Fenn. VII. p. 129.* — Aegyptus.

circumdatus Schönh. *Gen. Curc. VI. 1. p. 234.*	Senegal.
lateralis Dej. Cat. l. c.	„
alboscutellatus Chevrol. *Col. Heft. V. 1869. p. 74.*	Oran.
albus Gebl. *Ledeb. Reis. II. 3. p. 151.* — Schönh. *Gen. Curc. II. p. 78.*	Tataria.
hololeucus Fisch. *Ent. Ross. II. p. 232. t. 44. f. 5. (forte.)*	„
argentatus Gylh. *Schh. Gen. Curc. VI. 1. p. 224.*	Caucasus.
argyrostomus Gylh. *l. c. p. 231.*	Mare caspic.
murinus Bartels *in litt.*	„
bidentatus Gebl. *Ledeb. Reis. II. 3. p. 151; Schh. Gen. Curc. II. p. 76.*	Sibiria.
brevis Chevrol. *Rev. Zool. 1860. p. 131.* — Fairm. *Ann. Fr. 1866. p. 61.*	Algeria.
canescens Gylh. *Schh. Gen. Curc. II. p. 85.* — Dej. *Cat. 3. ed. p. 277.*	Amer. bor.
cervinus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 237.*	Brasilia.
Chevrolati Fåhrs. *l. c. p. 242.* — Lacord. *Gen. Col. VI. 1863. p. 97. note 1.*	Bengal.
chloroleucus Wiedem. *Zool. Mag. I. 3. 1819. p. 176.* — Gylh. *Schh. Gen. Curc. II. p. 79.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 242.* — Lacord. *Gen. Col. VI. 1863. p. 97. note 1.*	„
circumdatus Wiedem. *Germ. Mag. IV. p. 156.* — Mäklin. *Act. Soc. Fenn. VII. p. 129.* — Labr. et Imh. *Gen. Curc. II. nr. 45.*	„
confinis Gylh. *Schh. Gen. Curc. II. p. 83.*	Arabia.
confusus Say. *Descr. of Curc. p. 9.*	Amer. bor.
confertus Gylh. *Schh. Gen. Curc. II. p. 88.*	Missouri.
convexifrons Ménétr. *Mém. Ac. Petr. VI. 1849. p. 250.*	Turcomania.
dilaticollis Gylh. *Schh. Gen. Curc. II. p. 89.* — Falderm. *Fn. transc. II. p. 177.* — Hochh. *Bull. Mosc. 1847. II. p. 471.*	Persia.
dilatatus Schauf. *Ann. Fr. 1862. p. 311; Sitzgb. Isis. 1863. p. 32.*	Graecia.
discolor Gylh. *Schh. Gen. Curc. II. p. 86.*	Incert. sedis.
humilis Erichs. *Wiegm. Arch. 1843. I. p. 259.*	Angola.
infimus Thoms. *Arch. ent. II. 1858. p. 121.*	Gabon.
lacaena Herbst. *Käf. VII. p. 35. t. 100. f. 10.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 232.*	Amer. bor.
lateralis Fåhrs. *l. c. p. 221.*	Bengal.
lautus Lec. *Proc. Ac. Phil. VII. 1854. p. 85.*	Frontera.
leucophaeus Gylh. *Schh. Gen. Curc. II. p. 78.* — Dej. *Cat. 3. ed. p. 277.*	Amer. bor.
lineatus Gylh. *Schh. Gen. Curc. II. p. 88; VI. 1. p. 236.*	Senegal.
longulus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 244.* — Lacord. *Gen. Col. VI. 1863. p. 97. note 1.*	Bengal.
marginalis Gylh. *Schh. Gen. Curc. II. p. 87.*	India or.
metallinus Fairm. *Ann. Fr. 1866. p. 60.*	Tanger.
migrans Fåhr. *Schh. Gen. Curc. VI. 1. p. 238.*	Chartum.
Mniszechi Hochh. *Bull. Mosc. 1851. 1. p. 22.*	Araxes.
musculus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 240.*	Aegyptus.
nebulosus Fåhrs. *l. c. p. 230.*	Sibiria.

niloticus Gylh. *Schh. Gen. Curc. II. p. 77.* — Hellw. *Dej. Cat. 3. ed. p. 277.* — Labr. et Imh. *Gen. Curc. II. nr. 45.*	Aegyptus.
niveus Gylh. *Schh. Gen. Curc. VI. 1. p. 228.*	Mare caspic.
nubeculosus Fairm. *Ann. Fr. 1866. p. 60.*	Biskra.
palliatus Fabr. *Mant. I. p. 113.* — Gylh. *Schh. Gen. Curc. II. p. 76.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 222.* — Jacq. Duv. *Gen. Col. Curc. t. 7. f. 31.*	M.
canescens Herbst. *Käf. VI. p. 240. t. 77. f. 8.*	Germania.
diffinis Marsh. *Ent. Brit. p. 309.*	Anglia.
glis Rossi. *Fn. Etr. Mant. II. App. p. 93. (forte.)*	Italia.
graminicola Oliv. *Ent. V. 83. p. 336. t. 31. f. 469.*	Gallia.
planifrons Fåhrs. *Schh. Gen. Curc. VI. 1. p. 223.*	Turcomania.
praecanus Gylh. *Schh. Gen. Curc. II. p. 86.*	Cap bon. spei.
capensis Dej. *Cat. 3. ed. p. 277.*	"
protervus Gylh. *Schh. Gen. Curc. II. p. 80.* — Lacord. *Gen. Col. VI. 1863. p. 97. note 1.*	Bengal.
robustus Fåhr. *Schh. Gen. Curc. VI. 1. p. 233.* — Bartels. *Dej. Cat. 3. ed. p. 277.*	Turcomania.
planirostris Falderm. *Dej. Cat. l. c.*	Tataria.
rudis Gylh. *Schh. Gen. Curc. II. p. 84.*	India or.
rusticus Gylh. *l. c. p. 83.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 235.*	"
sciurus Oliv. *Ent. V. 83. p. 323. t. 24. f. 337.*	Bengal.
sibiricus Gylh. *Schh. Gen. Curc. VI. 1. p. 225.*	Sibiria or.
siculus Tourn. *Ann. Fr. 1860. p. 81.*	Sicilia.
sparsus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 239.*	Senegal.
Steveni Gylh. *Schh. Gen. Curc. VI. 1. p. 229.* — Karelin. *Dej. Cat. 3. ed. p. 277.*	Turcomania.
submaculatus Chevrol. *Rev. Zool. 1860. p. 131.* — Fairm. *Ann. Fr. 1866. p. 61.*	Algeria.
trivialis Fåhrs. *Schh. Gen. Curc. VI. 1. p. 236.*	Cap bon. spei.
cinereus Sturm. *Cat. 1826. p. 196.*	"
umbratus Falderm. *Mém. Ac. Petr. II. 1835. p. 421.*	Altaï.
urbanus Gylh. *Schh. Gen. Curc. II. p. 81; VI. 1. p. 234.* — Falderm. *Fn. transc. II. p. 176. t. 5. f. 5; III. p. 181.*	Caucasus.
variabilis Fåhrs. *Schh. Gen. Curc. VI. 1. p. 241.*	Mexico.
variegatus Gebl. *Ledeb. Reis. 1830. II. 3. p. 152.* — Gylh. *Schh. Gen. Curc. VI. 1. p. 126.*	Russia mer.
villicus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 230.*	Senegal.
viridans Ménétr. *Mém. Ac. Petr. VI. p. 251.*	Turcomania.
vittiger Gylh. *Schh. Gen. Curc. II. p. 90.* — Meg. *Dej. Cat. 3. ed. p. 277.*	Hungaria.
canescens Meg. *Dej. Cat. 1. ed. p. 94.*	"

57

Cimbus

κιμβὸς, tenax.

Schönherr. *Mantiss. sec. Curc. 1847. p. 36.*

barbicauda Bohem. *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 98. note 2; Gen. Atl. VII. t. 63. f. 2. a.*	N'Gami.
pilipes Gerstäck. *i. litt.* — Lacord. *Gen. Col. VI. 1863. p. 98. note 2.*	Port Natal.

signatus Schönh. *Mant. sec. p. 37. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 98.* — Port Natal.
3

Polycleïs

πολύς, multus; κλέω, celebro.

Boheman. *Schh. Gen. Curc. VI. 1. 1840. p. 215. (emend.)*

Polyclaeis Bohem.

Bohemani Bohem. *Schh. Gen. Curc. VI. 1. p. 219.* — Mauritius.
equestris Bohem. *l. c. p. 217.* — Labr. et Imh. *Gen. Curc. II. nr. 44.* — Caffraria.
maculatus Bohem. *Schh. Gen. Curc. VI. 1. p. 218.* — Nubia.
parcus Bohem. *l. c. p. 220.* — Bengal.
plumbeus Guèr. *Rev. Zool. 1845. p. 286.* — Lacord. *Gen. Col. VI. 1863. p. 99. note 1.* — Port Natal.
5

Hypomeces

ὑπομήκης, oblongus.

Schönherr. *Disp. meth. 1826. p. 124.*

Cenchroma Germar.

curtus Bohem. *Schh. Gen. Curc. VI. 1. p. 209.* — Labr. et Imh. *Gen. Curc. II. nr. 42.* — Timor.
  timorensis De Haan *in litt.* — „
marginellus Bohem. *Schh. Gen. Curc. II. p. 72.* — Senegambia.
pauper Dalm. *Schh. Gen. Curc. II. p. 71.* — Sierra Leona.
pollinosus Redtenb. *Hüg. Kaschm. IV. 2. p. 545.* — Kaschmir.
rusticus Fabr. *Syst. El. II. p. 510.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 207.* — Labr. et Imh. *Gen. Curc. II. nr. 42.* — India or.
  lanuginosus Dej. *Cat. 3. ed. p. 277.* — Timor.
  villosus Sturm. *Cat. 1826. p. 112.* — Java.
sparsus Bohem. *Schh. Gen. Curc. VI. 1. p. 208.* — „
squamosus Fabr. *Ent. Syst. I. 2. p. 452.* — Oliv. *Ent. V. 83. p. 319. t. 5. f. 48. a-b.* — Bohem. *Schh. Gen. Curc. II. p. 71.* — India or.
  var. *aurulentus* Herbst. *Käf. VII. p. 13. t. 96. f. 6.* — Java.
  „ *mastos* Herbst. *l. c. p. 17. t. 96. f. 10.* — „
  „ *orientalis* Oliv. *Ent. V. 83. p. 321. t. 6. f. 66.* — „
  „ {*pulverulentus* Fabr. *l. c.* — China.
  „ {*pulviger* Herbst. *l. c. VI. p. 480.* — Tranquebar.
  „ *unicolor* Fabr. *Syst. El. II. p. 511.* — Sumatra.
suturalis Chevrol. *Rev. Zool. 1841. p. 227.* — Manilla.
8

Dereodus

δέρη, collum; ὀδούς, dens.

Schönherr. *Disp. meth. 1826. p. 125.*

acuminatus Erichs. *Wiegm. Arch. 1843. I. p. 259.* — Angola.

alboscutellatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 413.* Loanda.
denticollis Bohem. *l. c. II. p. 73.* India or.
3

Siderodactylus

σιδηροδάκτυλος, digito ferreo.

Schönherr. *Gen. Curc. II. 1834. p. 125; VI. 1. 1840. p. 283.*

Hadromerus Schönh. *olim.*

adstringatus Gylh. *Schh. Gen. Curc. II. p. 126.* Senegal.
var. *bicolor* Chevrol. *in litt.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 285.* „
cuspidatus Erichs. *Wiegm. Arch. 1843. I. p. 260.* Angola.
denticollis Thoms. *Arch. ent. II. 1858. p. 122.* — Lacord. *Gen. Col. VI. 1863. p. 102. note.* Gabon.
falciger Gerstäck. *Wiegm. Arch. 1871. I. p. 69.* Endara.
flavescens Gerstäck. *Monatsb. Berl. Ac. 1855. p. 84; Peters Reise. 1862. p. 311 t. 18. f. 11.* Mozambique.
galamensis Bohem. *Schh. Gen. Curc. VI. 1. p. 285.* Senegambia.
herbaceus Bohem. *l. c. p. 284.* Senegal.
modestus Thoms. *Arch. ent. II. 1858. p. 123.* Gabon.
murinus Bohem. *Schh. Gen. Curc. VIII. 2. p. 417.* Benguela.
pelliculatus Bohem. *l. c. VI. 1. p. 286.* Senegal.
prasinus Thoms. *Arch. ent. II. 1858. p. 122.* Gabon.
rhodinus Gylh. *Schh. Gen. Curc. II. p. 127.* Senegal.
sagittarius Oliv. *Ent. V. 83. p. 345. t. 4. f. 40.* — Gylh. *Schh. Gen. Curc. II. p. 126.* „
brachialis Dej. *Cat. 3. ed. p. 278.* „
13

Hadromerus

ἁδρὸς, fortis; μηρὸς, femur.

Schönherr. *Disp. meth. 1826. p. 136.*

atomarius Bohem. *Schh. Gen. Curc. VI. 1. p. 292.* — Labr. et Imh. *Gen. Curc. II. nr. 47.* Brasilia.
{*irroratus* Klug *in litt.* „
{*pygalpis* Germ. *in litt.* „
aureus Blanch. *Voy. d'Orb. 1843. p. 201. t. 16. f. 7.* Chiquitos.
brachyspinosus Bohem. *Schh. Gen. Curc. VI. 1. p. 291.* Brasilia.
micronychus Germ. *in litt.* „
Dejeani Bohem. *Schh. Gen. Curc. VI. 1. p. 293.* Mexico.
fasciatus Luc. *Casteln. Voy. 1859. p. 156.* Brasilia.
gemmifer Bohem. *Schh. Gen. Curc. VIII. 2. p. 418.* Venezuela.
herbaceus Luc. *Casteln. Voy. 1859. p. 157.* Brasilia.
impressicollis Kirsch. *Berl. Zeit. 1867. p. 233.* Columbia.
nobilitatus Gylh. *Schh. Gen. Curc. II. p. 128.* Brasilia.
porosus Bohem. *l. c. VI. 1. p. 294.* „
ruficrus Kirsch. *Berl. Zeit. 1867. p. 232.* Columbia.
togatus Bohem. *Schh. Gen. Curc. VI. 1. p. 290.* — Labr. et Imh. *Gen. Curc. II. nr. 47.* Brasilia.
tuberculifer Bohem. *Schh. Gen. Curc. VI. 1. p. 295.* „
13

Macropterus

μακρὸς, longus; πτερὸν, ala.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 419.*

acuminatus Bohem. *Schh. Gen. Curc. VI. 1. p. 421.* — Labr. et Imh. *Gen. Curc. II. nr. 56.*	Brasilia.
chlorostomus Bohem. *Schh. Gen. Curc. VI. 1. p. 424.*	„
acubarbus Germ. *in litt*	„
longipennis Bohem. *Schh. Gen. Curc. VI. 1. p. 420.*	„
semicostatus Rosensch. *Schh. l. c. p. 423.*	„
Species inedit. Lacord. *Gen. Col. VI. p. 103. not. 3.*	„

5

Chlorophanus

χλωρὸς, viridis; φανὸς, fulgens.

Germar. *Ins. Spec. nov. 1824. p. 440.*

Chlorima Dejean. *olim.* — *Phaenodes* Schönh. *olim.* — *Platyrhynchus* Megerle.

appendiculatus Ménétr. *Mém. Ac. Petr. VI 1849. p. 250.*	Turcomania.
bidens Motsch. *Bull. Mosc. 1859. IV. p. 496.*	Amur.
brachythorax Motsch. *l. c. p. 496.*	„
caudatus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 432.*	Kislar.
circumcinctus Gylh. *Schh. l. c. II. p. 64.*	Sibiria.
decorus Fåhrs. *Schh. l. c. VI. 1. p. 431.*	„
distinguendus Hochh. *Bull. Mosc. 1851. I. p. 29.*	„
excisus Fabr. *Syst. El. II. p. 531.*	Turcia.
nobilis Germ. *Fn. Ins. Eur. 21. 10.* – Fåhrs. *Schh. Gen. Curc. VI. 1. p. 428.*	Moldavia.
var. { *fallax* Germ. *Ins. Spec. nov. p. 442.* — Sahlbg. *Peric. ent. 1825. p. 24. t. 2. f. 9.* — Schönh. *Gen. Curc. II. p. 69.* — Illig. *Dej. Cat. 3. ed. p. 277.*	Hungaria.
var. { *vittatus* Meg. *in litt.*	„
foveolatus Motsch. *Bull. Mosc. 1859. IV. p. 496.*	Amur.
graminicola Schönh. *Ménétr. Cat. rais. 1832. p. 214.* — Gylh. *Schh. Gen. Curc. II. p. 67.* — Meg. *Dej. Cat. 3. ed. p. 277.*	M.
festivus Bess. *Dej. Cat. l. c.*	Volhynia.
flavescens Herbst. *Käf. VI. p. 135. t. 69. f. 3.*	Germania.
pollinosus Oliv. *Ent. V. 83. p. 338. t. 18. f. 234.*	Gallia.
irregularis Hochh. *Bull. Mosc. 1847. II. p. 475.*	Caucasus.
lineolus Motsch. *Etud. ent. III. 1854. p. 64.*	China bor.
micans Stev. *Mus. Mosq. II. p. 87.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 433.*	Russia mer.
parallelocollis Motsch. *Bull. Mosc. 1859. IV. p. 496.*	Amur.
pilifer Fåhrs. *Schh. Gen. Curc. VI. 1. p. 434.*	Caucasus.
pollinosus Fabr. *Ent. Syst. I. 2. p. 454.* — Panz. *Fn. Germ. 19. 4.* — Gylh. *Schh. Gen. Curc. II. p. 64.* — Jacq. Duv. *Gen. Col. Curc. t. 7. f. 35.*	M.
prasinus Sturm. *Cat. 1826. p. 115.*	Italia.

rufomarginatus Gebl. *Ledeb. Reis. II. 3. p. 147.* — Gylh. *Schh. Gen. Curc. II. p. 69.* — Sibiria.
rugicollis Gylh. *l. c. p. 63.* — Hispania.
salicicola Germ. *Ins. Spec. nov. p. 441.* — M.
scabricollis Motsch. *Schrenck. Reis. II. 1860. p. 166. t. 10. f. 20.* — Amur.
sellatus Fabr. *Ent. Syst. Suppl. p. 171.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 435.* — Russia mer.
sibiricus Gylh. *Schh. Gen. Curc. II. p. 65.* — Dej. *Cat. 3. ed. p. 276.* — Labr. et Imh. *Gen. Curc. II. fasc. 19. nr. 72.* — Sibiria.
dauricus Mannerh. *in litt.* — Dauria.
splendens Hochh. *Bull. Mosc. 1847. II. p. 474.* — Caucasus.
submarginalis Fåhrs. *Schh. Gen. Curc. VI. 1. p. 427.* — Irkutsk.
vestitus Fåhrs. *l. c. p. 430.* — Sibiria.
viridis Linn. *Syst. nat. ed. X. 1758. p. 384.* — Herbst. *Käf. VI. p. 136. t. 69. f. 4.* — Gylh. *Schh. Gen. Curc. II. p. 61.* — M.
brevicollis Gylh. *l. c. p. 62.* — Germania.
flavocinctus Degeer. *Ins. V. p. 256.* — Russia.
inermis Gylh. *l. c. p. 62.* — Gallia.
vittatus Schönh. *Ménétr. Cat. rais. p. 214.* — Gylh. *l. c. p. 68.* — Falderm. *Fn. transc. II. p. 175.* — Caucasus.
undulatus Uhler. *Proc. Ac. Phil. VII. 1855. p. 416. (gen. dub.)* — Baltimore.
voluptificus Gylh. *Schh. Gen. Curc. II. p. 66.* — Germania.
29

Platyaspistes

πλατύς, latus; ἀσπιστής, scutatus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 398.*

alternans Fåhrs. *Schh. Gen. Curc. VI. 1. p. 400.* — Blanch. *Gay. Hist. Chil. V. p. 322. t. 22. f. 7. a-c.* — Chili.
glaucus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 399.* — „
marginalis Fåhrs. *l. c. p. 401.* — „
prasinus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 259. t. 38. f. 11.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 397.* — Blanch. *Gay. Hist. Chil. V. p. 320. t. 22. f. 6. a-h.* — „
unicolor Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. 1853. p. 492.* — „
venustus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. p. 260. t. 38. f. 12.* — Fåhrs. *Schh. Gen. Curc. VI. 1. p. 398.* — Lacord. *Gen. Atl. VII. t. 63. f. 3. a.* — „
6

Pachnëus

παχνήεις, pruinosus.

Schönherr. *Disp. meth. 1826. p. 121. (emend.)*

Pachnaeus Schönh.

azurescens Gylh. *Schh. Gen. Curc. II. p. 58.* — Dej. *Cat. 3. ed. p. 276.* — Cuba.
var. *griseus* Gylh. *l. c. p. 59.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 426.* — „

costatus Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. 1853. p. 495.* Cuba.
litus Germ. *Ins. Spec. nov. p. 431.* — Gylh. *Schh. Gen. Curc. VI. 1. p. 59.* „
glaucus Sturm. *Cat. 1826. p. 202.* Mexico.
opalus Oliv. *Ent. V. 83. p. 339. t. 24. f. 345.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 425.* — Bosc. *Dej. Cat. 3. ed. p. 276.* Carolina.
var. *chrysocollis* Dej. *Cat. l. c.* „
psittacus Oliv. *Ent. V. 83. p. 339. t. 24. f. 341.* Haiti.
5

Dermatodes

δερματώδης, *coriaceus.*

Schönherr. *Gen. Curc. V. 1840. p. 895.*

Lagostomus Schönh.

See Revision by K. M. Heller (1915 Entomol. Mitteil. IV, p. 206 ff)

aeruginosus Bohem. *Schh. Gen. Curc. V. p. 897.* Java.
australis Boisd. *Voy. Astrol. II. 1835. p. 348.* — Dej. *Cat. 3. ed. p. 273.* Nov. Holland.
caesicollis Gylh. *Schh. Gen. Curc. I. p. 619.* Japonia.
carinulatus Motsch. *Bull. Mosc. 1866. I. p. 179.* „
costatus Gylh. *Schh. Gen. Curc. I. p. 616.* Java.
sordidus Dej. *Cat. 3. ed. p. 273.* „
granulatus Gylh. *Schh. Gen. Curc. I. p. 614.* — Labr. et Imh. *Gen. Curc. II. nr. 38.* „
argillaceus Sturm. *Cat. 1826. p. 202.* „
atomarius Dej. *Cat. 3. ed. p. 273.* „
ineptus Bohem. *Schh. Gen. Curc. I. p. 618.* Java.
interstitialis Motsch. *Bull. Mosc. 1866. I. p. 179.* Japonia.
paganus Gylh. *Schh. Gen. Curc. I. p. 617.* — Dej. *Cat. 3. ed. p. 273.* Java
var. *tenellus* Buquet. *Dej. Cat. l. c.* „
subfasciatus Gylh. *Schh. Gen. Curc. I. p. 616.* „
tuberculatus Gylh. *l. c. p. 615.* „
turritus Gylh. *l. c. p. 613.* „ Java
vermiculatus Gylh. *l. c. p. 619.* Java.
13

Lepidosomus

λεπὶς, *squama;* σῶμα, *corpus.*

Perroud. *Ann. Soc. Linn. Lyon. XI. 1864. p. 143.*

Newmani Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 145.* Nov. Caledon.
1

Stigmatotrachelus

στίγμα, *signum;* τράχηλος, *cervix.*

Schönherr. *Gen. Curc. VI. 1. p. 123. (emend.).*

Pheromaops Chevrolat. — *Stigmatrachelus* Schönh.

chlorostomus Bohem. *Schh. Gen. Curc. VI. 1. p. 136.* Madagascar.
cinctus Oliv. *Ent. V. 83. p. 343. t. 19. f. 242. a. b.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 124.* „
Bernieri Petit. *Dej. Cat. 2. ed. p. 254.* „

concinnus Bohem. *Schh. Gen. Curc. VI. 1. p. 140.* Madagascar.
fucosus Bohem. *l. c. p. 126.* „
gemmifer Klug. *Ins. Madag. 1833. p. 197.* „
isabellinus Bohem. *Schh. Gen. Curc. VI. 1. p. 139.* — Labr. et Imh. *Gen. Curc. II. nr. 41.* „
lynceus Oliv. *Ent. V. 83. p. 341. t. 24. f. 334.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 129.* „
ochreatus Bohem. *l. c. p. 134.* „
octomaculatus Oliv. *Ent. V. 83. p. 344. t. 19. f. 245. a-b.* „
ornatus Oliv. *l. c. p. 300. t. 19. f. 243.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 130.* — Labr. et Imh. *Gen. Curc. II. nr. 41.* „
psittacinus Bohem. *Schh. Gen. Curc. VI. 1. p. 138.* — Chevrol. *Dej. Cat. 3. ed. p. 273.* „
viridis Petit. *Dej. Cat. l. c.* „
squamifer Oliv. *Ent. V. 83. p. 353. t. 8. f. 96.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 133.* „
squamiger Herbst. *Käf. VI. p. 179. t. 72. f. 8.* „
squamosus Oliv. *Encycl. méth. V. p. 339.* „
striatogemellatus Bohem. *Schh. Gen. Curc. VI. 1. p. 127.* „
turbatus Bohem. *l. c. p. 128.* „
squamifer Klug. *Ins. Madag. p. 197.* „
viridans Bohem. *Schh. Gen. Curc. VI. 1. p. 135.* „
15

Aetherrhinus

ἀήθης, insuetus; ῥίν, nasus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 204.*

aurichalceus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 205.* Brasilia.
1

Chamaelops

χαμαιλέων, chamaeleon; ὤψ, oculus.

Kirsch. *Berl. Ent. Zeit. 1867. p. 235.*

munita Kirsch. *Berl. Zeit. 1867. p. 236.* Columbia.
1

Megalostylus

μέγας, magnus; στύλος, scapus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 114.*

Hadrotomus Dejean.

Renggeri Labr. et Imh. *Gen. Curc. II. fasc. 18. nr. 61.* Paraguay.
rhodopus Bohem. *Schh. Gen. Curc. VI. 1. p. 116.* Mexico.
Sturmi Bohem. *l. c. p. 115.* „
prasinus Dej. *Cat. 3. ed. p. 276.* „
villosus Sturm *in litt.* „
3

Hadropus

ἁδρός, crassus; πούς, pes.

Schönherr. *Disp. meth. 1826. p. 111.*

albiceris Germ. *Ins. Spec. nov. 1824. p. 432.* — Bohem. *Schh. Gen. Curc. I. p. 631.* Brasilia.
nubiculosus Schönh. *Disp. meth. p. 112.* „
albinus Rosensch. *Schh. Gen. Curc. VI. 1. p. 154.* — Dej. *Cat. 3. ed. p. 273.* „
Macgilivirayi Montrouz. *Ann. Fr. 1860. p. 876. (alt. gen.)* Nov. Caledon.
3

Oxyderces

ὀξυδερκής, bene videns.

Schönherr. *Gen. Curc. I. 1833. p. 646.*

coelestinus Rosensch. *Schh. Gen. Curc. VI. 1. p. 203.* Cayennae.
1

Cyphus

κυφός, gibbus.

Germar. *Ins. Spec. nov. 1824. p. 427.*

Cyrtomon Schönh. *olim.* — *Trichaptus* Germ.

augustus Illig. *Mag. I. 1801. p. 174.* Brasilia.
bispinus Bohem. *Schh. Gen. Curc. VI. 1. p. 150.* — Dej. *Cat. 3. ed. p. 272.* Columbia.
bituberosus Gylh. *Schh. Gen. Curc. I. p. 622.* Brasilia.
bituberculatus Dej. *Cat. 3. ed. p. 271.* „
Chevrolati Bohem. *Schh. Gen. Curc. VI. 1. p. 142.* „
chlorostomus Germ. *Ins. Spec. nov. p. 430.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 145.* „
chrysis Fabr. *Ent. Syst. I. 2. p. 449.* — Oliv. *Ent. V. 83. p. 296. t. 1. f. 6.* India or.
consularis Chevrol. *Rev. Zool. 1838. p. 56.* Brasilia.
cyanipes Fabr. *Mant. I. p. 113.* — Oliv. *Ent. V. 83. p. 302. t. 15. f. 190.* Cayennae.
gentilis Oliv. *l. c. p. 315. t. 24. f. 343.* „
Germari Bohem. *Schh. Gen. Curc. I. p. 627.* — Winthem. *Dej. Cat. 3. ed. p. 273.* — Labr. et Imh. *Gen. Curc. II. nr. 63.* Brasilia.
splendidus Sturm. *Cat. 1826. p. 129.* „
gibber Pall. *Jc. 1781. p. 32. t. B. f. 14.* — Fabr. *Mant. I. p. 112.* — Herbst. *Käf. VI. p. 173. t. 72. f. 1.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 141.* — Labr. et Imh. *Gen. Curc. II. nr. 62.* „
var. *argillaceus* Germ. *Ins. Spec. nov. p. 429.* „

Hancocki Kirby. *Trans. Linn. Soc. XII. 1818. p. 435. t. 22. f. 11.* — Rosensch. *Schh. Gen. Curc. VI. 1. p. 151.* — Lacord. *Gen. Col. VI. 1863. p. 115. note 1.* — Brasilia.
inhalatus Germ. *Ins. Spec. nov. p. 430.* — Bohem. *Schh. Gen. Curc. I. p. 623.* — „
flavovirens Sturm. *Cat. 1826. p. 129.* — „
pulverulentus Dej. *Cat. 3. ed. p. 273.* — Buenos Aires.
juvencus Oliv. *Ent. V. 83. p. 352. t. 1. f. 11.* — Bohem. *Schh. Gen. Curc. I. p. 623.* — Lacord. *Gen. Col. VI. 1863. p. 115. note 1.* — Labr. et Imh. *Gen. Curc. II. nr. 62.* — Cayennae.
lugubris Bohem. *Schh. Gen. Curc. VI. 1. p. 147.* — Lacord. *Gen. Col. VI. 1863. p. 115. note 1.* — Columbia.
luridus Bohem. *l. c. p. 144.* — Brasilia.
margaritaceus Sturm. *Cat. 1826. p. 75. t. 3. f. 29.* — Bohem. *Schh. Gen. Curc. I. p. 629.* — „
var. *Fabricii* Dej. *Cat. 3. ed. p. 273.* — „
modestus Gylh. *Schh. Gen. Curc. I. p. 625.* — Klug. *Dej. Cat. 3. ed. p. 273.* — Mexico.
myrmosarius Perty. *Del. anim. 1830. p. 71. t. 14. f. 12.* — Brasilia.
Linnei Bohem. *Schh. Gen. Curc. I. p. 629.* — Labr. et Imh. *Gen. Curc. II. nr. 64.* — „
mutillaeformis Sturm. *Cat. 1826. p. 129.* — „
mutillarius Germ *in litt.* — Dej. *Cat. 3. ed. p. 273.* — Perty. *l. c. p. 70. t. 15. f. 11.* — „
pistor Bohem. *Schh. Gen. Curc. I. p. 621.* — „
pudens Bohem. *l. c. p. 623; VI. 1. p. 146.* — Barthelemy.
gilvipes Dej. *Cat. 3. ed. p. 273.* — Guadeloupe.
Schönherri Perty. *Del. anim. 1830. p. 73. t. 15. f. 4.* — Brasilia.
eximius Dej. *Cat. 3. ed. p. 273.* — „
illustris Chevrol. *Guér. Jc. 1846. p. 140. t. 37. f. 3.* — „
Latreillei Bohem. *Schh. Gen. Curc. I. p. 624.* — „
sedecimpunctatus Sturm. *Cat. 1826. p. 129.* — „
sedecimpunctatus Linn. *Mus. Lud. Ulr. p. 58.* — Drury. *Ill. III. p. 74. t. 49. f. 4.* — Fabr. *Syst. El. II. p. 509.* — Cayennae.
hilaris Perty. *Del. anim. p. 74. t. 15. f. 6.* — Brasilia.
Spixi Perty. *l. c. p. 74. t. 15. f. 5.* — „
gloriandus Bohem. *Schh. Gen. Curc. I. p. 628.* — „
Varnhageni Germ. *Ins. Spec. nov. p. 437.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 148.* — „
viridans Bohem. *l. c. p. 149.* — Mexico.
26

Platyomus

πλατύς, latus; ὦμος, humerus.

Schönherr. *Disp. meth. 1826. p. 109.*

agonista Germ. *Ins. Spec. nov. p. 433.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 160.* — Brasilia.
Besckei Germ. *Ins. Spec. nov. p. 436.* — Rosensch. *Schh. Gen. Curc. VI. 1. p. 164.* — „

Boisduvali Bohem. *Schh. Gen. Curc. VI. 1. p. 163.* — Labr. et Imh. *Gen. Curc. II. nr. 50.* Brasilia.
cavirostris Bohem. *l. c. p. 167.* „
crassicornis Luc. *Casteln. Voy. 1859. p. 156.* „
cultricollis Germ. *Ins. Spec. nov. p. 432.* — Rosensch. *Schh. Gen. Curc. VI. 1. p. 155.* — Labr. et Imh. *Gen. Curc. II. nr. 49.* „
{*albiventris* Dej. *Cat. 3. ed. p. 274.* „
{*nodipennis* Dej. *Cat. l. c.* „
Dianae Bohem. *Schh. Gen. Curc. VI. 1. p. 169.* „
Duponti Bohem. *l. c. I. p. 633.* „
Faldermanni Rosensch. *Schh. l. c. p. 157.* „
fasciatus Bohem. *Schh. l. c. p. 166.* „
Gyllenhali Bohem. *l. c. p. 158.* „
hystricosus Germ. *Ins. Spec. nov. p. 434.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 161.* „
leucozonus Bohem. *l. c. p. 168.* „
mutabilis Bohem. *l. c. p. 171.* „
{*maculatus* Chevrol. *in litt.* „
{*septempunctatus* Bohem. *l. c. I. p. 637.* „
var. ♀ {*septemmaculatus* Bohem. *l. c. I. p. 638.* — Dej. *Cat. 3. ed. p. 274.* „
{*variabilis* Chevrol. *in litt.* „
„ {*novemmaculatus* Bohem. *l. c. I. p. 638.* „
{*novemnotatus* Sturm. *Cat. 1826. p. 115.* „
nodipennis Sahlb. *Peric. ent. 1825. p. 29. t. 2. f. 6.* — Rosensch. *Schh. Gen. Curc. VI. 1. p. 157.* „
draco Dej. *Cat. 1. ed. p. 92.* „
perlepidus Bohem. *Schh. Gen. Curc. I. p. 636; VI. 1. p. 168.* — Labr. et Imh. *Gen. Curc. II. nr. 51.* „
variegatus Dej. *Cat. ed. 2. p. 251.* „
piscatorius Germ. *Ins. Spec. nov. p. 434.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 161.* „
spinifer Dej. *Cat. 3. ed. p. 274.* „
prasinus Bohem. *Schh. Gen. Curc I. p. 634.* — Dej. *Cat. 3. ed. p. 274.* — Labr. et Imh. *Gen. Curc. II. nr. 49.* „
chrysocollae Germ. *in litt.* „
signatus Rosensch. *Schh. Gen. Curc. VI. 1. p. 172.* „
Silbermanni Rosensh. *l. c. p. 162.* „
aries Sturm. *Cat. 1826. p. 129.* „
forticornis Dej. *Cat. 3. ed. p. 274.* „
transversesignatus Bohem. *Schh. Gen. Curc. VI. 1. p. 165.* „
undulatus Bohem. *l. c. I. p. 635.* „
Wahlenbergi Bohem. *l. c. VI. 1. p. 159.* Cayennae.
23

Platyomida

Platyomus; εἶδος, aspectus.

White. *Voy. Ereb. and Terror. 1846. p. 14.*

binodis White. *Voy. Ereb. Terr. p. 14.* Nov. Zeeland.
1

Compsus

κομψός, elegans.

Schönherr. *Disp. meth. 1826. p. 109.*

acrolithus Germ. *Ins. Spec. nov. p. 435.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 194.*	Brasilia.
aeruginosus Bohem. *l. c. p. 177.*	Columbia.
albarius Bohem. *l. c. p. 192.*	Brasilia.
apiarius Rosensch. *Schh. l. c. p. 184.*	Columbia.
argyreus Linn. *Mus. Lud. Ulr. p. 54.* — Fabr. *Ent. Syst. I. 2. p. 448.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 201.*	Cayennae.
elegans Oliv. *Ent. V. 83. p. 328. t. 1. f. 10.* — Bohem. *l. c. I. p. 641.*	"
atrosignatus Luc. *Casteln. Voy. 1859. p. 155. t. 10. f. 3. a-c.*	Brasilia.
auricephales Say. *Journ. Ac. Phil. III. 1823. p. 310.* — Bohem. *Schh. Gen. Curc. I. p. 645.*	Mississippi.
auripes Schönh. *Gen. Curc. VI. 1. p. 183.* — Labr. et Imh. *Gen. Curc. II. nr. 52.*	Mexico.
bicoloratus Bohem. *Schh. Gen. Curc. VI. 1. p. 196.*	Amer. mer.
bisignatus Bohem. *l. c. p. 190.*	Cayennae.
bituberosus Kirsch. *Berl. Zeit. 1867. p. 237.*	Columbia.
Bourcieri Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 591.*	Amazon.
canescens Bohem. *Schh. Gen. Curc. VI. 1. p. 181.* — Dej. *Cat. 3. ed. p. 247.*	Columbia.
carinirostris Bohem. *l. c. p. 187.*	Mexico.
chlorostictus Erichs. *Schomb. Reis. III. 1848. p. 568.*	Guyana.
cinerascens Blanch. *Gay. Hist. Chil. V. p. 318. t. 23. f. 8. a-d.*	Chili.
clarus Fabr. *Syst. El. II. p. 541.* — Bohem. *Schh. Gen. Curc. I. p. 646.*	Demerary.
cretaceus Fabr. *Ent. Syst. I. 2. p. 452.* — Oliv. *Ent. V. 83. p. 301. t. 2. f. 19.* — Bohem. *Schh. Gen. Curc. I. p. 647.* — Lacord. *Gen. Col. VI. 1863. p. 113.*	Guadeloupe.
Dalmani Bohem. *Schh. Gen. Curc. VI. 1. p. 175.*	Brasilia.
dives Guér. *Jc. règn. anim. t. 37. f. 4.*	"
deplanatus Kirsch. *Berl. Zeit. 1867. p. 237.*	Columbia.
dives Oliv. *Ent. V. 83. p. 296. t. 18. f. 233.*	Amer. mer.
ermineus Bohem. *Schh. Gen. Curc. VI. 1. p. 191.*	Brasilia.
exsanguis Bohem. *l. c. I. p. 641.*	Amer. mer.
fuscatus Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 592.*	Amazon.
glaucus Bohem. *Schh. Gen. Curc. VI. 1. p. 178.*	Columbia.
hybridus Rosensch. *Schh. l. c. p. 200.*	Guadeloupe.
isabellinus Bohem. *Schh. Gen. Curc. I. p. 644.*	Brasilia.
lacteus Fabr. *Mant. I. p. 111.* — Herbst. *Käf. VI. p. 177. t. 72. f. 5.* — Bohem. *Schh. Gen. Curc. I. p. 642; VI. 1. p. 184.*	Cayennae.
var. { *canus* Bohem. *l. c. p. 643.*	Brasilia.
var. { *niveus* Dej. *Cat. 1. ed. p. 92.*	"
" *Dejeani* Chevrol. *in litt.*	Cayennae.
" *religiosus* Oliv. *Ent. V. 83. p. 302. t. 2. f. 20.*	"

Lebasi Bohem. *Schh. Gen. Curc. VI. 1. p. 182.* — Dej. *Cat. 3. ed. p. 274.* — Columbia.
caveatus Chevrol. *in litt.* — „
iepidus Bohem. *l. c. p. 193.* — Dej. *Cat. l. c.* — Cayennae.
molitor Rosensch. *Schh. l. c. p. 189.* — Brasilia.
monachus Fauvel. *Bull. Soc. Linn. Normand. V. p. 313.* — Cayennae.
niveus Fabr. *Mant. I. p. 111.* — Oliv. *Ent. V. 83. p. 304. t. 14. f. 173.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 173.* — Brasilia.
obliquecostatus Perroud. *Ann. Soc. Linn. Lyon. ser. 2. 1. 1853. p. 464.* — „
ochroleucus Erichs. *Schomb. Reis. III. p. 568.* — Guyana.
opalinus Bohem. *Schh. Gen. Curc. I. p. 652.* — Brasilia.
placidus Bohem. *l. c. I. p. 180.* — Nov. Granada.
quadrisignatus Bohem. *l. c. p. 188.* — Columbia.
rufipes Bohem. *l. c. p. 199.* — Brasilia.
rugosus Taschenb. *Zeitschr. ges. Naturw. I. 1870. p. 188.* — Bogotá.
saucius Bohem. *Schh. Gen. Curc. VI. 1. p. 198.* — Brasilia.
sordidus Bohem. *l. c. p. 174.* — „
viridimaculatus Bohem. *l. c. p. 185.* — Cayennae.
viridipes Bohem. *l. c. p. 179.* — Columbia.
viridivittatus Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 592.* — Amazon.
Wagneri Harold. *Ann. Fr. 1863. p. 176.* — Ecuador.
degener Dohrn *in litt.* — „
Westermanni Bohem. *Schh. Gen. Curc. VI. 1. p. 197.* — Brasilia.
46

Catamonus

κατaμένος, permanens.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 422.*

cribrarius Oliv. *Ent. V. 83. p. 348. t. 24. f. 344.* — Wollast. *Col. Atlant. p. 332. note.* — Africa mer.
melancholicus Bohem. *Schh. Gen. Curc. VIII. 2. p. 423.* — Labr. et Imh. *Gen. Curc. II. fasc. 19. nr. 70.* — Cap bon. spei.
2

Eustales

εὐσταλής, bene instructus.

Germar. *Ins. Spec. nov. 1824. p. 453. (emend.)*

Eustalis Germ. — *Phaops* Sahlberg.

adamantinus Germ. *Ins. Spec. nov. p. 444. t. 2. f. 4. a.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 363.* — Brasilia.
speciosus Dej. *Cat. 3. ed. p. 274.* — „
aegrotus Bohem. *Schh. Gen. Curc. VI. 1. p. 371.* — „
albomarginatus Rosensch. *Schh. l. c. p. 368.* — „
ambitiosus Bohem. *l. c. p. 373.* — „
angustifrons Luc. *Casteln. Voy. 1859. p. 159.* — „
cerussatus Bohem. *Schh. Gen. Curc. I. p. 651.* — Dej. *Cat. 3. ed. p. 274.* — „
religiosus Sturm. *Dej. Cat. l. c.* — „

circumductus Germ. *Ins. Spec. nov. p. 454.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 376.* — Labr. et Imh. *Gen. Curc. II. nr. 54.* Brasilia.
auronitens Mannerh. *Schh. l. c. p. 650.* „
depressicollis Gylh. *Schh. l. c. II. p. 22.* St. Domingo.
duricornis Gylh. *l. c. VI. 1. p. 367.* Brasilia.
fallax Gylh. *l. c. p. 368.* „
harmonicus Germ. *Ins. Spec. nov. p. 445.* — Rosensch. *Schh. Gen. Curc. VI. 1. p. 364.* „
laetus Bohem. *Schh. l. c. p. 374.* „
lepidotus Bohem. *l. c. p. 366.* Amer. mer.
leucogaeus Germ. *Ins. Spec. nov. p. 445.* Brasilia.
albugo Sahlb. *Peric. ent. 1. p. 27. t. 2. f. 8.* „
albus Sturm. *Cat. 1826. p. 196.* „
inaequalis Mannerh. *Dej. Cat. 3. ed. p. 274.* St. Domingo.
Maugei Bohem. *Schh. Gen. Curc. VI. 1. p. 369.* Antillae.
opulentus Bohem. *l. c. p. 365.* Mexico.
scintillans Rosensch. *Schh. l. c. p. 364.* Brasilia.
thalassinus Bohem. *l. c. p. 378.* „
Thunbergi Dalm. *Analect. ent. I. 1823. p. 84.* — Sahlb. *Peric. ent. I. p. 25. t. 2. f. 7.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 372.* „
lineatus Dej. *Cat. 1. ed. p. 92.* „
pentachordius Germ. *Ins. Spec. nov. p. 446.* „
virgatus Bohem. *Schh. Gen. Curc. VI. 1. p. 375.* „
trichordus Germ. *in litt.* „
virginalis Oliv. *Ent. V. 83. p. 341. t. 20. f. 270.* „
viridans Bohem. *Schh. Gen. Curc. VI. 1. p. 379.* St. Thomas.
viridisquamosus Bohem. *l. c. p. 376.* Brasilia.
auronitens Sturm. *Cat. 1826. p. 115.* „

23

Polycomus

πολύκομος, *comosus.*

Schönherr. *Gen. Curc. 1. 1833. p. 653.*

lanuginosus Gylh. *Schh. Gen. Curc. I. p. 654.* — Chevrol. *Dej. Cat. 3. ed. p. 275.* Brasilia.
seladonius Dej. *Cat. l. c.* „

1

Exophthalmus

ἐξόφθαλμος, *oculis prominentibus.*

Schönherr. *Disp. meth. 1826. p. 115.*

Callizonus Schönh. — *Diaprepes* Schönh. — *Prepodes* Schönh. — *Tropirhinus* Schönh. *olim.*

abbreviatus Linn. *Mus. Lud. Ulr. p. 62.* Guadeloupe.
brevis Oliv. *Encycl. méth. V. p. 549.* „
festivus Fabr. *Ent. Syst. I. 2. p. 476.* Gylh. *Schh. Gen. Curc. II. p. 9; VI. 1. p. 342.* — Labr. et Imb. *Gen. Curc. II. fasc. 19. nr. 67.* „
{*japonensis* Voet. *Cat. II. p. 52. t. 39. f. 41.* „
{*irregularis* Panz. *ed. Voet. IV. p. 67. t. 39. f. 41.* „
quadrilineatus Oliv. *Ent. V. 83. p. 310. t. 2. f. 15. a-b; t. 7. f. 82. b. (forte.)* „

albosquamosus Sallé. *Ann. Fr. 1855. p. 268. t. 14. f. 3. a.*	St. Domingo.
aurarius Gylh. *Schh. Gen. Curc. II. p. 12.*	Guadeloupe.
canescens Bohem. *Schh. l. c. VI. 1. p. 357.*	Mexico.
canus Gylh. *Schh. l. c. II. p. 306.*	"
cervinus Gylh. *l. c. VI. 1. p. 351.*	Incert. sedis.
cinerascens Fabr. *Ent. Syst. I. 2. p. 452.* — Oliv. *Ent. V. 83. p. 326. t. 9. f. 105. a. b.* — Gylh. *Schh. Gen. Curc. II. p. 27; VI. 1 p. 359.*	St. Domingo.
comma Bohem. *Schh. Gen. Curc. II. p. 8.*	Amer. mer.
costatus Gylh. *Schh. Gen. Curc. II. p. 18.*	St. Domingo.
crassicornis Kirsch. *Berl. Zeit. 1867. p. 238.*	Columbia.
distinguendus Gylh. *Schh. Gen. Curc. II. p. 10.* — Dej. *Cat. 3. ed. p. 275.*	Guadeloupe.
festivus Oliv. *Ent. V. 83. p. 312. t. 20. f. 267.*	"
Doublieri Guér. *Rev. Zool. 1847. p. 9; Ann. Fr. 1846. Bull. p. 104.*	Haiti.
elegans Guér. *Rev. Zool. 1847. p. 10.* — Jacq. Duv. *Hist. Cub. 1857. p. 182. t. 8. f. 25.*	Cuba.
elegantulus Gylh. *Schh. Gen. Curc. II. p. 13.*	Martinique.
Dejeani Sturm. *Cat. 1826. p. 115.*	"
esuriens Gylh. *Schh. Gen. Curc. II. p. 15.*	Barthelemy.
excavatus Rosensch. *Schh. l. c VI. 1. p. 343.*	St. Vincent.
famelicus Oliv. *Ent. V. 83. p. 314. t. 20. f. 260.* — Gylh. *Schh. Gen. Curc. II. p. 14.*	Guadeloupe.
affinis Fabr. *Syst. El. II. p. 531.*	"
rugirostris Dej. *Cat. 3. ed. p. 275.*	"
farinolentus Bohem. *Schh. Gen. Curc. VI. 1. p. 358.*	Mexico.
farinosus Gylh. *Schh. l. c. p. 344.*	Incert. sedis.
glaucus Oliv. *Ent. V. 83. p. 315. t. 6. f. 75.*	Amer. ins.
hybridus Chevrol. *Rev. Zool. 1858. p. 210.*	Cuba.
Jekelianus White. *Ann. nat. Hist. 3. ser. II. 1858. p. 357.*	Columbia.
impressus Fabr. *Spec. ins. I. p. 192.* — Oliv. *Ent. V. 83. p. 318. t. 10. f. 126.* — Gylh. *Schh. Gen. Curc. II. p. 17.*	Jamaica.
inaequalis Gylh. *l. c. p. 23.* — Mannerh. *Dej. Cat. 3. ed. p. 275.*	St. Domingo.
laetus Oliv. *Ent. V. 83. p. 326. t. 9. f. 100. a-b.* — Gylh. *Schh. Gen. Curc. II. p. 5.*	"
lepidopterus Gylh. *l. c. p. 14.*	Guadeloupe.
lepidus Chevrol. *Rev. Zool. 1858. p. 210..*	Cuba.
leucographus Gylh. *Schh. Gen. Curc. II. p. 19.* — Dej. *Cat. 3. ed. p. 275.*	St. Domingo.
chirographus Mannerh. *Dej. Cat. l. c.*	"
luctuosus Gylh. *Schh. Gen. Curc. II. p. 26.* — Lacord. *Gen. Col. VI. 1863. p. 122. note 1.* — Labr. et Imh. *Gen. Curc. II. fasc. 19. nr. 68.*	Cuba.
irroratus Dej. *Cat. 3. ed. p. 275.*	"
pustulatus Schönh. *in litt. olim.*	"
Mannerheimi Bohem. *Schh. Gen. Curc. VI. 1. p. 338.*	St. Domingo.
marginatus Oliv. *Ent. V. 83. p. 307. t. 7. f. 82. a.* — Gylh. *Schh. Gen. Curc. II. p. 11.*	Guadeloupe.
circumdatus Schönh. *Disp. meth. p. 117.*	"
lateralis Dej. *Cat. 3. ed. p. 275.*	"
var. *guadeloupensis* Chevrol. *in litt.*	"

marmoreus Gylh. *Schh. Gen. Curc. VI. 1. p. 352.* — Guadeloupe.
modestus Gylh. *l. c. p. 345.* — Mexico.
murinus Rosensch. *Schh. l. c. p. 354.* — Surinam.
novemdecimpunctatus Fabr. *Syst. Ent. p. 145.* — Herbst. *Käf. VI. p. 111. t. 67. f. 3.* — Gylh. *Schh. Gen. Curc. II. p. 21.* — St. Domingo.
nubilus Rosensch. *Schh. l. c. VI. 1. p. 355.* — Mexico.
obsoletus Oliv. *Ent. V. 83. p. 325. t. 8. f. 86. a-b.* — Gylh. *Schh. Gen. Curc. II. p. 20.* — St. Domingo.
  albomaculatus Dej. *Cat. 1. ed. p. 92.* — „
  sejugatus Schönh. *Disp. meth. p. 118.* — „
pictus Guér. *Rev. Zool. 1847. p. 9.* — Jacq. Duv. *Hist. Cub. 1857. p. 181. t. 8. f. 24.* — Cuba.
pugnax Oliv. *Ent. V. 83. p. 349. t. 20. f. 262.* — Haiti.
  Forsströmi Gylh. *Schh. Gen. Curc. II. p. 6.* — „
  guttatus Dej. *Cat. 3. ed. p. 275.* — „
pulchellus Bohem. *Schh. Gen. Curc. II. p. 5.* — Amer. mer.
pulcher Brown. *Illustr. 1776. p. 126. t. 49. f. 6.* — Fabr. *Spec. Ins. I. p. 192.* — Herbst. *Käf. VI. p. 316. t. 85. f. 1.* — Gylh. *Schh. Gen. Curc. VI. 1. p. 348.* — Jamaica.
quadrivittatus Oliv. *Ent. V. 83. p. 325. t. 9. f. 107.* — Gylh. *Schh. Gen. Curc. II. p. 5.* — Bohem. *Schh. l. c. VI. 1. p. 337.* — St. Domingo.
  var. *bivittatus* Fabr. *Mant. I. p. 118.* — Oliv. *l. c. p. 313. t. 3. f. 23.* — Gylh. *l. c. p. 4.* — St. Thomas.
regalis Linn. *Syst. nat. ed. 12. p. 616.* — Herbst. *Käf. VI. p. 110. t. 67. f. 2.* — Gylh. *Schh. Gen. Curc. II. p. 21.* — St. Domingo.
Rohri Fabr. *Syst. Ent. p. 151.* — Oliv. *Ent. V. 83. p. 314. t. 20. f. 261.* — Gylh. *Schh. Gen. Curc. II. p. 9.* — Amer. ins.
  Lundi Herbst. *Käf. VI. p. 134. t. 69. f. 2.* — „
roralis Bohem. *Schh. Gen. Curc. VI. 1. p. 356.* — Mexico.
rufescens Bohem. *l. c. p. 346.* — Guadeloupe.
scalaris Bohem. *l. c. p. 349.* — Dej. *Cat. 3. ed. p. 275.* — Labr. et Imh. *Gen. Curc. II. fasc. 19. nr. 66.* — Cuba.
  hieroglyphicus Sturm. *Cat. 1826. p. 115.* — „
senegalensis Bohem. *Schh. Gen. Curc. VI. 1. p. 340.* — Senegal.
similis Drury. *Ill. II. 1773. Index; p. 62. t. 33. f. 5.* — Herbst. *Käf. VI. t. 67. f. 10.* — Jamaica.
  cameleon Fabr. *Ent. Syst. I. 2. p. 474.* — Herbst. *l. c. p. 115. f. 8.* — „
  var. *rufescens* Drury. *l. c. p. 61. f. 4.* — Herbst. *l. c. f. 9.* — „
Sommeri Rosensch. *Schh. l. c. p. 339.* — Jacq. Duv. *Hist. Cub. 1857. p. 180. t. 8. f. 23.* — Cuba.
Spengleri Linn. *Syst. nat. ed. 12. p. 609.* — Oliv. *Ent. V. 83. p. 311. t. 2. f. 15; t. 20. f. 254.* — Gylh. *Schh. Gen. Curc. II. p. 8.* — Amer. ins.
sphacelatus Oliv. *Ent. V. 83. p. 319. t. 5. f. 58; t. 20. f. 253.* — Gylh. *Schh. Gen. Curc. II. p. 20.* — St. Domingo.
squamipennis Gemming. *Col. Heft. VII.* — „
  lepidopterus Gylh. *Schh. Gen. Curc. VI. 1. p. 353.* — „
tredecimmaculatus Guér. *Rev. Zool. 1847. p. 10.* — Cuba.
verecundus Chevrol. *Col. Mex. fasc. I. 1833. nr. 16.* — Mexico.

vittatus Linn. *Syst. nat. ed. 12. p. 610.* — Oliv. *Ent. V. 83. p. 309. t. 15. f. 192.* — Gylh. *Schh. Gen. Curc. II. p. 17; VI. 1. p. 348.* — Labr. et Imh. *Gen. Curc. II. fasc. 19. nr. 69.* Jamaica.
56

Prepodellus

Prepodes dimin.

Kirsch. *Berl. Ent. Zeit. 1867. p. 239.*

nigriclavis Kirsch. *Berl. Zeit. 1867. p. 240.* Columbia.
setifer Jekel *in litt.* „
ruficornis Kirsch. *l. c. p. 240.* „
2

Tetrabothynus

τέτρα, quatuor; βόθυνος, foramen.

Labram et Imhoff. *Gen. Curc. II. fasc. 19. 1852. nr. 68.*

spectabilis Gylh. *Schh. Gen. Curc. II. p. 25.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 359.* — Dej. *Cat. 3. ed. p. 275.* — Labr. et Imh. *Gen. Curc. II. nr. 68.* Cuba.
1

Lachnopus

λάχνη, lanugo; ποῦς, pes.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 380.*

Menoetius Dej. — *Ptilopus* Schönh. *olim.*

acuticollis Gylh. *Schh. Gen. Curc. II. p. 37.* Cuba.
centropunctatus Sturm. *Cat. 1843. p. 195.* „
aereus Gylh. *Schh. Gen. Curc. II. p. 40.* — Mannerh. *Dej. Cat. 3. ed. p. 276.* St. Domingo.
blandus Gylh. *l. c. p. 26.* „
albomaculatus Gylh. *l. c. p. 37.* — Mannerh. *Dej. Cat. 3. ed. p. 276.* „
argus Reiche. *Rev. Zool. 1840. p. 275.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 424.* — Labr. et Imh. *Gen. Curc. II. fasc. 19. nr. 71.* Cuba.
atramentarius Gylh. *Schh. Gen. Curc. II. p. 33.* St. Domingo.
aulicus Gylh. *l. c. p. 35.; VI. 1. p. 384.* — Dej. *Cat. 3. ed. p. 275.* „
glaucus Mannerh. *Dej. Cat. l. c.* „
aurifer Drury. *Ill. I. p. 68. t. 32. f. 1; II. 1773. Index.* — Fabr. *Syst. Ent. p. 147.* — Gylh. *Schh. Gen. Curc. II. p. 29.* — Labr. et Imh. *Gen. Curc. II. fasc. 19. nr. 71.* Jamaica.
campechianus Gylh. *Schh. Gen. Curc. VI. 1. p. 388.* Guadeloupe.
canescens Gylh. *l. c. p. 388.* St. Domingo.

chirographus Oliv. *Ent. V. 83. p. 334. t. 24. f. 336.* — Rosensch. *Schh. Gen. Curc. VI. 1 p. 381.* Amer. ins.
pictus Chevrol. *in litt.* „
chlorophanus Gylh. *Schh. Gen. Curc. II. p. 39.* St. Domingo.
consularis Mannerh. *Dej. Cat. 3. ed. p. 276.* „
consentaneus Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 487.* „
curvipes Fabr. *Mant. I. p. 113.* — Herbst. *Käf. VI. p. 130. t. 68. f. 10.* — Gylh. *Schh. Gen. Curc. II. p. 41; VI. 1. p. 394.* Amer. ins.
var. *Beauvoisi* Chevrol. *in litt.* „
„ *calcaratus* Oliv. *Ent. V. 83. p. 350. t. 19. f. 249. (forte.)* „
dentipes Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 489.* St. Domingo.
distortus Gylh. *Schh. Gen. Curc. VI. 1. p. 393.* Amer. occ.
valgus Herbst. *Käf. VI. p. 129. t. 68. f. 9.* „
granicollis Gylh. *Schh. Gen. Curc. VI. 1. p. 390.* St. Domingo.
Guerini Jacq. Duv. *Hist. Cub. 1857. p. 185. t. 9. f. 26.* Cuba.
hirtus Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 484.* St. Domingo.
hispidus Gylh. *Schh. Gen. Curc. II. p. 34.* Cuba.
hispidulus Dej. *Cat. 3. ed. p. 275.* „
inconditus Rosensch. *Schh. Gen. Curc. VI. 1. p. 383.* St. Domingo.
interruptus Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 475.* „
lineatoguttatus Perroud. *l. c. p. 468.* Cuba.
memnonius Gylh. *Schh. Gen. Curc. II. p. 42.* Barthelemy.
mercator Oliv. *Ent. V. 83. p. 334. t. 24. f. 336.* St. Domingo.
multipunctatus Jacq. Duv. *Hist. Cub. 1857. p. 190.* Cuba.
mundus Gylh. *Schh. Gen. Curc. II. p. 31.* St. Domingo.
luxurians Oliv. *Ent. V. 83. p. 334. t. 24. f. 333. a-b. (forte.)* „
niveoirroratus Jacq. Duv. *Hist. Cub. 1857. p. 189.* Cuba.
planifrons Gylh. *Schh. Gen. Curc. VI. 1. p. 385.* St. Domingo.
plebejus Gylh. *l. c. II. p. 23.* „
plumipes Perroud. *Ann Soc. Linn. Lyon. 1853. p. 471.* „
pollinarius Gylh. *Schh. Gen. Curc. VI. 1. p. 387.* Cuba.
proteus Oliv. *Ent. V. 83. p. 336. t. 31. f. 462. a-c.* — Gylh. *Schh. Gen. Curc. II. p. 36.* St. Domingo.
rufipes Dej. *Cat. 2. ed. p. 253.* „
pruinosus Gylh. *Schh. Gen. Curc. II. p. 33.* — Dej. *Cat. 3. ed. p. 275.* „
seriepunctatus Jacq. Duv. *Hist. Cub. 1857. p. 187. t. 9. f. 27.* Cuba.
sparsimguttatus Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 481.* „
splendidus Bohem. *Schh. Gen. Curc. VI. 1. p. 382.* „
spretus Gylh. *Schh. l. c. II. p. 38.* — Bohem. *l. c. p. 389.* St. Domingo.
sublineatus Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 478.* — Jacq. Duv. *Hist. Cub. 1857. p. 192.* Cuba.
valgus Fabr. *Syst. Ent. p. 150.* — Gylh. *Schh. Gen. Curc. II. p. 41; VI. 1. p. 391.* Barthelemy.
castilianus Herbst. *Käf. VII. p. 22. t. 97. f. 1.* „
villosipes Bohem. *Schh. Gen. Curc. II. p. 43.* St. Eustach.
vittatus Gylh. *Schh. l. c. p. 30.* — Dej. *Cat. 3. ed. p. 275.* Cuba.

Cratopus

κράτος, fortitudo; πούς, pes.

Schönherr. *Disp. meth. 1826. p. 120.*

Cratopomorphus Deyrolle.

alboscutellatus Bohem. *Schh. Gen. Curc. VI. 1. p. 416.*	Bourbon.
angustatus Bohem. *l. c. II. p. 54; VI. 1. p. 410.*	„
angustus Dej. *Cat. 3. ed. p. 276.*	„
aurifer Bohem. *Schh. Gen. Curc. II. p. 55.*	India or.
brachialis Bohem. *l. c. p. 51.*	„
brunnescens Bohem. *l. c. VI. 1. p. 411.*	„
brunnipes Fabr. *Ent. Syst. Suppl. p. 172.* — Bohem. *Schh. Gen. Curc. II. p. 53; VI. 1. p. 407.*	Ile de France.
ruficollis d'Urville. *Dej. Cat. 3. ed. p. 276.*	„
caliginosus Bohem. *Schh. Gen. Curc. VI. 1. p. 414.* — Dej. *Cat. 3. ed. p. 276.*	„
chrysochlorus Bohem. *l. c. II. p. 48.* — Dej. *Cat. 3. ed. p. 276.*	Bourbon.
circumcinctus Bohem. *l. c. VI. 1. p. 403.*	„
confusus Bohem. *l. c. p. 408.*	Ile de France.
brunnipes Dej. *in litt.*	„
ditissimus Bohem. *l. c. p. 404.*	Ins.S.Johanna.
exquisitus Bohem. *l. c. p. 405.*	Bourbon.
Frappieri Deyrolle. *Maillard. Notes Réunion. 1863. Annex. H. p. 8.*	„
fulvescens Bohem. *Schh. Gen. Curc. VI. 1. p. 412.*	„
herbaceus Deyr. *Maillard. Notes Réunion. Annex. H. p. 12.*	„
humeralis Bohem. *Schh. Gen. Curc. II. p. 52.* — Dej. *Cat. 3. ed. p. 276.*	„
ictericus Bohem. *Schh. Gen. Curc. VI. 1. p. 417.*	„
lepidopterus Deyr. *Maillard. Notes Réunion. Annex. H. p. 13.*	„
leucophaeatus Bohem. *Schh. Gen. Curc. II. p. 56; VI. 1. p. 418.*	„
lotus Bohem. *l. c. VI. 1. p. 418.*	„
marginatus Bohem. *Schh. Gen. Curc. II. p. 49.* — Dej. *Cat. 3. ed. p. 276.*	„
marmoreus Bohem. *l. c. p. 47.*	„
melanocephalus Fabr. *Ent. Syst. Suppl. p. 167.* — Bohem. *Schh. Gen. Curc. II. p. 50.*	Ile de France.
molitor Bohem. *l. c. p. 54.*	India or.
Moreli Deyr. *Maillard. Notes Réunion. Annex. H. p. 10.*	Bourbon.
murinus Bohem. *Res. Eugen. 1859. p. 123.*	Ile de France.
nanus Bohem. *Schh. Gen. Curc. VI. 1. p. 413.*	Bourbon.
parvus Deyr. *Maillard. Notes Réunion. Annex. H. p. 11.*	„
perturbatus Bohem. *Schh. Gen. Curc. VI. 1. p. 409.* — Labr. et Imh. *Gen. Curc. II. nr. 55.*	Cap bon. spei.
punctum Fabr. *Ent. Syst. Suppl. p. 172.* — Oliv. *Ent. V. 83. p. 411. t. 26. f. 382.* — Bohem. *Schh. Gen. Curc. II. p. 53.*	Ile de France.
roralis Fabr. *Ent. Syst. Suppl. p. 173.* — Oliv. *Ent. V. 83. p. 405. t. 26. f. 373.* — Bohem. *Schh. Gen. Curc. II. p. 50; VI. 1. p. 404.*	„

Sandi Deyr. *Maillard. Notes Réunion. Annex. H. p. 6. t. 20. f. 4.* — Bourbon.
sanguinicollis Oliv. *Ent. V. 83. p. 411. t. 26. f. 381.* — Bohem. *Schh. Gen. Curc. II. p. 51.* — India or.
iridipennis Latr. *Dej. Cat. 3. ed. p. 276.* — „
scapularis Deyr. *Maillard. Notes Réunion. Annex. H. p. 9.* — Bourbon.
septemvittatus Deyr. *l. c. p. 5. t. 20. f. 3.* — „
striga Fabr. *Ent. Syst. Suppl. p. 173.* — Oliv. *Ent. V. 83. p. 405. t. 26. f. 372.* — Bohem. *Schh. Gen. Curc. II. p. 50.* — Ile de France.
sumptuosus Bohem. *Schh. Gen. Curc. II. p. 50.* — Chevrol. *Dej. Cat. 3. ed. p. 276.* — Bourbon.
triangularis Bohem. *Schh. Gen. Curc. II. p. 46.* — India or.
38

Cratopopsis

Cratopus; ὄψις, aspectus.

Deyrolle. *Maillard. Notes sur l'ile Réunion. 1863. Annex. H. p. 15.*

bistigma Deyr. *Maillard. Notes Réunion. Annex. H. p. 15.* — Bourbon.
nitidifrons Deyr. *l. c. p. 17. t. 20. f. 5.* — „
2

Rhinoscapha

ῥίν, nasus; σκάφη, scapha.

Montrouzier. *Ann. Soc. agr. Lyon. VII. 1857. p. 47.*

amicta Wiedem. *Zool. Mag. II. 1. 1823. p. 123.* — Bohem. *Schh. Gen. Curc. II. p. 290.* — Java.
glauca Sturm. *Cat. 1826. p. 115.* — „
modesta De Haan. *Dej. Cat. 3. ed. p. 283.* — „
pertusa Schönh. *in litt. olim.* — „
var. *roseiventris* Chevrol. *in litt.* — Bohem. *l. c. VI. 2. p. 212.* — Amboina.
angusta Blanch. *Voy. Pole Sud. IV. 1853. p. 218. t. 13. f. 14.* — Ins. Aru.
arrogans Boisd. *Voy. Astrol. II. 1835. p. 358. t. 7. f. 8.* — Nov. Guinea.
azureipes Blanch. *Voy. Pole Sud. IV. p. 219. t. 13. f. 15.* — Ins. Aru.
zonata Blanch. *l. c. t. 13. f. 16.* — „
batjanensis Snellen. *Tijdschr. v. Entom. 1864. p. 164.* — Batchian.
bicincta Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 48.* — Lacord. *Gen. Atl. VII. t. 63. f. 4. a-b.* — Ins. Woodlark.
Dohrni Snellen. *Tijdschr. v. Entom. 1864. p. 165. t. 12. f. 1.* — Morotai.
Douei Montrouz. *Ann. Fr. 1860. p. 880.* — Lacord. *Gen. Col. VI. 1863. p. 127. note.* — Nov. Caledon.
Fabricii Thoms. *Arch. ent. I. 1857. p. 443. t. 17. f. 5.* — Ins. Aru.
gemmans Bohem. *Schh. Gen. Curc. II. p. 294.* — Lacord. *Gen. Col. VI. 1863. p. 127. note.* — Amboina.
insignis Guér. *Rev. Zool. 1841. p. 135.* — Blanch. *Voy. Pole Sud. IV. p. 215. t. 13. f. 11.* — Ternate.
Lapeyrousei Montrouz. *Ann. Fr. 1860. p. 878.* — Ins. Art.
Leguilloui Guér. *Rev. Zool. 1841. p. 126.* — Ins. Salomon.

plagiata Blanch. *Voy. Pole Sud. IV. p. 216. t. 13. f. 12.* — Ins. Aru.
sordida Blanch. *l. c. p. 217.* — „
striatopunctata Guér. *Voy. Coquille. II. 2. 1830. p. 113. t. 6. f. 2.* — Boisd. *Voy. Astrol. II. p. 260.* — Nov. Guinea.
16

Eupholus

εὖ, bene; φολὶς, squama.

Guérin. *Voy. Coquille. Ent. 1830. p. 116.*

Monogr. Guérin. *Mag. Zool. 1842. Ins. t. 96-97.*

Synops. Thomson. *Arch. ent. I. 1857. p. 440.*

aurifer Snellen. *Tijdschr. v. Entom. 1864. p. 167. t. 12. f. 3.* — Ceram.
Chevrolati Guér. *Voy. Coquille. II. 2. p. 117; Mon. t. 96 f. 2.* — Amboina.
Cuvieri Guér. *l. c. p. 118. t. 6. f. 4; Mon. p. 4. t. 97. f. 4.* — Boisd. *Voy. Astrol. II. p. 363.* — Nov. Guinea.
Geoffroyi Guér. *l. c. p. 115. t. 6. f. 3; Mon. p. 3. t. 97. f. 2.* — „
mirabilis Boisd. *Voy. Astrol. II. p. 364.* — d'Urville. *Dej. Cat. 3. ed. p. 283.* — „
Linnei Thoms. *Synops. p. 442. t. 17. f. 4.* — Ins. Aru.
Petiti Guér. *Rev. Zool. 1841. p. 216; Mon. t. 97. f. 1.* — Blanch. *Voy. Pole Sud. IV. p. 214. t. 13. f. 10.* — Nov. Guinea.
Schönherri Guér. *Voy. Coquille. II. 2. p. 116; Mon. t. 96. f. 1.* — Boisd. *Voy. Astrol. II. p. 365.* — „
Tupinieri Guér. *Voy. Favorite. Mag. Zool. p. 65. t. 233. f. 1; Mon. p. 4. t. 97. f. 3.* — „
vilis Snellen. *Tijdschr. v. Entom. 1864. p. 168.* — Sumatra.
9

Celebia

Celebes.

Thomson. *Arch. ent. I. 1857. p. 287.*

azureipes Thoms. *Arch. ent. I. 1857. p. 288. t. 14. f. 3.* — Celebes.
1

Artipus

ἀρτίπους, non claudus.

Schönherr. *Disp. meth. 1826. p. 133.*

corycaeus Sahlb. *Peric. ent. I. 1823. p. 22.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 252.* — Barthelemy.
psittacinus Gylh. *Schh. l. c. II. p. 95.* — St. Domingo.
2

Brachyomus

βραχὺς, brevis; ὦμος, humerus.

Lacordaire. *Gen. Col. VI. 1863. p. 130.*

Cyphipterus Dejean. ms. 1834

agrestis Bohem. *Schh. Gen. Curc. II. p. 291.* — Mexico.

alternans Bohem. *Schh. Gen. Curc. II. p. 293.* -- Dej. *Cat. 3. ed. p. 284.*	Cuba.
alboirroratus Sturm. *Cat. 1826. p. 115.*	„
albostigma Klug. *Dej. Cat. l. c.*	„
lapideus Klug. *Dej. Cat. l. c.*	„
aureosquamosus Jacq. Duv. *Hist. Cub. 1857. p. 193.*	„
irregularis Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 518.*	„
octotuberculatus Fabr. *Mant. Ins. I. p. 112.* — Bohem. *Schh. Gen. Curc. II. p. 296.*	Cayennae.
quadrinodosus Bohem. *l. c. VI. 2. p. 217.* — Lacord. *Gen. Col. VI. 1863. p. 130. note 4.*	Caracas.
quadrituberculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 216.*	Columbia.
robustus Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 515.*	Cuba.
tuberculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 218.*	St. Vincent.
uniformis Bohem. *l. c. p. 213.*	Paraguay.

10

Laodice

Nomen mythol.

Gemminger. *Col. Heft. VII. 1871.*

Danaë Snellen v. Vollenhoven.

lunulata Snellen. *Tijdschr. v. Entom. 1864. p. 166. t. 12. f. 2.*	Morotai.

1

Geonomus

γῆ, terra; νέμω, depascor.

Schönherr. *Gen. Curc. II. 1834. p. 289. (emend.)*

Chlorolophus Dejean. — *Geonemus* Schönh. — *Geophilus* Schönh. *olim.*

cristovallensis Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 47. (gen. dub.)*	Ins. Woodlark.
flabellipes Oliv. *Ent. V. 83. p. 374. t. 21. f. 291.* — Bohem. *Schh. Gen. Curc. II. p. 296; VI. 2. p. 215.* — Jacq. Duv. *Gen. Col. Curc. t. 8. f. 41.*	Gallia mer.
cubitalis Dufour. *Dej. Cat. 3. ed. p. 284.*	Hispania.
granulosus Dej. *Cat. l. c.*	Gallia mer.
tergoratus Germ. *Ins. Spec. nov. p. 339.*	„
terrenus Schönh. *Disp. meth. p. 162.*	Algeria.
illaetabilis Bohem. *Schh. Gen. Curc. II. p. 295.*	Gallia mer.
murinus Bohem. *l. c. VI. 2. p. 214.*	Algeria.

4

Anomalodermus

ἀνώμαλος, inaequalis; δέρμα, pellis.

Perroud. *Ann. Soc. Linn. Lyon. XI. 1864. p. 147.*

flexuosocostatus Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 149.*	Nov. Caledon
punctatus Montrouz. *in litt.*	„

1

Epicaerus

ἐπίκαιρος, opportunus.

Schönherr. *Gen. Curc. II. 1834. p. 323.*

aeruginosus Bohem. *Schh. Gen. Curc. VI. 2. p. 276.* Mexico.
aurifer Bohem. *l. c. p. 278.* — Sturm. *Cat. 1843. p. 200.* „
carinatus Bohem. *l. c. p. 285.* „
var. *tristis* Chevrol. *in litt.* „
convexus Bohem. *l. c. p. 281.* „
cultripennis Bohem. *l. c. p. 273.* — Chevrol. *Dej. Cat. 3. ed. p. 285.* „
cyphus Bohem. *l. c. p. 272.* „
depilis Bohem. *l. c. p. 279.* „
fallax Bohem. *l. c. p. 274.* „
formidolosus Bohem. *l. c. p. 284.* Alabama.
griseus Bohem. *l. c. p. 282.* Mexico.
imbricatus Say. *Journ. Ac. Phil. III. 2. 1824. p. 317.* — Germ. *Schh. Gen. Curc. II. p. 267.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 280.* Arkansas.
mexicanus Bohem. *l. c. II. p. 324; VI. 2. p. 271.* — Chevrol. *Dej. Cat. 3. ed. p. 285.* Mexico.
nebulosus Bohem. *Schh. Gen. Curc. II. p. 326; VI. 2. p. 277.* „
tergoratus Chevrol. *Dej. Cat. 3. ed. p. 285.* „
neglectus Bohem. *Schh. Gen. Curc. II. p. 325.* „
ravidus Bohem. *l. c. VI. 2. p. 277.* „
sphaeroides Bohem. *l. c. p. 283.* — Chevrol. *Dej. Cat. 3. ed. p. 285.* „
transversepunctatus Bohem. *l. c. p. 271.* „

17

Graphorrhinus

γράφω, exaro; ῥίν, nasus.

Schönherr. *Gen. Curc. I. 1833. p. 510.*

Epagrius Schönh.

metallescens Bohem. *Schh. Gen. Curc. VI. 1. p. 122.* Mexico.
nubilosus Bohem. *l. c. p. 121.* „
operculatus Say. *Descr. of Curc. p. 9. et 92.* — Gylh. *Schh. Gen. Curc. I. p. 512.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 286.* „
Sommeri Mannerh. *in litt.* „
Vasseleti Chevrol. *Dej. Cat. 3. ed. p. 269.* „
vadosus Say. *Descr. of Curc. p. 8.* — Gylh. *Schh. Gen. Curc. I. p. 511.* Amer. bor.

4

Synthlibonotus

συνθλίβω, comprimo; νῶτος, dorsum.

Schönherr. *Mantiss. sec. Curcul. 1847. p. 41.*

rufipes Schönh. *Mant. sec. p. 42. (indscrpt.).* — Lacord. Columbia.

Schh. Gen. Curc. VI. 1863. p. 134; Gen. Atl. VII. t. 63. f. 5. a-b.
1

Bothynodontes

βόθυνος, foramen; ὀδούς, dens.

Kirsch. *Berl. Ent. Zeit. 1867. p. 241. (emend.)*

Bothinodontes Kirsch.

squalidus Kirsch. *Berl. Zeit. 1867. p. 243.* Columbia.
1

Prostomus

πρόστομος, ore porrecto.

Schönherr. *Disp. meth. 1826. p. 142.*

Prorhinus Blanchard.

scutellaris Fabr. *Mant. I. p. 115.* — Oliv. *Ent. V. 83. p. 393. t. 12. f. 142; t. 19. f. 240.* — Boisd. *Voy. Astrol. II. p. 343.* — Gylh. *Schh. Gen. Curc. I. p. 504.* Nov. Holland.
1

Prypnus

πρύπνος, tristis.

Schönherr. *Disp. meth. 1826. p. 87.*

Carterus Schönh. — *Nebalis* Castelnau. — *Perimachetes* Schönh. — *Rhyssocarpus* Schönh.

canaliculatus Gylh. *Schh. Gen. Curc. VI. 2. p. 232.* Nov. Holland.
fallax Gylh. *l. c. p. 232.* „
quinquenodosus Gylh. *l. c. I. p. 493.* „
squalidus Gylh. *l. c. p. 505.* — Boisd. *Voy. Astrol. II. p. 344.* — Mac Leay. *Dej. Cat. 3. ed. p. 269.* — Labr. et Imh. *Gen. Curc. II. nr. 59.* „
bidentatus Mac Leay. *Dej. Cat. l. c.* „
subtuberculatus Gylh. *Schh. Gen. Curc. 1. p. 494.* — Boisd. *Voy. Astrol. II. p. 337.* „
tenebricosus Gylh. *l. c. p. 504.* — Boisd. *l. c. p. 344.* — Mac Leay. *Dej. Cat. 3. ed. p. 269.* „
trituberculatus Germ. *Linn. ent. III. 1848. p. 216.* Adelaida.
7

Aucklandius

Nomen geograph.

Blanchard. *Voy. Pole Sud. IV. 1853. p. 202. (emend.)*

Oclandius Blanch.

cinereus Blanch. *Voy. Pole Sud. IV. p. 203. t. 13. f. 17.* Auckland.
1

Achlaenomus

α priv.; χλαίνωμα, vestimentum.

Waterhouse. *Trans. ent. Soc. 1853. p. 178. (emend.)*

Achlainomus Waterh.

ebeninus Waterh. *Trans. ent. Soc. 1853. p. 179.* — India or.

1

Psalidium

ψαλίδιον, forficula.

Illiger. *Mag. VI. 1807. p. 326.*

anatolicum Bohem. *Schh. Gen. Curc. V. p. 830.* — Anatolia.
forcipatum Reiche. *Ann. Fr. 1857. p. 663.* — Syria.
minutum Reiche et Saulc. *Cat. nr. 532.* — „
interstitiale Bohem. *Schh. Gen. Curc. V. p. 829.* — Tauria.
Levrati Reiche. *Ann. Fr. 1857. p. 665.* — Rhodus.
maxillosum Fabr. *Ent. Syst. I. 2. p. 472.* — Herbst. *Käf. VI. p. 342. t. 87. f. 1.* — Bohem. *Schh. Gen. Curc. I. p. 514.* — Jacq. Duv. *Gen. Col. Curc. t. 5. f. 21.* — German. mer.
articulatum Fabr. *l. c. p. 461.* — Panz. *Ent. Germ. p. 323.* — Hungaria.
pactolum Reiche. *Ann. Fr. 1857. p. 662.* — Naplus.
sculpturatum Bohem. *Schh. Gen. Curc. V. p. 828.* — Turcia.
spinimanum Reiche. *Wien. ent. Monatschr. V. 1861. p. 7.* — Kiesenw. *Berl. Zeit. 1864. p. 254.* — Candia.
subaeneum Redtenb. *Denkschr. Wien. Ac. I. 1850. p. 49.* — Persia mer.
syriacum Mill. *Wien. ent. Monatschr. 1861. p. 207.* — Syria.
vestitum Waltl. *Isis. 1838. p. 468.* — Turcia.
villosum Reiche. *Wien. ent. Monatschr. V. p. 8.* — Syria.
vittatum Bohem. *Schh. Gen. Curc. V. p. 831.* — Turcia.

13

Pachyrrhynchus

παχύς, crassus; ῥύγχος, rostrum.

Germar. *Ins. Spec. nov. 1824. p. 336.*

Sphaerogaster Dejean.

Monogr. Waterhouse. *Trans. ent. Soc. III. 1843. p. 310.*
„ Chevrolat. *Rev. Zool. 1841. p. 224.*

Australasiae Bohem. *Res. Eugen. 1859. p. 119.* — Sidney.
biplagiatus Guér. *Mon. p. 216; Mag. Zool. 1842. t. 95.* — Blanch. *Voy. Pole Sud. IV. p. 201. t. 13. f. 8.* — Ins. Salomon.
Chevrolati Eydoux et Souleyet. *Rev. Zool. 1839. p. 266.* — Manilla.

chlorolineatus Waterh. *Proc. ent. Soc. 1841. p. 25; Mon. p. 323.* — Philippinae.
concinnus Waterh. *l. c. p. 55; Mon. p. 322.* — „
mandarinus Chevrol. *Mon. p. 226.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 391.* — „
sanctus Hoffmsg. *Dej. Cat. 3. ed. p. 170.* — „

chrysomelas Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 46.* — Ins. Woodlark.

confinis Chevrol. *Mon. p. 226.* — Philippinae.

Cumingi Waterh. *Proc. ent. Soc. 1841. p. 24; Mon. p. 312.* — „

decussatus Waterh. *l. c. p. 24; Mon. p. 321.* — „

elegans Waterh. *l. c. p. 55; Mon. p. 313.* — „

Erichsoni Waterh. *l. c. p. 24; Mon. p. 315.* — „

Eschscholtzi Waterh. *l. c. p. 24; Mon. p. 316.* — „

Forsteni Snellen *Tijdschr. v. Entom. 1864. p. 168. t. 12. f. 4.* — Ternate.

gemmans Chevrol. *Mon. p. 225.* — Erichs. *Wiegm. Arch. 1844. II. p. 285.* — Philippinae.
{*ardens* Chevrol. *l. c. p. 225.* — „
{*Fahraei* Bohem. *Schh. Gen. Curc. VIII. 2. p. 388.* — „
globulipennis Chevrol. *l. c. p. 225.* — „
pretiosus Chevrol. *l. c. p. 225.* — „
scintillans Chevrol. *l. c.* — „

gemmatus Waterh. *Proc. ent. Soc. 1841. p. 23; Mon. p. 311.* — „

inornatus Waterh. *Ann. nat. Hist. VIII. 1841. p. 219.* — „

jugifer Waterh. *Proc. ent. Soc. 1841. p. 25; Mon. p. 319.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 384.* — Labr. et Imh. *Gen. Curc. II. nr. 29.* — „
rhodopterus Chevrol. *Mon. p. 224.* — „
Sommeri Schönh. *in litt.* — „

latifasciatus Waterh. *Proc. ent. Soc. 1841. p. 55; Mon. p. 317.* — „

monilifer Germ. *Ins. Spec. nov. p. 336.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 386.* — Eschsch. *Dej. Cat. 3. ed. p. 270.* — Manilla.
adspersus Eschsch. *Dej. Cat. l. c.* — „
arachnoides Dej. *Cat. 1. ed. p. 95.* — „
globiventris Latr. *in litt.* — „

morotaiensis Snellen. *Tijdschr. v. Entom. 1864. p. 169.* — Morotai.

multipunctatus Waterh. *Proc. ent. Soc. 1841. p. 25; Mon. p. 322.* — Plilippinae.

orbifer Waterh. *l. c. p. 25; Mon. p. 323.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 386.* — Labr. et Imh. *Gen. Curc. II. nr. 29.* — „
alboguttatus Chevrol. *Mon. p. 226.* — Erichs. *Wiegm. Arch. 1842. II. p. 242.* — „
circulifer Chevrol. *l. c.* — „
Erichsoni Schönh. *in litt.* — „
fimbriatus Chevrol. *l. c. p. 224.* — „

perpulcher Waterh. *l. c. p. 24; Mon. p. 312.* — „

phaleratus Waterh. *Mon. p. 320.* — „

reticulatus Waterh. *Proc. ent. Soc. 1841. p. 25; Mon. p. 322.* Philippinae.
roseomaculatus Waterh. *l. c. p. 25; Mon. p. 318.* „
rufopunctatus Waterh. *l. c. p. 55; Mon. p. 311.* „
rugicollis Waterh. *l. c. p. 26; Mon. p. 323.* „
Schönherri Waterh. *l. c. p. 24; Mon. p. 315.* „
speciosus Waterh. *l. c. p. 24; Mon. p. 314.* „
Stanleyanus White. *Mac Gillivray's Narrat. Voy. Rattlesnake. App. II. 1852. p. 388. t. 4. f. 1-2.* Ins. Pariwara.
striatus Waterh. *Proc. ent. Soc. 1841. p. 25; Mon. p. 317.* Philippinae.
venustus Waterh. *l. c. p. 23; Mon. p. 311.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 381.* „
Mannerheimi Schönh. *in litt. olim.* „
Waltoni Bohem. *Schh. Gen. Curc. VIII. 2. p. 392.* „

33

Apocyrtus

ἀπο, ab; κυρτός, curvus.

Erichson. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 252.*

Monogr. Waterhouse. *Ann. nat. Hist. IX. 1842. p. 302; XI. 1843. p. 248.*

acutipennis Waterh. *Mon. XI. p. 252.* Philippinae.
adspersus Waterh. *Mon. XI. p. 252.* „
bifasciatus Waterh. *Mon. IX. p. 307.* „
bispinosus Waterh. *Mon. XI. p. 253.* „
Chevrolati Waterh. *Mon. XI. p. 251.* „
coeruleonotatus Waterh. *Mon. IX. p. 303.* „
concinnus Waterh. *Mon. XI. p. 253.* „
conicus Bohem. *Schh. Gen. Curc. VIII. 2. p. 393.* — Labr. et Imh. *Gen. Curc. II. nr. 30.* „
cuneiformis Waterh. *Mon. IX. p. 310.* „
derasus Bohem. *Schh. Gen. Curc. VIII. 2. p. 396.* „
elegans Waterh. *Mon. IX. p. 306.* „
Erichsoni Chevrol. *Rev. Zool. 1841. p. 226.* Manilla.
gibbirostris Waterh. *Mon. IX. p. 308.* „
subfasciatus Waterh. *Mon. IX. p. 309.* „
geniculatus Waterh. *Mon. IX. p. 307; XI. p. 248.* Philippinae.
Germari Waterh. *Mon. XI. p. 249.* „
Hopei Waterh. *Mon. IX. p. 303.* „
immeritus Bohem. *Schh. Gen. Curc. VIII. 2. p. 395.* „
impius Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 256. t. 38. f. 9.* Luzon.
inflatus Erichs. *l. c. p. 254. t. 38. f. 8.* — Bohem. *Schh. Gen. Curc. V. p. 824.* „
margarita Oliv. *Ent. V. 83. p. 374. t. 19. f. 238.* Amboina.
aeneus Fabr. *Syst. El. II. p. 508.* — Boisd. *Voy. Astrol. II. p. 347.* — Lacord. *Gen. Col. VI. 1863. p. 143. note 1.* Nov. Guinea.

metallicus Waterh. *Mon. IX. p. 305.* Philippinae.
laevicollis Waterh. *l. c.* „
nanus Bohem. *Schh. Gen. Curc. VIII. 2. p. 397.* „
picipennis Waterh. *Mon. IX. p. 307.* „
profanus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 255.* — Guér. *Jc. règn. anim. t. 37. f. 6.* Eschsch. *Dej. Cat. 3. ed. p. 270.* — Rosensch. *Schh. Gen. Curc. V. p. 825; VIII. 2. p. 395.* Luzon.
pulverulentus Waterh. *Mon. XI. p. 254.* Philippinae.
quadrulifer Waterh. *Mon. IX. p. 304.* „
rufescens Waterh. *Mon. IX. p. 310.* „
ruficollis Waterh. *Mon. IX. p. 304.* „
rufipes Waterh. *Mon. XI. p. 248.* „
Schönherri Waterh. *Mon. IX. p. 302.* „
subcuneiformis Waterh. *Mon. IX. p. 310.* „
subfasciatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 394.* — Labr. et Imh. *Gen. Curc. II. nr. 31.* „
subquadrulifer Waterh. *Mon. IX. p. 304.* „
32

Misetes

μισητής, inimicus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 13.*

amplicollis Bohem. *Mant. sec. p. 14. (indscrpt.)* Caffraria.
tuberculosus Schönh. *l. c. (indscrpt.)* „
2

Microstylus

μικρός, parvus; στύλος, stylus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 15.*

rufus Schönh. *Mant. sec. p. 16. (indscrpt.)* Africa mer.
1

Siteutes

σιτευτής, saginator.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 395.*

albicinctus Bohem. *Schh. Gen. Curc. VII. 1. p. 397.* Cap bon. spei.
cirricollis Bohem. *l. c. II. p. 575.* „
lugubris Bohem. *l. c. VII. 1. p. 397.* — Lacord. *Gen. Atl. VII. t. 64. f. 1. a-b.* Philippinae.
multicarinatus Bohem. *l. c. II. p. 573.* Cap bon. spei.
plicicollis Germ. *Schh. l. c. p. 574.* „
4

Elytrurus

ἔλυτρον, elytrum; οὐρά, cauda.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 238.*

alatus Saund. et Jekel. *Ann. Fr. 1855. p. 290. t. 15. f. 1.* — Nov. Hebridae.
caudatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 471. t. 18. f. 5.* — Ins. Fidji.
cinctus Boisd. *Voy. Astrol. II. 1835. p. 401.* — Fairm. *Rev. Zool. 1849. p. 511.* — Nov. Hebridae.
Coquereli Fairm. *l. c. p. 36 et 509.* — Taïti.
Durvillei Blanch. *Voy. Pole Sud. IV. 1853. p. 221. t. 13. f. 9.* — Ins. Fidji.
Lapeyrousei Boisd. *Voy. Astrol. II. p. 400.* — Dej. *Cat. 3. ed. p. 294.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 239.* — Ins. Vanikoro.
marginatus Saund. et Jek. *Ann. Fr. 1855. p. 291. t. 15. f. 2. a-b.* — Nov. Hebridae.
otiorhynchoides Fairm. *Rev. Zool. 1849. p. 36 et 510.* — Nuckahiwa.

8

Diatmetus

διατμέω, irroro.

Gerstäcker. *Wiegm. Archiv. XXXVII. 1871. I. p. 69.*

praemorsus Gerstäck. *Wiegm. Arch. 1871. I. p. 70.* — Kisuani.

1

Elytrogonus

ἔλυτρον, elytrum; γῶνος, angulus.

Guérin. *Rev. Zool. 1841. p. 126.*

griseus Guér. *Rev. Zool. 1841. p. 126.* — Blanch. *Voy. Pole Sud. IV. p. 237. t. 15. f. 1-2.* — Ins. Vavao.
Labrami Montrouz. *Ann. Fr. 1860. p. 881.* — Nov. Caledon

2

Celeuthetes

κελευθητής, viator.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 250.*

Sphaeromus Schönh.

bicristatus Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 49.* — Lacord. *Gen. Col. VI. 1863. p. 150. note 2.* — Ins. Woodlark.
cinerascens Blanch. *Voy. Pole Sud. IV. p. 231. t. 15. f. 6.* — Ins. Aru.
deplanatus Bohem. *Res. Eugen. 1859. p. 126.* — Ins. Punipet.
echinatus Fabr. *Syst. El. II. p. 525.* — Nov. Holland.

australis Boisd. *Voy. Astrol. II. p. 398.* — Dej. *Cat. 3. ed. p. 291.* — Gylh. *Schh. Gen. Curc. II. p. 251.* — Nov. Holland.
paganus Gylh. *l. c. p. 539.* — Vanikoro.
hibisci Montrouz. *Ann. Fr. 1860. p. 882.* — Ins. Lifu.
impurus Bohem. *Res. Eugen. 1859. p. 126.* — Ins. Guam.
incisus Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 50.* — Lacord. *Gen. Col. VI. 1863. p. 150. note 2.* — Ins. Woodlark.
insularis Bohem. *Schh. Gen. Curc. VII. 1. p. 251.* — Ins. Guam.
platypennis Montrouz. *Ann. Fr. 1860. p. 881.* — Ins. Art.
subfasciatus Bohem. *Res. Eugen. 1859. p. 126.* — Ins. Guam.
10

Trigonops

τρίγωνος, triangulus; ὤψ, vultus.

Guérin. *Rev. Zool. 1841. p. 128.*

angulata Motsch. *Etud. ent. VIII. 1859. p. 103.* — Ins. Sunda.
bilunulata Motsch. *l. c.* — „
biramosa Motsch. *l. c. p. 102.* — „
bispina Motsch. *l. c.* — „
carinicollis Fairm. *Rev. Zool. 1849. p. 506.* — Lacord. *Gen. Col. VI. 1863. p. 151.* — Taïti.
coerulescens Blanch. *Voy. Pole Sud. IV. p. 232. t. 15. f. 5.* — Ins. Salomon.
cyanipes Chevrol. *Rev. Zool. 1841. p. 227.* — Erichs. *Wiegm. Arch. 1842. II. p. 243.* — Philippinae.
dispar Saund. et Jek. *Ann. Fr. 1855. p. 259. t. 15. f. 4. a-b.* — Tonga Tabu.
grisea Fairm. *Rev. Zool. 1849. p. 508.* — Lacord. *Gen. Col. VI. 1863. p. 151. note 1.* — Taïti.
Jekeli Pascoe. *Journ. of Ent. I. 1860. p. 128. t. 7. f. 9.* — Celebes.
nodulosa Blanch. *Voy. Pole Sud. IV. p. 240. t. 15. f. 3.* — Incert. sedis.
oxygaster Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 49.* — Lacord. *Gen. Col. VI. 1863. p. 151. note 1.* — Ins. Woodlark.
rotundipennis Fairm. *Rev. Zool. 1849. p. 504.* — Blanch. *Voy. Pole Sud. IV. p. 239. t. 15. f. 4.* — Lacord. *Gen. Col. VI. 1863. p. 151. note 1.* — Ins. Vavao.
rugosa Guér. *Rev. Zool. 1841. p. 128.* — Lacord. *Gen. Atl. VII. t. 64. f. 2. a.* — Ins. Salomon.
setigera Fairm. *Rev. Zool. 1849. p. 507.* — Tonga Tabu.
smaragdina Motsch. *Etud. ent. VIII. 1859. p. 104.* — Ins. Sunda.
spongicollis Fairm. *Rev. Zol. 1849. p. 505.* — Taïti.
17

Piezonotus

πιέζω, comprimo; νῶτος, dorsum.

Schönherr. *Gen. Curc. II. 1834. p. 477.*

albosetosus Redtenb. *Reis. Novar. II. p. 148.* — Punipet.

gibbus Bohem. *Schh. Gen. Curc. VII. 1. p. 249.* Java.
suturalis Gylh. *Schh. l. c. II. p. 478.* Amboina.
3

Sphaerorrhinus

σφαῖρα, globus; ῥίν, nasus.

Guérin. *Rev. Zool. 1841. p. 127.*

Mac Leayi Montrouz. *Ann. Fr. 1860. p. 879.* Ins. Art.
villosulus Guér. *Rev. Zool. 1841. p. 127.* — Blanch. *Voy. Pole Sud. IV. p. 236. t. 15. f. 19.* Ins. Vavao.
2

Sphaeropterus

σφαῖρα, globus; πτερὸν, ala.

Guérin. *Voy. Coquille. 1830. II. p. 122.*

✓ *Coptorhynchus* Guérin. — *Isomerinthus* Schönh.

albolineatus Guér. *Voy. Coquille. II. p. 123.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 243.* Nov. Guinea.
luctuosus Boisd. *Voy. Astrol. II. p. 396.* — d'Urville. *Dej. Cat. 3. ed. p. 294.* — Guér. *Rev. Zool. 1841. p. 192.* „
artensis Montrouz. *Ann. Fr. 1860. p. 879.* Ins. Art.
barbipes Saund. et Jek. *Ann. Fr. 1855. p. 293. t. 15. f. 3. a.* Howe Island.
bombylius Guér. *Rev. Zool. 1841. p. 192.* Nov. Guinea.
caudatus Guér. *l. c.* — Blanch. *Voy. Pole Sud. IV. p. 228. t. 15. f. 16.* „
dives Bohem. *Schh. Gen. Curc. VII. 1. p. 246.* Celebes.
elegans Guér. *Rev. Zool. 1841. p. 191.* — Blanch. *Voy. Pole Sud. IV. p. 224. t. 15. f. 11.* Ternate.
elongatus Blanch. *l. c. p. 226. t. 15. f. 13.* Mindanao.
granosus Bohem. *Schh. Gen. Curc. VII. 1. p. 249.* Philippinae.
guttiger Blanch. *Voy. Pole Sud. IV. p. 222. t. 15. f. 9.* Nov. Guinea.
Jansoni Pascoe. *Ann. nat. Hist. 1871. p. 90.* Ins. Lizard.
lateralis Boisd. *Voy. Astrol. II. p. 395.* — Lacord. *Gen. Col. VI. 1863. p. 153. note 2.* — Dej. *Cat. 3. ed. p. 294.* Nov. Holland.
lepidus Boisd. *Voy. Astrol. II. p. 397.* — Dej. *Cat. 3. ed. p. 294.* Nov. Hibernia.
lineolatus Blanch. *Voy. Pole Sud. IV. p. 226. t. 15. f. 14.* Ins. Fidji.
melancholicus Boisd. *Voy. Astrol. II. p. 396.* — d'Urville. *Dej. Cat. 3. ed. p. 294.* Nov. Holland.
mutilatus Boisd. *l. c. p. 395.* — d'Urville. *Dej. Cat. l. c.* Amboina.
scabratus Latr. *Dej. Cat. l. c.* Ins. Buru.
opulentus Bohem. *Schh. Gen. Curc. VII. 1. p. 247.* Celebes.
ostentatus Gylh. *Schh. l. c. II. p. 583.* — Blanch. *Voy. Pole Sud. IV. p. 234. t. 15. f. 7.* Philippinae.
quadrilineatus Blanch. *l. c. p. 225. t. 15. f. 12.* Ternate.
rufipes Blanch. *l. c. p. 227. t. 15. f. 15.* Ins. Fidji.

✓ 14-maculatus

scabratus Oliv. *Ent. V. 83. p. 373. t. 19. f. 244.* — Fabr. *Syst. El. II. p. 522.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 245.* — Nov. Cambria.
setipennis Chevrol. *Rev. Zool. 1841. p. 227.* — Philippinae.
ternatensis Guér. *Rev. Zool. 1841. p. 191.* — Blanch. *Voy. Pole Sud. IV. p. 234. t. 15. f. 8.* — Ternate.
tessellatus Blanch. *l. c. p. 223. t. 15. f. 10.* — Ins. Aru.
Waltoni Bohem. *Schh. Gen. Curc. VII. 1. p. 248.* — Philippinae.
25

Pyrgops

πύργος, turris; ὤψ, vultus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 240.*

inops Bohem. *Schh. Gen. Curc. VII. 1. p. 241.* — Philippinae.
var. *aurocincta* Chevrol. *in litt.* — „
1

Psomeles

ψωμίζω, nutrio.

Guérin. *Voy. Coquille. II. 2. 1830. p. 120.*

irroratus Eydoux. *Rev. Zool. 1839. p. 266.* — Manilla.
luctuosus Guér. *Voy. Coquille. II. 2. p. 120.* — Fairm. *Rev. Zool. 1849. p. 508.* — Taïti.
oblongus Blanch. *Voy. Pole Sud. IV. p. 229. t. 15. f. 17.* — Tasmania.
plagiatus Blanch. *l. c. p. 229. t. 15. f. 18.* — Nov. Guinea.
4

Otiorrhynchus

ὠτίον, auricula; ῥύγχος, rostrum.

Germar. *Ins. Spec. nov. 1824. p. 343.*

Dodecastichus Stierlin. — *Eurychirus* Stierl. — *Loborhynchus* Megerle. — *Micocerus* Billberg. — *Pachygaster* Germ. — *Panaphilis* Meg. — *Simo* Meg. — *Tournieria* Stierl.

Monogr. Stierlin. *Berl. Ent. Zeit. 1861. (Beiheft.)*

acatium Gylh. *Schh. Gen. Curc. II. p. 590.* — Tauria.
achaeus Stierl. *Mon. p. 242.* — Caucasus.
adspersus Bohem. *Schh. Gen. Curc. VII. 1. p. 329.* — Stierl. *Mon. p. 215.* — Anatolia.
aerifer Germ. *Ins. Spec. nov. p. 356.* — Stierl. *Mon. p. 256.* — Silesia.
elaboratus Gylh. *Schh. Gen. Curc. II. p. 625.* — Saxonia.
rufipes Sturm. *Cat. 1826. p. 165.* — Illyria.
var. *regularis* Stierl. *Mon. p. 260; Berl. Zeit. 1862. p. 373.* — Banat.
affaber Bohem. *Schh. Gen. Curc. VII. 1. p. 315.* — Stierl. *Mon. p. 143.* — Sicilia.

affinis Hochh. *Bull. Mosc. 1847. II. p. 517.* Caucasus.
albidus Stierl. *Mon. p. 315.* Turcia.
alpestris Stierl. *Berl. Zeit. 1858. p. 296; Mon. p. 146.* Helvetia.
alpicola Bohem. *Schh. Gen. Curc. VII. 1. p. 327.* — Stierl. *Berl. Zeit. 1858. p. 277; Mon. p. 271.* „
morio Redtenb. *Fn. Austr. ed. 1. p. 426.* Germania.
rhaeticus Heer *in litt.* Pedemont.
Schwabi Stentz *in litt.* Tirolis.
alpigradus Miller. *Wien. ent. Monatschr. III. 1859. p. 362.* — Stierl. *Mon. p. 243.* — Frivald. *A'Királyi magyar. 1865. p. 212. t. 12. f. 1.* Hungaria.
altaicus Stierl. *Mon. p. 330.* Sibiria.
alutaceus Germ. *Reis. Dalm. 1817. p. 235.* — Stierl. *Mon. p. 95.* Dalmatia.
arbensis Germ. *in litt.* „
croaticus Sturm. *Cat. 1826. p. 164.* Croatia.
moerens Hampe *in litt.* „
vittatus Germ. *Fn. Ins. Eur. 18. 18.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 294.* Banat.
punctatissimus Gylh. *Schh. l. c. II. p. 579.* — Ziegl. *Dej. Cat. 1. ed. p. 292.* Dalmatia.
amabilis Stierl. *Mon. p. 85.* Pedemont.
ambiguus Schönh. *Gen. Curc. VII. 1. p. 387.* — Stierl. *Mon. p. 280.* Anglia.
var. *senex* Chevrol. *in litt.* — Stierl. *l. c.* Gallia.
amplicollis Stierl. *Mon. p. 304.* Turcia.
amplipennis Fairm. *Ann. Fr. 1859. Bull. p. 185.* — Stierl. *Mon. p. 78.* Monte Rosa.
anadolicus Bohem. *Schh. Gen. Curc. VII. 1. p. 287.* — Stierl. *Mon. p. 318.* Graecia.
angusticollis Bohem. *l. c. p. 344.* — Stierl. *Mon. p. 180.* Bokharia.
antennatus Stierl. *Mon. p. 156.* Transsylvania.
anthracinus Scopoli. *Ent. Carn. 1763. p. 30.* Carniolia.
arachnoides Stierl. *Mon. p. 108.* Syria.
arenosus Stierl. *Mon. p. 139.* Italia.
argenteus Stierl. *Mon. p. 118.* — Frivald. *A'Királyi magyar. 1865. p. 207. t. 11. f. 8.* Banat.
argillosus Hochh. *Bull. Mosc. 1851. I. p. 73.* Caucasus.
armadillo Rossi. *Fn. Etr. Mant. I. p. 43.* — Stierl. *Mon. p. 76.* M.
nigrita Rossi. *Fn. Etr. I. p. 133.* Italia.
orbicularis Oliv. *Ent. V. 83. p. 371. t. 31. f. 463.* Gallia.
sulphurifer Herbst. *Käf. VII. p. 62. t. 98. f. 12.* Helvetia.
var. *salicis* Stentz *in litt.* Tirolis.
armatus Bohem. *Schh. Gen. Curc. VII. 1. p. 284.* — Dej. *Cat. 3. ed. p. 293.* — Stierl. *Mon. p. 216.* Dalmatia.
irroratus Dahl. *Dej. Cat. l. c.* Calabria.
var. *granatus* Parreyss *in litt.* — Stierl. *Mon. l. c.* Corfu.
„ *romanus* Bohem. *l. c. p. 285.* Roma.
armeniacus Hochh. *Bull. Mosc. 1847. II. p. 510.* Armenia.
armicrus Fairm. *Ann. Fr. 1866. p. 267.* Asia minor.
asiaticus Stierl. *Mon. p. 324.* Syra.
asphaltinus Germ. *Ins. Spec. nov. p. 360.* — Stierl. *Mon. p. 247.* Tauria.

carbonarius Sturm. *Cat. 1826. p. 164.*	Tauria.
morio Stev. *Dej. Cat. 3. ed. p. 292.*	„
tauricus Stev. *Mus. Mosq. II. p. 96.* — Dej. *Cat. 1. ed. p. 91.*	„
asplenii Miller. *Verh. zool. bot. Ver. Wien. 1868. p. 26.*	Galizia.
assimilis Gemming. *Col. Heft. VII. 1871. p. 118.*	Italia.
affinis Stierl. *Mon. p. 115.*	„
astragali Stierl. *Mon. p. 130.*	Sardinia.
asturiensis Chevrol. *Col. Heft. V. 1869. p. 74.*	Asturia.
aterrimus Bohem. *Schh. Gen. Curc. VII. 1. p. 328.* — Stierl. *Mon. p. 272.*	Carniolia.
atroapterus Degeer. *Ins. V. p. 243. t. 7. f. 22-24.* — Gylh. *Ins. Suec III. p. 290.* — Stierl. *Mon. p. 102.*	Suecia.
ater Steph. *Ill. Brit. IV. p. 118.*	Anglia.
niger Steph. *Manual. p. 242.*	„
var. *arenosus* Mac Leay. *Dej. Cat. 1. ed. p. 90.*	Gallia.
auricapillus Germ. *Ins. Spec. nov. p. 353.* — Meg. *Dej. Cat. 3. ed. p. 293.* — Stierl. *Mon. p. 261.*	Carniolia.
♂ *affinis* Redtenb. *Fn. Austr. ed. 1. p. 423.*	Germania.
bisulcatus Ziegl. *in litt.*	Carinthia.
cuprifer Dahl. *Dej. Cat. l. c.*	Helvetia.
{ *punctiscapus* Bohem. *Schh. Gen. Curc. VI. 1. p. 375.*	Hungaria.
{ *rugosus* Dahl *in litt.*	„
auricomus Germ. *Ins. Spec. nov. p. 363.* — Stierl. *Mon. p. 228.*	Illyria.
var. *nivalis* Stierl. *Berl. Zeit. 1862. p. 366.*	Helvetia.
aurifer Bohem. *Schh. Gen. Curc. VII. 1. p. 262.* — Dahl. *Dej. Cat. 3. ed. p. 291.* — Stierl. *Mon. p. 57.*	Italia.
{ *affinis* Dej. *in litt.*	Dalmatia.
{ *morulus* Bohem. *l. c. p. 274.*	Sicilia.
auropunctatus Gylh. *Schh. l. c. II. p. 564.* — Dej. *Cat. 3. ed. p. 291.* — Jacq. Duv. *Gen. Col. Curc. t. 15. f. 70.* — Stierl. *Mon. p. 89.*	Pyrenaei.
var. *fossor* Bohem. *Schh. l. c. VII. 1. p. 280.*	„
„ *Lafertei* Chevrol. *in litt.*	„
„ *rufipes* Bohem. *l. c. p. 269.*	„
auropupillatus Stierl. *Mon. p. 47.*	Italia.
aurosparsus Germ. *Ins. Spec. nov. p. 358.* — Stierl. *Mon. p. 188.*	Tiflis.
roscidus Gylh. *Schh. Gen. Curc. II. p. 578.*	„
austriacus Fabr. *Syst. El. II. p. 539.* — Stierl. *Mon. p. 259.*	Germania.
banaticus Dahl. *Dej. Cat. 3. ed. p. 294.*	Banat.
var. *carinatus* Gylh. *Schh. Gen. Curc. II. p. 624.* — Sturm. *Cat. 1826. p. 164.*	Illyria.
balcanicus Stierl. *Mon. p. 305.*	Turcia.
banaticus Stierl. *Mon. p. 121.* — Frivald. *A'Kiralyi magyar. 1865. p. 206. t. 11. f. 9.*	Banat.
bardus Bohem. *Schh. Gen. Curc. VII. 1. p. 348.* — Stierl. *Berl. Zeit. 1862. p. 375.*	Sibiria.
bicostatus Bohem. *Schh. Gen. Curc. VII. 1. p. 337.*	Turcia.
Bischoffi Stierl. *Berl. Zeit. 1858. p. 301; Mon. p. 264.*	Helvetia.
bisphaericus Reiche. *Ann. Fr. 1857. p. 692.* — Stierl. *Mon. p. 322.*	Graecia.

bisulcatus Fabr. *Ent. Syst. I. 2. p. 486.* — Stierl. *Mon. p. 49.* — Illyria.
carinthiacus Germ. *Ins. Spec. nov. p. 349.* — Ziegl. *Dej. Cat. 3. ed. p. 291.* — Carinthia.
cinifer Germ. *Reis. Dalm. p. 245.* — Ulrich. *Dej. Cat. l. c.* — Dalmatia.
var. *istriensis* Germ. *Ins. Spec. nov. p. 350.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 261.* — Istria.
„ {*longicollis* Gylh. *l. c. II. p. 557.* — Carniolia.
{*collaris* Meg. *Dej. Cat. l. c.* — „
„ *vochinensis* Schmidt *in litt.* — Stierl. *Mon. l. c.* — „
blandus Gylh. *Schh. Gen. Curc. II. p. 603.* — Stierl. *Mon. p. 174.* — Lapponia.
Bonvouloiri Stierl. *Berl. Zeit. 1866. p. 132.* — Gallia.
brachialis Bohem. *Schh. Gen. Curc. VII. 1. p. 293.* — Stierl. *Berl. Zeit. 1862. p. 376.* — Caucasus.
brevicornis Bohem. *Schh. Gen. Curc. VII. 1. p. 342.* — Stierl. *Mon. p. 177.* — Turcia.
brunneus Stev. *Mus. Mosq. II. p. 96.* — Gylh. *Schh. Gen. Curc. II. p. 587.* — Stierl. *Mon. p. 305.* — Crimea.
caesipes Muls. et Rey. *Opusc. ent. IX. p. 21.* — Stierl. *Mon. p. 73.* — Gallia mer.
cancellatus Bohem. *Schh. Gen. Curc. VII. 1. p. 374.* — Stierl. *Mon. p. 194.* — Italia.
clathratus Chevrol. *in litt.* — „
carbonarius Hochh. *Bull. Mosc. 1847. II. p. 519.* — Armenia.
Carceli Gylh. *Schh. Gen. Curc. VII. 1. p. 355.* — Stierl. *Mon. p. 128.* — Syria.
graniger Reiche. *Ann. Fr. 1857. p. 694.* — „
cardiniger Host. *Jacquin. Collectan. III 1789. p. 295. t. 23. f. 3. a-c.* — Istria.
goerzensis Herbst. *Käf. VII. p. 52. t. 98. f. 9.* — Stierl. *Mon. p. 45.* — Illyria.
var. *cattaroënsis* Ziegl. *in litt.* — Stierl. *l. c.* — Dalmatia.
Carmagnolae Villa. *Col. Eur. dupl. Suppl. 1835. p. 49.* — Stierl. *Berl. Zeit. 1858. p. 288; Mon. p. 192.* — Chevrol. *Ann. Fr. 1859. Bull. p. 5.* — Helvetia.
angustior Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 47.* — Stierl. *Mon. p. 231.* — Banat.
carniolicus Stierl. *Berl. Zeit. 1862. p. 367.* — Carniolia.
caudatus Rossi. *Fn. Etr. Mant. I. p. 40. t. 2. f. E.* — Stierl. *Mon. p. 48.* — Lombardia.
bisulcatus Steph. *Manual. p. 242.* — Anglia.
lima Marsh. *Ent. Brit. I. p. 298.* — „
chalceus Stierl. *Mon. p. 127.* — Carniolia.
Chaudoiri Hochh. *Bull. Mosc. 1851. I. p. 77.* — Georgia russ.
chrysocomus Germ. *Ins. Spec. nov. p. 355.* — Stierl. *Berl. Zeit. 1858. p. 287; Mon. p. 113.* — Dahl. *Dej. Cat. 3. ed. p. 293.* — Helvetia.
var. *laevigatocollis* Gredler. *Käf. Passeier. 1857. p. 48.* — Tirolis.
chrysomus Bohem. *Schh. Gen. Curc. VII. 1. p. 304.* — Dahl. *Dej. Cat. 3. ed. p. 292.* — Stierl. *Mon. p. 129.* — Hungaria.
chrysopterus Stierl. *Mon. p. 312.* — Turcia.
civis Stierl. *Mon. p. 59.* — Graecia.

clathratus Germ. *Reis. Dalm. p. 241.* — Stierl. *Mon. p. 263.* Dalmatia.
ruficapillus Ziegl. *Dej. Cat. 1. ed. p. 91.* Illyria.
clemens Gylh. *Schh. Gen. Curc. II. p. 632.* — Stierl. *Mon. p. 287.* Russia mer.
coarctatus Stierl. *Mon. p. 313.* — Frivald. *A'Királyi magyar. 1865. p. 215. t. 12. f. 5.* Banat.
comparabilis Bohem. *Schh. Gen. Curc. VII. 1. p. 309.* — Stierl. *Mon. p. 292.* Turcia.
compressus Stierl. *Mon. p. 150.* German. mer.
concavirostris Bohem. *Schh. Gen. Curc. VII. 1. p. 308.* — Stierl. *Mon. p. 290.* Asia.
concinnus Gylh. *Schh. Gen. Curc. II. p. 573.* Sibiria.
confusus Bohem. *Schh. l. c. VII. 1. p. 359.* — Stierl. *Mon. p. 205.* Illyria.
singularis Ziegl. *Dej. Cat. 1. ed. p. 91.* Styria.
consentaneus Bohem. *Schh. Gen. Curc. VII. 1. p. 278.* — Stierl. *Mon. p. 34.* Dalmatia.
conspersus Herbst. *Käf. VI. p. 364. t. 88. f. 10.* — Stierl. *Mon. p. 123.* Europa.
chrysostictus Gylh. *Schh. Gen. Curc. II. p. 585.* Caucasus.
regularis Meg. *Sturm. Cat. 1826. p. 165.* Volhynia.
conspicabilis Falderm. *Fn. transc. III. p. 193.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 353.* — Stierl. *Mon. p. 124.* Persia occ.
constricticollis Stierl. *Mon. p. 303.* Turcia.
contractus Stierl. *Mon. p. 32.* Transsylvania.
coriarius Stierl. *Mon. p. 278.* Italia.
cornicinus Stierl. *Mon. p. 323.* Corfu.
serrimanus Chevrol. *in litt.* Dalmatia.
corruptor Host. *Jacquin. Collectan. III. 1789. p. 296. t. 23. f. 4. a-b.* Fiume.
chrysescens Dahl *i. litt.* Illyria.
giraffa Germ. *Reis. Dalm. 1817. p. 244.* — Hoppe et Hornsch. *Nov. Act. Ac. Leop. XII. 1825. p. 489. t. 45. f. 13. a.* — Stierl. *Mon p. 213.* Dalmatia.
var. *ornatus* Germ. *i. litt.* — Stierl. *l. c.* Sicilia.
„ *politus* Stierl. *l. c.* Turcia.
corsicus Fairm. *Ann. Fr. 1859. p 280.* — Stierl. *Mon. p. 143.* Corsica
corticalis Luc. *Expl. Alg. 1849. p. 432. t. 36. f. 9. a-c.* — Stierl. *Mon. p. 59.* Algeria.
corvus Bohem. *Schh. Gen. Curc. VII. 1. p. 325.* — Stierl. *Mon. p. 239.* — Frivald. *A'Királyi magyar. 1865. p. 211. t. 11. f. 15.* Transsylvania.
coryli Chevrol. *Cat. Grenier. 1863. p. 107.* Alpes marit.
costipennis Rosenh. *Thier. Andal. 1856. p. 264. not.* — Stierl. *Mon. p. 155.* Bavaria.
Coyei Mars. *Abeille. V. 1868. p. 196.* — Chevrol. *Col. Heft. V. 1869. p. 75.* Syria.
crassicollis Stierl. *Mon. p. 311.* Cyprus.
crassicornis Falderm. *Fn. transc. III. p. 194.* — Gylh. *Schh. Gen. Curc. VII. 1. p. 355.* — Stierl. *Mon. p. 125.* Persia occ.

crataegi Germ. *Ins. Spec. nov. p. 366.* — Stierl. *Mon. p. 202.* Istria.
creticus Stierl. *Mon. p. 275.* Creta.
cribricollis Gylh. *Schh. Gen. Curc. II. p. 582.* — Stierl. *Berl. Zeit. 1858. p. 271; Mon. p. 288.* — Dej. *Cat. 3. ed. p. 292.* Gallia mer.
var. *reticollis* Bohem. *l. c. VII. 1. p. 307.* Dalmatia.
„ *striatosetosus* Bohem. *l. c. p. 309.* Sicilia.
cribripennis Hochh. *Bull. Mosc. 1851. I. p. 81.* — Dej. *Cat. 3. ed. p. 292.* — Stierl. *Mon. p. 178.* Armenia.
cribrosicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 345.* — Stierl. *Mon. p. 182.* Sibiria.
cribrosus Germ. *Reis. Dalm. p. 242.* — Ahrens. *Fn. Ins. Eur. 2. 14.* — Stierl. *Mon. p. 110.* Carniolia.
♀ *argutus* Bohem. *Schh. Gen. Curc. VII. 1. p. 298.* Illyria.
erythropus Sturm. *Cat. 1826. p. 164.* Dalmatia.
hirtipes Dahl. *Dej. Cat. 1. ed. p. 90.* „
crinipes Mill. *Wien. Ent. Monatschr. 1863. p. 30.* Curzola.
crinitarsis Stierl. *Mon. p. 100.* Gallia mer.
crispus Bohem. *Schh. Gen. Curc. VII. 1. p. 319.* — Stierl. *Mon. p. 307.* Russia mer.
croaticus Stierl. *Mon. p. 258.* Croatia.
crucirostris Hochh. *Bull. Mosc. 1851. I. p. 67.* Caucasus.
cuneiformis Waterh. *Ann. nat. Hist. XVI. 1845. p. 38.* Galapagos.
cupreosparsus Fairm. *Ann. Fr. 1859. Bull. p. 150.* — Stierl. *Mon. p. 111.* Pedemont.
cuprifer Stierl. *Mon. p. 270.* — Frivald. *A' Királyi magyar. 1865. p. 214. t. 12. f. 4.* Banat.
curvipes Stierl. *Mon. p. 241.* Carniolia.
cymophanus Germ. *Fn. Ins. Eur. 21. 13.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 332.* — Stierl. *Mon. p. 209.* Hungaria.
Cypricola Reiche. *Ann. Fr. 1857. p. 688.* — Stierl. *Mon. p. 233.* Cyprus.
dalmatinus Gylh. *Schh. Gen. Curc. II. p. 559.* — Dej. *Cat. 3. ed. p. 291.* — Stierl. *Mon. p. 33.* Dalmatia.
dauricus Stierl. *Berl. Zeit. 1862. p. 365.* Dauria.
decussatus Hochh. *Bull. Mosc. 1851. I. p. 72.* Caucasus.
denigrator Bohem. *Schh. Gen. Curc. VII. 1. p. 343.* — Stierl. *Mon. p. 179.* Croatia.
glabratus Dahl *in litt.* — Dej. *Cat. 3. ed. p. 293.* Illyria.
var. *Ocskayi* Stentz *in litt.* Hungaria.
densatus Bohem. *Schh. Gen. Curc. VII. 1. p. 300.* — Stierl. *Berl. Zeit. 1858. p. 275; Mon. p. 135.* Helvetia.
grisescens Muls. et Rey. *Opusc. ent. IX. p. 28.* Pyrenaei.
dentipes Graëlls. *Mem. Map. Geol. 1858. p. 84. t. 5. f. 1. a-b.* — Stierl. *Mon. p. 101.* Hispania.
desertus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 52.* — Stierl. *Mon. p. 286.* Tirolis.
deustus Blanch. *Gay. Hist. Chil. V. 1851. p. 381.* Chili.
difficilis Stierl. *Berl. Zeit. 1858. p. 283; Mon. p. 203.* Helvetia.
Genei Cristof. *in litt.* — Ziegl. *Sturm. Cat. 1843. p. 206.* Italia.
discretus Stierl. *Mon. p. 236.* Crimea.
distincticornis Rosenh. *Beitr. Ins. Eur. 1847. p. 45.* — Stierl. *Mon. p. 147.* Tirolis.

dives Germ. *Fn. Ins. Eur. 21. 12.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 331.* — Stierl. *Berl. Zeit. 1858. p. 280; Mon. p. 209.* — Dahl. *Dej. Cat. 3. ed. p. 292.* Hungaria.
dolomitae Stierl. *Berl. Zeit. 1862. p. 368.* Tirolis.
dubitabilis Fairm. *Ann. Fr. 1866. p. 266.* Asia minor.
duinensis Germ. *Ins. Spec. nov. p. 365.* — Stierl. *Mon. p. 205.* — Dahl. *Dej. Cat. 3. ed. p. 293.* Illyria.
dulcis Germ. *Reis. Dalm. p. 238.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 310.* — Stierl. *Mon. p. 41.* Dalmatia.
mastix var. Dej. *Cat. 3. ed. p. 292.* „
echinatus Hochh. *Bull. Mosc. 1847. II. p. 523.* — Stierl. *Mon. p. 162.* Caucasus.
egregius Miller. *Verh. zool. bot. Ver. Wien. 1870. p. 220.* Galizia.
elatior Stierl. *Mon. p. 295.* Sicilia.
elegantulus Germ. *Ins. Spec. nov. p. 367; Fn. Ins. Eur. 18. 19.* — Dahl. *Dej. Cat. 1. ed. p. 92.* — Stierl. *Mon. p. 201.* Carniolia.
elongatus Hochh. *Bull. Mosc. 1847. II. p. 526.* Armenia.
eremicola Rosenh. *Beitr. Fn. Ins. Eur. 1847. p. 44.* — Stierl. *Mon. p. 197.* Tirolis.
Milleri Parreyss *in litt.* Carinthia.
exilis Bohem. *Schh. Gen. Curc. VII. 1. p. 352.* — Stierl. *Mon. p. 309.* Russia mer.
confinis Chevrol. *in litt.* Sibiria.
Faldermanni Hochh. *Bull. Mosc. 1847. II. p. 515.* Caucasus.
fallax Mars. *Abeille. V. 1868. p. 195.* Syria.
fasciculatus Ménétr. *Mém. Ac. Petr. VI. 1849. p. 261. t. 5. f. 12.* Baschkiria.
Ferrarii Mill. *Wien. ent. Monatschr. VII. 1863. p. 85.* Venetiae.
flavimanus Stierl. *Mon. p. 294.* Sardinia.
foraminosus Bohem. *Schh. Gen. Curc. VII. 1. p. 366.* — Stierl. *Berl. Zeit. 1858. p. 295; Mon. p. 146.* Helvetia.
var. *insculptus* Stierl. *l. c.* — Heer *in litt.* Tirolis.
formicarius Stierl. *Mon. p. 314.* Graecia.
fortis Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 43.* — Stierl. *Mon. p. 60.* Tirolis.
foveicollis Hochh. *Bull. Mosc. 1847. II. p. 521.* — Stierl. *Mon. p. 182.* Armenia.
francolinus Schauf. *Col. Heft. II. 1867. p. 22.* Gallia mer.
elongatus Stierl. *Mon. 1861. p. 65.* — Dej. *Cat. 3. ed. p. 291.* „
frater Stierl. *Mon. p. 321.* Turcia.
turgidus Frivald. *in litt.* Asia minor.
fraternus Stierl. *Mon. p. 160.* Hispania.
Frescati Bohem. *Schh. Gen. Curc. VII. 1. p. 384.* — Stierl. *Mon. p. 138.* Italia.
Frivaldszkyi Rosenh. *Thier. Andal. 1856. p. 263.* — Stierl. *Mon. p. 327.* Turcia.
rotundatus Frivald. *in litt.* „
fulvipes Gylh. *Schh. Gen. Curc. II. p. 611.* — Dej. *Cat. 3. ed. p. 293.* — Stierl. *Mon. p. 171.* Gallia mer.
fullo Schrank. *Enum. Ins. 1781. p. 116.* — Herbst. *Füssl. Arch. V. p. 86. t. 24. f. 37.* Germania.

carinatus Payk. *Mon. Curc. p. 83.* — Suecia.
zebra Fabr. *Ent. Syst. I. 2. p. 484.* — Herbst. *Käf. VI. p. 361. t. 88. f. 7.* — Stierl. *Mon. p. 313.* — Tauria.
var. *gazella* Dahl. *Col. et Lep. p. 58.* — Hungaria.
funicularis Gylh. *Schh. Gen. Curc. II. p. 621.* — Stierl. *Berl. Zeit. 1858. p. 304; Mon. p. 220.* — Carniolia.
{*asperatus* Dej. *Cat. 3. ed. p. 292.* — Germania.
{*fagi* Meg. et Dahl *in litt.* — Helvetia.
infaustus Gylh. *l. c. p. 628.* — Illyria.
var. *fraxini* Germ. *Ins. Spec. nov. p. 364.* — Dahl. *Dej. Cat. 3. ed. p. 292.* — „
fuscipes Oliv. *Ent. V. 83. p. 372. t. 31. f. 464.* — Stierl. *Berl. Zeit. 1858. p. 261; Mon. p. 66.* — M.
haematopus Meg. *in litt.* — Styria.
pedemontanus Dej. *Cat. 1. ed. p. 90.* — Pedemont.
tenebricosus Sturm. *Cat. 1843. p. 205.* — Carinthia.
var. {*erythropus* Bohem. *Schh. Gen. Curc. VII. 1. p. 267.* — Stierl. *Mon. p. 68; Berl. Zeit. 1862. p. 371.* — Gallia.
var. {*biturigensis* Dej. *Cat. 3. ed. p. 291.* — „
„ {*fagi* Gylh. *Schh. Gen. Curc. II. p. 563.* — „
„ {*fuscipes* Walton. *Ann. nat. Hist. 1847. p. 445.* — Anglia.
„ {*rufipes* Sturm. *Ins. Cab. IV. f. 18. (forte.)* — „
„ {*Waltoni* Smith. *Ent. Monthl. Mag. VI. p. 136.* — „
fusciventris Fuss. *Verh. Siebenb. Ver. 1868. p. 173.* — Alp. carpath.
fuscofemoratus Chevrol. *Rev. Zool. 1841. p. 227.* — Philippinae.
gallicus Stierl. *Mon. p. 74.* — Gallia.
Gastoni Fairm. *Ann. Fr. 1867. p. 410.* — Barbaria.
Gautardi Stierl. *Mon. p. 273.* — Helvetia.
gemmatus Fabr. *Gen. Ins. Mant. p. 229.* — Sturm. *Ins. Cab. IV. t. 16.* — Jacq. Duv. *Gen. Col. Curc. t. 15. f. 71.* — Stierl. *Berl. Zeit. 1858. p. 279; Mon. p. 207.* — M.
religiosus Schrank. *Enum. Ins. p. 118.* — Germania.
var. *chlorophanus* Bohem. *Schh. Gen. Curc. VII. 1. p. 330.* — Meg. *Dej. Cat. 3. ed. p. 292.* — Illyria.
„ *squamiger* Oliv. *Ent. V. 83. p. 409. t. 26. f. 375.* — Tirolis.
geniculatus Germ. *Reis. Dalm. p. 240.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 277.* — Stierl. *Mon. p. 36; Berl. Zeit. 1862. p. 371.* — M.
egenus Sturm. *Cat. 1826. p. 164.* — Styria.
irroratus Ziegl. *Dej. Cat. 3. ed. p. 291.* — Gallia.
pustulosus Ulrich *in litt.* — Illyria.
Ghestleri Stierl. *Mon. p. 281.* — Helvetia.
Ghilianii Fairm. *Ann. Fr. 1856. p. 540.* — Stierl. *Mon. p. 81.* — Italia.
gibbicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 336.* — Stierl. *Mon. p. 326.* — Carniolia.
glabellus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 51.* — Stierl. *Mon. p. 286.* — Tirolis.
glabratus Krynick. *Bull. Mosc. VII. 1834. p. 168.* — Tauria.
glabratus Stierl. *Mon. p. 183.* — Serbia.
glabricollis Bohem. *Schh. Gen. Curc. VII. 1. p. 282.* — Stierl. *Mon. p. 174.* — Kirgisia.

globicollis Hochh. *Bull. Mosc. 1847. II. p. 513.* — Caucasus.
globithorax Bohem. *Schh. Gen. Curc. VII. 1. p. 318.* — Stierl. *Mon. p. 308; Berl. Zeit. 1862. p. 376.* — Sibiria.
globulipennis Gylh. *Schh. Gen. Curc. II. p. 632.* — Stierl. *Berl. Zeit. 1862. p. 376.* — Mannerh. *Dej. Cat. 3. ed. p. 294.* — „
globulus Gredler. *Käf. Tirol. II. 1866. p. 333.* — Tirolis.
globus Bohem. *Schh. Gen. Curc. VII. 1. p. 386.* — Stierl. *Mon. p. 202.* — Banat.
Gobanzi Gredl. *Col. Heft. III. 1868. p. 74.* — Tirolis.
gracilis Gylh. *Schh. Gen. Curc. II. p. 599.* — Dej. *Cat. 3. ed. p. 292.* — Stierl. *Mon. p. 266.* — Gallia mer.
graecus Stierl. *Mon. p. 222.* — Graecia.
grandicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 312.* — Stierl. *Mon. p. 302.* — Bulgaria.
grandineus Germ. *Ins. Spec. nov. p. 356.* — Stierl. *Mon. p. 257.* — Sibiria.
sibiricus Gebl. *in litt.* — „
granicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 369.* — Stierl. *Mon. p. 244.* — Frivald. *A'Királyi magyar. 1865. p. 213. t. 12. f. 2.* — Hungaria.
graniventris Mill. *Wien. ent. Monatschr. III. 1859. p. 361.* — Stierl. *Mon. p. 125.* — Frivald. *A'Királyi magyar. 1865. p. 207. t. 11. f. 11.* — „
granulosus Bohem. *Schh. Gen. Curc. VII. 1. p. 367.* — Stierl. *Mon. p. 145.* — „
griseopunctatus Bohem. *Schh. Gen. Curc. VII. 1. p. 259.* — Dej. *Cat. 3. ed. p. 291.* — Stierl. *Berl. Zeit. 1858. p. 259; Mon. p. 63.* — Italia.
var. { *clavipes* Bohem. *l. c. p. 297.* — Stierl. *Berl. Zeit. l. c.* — Helvetia.
var. { *Peirolerii* Chevrier *in litt.* — „
griseus White. *Voy. Ereb. Terr. XI. 1846. p. 14. (gen. dub.)* — Nov. Zeeland.
griseus Kirsch. *Berl. Zeit. 1871. p. 43.* — Graecia.
guttula Fairm. *Ann. Fr. 1859. p. 281.* — Stierl. *Mon. p. 114.* — Corsica.
gyraticollis Stierl. *Mon. p. 106.* — Dalmatia.
transversalis Waltl *in litt.* — „
haematopus Bohem. *Schh. Gen. Curc. VII. 1. p. 266.* — Stierl. *Berl. Zeit. 1858. p. 263; Mon. p. 67.* — Helvetia.
Hampei Stierl. *Mon. p. 200.* — Transsylvania.
hebraeus Stierl. *Mon. p. 301.* — Syria.
Heeri Stierl. *Berl. Zeit. 1858. p. 289; Mon. p. 126.* — Helvetia.
helveticus Bohem. *Schh. Gen. Curc. VII. 1. p. 370.* — Stierl. *Berl. Zeit. 1858. p. 303; Mon. p. 252.* — „
loricatus Heer *in litt.* — „
Henoni Fairm. *Ann. Fr. 1867. p. 410.* — Constantine.
Heydeni Stierl. *Mon. p. 39.* — Dalmatia.
hispanicus Stierl. *Berl. Zeit. 1862. p. 360.* — Hispania.
histrio Gylh. *Schh. Gen. Curc. II. p. 568.* — Stierl. *Mon. p. 122.* — Crimea.
humilis Germ. *Ins. Spec. nov. p. 362.* — Stierl. *Mon. p. 296.* — Germania.

Godeti Gylh. *Schh. Gen. Curc. II. p. 589.* — Besser. *Dej. Cat. 3. ed. p. 292.* Volhynia.
lesghicus Kolenati *in litt.* Caucasus.
hungaricus Germ. *Ins. Spec. nov. p. 351.* — Stierl. *Mon. p. 63.* — Dahl. *Dej. Cat. 3. ed. p. 291.* — Frivald. *A'Királyi magyar. 1865. p. 206. t. 11. f. 8.* Hungaria.
hypocritus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 46.* — Stierl. *Mon. p. 161.* Tirolis.
hystrix Gylh. *Schh. Gen. Curc. II. p. 618.* — Stierl. *Mon. p. 335.* Caucasus.
Javeti Stierl. *Berl. Zeit. 1866. p. 133.* Gallia.
illyricus Stierl. *Mon. p. 204.* Illyria.
impexus Schönh. *Ménétr. Cat. rais. p. 220.* — Gylh. *Schh. Gen. Curc. II. p. 608.* — Stierl. *Mon. p. 297.* Caucasus.
impoticus Bohem. *Schh. Gen. Curc. VII. 1. p. 383.* — Stierl. *Mon. p. 281.* Gallia.
impressiventris Fairm. *Ann. Fr. 1859. p. 60.* — Stierl. *Mon. p. 191.* Pyrenaei.
dentatus Marsura *in litt.* „
incivilis Falderm. *Fn. transc. III. p. 193.* — Gylh. *Nouv. Mém. Mosc. VI. 1839. p. 21; Schh. Gen. Curc. VII. 1. p. 365.* Persia.
sicivilis Falderm. *Dej. Cat. 3. ed. p. 293.* „
inductus Gylh. *Schh. Gen. Curc. II. p. 596; VII. 1. p. 334.* — Stierl. *Mon. p. 336.* Croatia.
croaticus Sturm. *Cat. 1826. p. 164.* „
inflatus Gylh. *Schh. Gen. Curc. II. p. 566.* — Dahl. *Dej. Cat. 3. ed. p. 291.* — Stierl. *Mon. p. 37.* Illyria.
ventricosus Dahl. *Sturm. Cat. 1826. p. 165.* „
var. *salebrosus* Bohem. *Schh. Gen. Curc. VII. 1. p. 299.* Dalmatia.
infernalis Germ. *Reis. Dalm. p. 242. t. 8. f. 13.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 322.* — Stierl. *Mon. p. 236.* Carniolia.
acheronticus Parreyss. *Dej. Cat. 3. ed. p. 292.* Croatia.
polygranosus Meg. *in litt.* Illyria.
innocuus Bohem. *Schh. Gen. Curc. VII. 1. p. 350.* — Stierl. *Mon. p. 298.* Sibiria.
intercalaris Bohem. *l. c. p. 313.* — Stierl. *Mon. p. 118.* Hungaria.
intrusicollis Rosenh. *Thier. Andal. 1856. p. 262.* — Stierl. *Mon. p. 107.* Andalusia.
intrusus Reiche. *Ann. Fr. 1862. p. 297.* Corsica.
inunctus Stierl. *Mon. p. 224.* Turcia.
Jovis Mill. *Wien. ent. Monatschr. 1862. p. 352.* Cephalonia.
jugicola Stierl. *Mon. p. 175; Berl. Zeit. 1862. p. 373.* Hispania.
juvenilis Schönh. *Ménétr. Cat. rais. p. 221.* — Gylh. *Schh. Gen. Curc. II. p. 610.* — Stierl. *Berl. Zeit. 1862. p. 377.* Caucasus.
Khuenburgi Stierl. *l. c. 1866. p. 130.* Transsylvania.
Kiesenwetteri Stierl. *Mon. p. 253.* Graecia.
Kindermanni Stierl. *Mon. p. 177.* Asia minor.
Kollari Gylh. *Schh. Gen. Curc. II. p. 593.* — Stierl. *Mon. p. 254.* — Frivald. *A'Királyi magyar. 1865. p. 213. t. 12. f. 3.* Bukowina.
Bielzi Küst. *Käf. Eur. 16. 89.* Transsylvania.

Kraatzi Stierl. *Mon. p. 222.* — Frivald. *A'Királyi magyar. 1865. p. 210. t. 11. f. 13.*	Hungaria.
Krattereri Bohem. *Schh. Gen. Curc. VII. 1. p. 289.* — Stierl. *Mon. p. 237.* — Zawadsk. *Sturm. Cat. 1843. p. 206.*	Bukowina.
gemellatus Parreyss. *Dej. Cat. 3. ed. p. 292.*	Turcia.
kurdistanus Stierl. *Mon. p. 108.*	Kurdistan.
laevigatus Fabr. *Ent. Syst. I. 2. p. 473.* — Gylh. *Schh. Gen. Curc. II. p. 572.* — Stierl. *Berl. Zeit. 1858. p. 269; Mon. p. 75.*	Helvetia.
cornicinus Heyden *in litt.*	Saxonia.
laevinsculus Stierl. *Mon. p. 287.*	Sibiria.
lanuginosus Bohem. *Schh. Gen. Curc. VII. 1. p. 301.* — Stierl. *Mon. p. 112.*	Helvetia.
insubricus Cristof. et Jan. *Consp. Met. Suppl. p. 91.* — Villa. *Dej. Cat. 3. ed. p. 293.* — Stierl. *Berl. Zeit. 1858. p. 276.*	Lombardia.
var. *neglectus* Stierl. *l. c.*	Pedemont.
lasius Germ. *Reis. Dalm. p. 232.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 305.* — Stierl. *Mon. p. 152.*	Illyria.
latipennis Bohem. *l. c. p. 271.* — Dej. *Cat. 3. ed. p. 291.* — Stierl. *Mon. p. 80.*	„
inductus Parreyss. *Dej. Cat. l. c.*	Croatia.
latissimus Stierl. *Mon. p. 79.*	Hungaria.
lauri Stierl. *Mon. p. 35.*	Italia.
lavandus Germ. *Ins. Spec. nov. p. 354.* — Koy. *Dej. Cat. 3. ed. p. 292.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 290.* — Stierl. *Mon. p. 186.*	Germania.
candisatus Meg. *Dej. Cat. l. c.*	Hungaria.
metallifer Dahl. *Dej. Cat. l. c.*	„
Lefeburei Gylh. *Schh. Gen. Curc. VII. 1. p. 263.* — Stierl. *Mon. p. 58.*	Sicilia.
lepidopterus Fabr. *Ent. Syst. IV. App. p. 454.* — Panz. *Fn. Germ. 26. 19.* — Stierl. *Berl. Zeit. 1858. p. 281; Mon. p. 212.*	M.
squamiger Fabr. *Syst. El. II. p. 540.* — Duftschm. *Dej. Cat. 1. ed. p. 91.*	Germania.
var. *pauperculus* Heer *in litt.* — Stierl. *l. c.*	Helvetia.
ligneus Oliv. *Ent. V. 83. p. 378. t. 31. f. 473.* — Stierl. *Berl. Zeit. 1858. p. 270; Mon. p. 137.*	Gallia mer.
gallicianus Gylh. *Schh. Gen. Curc. II. p. 616.*	Suecia.
obscurus Dufour. *Dej. Cat. 3. ed. p. 293.*	Hispania.
parisiensis Dej. *Cat. l. c.*	Gallia.
rufipes Dej. *Cat. l. c.*	Helvetia.
scabridus Steph. *Ill. Britt. IV. p. 119.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 320.*	Anglia.
var. *hispidulus* Dahl. *Dej. Cat. l. c.*	Etruria.
„ *setosus* Meg. *in litt.* — Stierl. *l. c.*	Germania.
ligustici Linn. *Syst. nat. ed. X. p. 384.* — Herbst. *Käf. VI. p. 337. t. 86. f. 8.* — Stierl. *Berl. Zeit. 1858. p. 298; Mon. p. 270.*	M.
{ *levistici* Müll. *Zool. Dan. Prodr. p. 87.*	Dania.
{ *Mülleri* Gmel. *ed. Linn. I. 4. p. 1777.*	Suecia.
monopterus Fourcr. *Ent. Par. I. p. 127.*	Gallia.

var. *agnatus* Gylh. *Schh. Gen. Curc. II. p. 592.*	Hungaria.
„ *Brucki* Bach. *Käferf. II. 1854. p. 236.*	Germania.
„ {*collaris* Fabr. *Ent. Syst. I. 2. p. 486.*	Russia.
{*ligustici* Müll. *l. c. p. 87.*	„
linearis Stierl. *Mon. p. 226.*	Italia.
lirus Schönh. *Gen. Curc. II. p. 634.*	Gallia.
laevigatus Oliv. *Ent. V. 83. p. 370. t. 18. f. 228.*	„
lithanthracius Bohem. *Schh. Gen. Curc. VII. 1. p. 346.* — Stierl. *Mon. p. 180.*	Germania.
lombardus Stierl. *Berl. Zeit. 1866. p. 129.*	Lombardia.
longipennis Stierl. *Mon. p. 223.*	Dalmatia.
longiventris Küst. *Käf. Eur. 18. 87.* — Stierl. *Mon. p. 245.*	Transsylvania.
lubricus Bohem. *Schh. Gen. Curc. VII. 1. p. 298.* — Stierl. *Mon. p. 301.*	Europa mer.
lugdunensis Bohem. *l. c. p. 268.* — Stierl. *Mon. p. 69.*	Gallia mer.
lugens Germ. *Reis. Dalm. p. 243.* — Stierl. *Mon. p. 252; Berl. Zeit. 1858. p. 302.*	Dalmatia.
granulatus Dej. *Cat. 3. ed. p. 293.*	Sicilia.
impressipennis Brullé. *Expd. Mor. p. 239.* — Dahl *in litt. (monstr.)*	Graecia.
punctatostriatus Sturm. *Cat. 1843. p. 206.*	Turcia.
{*scalptus* Gylh. *Schh. Gen. Curc. II. p. 591.* — Chevrol. *Dej. Cat. 3. ed. p. 292.*	Chalcis.
{*foveirostris* Dej. *Cat. l. c.*	Graecia.
{*pruinosus* Sturm. *Cat. 1826. p. 165.*	Dalmatia.
sulcipennis Dahl *in litt.*	Italia.
tauricus Sturm *in litt.*	Tauria.
luteus Stierl. *Berl. Zeit. 1862. p. 361.*	Graecia.
lutosus Stierl. *l. c. 1858. p. 297; Mon. p. 142.*	Helvetia.
malefidus Gylh. *Schh. Gen. Curc. II. p. 601.* — Stierl. *Mon. p. 103.*	Pyrenaei.
planidorsis Fairm. *Rev. Zool. 1856. p. 180; Ann. Fr. 1856. p. 541.*	„
mandibularis Redtenb., W. *Quaed. Gen. et Spec. Col. p. 20.* — Redtenb. *Fn. Austr. ed. 1. p. 425.* — Stierl. *Mon. p. 144.*	Hungaria.
marmota Stierl. *Mon. p. 230.* — Frivald. *A'Királyi magyar. 1865. p. 210. t. 11. f. 14.*	Banat.
mastix Oliv. *Ent. V. 83. p. 376. t. 25. f. 351.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 275.* — Stierl. *Mon. p. 42.*	Styria.
arenosus Solier *in litt.*	Gallia.
maurus Gylh. *Ins. Suec. III. p. 293.* — Stierl. *Mon. p. 165; Berl. Zeit. 1858. p. 284.*	Suecia.
adscitus Germ. *Ins. Spec. nov. p. 358.*	Curonia.
morio Bonsd. *Curc. Suec. II. p. 36. f. 29.*	Suecia.
nodosus Fabr., O. *Fn. Grönl. p. 187.*	Grönlandia.
♀ *pertusus* Ziegl. *in litt.* — Stierl. *Berl. Zeit. 1862. p. 373.*	Carinthia.
silesiacus Besser. *Dej. Cat. 3. ed. p. 293.*	Volhynia.
var. *aurosus* Muls. et Rey. *Opusc. ent. IX. p. 26.*	Helvetia.
„ *caucasicus* Kolenati *in litt.*	Caucasus.

var.	*comosellus* Bohem. *Schh. Gen. Curc. VII. 1. p. 340.*	Hungaria.
	capreae Meg. *in litt.*	Carinthia.
„	*demotus* Bohem. *Schh. Gen. Curc. VII. 1. p. 347.*	Germania.
	Bructeri Germ. *Ins. Spec. nov. p. 360.* — Dahl. *Dej. Cat. l. c.*	Hercynia.
„	*pauper* Bohem. *l. c. p. 341.* — Ziegl. *Dej. Cat. 3. ed. p. 291.*	Styria.
„	*Wiesurii* Dahl *in litt.*	Transsylvania.

maxillosus Gylh. *Schh. Gen. Curc. II. p. 598.* — Dej. *Cat. 3. ed. p. 292.* — Stierl. *Mon. p. 320.* — Dalmatia.
meridionalis Gylh. *l. c. p. 571.* — Dej. *l. c.* — Stierl. *Mon. p. 91.* — Gallia mer.
provincialis Dej. *in litt.* — Hispania.
Milleri Stierl. *Berl. Zeit. 1862. p. 364.* — Croatia.
misellus Stierl. *Mon. p. 139.* — Gallia mer.
Lyzoti Chevrol. *in litt.* — „
moestificus Schönh. *Ménétr. Cat. rais. p. 221.* — Gylh. *Schh. Gen. Curc. II. p. 628.* — Stierl. *Mon. p. 278.* — Caucasus.
moestus Gylh. *Schh. Gen. Curc. II. p. 627.* — Dej. *Cat. 3. ed. p. 294.* — Stierl. *Mon. p. 276.* — Gallia mer.
elongatus Muls. — „
Raymondi Gautier. *Ann. Fr. 1860. Bull. p. 113.* — Helvetia.
subasper Muls. — „
monedula Stierl. *Mon. p. 229.* — Rumelia.
montanus Chevrol. *Rev. Zool. 1866. p. 25.* — Reynosa.
monticola Germ. *Ins. Spec. nov. p. 361.* — Dej. *Cat. 3. ed. p. 293.* — Stierl. *Mon. p. 172.* — Pyrenaei.
arcticus Fabr., O. *Fn. Grönl. p. 188. (forte.)* — Lapponia.
laevigatus Gylh. *Ins. Suec. III. p. 292.* — Suecia.
pubipes Chevrol. *in litt.* — Hungaria.
montivagus Bohem. *Schh. Gen. Curc. VII. 1. p. 378.* — Stierl. *Mon. p. 262.* — Tirolis.
morio Fabr. *Spec. Ins. I. 1781. p. 198.* — Sturm. *Ins. Cab. II. t. 16.* — M.
pimelioides Ziegl. *Dej. Cat. 3. ed. p. 292.* — Germania.
tenebricosus Oliv. *Ent. V. 83. p. 370. t. 18. f. 231.* — Gallia.
unicolor Herbst. *Käf. VI. p. 334. t. 86. f. 6.* — Stierl. *Berl. Zeit. 1858. p. 272; Mon. p. 97.* — Hispania.
var. *ebeninus* Gylh. *Schh. Gen. Curc. II. p. 581.* — Italia.
„ *imus* Bohem. *Schh. l. c. VII. 1. p. 295.* — Stierl. *Mon. p. 98; Berl. Zeit. 1862. p. 372.* — Helvetia.
„ *memnonius* Gylh. *l. c. p. 580.* — Stierl. *Berl. Zeit. 1858. p. 272.* — Pyrenaei.
Mülleri Rosenh. *Thier. Andal. 1856. p. 265.* — Stierl. *Mon. p. 147.* — Tirolis.
multicostatus Stierl. *Mon. p. 284.* — Carniolia.
multipunctatus Fabr. *Ent. Syst. I. 2. p. 471.* — Stierl. *Berl. Zeit. 1858. p. 268; Mon. p. 83.* — M.
depressus Sturm. *Cat. 1826. p. 164.* — Hungaria.
♀ *silesiacus* Meg. *in litt.* — Germania.

var.	*irritans* Herbst. *Käf. VI. p. 363. t. 88. f. 9.*	Hungaria.
	adspersus Dahl. *Sturm. Cat. l. c.*	„
	maculatus Dahl. *l. c.*	Banat.

mus Stierl. *Berl. Zeit 1862. p. 366.* — Dalmatia.
nigripes Meg. *in litt.* — „
muscorum Brisout. *Cat. Grenier. 1863. p. 109.* — Gallia.
naso Lec. *Entom. Report. 1857. p. 56.* — Oregon.
Naudini Luc. *Rev. Zool. 1855. p. 292.* — Algeria.
navaricus Gylh. *Schh. Gen. Curc. II. p. 600.* — Dej. *Cat. 3. ed. p. 293.* — Stierl. *Mon. p. 99; Berl. Zeit. 1862 p. 372.* — Pyrenaei.
♀ *catenulatus* Schönh. *olim.* — „
var. *intricatus* Muls. *in litt.* — „
neapolitanus Stierl. *Mon. p. 298.* — Sicilia.
necessarius Stierl. *Mon. p. 141.* — Hungaria.
niger Fabr. *Syst. Ent. p. 150.* — Stierl. *Berl. Zeit. 1858. p. 260; Mon. p. 87.* — M.
ater Herbst. *Käf. VI. p. 332. t. 86. f. 4.* — ♀ Ratzebg. *Forstins. 1837. I. p. 116. t. 4. f. 8.* — Suecia.
multipunctatus Oliv. *Ent. V. 83. p. 372. t. 25. f. 361.* — Gallia.
scrobiculatus Gylh. *Schh. Gen. Curc. II. p. 561.* — Styria.
var. *angustatus* Märk. *in litt.* — Stierl. *l. c. p. 88.* — Helvetia.
„ *coecus* Germ. *Ins. Spec. nov. p. 351.* — Meg. *Dej. Cat. 3. ed. p. 291.* — Stierl. *Mon. p. 86; Berl. Zeit. 1862. p. 371.* — Carniolia.
„ *montanus* Bohem. *Schh. Gen. Curc. VII. 1. p. 306.* — Stierl. *Mon. p. 92; Berl. Zeit. 1862. p. 372.* — Styria.
„ *rugipennis* Bohem. *l. c. p. 263.* — Sicilia.
„ { *villosopunctatus* Gylh. *l. c. p. 560.* — Ziegl. *Dej. Cat. l. c.* — Styria.
argus Duftschm. *Dej. Cat. l. c.* } — Germania.
nitidus Reiche. *Ann. Fr. 1857. p. 690.* — Stierl. *Mon. p. 328.* — Graecia.
Sartorii Chevrol. *in litt.* — Asia minor.
nobilis Germ. *Ins. Spec. nov. p. 357.* — Meg. *Dej. Cat. 3. ed. p. 292.* — Stierl. *Mon. p. 74.* — Carinthia.
colibrinus Ziegl. *Dej. Cat. l. c.* — Carniolia.
Noui Fairm. *Ann. Fr. 1862. p. 556.* — Stierl. *Berl. Zeit. 1862. p. 369.* — Pyrenaei.
praelongus Fairm. *Cat. Gren. 1863. p. 108.* — „
nubilus Bohem. *Schh. Gen. Curc. VII. 1. p. 264.* — Stierl. *Berl. Zeit. 1858. p. 299; Mon. p. 264.* — Helvetia.
var. *partitialis* Bohem. *l. c. p. 376.* — Pedemont.
nudus Stierl. *Mon. p. 330.* — Tokat.
obcoecatus Schönh. *Ménétr. Cat. rais. p. 220.* — Gylh. *Schh. Gen. Curc. II. p. 602.* — Stierl. *Mon. p. 170.* — Caucasus.
obesus Stierl. *Mon. p. 218.* — Creta.
obscurus Gylh. *Schh. Gen. Curc. II. p. 607.* — Stierl. *Berl. Zeit. 1862. p. 374.* — Sibiria or.
obsidianus Bohem. *Schh. Gen. Curc. VII. 1. p. 324.* — Stierl. *Mon. p. 240.* — Frivald. *A'Királyi magyar. 1865. p. 212. t. 11. f. 16.* — Transsylvania.
perforatus Redtenb. *Fn. Austr. ed. I. p. 423.* — Germania.
obsitus Gylh. *Schh. Gen. Curc. II. p. 567.* — Stierl. *Mon. p. 81.* — Illyria.

obsoletus Stierl. *Mon. p. 31.* Carniolia.
obsulcatus Stierl. *Mon. p. 277.* Caucasus.
obtusus Bohem. *Schh. Gen. Curc. VII. 1. p. 356.* Stierl. *Mon. p. 154.* Illyria.
oleae Stierl. *Mon. p. 60.* Gallia mer.
opulentus Germ. *Fn. Ins. Eur. 17. 6.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 333.* — Stierl. *Mon. p. 208.* Transsylvania
cibratus Grav. *in litt.* „
var. *Fussi* Küst. *Käf. Eur. 16. 88.* „
orbicularis Herbst. *Käf. VI. p. 340. t. 86 f. 11.* — Fabr. *Syst. El. II. p. 523.* — Stierl. *Mon. p. 105.* Germania.
catenulatus Panz. *Ent. Germ. p. 330.* Moravia.
maurus Schrank. *Enum. Ins. p. 122. (forte.)* Hungaria.
tenebricosus Oliv. *Ent. V. 83. p. 370.* Gallia.
orientalis Gylh. *Schh. Gen. Curc. II. p. 556.* — Stierl. *Mon. p. 54.* Sicilia.
ottomanus Stierl. *Mon. p. 325.* Turcia.
ovalipennis Bohem. *Schh. Gen. Curc. VII. 1. p. 288.*— Stierl. *Mon. p. 319.* „
ovatulus Bohem. *l. c. p. 351.* — Stierl. *Mon. p. 300.* Europa mer.
ovatus Linn. *Syst. nat. ed. X. p. 384.* — Herbst. *Käf. VI. p. 357. t. 88. f. 2.* — Stierl. *Berl. Zeit. 1858. p. 307; Mon. p. 285.* M.
rosae Degeer. *Ins. V. p. 219.* Germania.
rufipes Scop. *Ent. Carn. p. 32.* Carniolia.
Scopolii Gmel. *ed. Linn. I. 4. p. 1777.* Suecia.
var. *pabulinus* Panz. *Fn. Germ. 57. 19.* — Stierl. *Berl. Zeit. 1858. p. 308.* Italia.
„ *vorticosus* Gylh. *Schh. Gen. Curc. II. p. 630.* Gallia.
pachyscelis Stierl. *Mon. p. 268.* Carniolia.
sulcicollis Dej. *Cat. 3. ed. p. 294.* Dalmatia.
Parreyssi Stierl. *Mon. p. 187.* Turcia.
ceps Parreyss *in litt.* „
parvicollis Gylh. *Schh. Gen. Curc. II. p. 576.* — Stierl. *Mon. p. 158.* Algeria.
peridiosus Chevrol. *in litt.* „
patruelis Stierl. *Mon. p. 175.* Hungaria.
pauxillus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 50.* — Stierl. *Berl. Zeit. 1858. p. 307; Mon. p. 287.* Tirolis.
mniophilus Guilbeau *in litt.* Helvetia.
pedemontanus Stierl. *Mon. p. 276.* Pyrenaei.
pelliceus Bohem. *Schh. Gen. Curc. VII. 1. p. 362.* — Stierl. *Mon. p. 307.* Asia minor.
perdix Oliv. *Ent. V. 83. p. 375. t. 31. f. 468.* — Germ. *Ins. Spec. nov. p. 359.* — Stierl. *Mon. p. 117.* Illyria.
peregrinus Stierl. *Mon. p. 225.* Turcia.
Perezi Stierl. *Berl. Zeit. 1862. p. 361.* Galaecia.
perplexus Gylh. *Schh. Gen. Curc. II. p. 608.* — Stierl. *Berl. Zeit. 1862. p. 375.* Sibiria occ.
petiginosus Stierl. *Mon. p. 251.* Dalmatia.
petrensis Bohem. *Schh. Gen. Curc. VII. 1. p. 338.* — Stierl. *Mon. p. 105.* Illyria.
picimanus Stierl. *Mon. p. 168.* Cephalonia.
picitarsis Rosenh. *Thier. Andal. 1856. p. 266.* — Stierl. *Mon. p. 283.* Styria.

pigrans Stierl. *Mon. p. 148.*	Styria.
pilosus Gylh. *Schh. Gen. Curc. II. p. 586.* — Stierl. *Mon. p. 333.*	Crimea.
pimeloides Oliv. *Ent. V. 83. p. 370. t. 18. f. 228.*	Gallia mer.
pinastri Herbst. *Käf. VI. p. 358. t. 88. f. 3.* — Stierl. *Mon. p. 283.*	M.
pertusus Ziegl. *Dej. Cat. 1. ed. p. 91.*	Styria.
Piochardi Stierl. *Berl. Zeit. 1866. p. 134.*	Gallia.
planithorax Bohem. *Schh. Gen. Curc. VII. 1. p. 364.* — Stierl. *Mon. p. 150.*	Algeria.
planophthalmus Heyden. *Berl. Zeit. 1870. p. 151. (Beiheft.)*	Sierra Nevada.
plebejus Stierl. *Mon. p. 142.*	Croatia.
plumipes Germ. *Reis. Dalm. p. 245. t. 8. f. 15.* — Ulrich. *Dej. Cat. 3. ed. p. 291.* — Stierl. *Mon. p. 109.*	Carinthia.
clypeatus Germ. *in litt.*	Carniolia.
flabellipes Meg. *Dej. Cat. l. c.*	Styria.
politus Gylh. *Schh. Gen. Curc. II. p. 606.* — Mannerh. *Dej. Cat. 3. ed. p. 293.* — Stierl. *Berl. Zeit. 162. p. 374.*	Sibiria occ.
polycoccus Gylh. *Schh. Gen. Curc. VII. 1. p. 286.* — Stierl. *Mon. p. 221.*	Turcia.
populeti Bohem. *Schh. Gen. Curc. VII. 1. p. 373.* — Stierl. *Berl. Zeit. 1858. p. 301; Mon. p. 232.*	Hungaria.
granatus Dahl *in litt.*	„
porcatus Herbst. *Käf. VI. p 358. t. 88. f. 4.* — Stierl. *Berl. Zeit. 1858. p. 294; Mon. p. 153.*	M.
costatus Fabr. *Syst. El. II. p. 530.*	Carniolia.
senex Oliv. *Ent. V. 83. p. 358. t. 25. f. 358.*	Gallia.
sexcostatus Latr. *Hist. nat. XI. p. 172.*	Helvetia.
poricollis Schönh. *Ménétr. Cat. rais. p. 220.* — Gylh. *Schh. Gen. Curc. II. p. 604.* — Stierl. *Mon. p. 181.*	Caucasus.
proletarius Bohem. *Schh. Gen. Curc. VII. 1. p. 385.*	Sibiria occ.
prolixus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 53.* — Stierl. *Mon. p. 234.*	Tirolis.
prolongatus Stierl. *Mon. p. 235.*	Graecia.
provincialis Stierl. *Mon. p. 266.*	Gallia mer.
flavulus Chevrol. *in litt.*	„
proximus Stierl. *Mon. p. 163.*	Galizia.
pruinosus Germ. *Reis. Dalm. p. 207.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 276.* — Stierl. *Mon. p. 40.*	Dalmatia.
var. *scabricollis* Germ. *l. c. p. 239; Silb. Rev. I. t. 5.* — Gylh. *Schh. Gen. Curc. II. p. 569.*	Illyria.
„ *turgidus* Germ. *l. c. p. 236.* — Gylh. *l. c.*	Carniolia.
psegmaticus Bohem. *Schh. Gen. Curc. VII. 1 p. 292.* — Stierl. *Berl. Zeit. 1862. p. 375.*	Persia.
metallifer Dahl *in litt.*	„
pseudomias Hochh. *Bull. Mosc. 1847. II. p. 524.*	Caucasus.
pubens Bohem. *Schh. Gen. Curc. VII. 1. p. 312.* — Stierl. *Mon. p. 71.*	Gallia mer.
stomachosus Gylh. *Schh. Gen. Curc. II. p. 586.*	„
var. *Ariasi* Chevrol. *in litt.* — Stierl. *l. c. p. 72.*	Lombardia.
„ *nigripes* Bohem. *l. c. p. 264.*	„
puberulus Hochh. *Bull. Mosc. 1851. I. p. 70.*	Caucasus.

pubescens Falderm. *Fn. transc. II. p. 216; III. p. 193.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 387.*	Caucasus.
pubifer Bohem. *l. c. p. 316.* — Stierl. *Mon. p. 306.* — Schmidt et Helf. *Sturm. Cat. 1843. p. 205.*	Asia minor.
pulchellus Stierl. *Mon. p. 299.*	Sicilia.
carinula Chevrol. *in litt.*	„
pullus Gylh. *Schh. Gen. Curc. II. p. 606.* — Stierl. *Berl. Zeit. 1862. p. 374.*	Sibiria occ.
pulverulentus Germ. *Ins. Spec. nov. p. 352.* — Stierl. *Mon. p. 92.*	Carniolia.
♀ { *exasperatus* Meg. *in litt.*	Germania.
♀ { *interstitialis* Germ. *l. c. p. 353.*	Carniolia.
♀ { *pinetorum* Schrank. *Enum. Ins. p. 124. (forte.)*	Germania.
pubescens Ziegl. *Dej. Cat. 1. ed. p. 90.*	Carinthia.
var. { *adumbratus* Dej. *Cat. 3. ed. p. 291.* — Stierl. *l. c.*	Illyria.
var. { *egenus* Ziegl. *in litt.*	Gallia mer.
„ *periscelis* Gylh. *Schh. Gen. Curc. II. p. 570.*	Hungaria.
pulverulus Bohem. *Schh. l. c. VII. 1. p. 317.*	Anatolia.
pulvinatus Hochh. *Bull. Mosc. 1847. II. p. 518.*	Armenia.
puncticornis Gylh. *Schh. Gen. Curc. II. p. 605.* — Stierl. *Mon. p. 170.*	Crimea.
var. *stomiansicus* Kolenati *in litt.*	Caucasus.
pupillatus Gylh. *Schh. Gen. Curc. II. p. 597.* — Stierl. *Berl. Zeit. 1858. p. 282; Mon. p. 192.*	Sicilia.
centropunctatus Ziegl. *Dej. Cat. 3. ed. p. 292.*	Helvetia.
pusillus Stierl. *Mon. p. 196.*	Pedemont.
pusio Gylh. *Schh. Gen. Curc. II. p. 612.* — Stierl. *Mon. p. 334.*	Caucasus.
pyrenaeus Gylh. *l. c. p. 554.* — Stierl. *Mon. p. 84.*	Pyrenaei.
♀ *femoralis* Bohem. *Schh. l. c. VII. 1. p. 272.*	„
raucus Fabr. *Gen. Ins. Mant. p. 226.* — Herbst. *Käf. VI. p. 343. t. 87. f. 2.* — Stierl. *Berl. Zeit. 1858. p. 292; Mon. p. 116.*	M.
arenarius Herbst. *Füssl. Arch. V. p. 82.*	Germania.
luctuosus Latr. *Hist. nat. XI. p. 171.*	Gallia.
tristis Bonsd. *Curc. Suec. II. p. 36. f. 28.*	Suecia.
var. *fulvus* Fabr. *Mant. I. p. 113.*	„
„ *tristis* Fabr. *Syst. Ent. p. 149.*	Helvetia.
Reichei Stierl. *Mon. p. 199.*	Transsylvania.
repletus Bohem. *Schh. Gen. Curc. VII. 1. p. 302.* — Stierl. *Mon. p. 114.*	Polonia.
respersus Stierl. *Mon. p. 186.*	Dalmatia.
Reynosae Bris. *Ann. Fr. 1866. p. 410.*	Reynosa.
rhacusensis Germ. *Fn. Ins. Eur. 7. 12.* — Stierl. *Mon. p. 44.*	Dalmatia.
ragusensis Bohem. *Schh. Gen. Curc. II. p. 552.* — Dej. *Cat. 3. ed. p. 291.*	„
siculus Dej. *Cat. l. c.* — Stierl. *l. c.*	Sicilia.
rhaeticus Stierl. *Mon. p. 358.*	Helvetia.
var. *collinus* Gredl. *Käf. Tirol. II. 1866. p. 329.*	Tirolis.
rhododendri Stierl. *Mon. p. 192.*	„
Riessi Fuss. *Verh. Siebenb. Ver. 1868. p. 175. t. 1. f. d-h.*	Alp. carpath.
rotundatus Siebold. *Preuss. Prov. Blätt. 1837. VI. p. 431.* — Stierl. *Mon. p. 336.*	Borussia.

rubiginosus Stierl. *Mon. p. 140.* Gallia.
rudis Stierl. *Mon. p. 136.* Oran.
rufimanus Hochh. *Bull. Mosc. 1851. I. p. 80.* Caucasus.
rugicollis Germ. *Reis. Dalm. p. 241.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 382.* — Stierl. *Mon. p. 267.* Dalmatia.
rugifrons Gylh. *Ins. Suec. III. p. 319.* — Stierl. *Berl. Zeit. 1858. p. 306; Mon. p. 279.* Europa bor.
Dillwyni Steph. *Ill. Brit. IV. p. 116.* Anglia.
rugicollis Steph. *l. c. p. 120.* Gallia.
var. *scaber* Steph. *l. c. p. 115.* Belgia.
rugosostriatus Goeze. *Ent. Beytr. I. 1777. p. 395.* Gallia.
corrugatus Gmel. *ed. Linn. I. 4. p. 1778.* „
rugosissimus Villers. *Ent. I. p. 207; IV. p. 277.* „
rugosus Humm. *Essai. VI. p. 12.* — Mannerh. *Schh. Gen. Curc. II. p. 591.* — Stierl. *Mon. p. 238.* Russia.
rugulipennis Costa. *Ricerch. ent. mont. Parten. 1858. p. 26.* Cenobio.
rutilipes Hochh. *Bull. Mosc. 1851. I. p. 75.* Sibiria or.
sabulosus Gylh. *Schh. Gen. Curc. II. p. 555.* — Stierl. *Mon. p. 56.* Banat.
cupripennis Dahl *in litt.* Sicilia.
saevus Bohem. *Schh. Gen. Curc. VII. 1. p. 335.* — Stierl. *Berl. Zeit. 1862. p. 377.* Anatolia.
sanguinipes Bohem. *l. c. p. 296.* — Stierl. *Mon. p. 72.* Italia.
Sayi Bohem. *l. c. p. 323.* Amer. bor.
scaberrimus Stierl. *Mon. p. 52.* Italia.
scabripennis Gylh. *Schh. Gen. Curc. II. p. 565.* — Stierl. *Berl. Zeit. 1858. p. 267; Mon. p. 82.* Europa.
scabrosus Marsh. *Ent. Brit. p. 298.* — Gylh. *Schh. Gen. Curc. II. p. 570.* — Stierl. *Berl. Zeit. 1858. p. 269; Mon. p. 136; Berl. Zeit. 1862. p. 373.* Anglia.
crispatus Ziegl. *Dej. Cat. 1. ed. p. 91.* Dalmatia.
putridus Dahl. *Dej. Cat. 3. ed. p. 292.* Italia.
subrotundatus Meg. *Dej. Cat. l. c.* Germania.
Schaumi Stierl. *Mon. p. 225.* Transsylvania.
Schläflini Stierl. *Mon. p. 227.* Gallia.
Schmidti Stierl. *Mon. p. 167.* Carniolia.
scitus Gylh. *Schh. Gen. Curc. VII. 1. p. 303.* — Stierl. *Mon. p. 119; Berl. Zeit. 1862. p. 372.* Graecia.
Tarnieri Stierl. *Mon. p. 219.* Turcia.
scopularis Hochh. *Bull. Mosc. 1847. II. p. 506.* Armenia.
sculptirostris Hochh. *l. c. p. 511.* „
seductor Stierl. *Mon. p. 206.* Hungaria.
segnis Gylh. *Schh. Gen. Curc. II. p. 629.* Stierl. *Mon. p. 285.* Germania.
sensitivus Scopoli. *Ent. Carn. 1763. p. 32.* Carniolia.
planatus Herbst. *Käf. VI. p. 295. t. 83. f. 1.* — Fabr. *Syst. El. II. p. 522.* — Stierl. *Mon. p. 55.* Syria.
semigranulatus Stierl. *Mon. p. 331.* Turcia.
septentrionis Herbst. *Käf. VI. p. 360. t. 88. f. 6.* — Stierl. *Berl. Zeit. 1858. p. 293; Mon. p. 153.* M.
echinatus Herbst. *l. c. p. 377. t. 89. f. 13. (forte.)* Germania.
gemellatus Beck. *Beitr. baier. Ins. 1817. p. 24. t. 7. f. 37.* „
griseopunctatus Degeer. *Ins. V. p. 244.* Gallia.

multicolor Gmel. *ed. Linn. I. 4. p. 1805.* Suecia.
raucus Herbst. *Füssl. Arch. V. p. 80. t. 24. f. 25.* Carniolia.
scaber Bonsd. *Curc. Suec. II. p. 35. f. 27.* Suecia.
setosus Fabr. *Syst. El. II. p. 527.* Helvetia.
setifer Bohem. *Schh. Gen. Curc. VII. 1. p. 368.* — Stierl. *Berl. Zeit. 1858. p. 296; Mon. p. 163.* „
setiger Waltl. *Reis. Span. II. p. 78.* Andalusia.
setosulus Stierl. *Mon. p. 293.* Sicilia.
fulvocrinitus Chevrol. *in litt.* „
setulosus Bohem. *Res. Eugen. 1859. p. 127.* Montevideo.
signatipennis Gylh. *Schh. Gen. Curc. II. p. 597.* — Stierl. *Mon. p. 204.* — Dahl. *Sturm. Cat. 1843. p. 206.* Croatia.
aureolus Gylh. *l. c. p. 623.* — Parreyss. *Sturm. Cat. 1826. p. 164.* Carniolia.
simplicatus Stierl. *Mon. p. 243.* Smyrna.
singularis Linn. *Syst. nat. ed. XII. 1767. Addend. p. 1066.* — Schrank. *Fn. boic. I. p. 493.* M.
asper Marsh. *Ent. Brit. p. 301.* Anglia.
granulatus Herbst. *Füssl. Arch. V. p. 84. t. 24. f. 33.* Germania.
notatus Bonsd. *Curc. Suec. II. p. 39. f. 34.* Suecia.
picipes Fabr. *Gen. Ins. Mant. p. 229.* — Herbst. *Käf. VI. p. 359. t. 88. f. 5.* — Jacq. Duv. *Gen. Col. Curc. t. 15. f. 72.* — Stierl. *Berl. Zeit. 1858. p. 287; Mon. p. 190.* Helvetia.
squamiger Marsh. *l. c. p. 301.* Gallia.
var. *Chevrolati* Gylh. *Schh. Gen. Curc. VII. 1. p. 338.* — Stierl. *Mon. p. 190; Berl. Zeit. 1862. p. 373.* Belgia.
„ { *Marquardti* Falderm. *Bull. Ac. Petr. I. 1836. p. 179.* — Gylh. *l. c. p. 357.* Russia.
notatus Steph. *Ill. Brit. IV. p. 114.* Anglia.
vastator Marsh. *l. c. p. 300.* „ }
sordidus Stierl. *Mon. p. 159.* Hispania.
spalatrensis Bohem. *Schh. Gen. Curc. VII. 1. p. 257.* — Stierl. *Mon. p. 46.* Dalmatia.
squameus Bohem. *l. c. p. 291.* — Stierl. *Mon. p. 189.* Hungaria.
squamifer Bohem. *l. c. p. 314.* — Stierl. *Mon. p. 157.* Graecia.
squamosus Mill. *Wien. ent. Monatschr. III. p. 360.* — Dej. *Cat. 3. ed. p. 292.* — Stierl. *Mon. p. 211.* Styria.
squamulatus Dej. *l. c.* — Stierl. *l. c.* „
Stierlini Gemming. *Col. Heft. VII. 1871. p. 119.* Graecia.
tristis Stierl. *Berl. Zeit. 1862. p. 364.* „
stricticollis Fairm. *Ann. Fr. 1859. Bull. p. 164.* Pyrenaei.
strigirostris Bohem. *Schh. Gen. Curc. VII. 1. p. 377.* — Stierl. *Mon. p. 274.* Italia.
Orsinii Cristof. *in litt.* „
subcostatus Stierl. *Berl. Zeit. 1866. p. 129.* Helvetia.
septentrionis var. *β.* Stierl. *Mon. p. 154.* Sabaudia.
subdentatus Bach. *Käf. Fn. II. p. 279.* — Stierl. *Mon. p. 193.* Thuringia.
frigidus Muls. et Rey. *Opusc. ent. IX. 1859. p. 24.* Pedemont.
pupillatus var. Stierl. *Berl. Zeit. 1858. p. 282.* Helvetia.
subglobosus Blanch. *Gay. Hist. Chil. V. p. 381. t. 24. f. 7. a-d.* Chili.

subquadratus Rosenh. *Beitr. Ins. Fn. Eur. p. 48.* — Stierl. *Mon. p. 198.* — Tirolis.
subsignatus Gylh. *Schh. Gen. Curc. II. p. 626.* — Stierl. *Mon. p. 257.* — Caucasus.
subspinosus Stierl. *Mon. p. 127.* — Syra.
substriatus Gylh. *Schh. Gen. Curc. II. p. 563.* — Stierl. *Berl. Zeit. 1858. p. 265; Mon. p. 71.* — Alsatia.
  alsaticus Silb. *Rev. I. nr. 7. t. 5.* — „
sulcatus Fabr. *Syst. Ent. p. 155.* — Herbst. *Käf. VI. p. 347. t. 87. f. 5.* — Stierl. *Berl. Zeit. 1858. p. 303; Mon. p. 225.* — ♀ Westwood. *Introd. 1839. I. p. 334. f. 41. (9-11.)* — Lucas. *Ann. Fr. 1869. p. 50.* — M.
  apiculatus Say *in litt.* — Massachusett.
  griseopunctatus Degeer. *Ins. V. p. 217.* — Gallia.
  strictus Gmel. *ed. Linn. I. 4. p. 1779.* — Suecia.
sulcifrons Gylh. *Schh. Gen. Curc. II. p. 577.* — Stierl. *Mon. p. 252.* — Illyria.
sulcirostris Bohem. *Schh. l. c. VII. 1. p. 279.* — Stierl. *Mon p. 291.* — Dej. *Cat. 3. ed. p. 292.* — Dalmatia.
sulcogemmatus Bohem. *l. c. p. 339.* — Stierl. *Mon. p. 93.* — Andalusia.
  frigidus Ramb. *Dej. Cat. 3. ed. p. 292.* — „
sulphurifer Oliv. *Ent. V. 83. p. 368. t. 19. f. 237.* — Fabr. *Syst. El. II. p. 522.* — Stierl. *Mon. p. 54.* — Carniolia.
  friulicus Herbst. *Käf. VII. p. 60 t. 98. f. 11.* — Ziegl. *Dej. Cat. 3. ed. p. 291.* — Illyria.
sylvestris Chevrol. *Rev. Zool. 1866. p. 26.* — Reynosa.
tagenioides Stierl. *Mon. p. 149.* — Illyria.
tenebricosus Herbst. *Käf. VI. p. 333. t. 86. f. 5.* — Stierl. *Berl. Zeit. 1858. p. 263; Mon. p. 70.* — M.
  ♂ *ater* Gylh. *Ins. Suec. III. p. 291.* — Suecia.
  clavipes Oliv. *Ent. V. 83. p. 368. t. 18. f. 229.* — Gallia.
  maritimus var. Donov. *Brit. Ins. XV. t. 533. f. 2.* — Anglia.
  ♀ *morio* Payk. *Fn. Suec. III. p. 294.* — Germania.
  ♂ *niger* Marsh. *Ent. Brit. p. 297.* — Anglia.
tener Stierl. *Mon. p. 265.* — Pedemont.
tenuicornis Miller. *Verh. zool. bot. Ver. Wien. 1870. p. 219.* — Styria.
teretirostris Stierl. *Berl. Zeit. 1866. p. 131.* — Alpes marit.
teter Gredler. *Käf. Tirol. II. 1866. p. 334.* — Tirolis.
thracicus Stierl. *Mon. p. 158.* — Dej. *Cat. 3. ed. p. 293.* — Turcia.
tomentifer Bohem. *Schh. Gen. Curc. VII. 1. p. 321.* — Stierl. *Mon. p. 310.* — Tauria.
  confinis Chevrol. *in litt.* — Sibiria.
  hadrotrichus Kolenati *in litt.* — Caucasus.
tomentosus Gylh. *Schh. Gen. Curc. II. p. 610.* — Dej. *Cat. 3. ed. p. 293.* — Stierl. *Mon. p. 296.* — Gallia mer.
  var. *convexicollis* Schönh. *in litt.* — Aegyptus.
  „ { *juvencus* Gylh. *l. c. p. 609.* — Dej. *Cat. l. c.* — Italia.
  „ { *lanuginosus* Dej. *Cat. l. c.* — „
  „ { *pannomitanus* Germ. *in litt.* — Hercynia.
  „ { *vellicatus* Germ. *Ins. Spec. nov. p. 364.* — „
transparens Fischer. *Lettre à Pander. 1821. p. 14.* — Motsch. *Bull. Mosc. 1845. I. p. 102.* — Bokharia.
transsylvanicus Stierl. *Mon. p. 320.* — Transsylvania.

trichographus Stierl. *Mon. p. 169.* Dalmatia.
tristis Scopoli. *Ent. Carn. 1763. p. 31.* German. bor.
aeneopunctatus Gylh. *Ins. Suec. III. p. 314.* Suecia.
cupreus Laich. *Verz. Tyr. Ins. I. p. 208.* Tirolis.
lugubris Gmel. *ed. Linn. 1. 4. p. 1777.* Russia.
nigrita Fabr. *Spec. Ins. I. p. 197.* — Stierl. *Mon. p. 229.* „
salicis Ström. *Nov. Act. Havn. III. p. 57. f. 5. (forte.)* Havnia.
sulcatus Payk. *Fn. Suec. III. p. 275.* Suecia.
trojanus Stierl. *Mon. p. 350.* Asia minor.
truncatellus Graëlls *Mem. Map. Geol. 1858. p. 83. t. 4. f. 12. a-b.* — Stierl. *Mon. p. 94.* Hispania.
truncatus Stierl. *Mon. p. 53.* Carniolia.
tumefactus Stierl. *Mon. p. 90.* Gallia mer.
tumidicollis Stierl. *Mon. p. 329.* Tokat.
tumidipes Stierl. *Mon. p. 269.* Carniolia.
turbatus Schönh. *Gen. Curc. II. p. 635.* Italia.
nigrita Oliv. *Ent. V. 83. p. 406. t. 26. f. 370.* „
turca Bohem. *Schh. Gen. Curc. VII. 1. p. 283.* — Stierl. *Mon. p. 215.* Turcia.
umbilicatus Stierl. *Mon. p. 291.* Sicilia.
uncinatus Germ. *Ins. Spec. nov. p. 366.* — Stierl. *Berl. Zeit. 1858. p. 296; Mon. p. 162.* Germania.
unctuosus Germ. *Ins. Spec. nov. p. 363.* — Gebl. *Dej. Cat. 3. ed. p. 293.* — Stierl. *Mon. p. 300.* Altaï.
ursus Gebl. *Bull. Acad. Petr. III. 1845. p. 104; Bull. Mosc. 1860. III. p. 28.* Songoria.
Valachiae Fuss. *Verh. Siebenb. Ver. 1868. p. 171.* Walachia.
validicornis Falderm. *Fn. transc. III. p. 194.* — Gylh. *Schh. Gen. Curc. VII. 1. p. 354.* — Stierl. *Mon. p. 124.* Persia occ.
varius Bohem. *Schh. Gen. Curc. VII. 1. p. 380.* — Stierl. *Berl. Zeit. 1858. p. 305; Mon. p. 197.* Helvetia.
vehemens Bohem. *l. c. p. 270.* — Stierl. *Mon. p. 62.* Sicilia.
var. *ticinensis* Stierl. *Berl. Zeit. 1858. p. 265.* Helvetia.
velutinus Germ. *Ins. Spec. nov. p. 361.* — Meg. *Dej. Cat. 3. ed. p. 292.* — Stierl. *Mon. p. 308.* Hungaria.
globithorax Stev. *Dej. Cat. l. c.* Sibiria.
ventralis Mars. *Abeille. V. 1868. p. 194.* Syria.
vernalis Stierl. *Mon. p. 199.* Italia.
verrucicollis Stierl. *Mon. p. 242.* Caucasus.
vestitus Gylh. *Schh. Gen. Curc. II. p. 584.* Germania.
vilis Gylh. *l. c. p. 578.* — Stierl. *Mon. p. 325.* Tauria.
vitellus Gylh. *l. c. p. 588.* — Stierl. *Mon. p. 309.* Gallia.
Zebei Stierl. *Mon. p. 122.* Serbia.
444

Axyraeus

α priv.; ξυραῖος, tonsus.

Kiesenwetter. *Berl. Ent. Zeit. 1864. p. 257.*

Kraatzi Kiesenw. *Berl. Zeit. 1864. p. 258. t. 3. f. 4. a-b.* Creta.
1

Tyloderes

τύλος, callus; δέρις, collum.

Schönherr. *Disp. meth. 1826. p. 206.*

chrysops Herbst. *Käf. VI. p. 63. t. 98. f. 13.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 388.* — Jacq. Duv. *Gen. Col. Curc. t. 16. f. 73.* — Styria.
Dejeani Bohem. *l. c. p. 390.* — „
chrysops Gylh. *Schh. l. c. II. p. 636.* — Dej. *Cat. 3. ed. p. 294.* — „
gemmatus Lec. *Entom. Report. 1857. p. 56; Ann. nat. Hist. IV. 1869. p. 381.* — Lacord. *Gen. Col. VI. 1863. p. 159. note 1.* — Oregon.
Megerlei Fabr. *Syst. El. II. p. 521.* — Germ. *Fn. Ins. Eur. 18. 15.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 389.* — Styria.
nebulosus Motsch. *Etud. ent. IX. 1860. p. 20.* — Japonia.
spinosus Boisd. *Voy. Astrol. II. 1835. p. 403.* — Nov. Holland.
6

Troglorrhynchus

τρώγλη, caverna; ῥύγχος, rostrum.

Schmidt. *Verhandl. zool. bot. Ver. Wien. IV. 1854. p. 25.*

anophthalmus Schmidt. *Verh. zool. bot. Ver. Wien. IV. p. 25. t. 3. f. 1-3.* — Carniolia.
camaldulensis Rottenberg. *Berl. Zeit. 1870. p. 40.* — Camaldoli.
Grenieri Allard. *Abeille. V. 1869. p. 472.* — Corsica.
Martini Fairm. *Ann. Fr. 1862. p. 555.* — Bellevoye. *Ann. Fr. 1863. t. 3. f. 8.* — Pyrenaei.
terricola Linder. *Cat. Grenier. 1863. p. 109; Ann. Fr. 1863. p. 484. t. 9. f. 6.* — „
Spec. innom. Mahler. *Sitzbg. zool. bot. Ver. Wien. VI. p. 11.* — Lacord. *Gen. Col. VI. 1863. p. 160. note 1.* — Carniolia.
6

Hyphantus

ὑφαντός, textus.

Germar. *Ins. Spec. nov. 1824. p. 334.*

baccifer Germ. *Ins. Spec. nov. p. 335. t. 1. f. 10.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 408.* — Brasilia.
interruptus Dej. *Cat. 3. ed. p. 294.* — „
sulcifrons Bohem. *l. c. p. 410.* — „
verrucifer Bohem. *l. c. p. 409.* — „
3

Stomodes

στομώδης, ore amplo.

Schönherr. *Disp. meth. 1826. p. 188.*

gyrosicollis Bohem *Schh. Gen. Curc. VII. 1. p. 146.* — Dalmatia.

Jacq. Duv. *Gen. Col. Curc. t. 14. f. 67.* — Stierl. *Mon. p. 332.* — Seidl. *Berl. Zeit. 1868. p. 25. (Beiheft.)*
puncticollis Tournier. *Mittheil. schwz. ent. Ges. nr. 8. 1864. p. 268.* Sicilia.
Schaufussi Mill. *Wien. ent. Monatschr. VII. 1863. p. 31.* — Seidl. *l. c. p. 25.* Dalmatia.
tolutarius Bohem. *Schh. Gen. Curc. II. p. 611.* Tauria.
4

Agraphus

ἄγραφος, non scriptus.

Schönherr. *Gen. Curc. II. 1834. p. 640.*

Peritelus Say.

bellicus Say. *Descr. of Curc. 1831. p. 13; Compl. Works. I. p. 274.* Florida.
leucophaeus Gylh. *Schh. Gen. Curc. II. p. 641.* — Dej. *Cat. 3. ed. p. 294.* „
1

Calyptops

καλυπτὸς, occultus; ὤψ, vultus.

Schönherr. *Gen. Curc. V. 1840. p. 890.*

granosa Bohem. *Schh. Gen. Curc. V. p. 891.* — Lacord. *Gen. Atl. VII. t. 64. f. 3. a.* Cap bon. spei
scapulata Schönh. *in litt.* „
1

Sciobius

σκιὰ, umbra; βιόω, vivo.

Schönherr. *Disp. meth. 1826. p. 197.*

aciculatifrons Bohem. *Schh. Gen. Curc. VII. 1. p. 198.* Cap bon. spei.
bistrigicollis Bohem. *l. c. p. 202.* „
cinctus Bohem. *l. c. p. 196.* „
deplanatus Bohem. *l. c. p. 201.* „
granipennis Bohem. *l. c. p. 200.* „
griseus Gylh. *Schh. l. c. II. p. 536.* — Klug. *Dej. Cat. 3. ed. p. 290.* „
globulipennis Dej. *l. c.* „
impressicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 199.* „
lateralis Bohem. *l. c. p. 201.* „
muricatus Bohem. *l. c. p. 193.* „
Paivanus Wollast. *Ann. nat. Hist. 1862. p. 22.* — Paiva. *Gazeta medica de Lisboa. 1862. nr. 11; Rev. Zool. 1862. p. 362.* Angola.
porcatus Gylh. *Schh. Gen. Curc. II. p. 535.* Cap bon. spei.
pullus Sparrm. *Act. Holm. 1785. I. p. 56. t. 3. f. 38.* — Gylh. *Schh. Gen. Curc. II. p. 537.* „

scapularis Bohem. *Schh. Gen. Curc. VII. 1. p. 195.* Caffraria.
squamulosus Bohem. *l. c. p. 194.* Cap bon. spei.
subnodosus Wollast. *Ann. nat. Hist. IV. 1869. p. 416.* St. Helena.
tottus Sparrm. *Act. Holm. 1785. I. p. 50. t. 2. f. 21.* — Gylh. *Schh. Gen. Curc. II. p. 535.* Cap bon. spei.
varius Bohem. *Schh. l. c. VII. 1. p. 197.* „
Wahlbergi Bohem. *l. c. VIII. 2. p. 438.* Port Natal.
18

Systates

συστάτης, socius.

Gerstäcker. *Wiegm. Arch. XXXVII. 1871. I. p. 71.*

amoenulus Gerstäck. *Wiegm. Arch. 1871. I. p. 72.* Ins. Zanzibar.
amplicollis Gerstäck. *l. c. p. 71.* Endara.
hirtus Gerstäck. *l. c. p. 72.* Mombas.
hystrix Gerstäck. *l. c. p. 72.* „
pollinosus Gerstäck. *l. c. p. 71.* „
seminudus Gerstäck. *l. c. p. 71.* Endara.
6

Phlyctinus

φλυκτὶς, pustula.

Schönherr. *Disp. meth. 1826. p. 196.*

callosus Bohem. *Schh. Gen. Curc. II. p. 523.* Cap bon. spei.
crenatus Dej. *Cat. 3. ed. p. 290.* „
tottus var. *2.* Sparrm. *Act. Holm. 1785. p. 20.* „
1

Pyctoderes

πυκτὸς, plicatus; δέρις, collum.

Schönherr. *Disp. meth. 1826. p. 194.*

albomixtus Bohem. *Schh. Gen. Curc. VII. 1. p. 161.* Cap bon. spei.
egenus Bohem. *l. c. p. 162.* „
gallina Sparrm. *Act. Holm. 1785. 1. p. 56. t. 3. f. 37.* — Oliv. *Encycl. meth. V. p. 270.* — Bohem. *l. c. p. 525.* „
pleuroleucus Wiedm. *Zool. Mag. II. 1. p. 127.* „
inaequalis Bohem. *Schh. Gen. Curc. VII. 1. p. 159.* „
lateralis Boisd. *Voy. Astrol. II. p. 367.* Nov. Holland.
monstrosus Bohem. *l. c. II. p. 522.* — Dej. *Cat. 3. ed. p. 290.* Cap bon. spei.
murinus Bohem. *l. c. VII. 1. p. 162.* „
plicatus Gerstäck. *Wiegm. Arch. 1871. I. p. 71.* Moschi.
8

Porpacus

πόρπαξ, fibula.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 106.*

cornirostris Bohem. *Schh. Gen. Curc. VII. 1. p. 108.* Cap bon. spei

horridus Bohem. *Schh. Gen. Curc. VII. 1. p. 107.* — Lacord. *Gen. Atl. VII. t. 64. f. 4. a-b.* Caffraria.
2

Piezoderes

πιέζω, comprimo; δέρις, collum.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 167.*

Winthemi Bohem. *Schh. Gen. Curc. VII. 1. p. 168.* Cap bon. spei.
1

Hadrorrhinus

ἁδρός, fortis; ῥίν, nasus.

Schönherr. *Gen. Curc. II. 1834. p. 479.*

lepidopterus Gylh. *Schh. Gen. Curc. II. p. 480.* Cap bon. spei.
squamosus Bohem. *l. c. VII. 1. p. 103.* „
2

Chaunoderus

χαῦνος, inflatus; δέρη, collum.

Gerstäcker. *Wiegm. Arch. XXXVII. 1871. I. p. 70.*

stupidus Gerstäck. *Wiegm. Arch. 1871. I. p. 70.* Endara.
1

Catalalus

κατάλαλος, maledicus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 99.*

madagascariensis Bohem. *Schh. Gen. Curc. VII. 1. p. 100.* Madagascar.
obscurus Germ. *Linn. ent. III. 1848. p. 218.* — Lacord. *Gen. Col. VI. 1863. p. 169. note 3.* Adelaida.
2

Embrithes

ἐμβρίθης, gravis.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 392.*

agnatus Bohem. *Schh. Gen. Curc. VII. 1. p. 393.* — Lacord. *Gen. Atl. VII. t. 64. f. 5. a.* Caffraria.
albulus Bohem. *l. c. p. 395.* „
muscosus Gerstäck. *Wiegm. Arch. 1871. I. p. 71.* Lac Jipe.
obesus Bohem. *l. c. p. 394.* Caffraria.
4

Cycliscus

κύκλισκος, circulus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 185.*

coccicollis Bohem. *Schönh. Gen. Curc. VII. 1. p. 188.*	Caffraria.
flavulus Bohem. *l. c. p. 189.*	Cap bon. spei.
plicicollis Bohem. *l. c. p. 187.*	Caffraria.
rugicollis Bohem. *l. c. p. 186.*	„
vulneratus Bohem. *l. c. p. 188.*	„
5	

Lalagetes

λαλαγήτης, nugator.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 125.*

setosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 436.*	Caffraria.
squamulatus Bohem. *l. c. VII. 1. p. 126.*	Cap bon. spei.
subfaciatus Bohem. *l. c. p. 125.*	„
variegatus Bohem. *l. c. VIII. 2. p. 437.*	Port Natal.
4	

Oosomus

ᾠόν, ovum; σῶμα, corpus.

Schönherr. *Disp. meth. 1826. p. 195.*

hariolus Bohem. *Schh. Gen. Curc. II. p. 525.*	Cap bon. spei.
metallescens Bohem. *l. c. VII. 1. p. 163.*	Caffraria.
oblongus Bohem. *l. c. p. 166.*	„
pauper Bohem. *l. c. p. 165.*	Cap bon. spei.
testatus Bohem. *l. c. II. p. 526.*	„
varius Bohem. *l. c. VII. 1. p. 164.*	„
6	

Ellimenistes

ἐλλιμενιστής, portitor.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 174.*

bidentatus Bohem. *Schh. Gen. Curc. VII. 1. p. 176.*	Cap bon. spei.
clitellarius Bohem. *l. c. p. 182.*	„
cornutus Bohem. *l. c. p. 177.*	Caffraria.
costicollis Bohem. *l. c. p. 184.*	Cap bon. spei.
pilifer Bohem. *l. c. p. 182.*	Caffraria.
pulvinaticollis Bohem. *l. c. p. 176.*	Cap bon. spei.
rusticus Bohem. *l. c. p. 178.*	„
serichispidus Bohem. *l. c. p. 180.*	„
squamifer Bohem. *l. c. p. 181.*	„
trivialis Bohem. *l. c. p. 183.*	„
vecors Bohem. *l. c. p. 179.*	Caffraria.
11	

Sphrigodes

σφριγώδης, vegetus.

Gerstäcker. *Wiegm. Arch. XXXVII. 1871. 1. p. 70.*

margaritaceus Gerstäck. *Wiegm. Arch. 1871. I. p. 70.* Endara.
1

Cosmorrhinus

κόσμος, ornamentum; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 196.*

cervinus Bohem. *Schh. Gen. Curc. VII. 1. p. 169.* Caffraria.
cristatus Bohem. *l. c. II. p. 521.* — Billbg. *Dej. Cat. 3. ed. p. 290.* Cap bon. spei.
cristirostris Schönh. *Disp. meth. p. 197.* „
2

Sympiezorrhynchus

συμπιέζω, comprimo; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 170.*

camelus Bohem. *Schh. Gen. Curc. VII. 1. p. 171.* — Lacord. *Gen. Atl. VII. t. 64. f. 6 et 7.* Cap bon. spei.
inafectatus Bohem. *l. c. p. 172.* „
signatus Bohem. *l. c. p. 173.* „
3

Episomus

ἐπίσωμος, corpulentus.

Schönherr. *Disp. meth. 1826. p. 185.*

arrogans Bohem. *Schh. Gen. Curc. VII. 1. p. 90.* Bombay.
clathratus Bohem. *l. c. p. 89.* — Dej. *Cat. 3. ed. p. 289.* Pondichery.
figulus Bohem. *l. c. II. p. 476.* Bengal.
guttatus Bohem. *l. VIII. 2. p. 435.* Assam.
lacerta Fabr. *Spec. Ins. 1. p. 190.* — Oliv. *Ent. V. 83. p. 354. t. 6. f. 68; t. 12. f. 148.* — Bohem. *Schh. Gen. Curc. II. p. 476.* Java.
crenatus Dej. *Cat. 3. ed. p. 289.* „
var. *avarus* Fabr. *Syst. El. II. p. 510.* „
lentus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 263.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 94.* Luzon.
lateralis Eydoux. *Rev. Zool. 1839. p. 266.* — Bohem. *l. c. p. 93.* Manilla.
montanus Guér. *Voy. Deless. 1843. p. 52.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 88.* Nilgheria.
nubeculosus Bohem. *l. c. p. 92.* India or.
var. *crenatus* Guérin *in litt.* „

socors Java

pauperatus Fabr. *Syst. El. II. p. 509.* — Gylh. *Schh. Gen. Curc. II. p. 475.* — Java.
var. *chlorostigma* Wiedem. *Zool. Mag. I. 3. p. 177.* — Gylh. *l. c.* — „
platina Sparrm. *Act. Holm. 1785. p. 55. t. 3. f. 36.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 91.* — Cap bon. spei.
nigrolineatus Wiedem. *Zool. Mag. II. 1. p. 125.* — Java.
stellio Snellen. *Tijdschr. v. Entom. 1864. p. 169. t. 12. f. 5.* — Sumatra.
sulcipennis Thoms. *Arch. ent. II. p. 129.* — Lacord. *Gen. Col. VI. 1863. p. 176. note 1.* — Gabon.
turritus Lacord. *l. c.* — Chevrol. *in collect.* — Shangai.
13

Simallus

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 420.*

sulcicollis Pascoe. *Journ. of Ent. II. 1865. p. 420. t. 17. f. 8.* — Burmah.
1

Zyrcosa

Etym. null.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 438.*

Murrayi Pascoe. *Journ. Linn. Soc. X. 1870. p. 439. t. 17. f. 7. a-c.* — Old Calabar.
1

Platyomicus

Platyomus; εἰκών, imago.

Thomson. *Arch. ent. II. 1858. p. 126.*

Episomus Schönh. *(pars.)*

echinus Fabr. *Syst. El. II. p. 519.* — Bohem. *Schh. Gen. Curc. II. p. 477.* — Guinea.
sulcicollis Thoms. *Arch. ent. II. p. 127.* — Gabon.
punctipennis Thoms. *l. c.* — „
2

Syntaphocerus

σύνταφος, consepultus; κέρας, cornu.

Thomson. *Archiv. ent. II. 1858. p. 128.*

hispidulus Thoms. *Arch. ent. II. p. 128.* — Gabon.
1

Isaniris

Nomen propr.

Thomson. *Arch. ent. II. 1858. p. 129.*

costulatus Thoms. *Arch. ent. II. p. 130.* Gabon.
viridimicans Thoms. *l. c.* „
2

Caterictus

κατέρειϰτος, fractus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 401. (emend.)*

Caterectus Schönh.

granicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 402.* Caffraria.
insularis Bohem. *l. c. p. 403.* Pulo Penang.
2

Holcorrhinus

ὁλϰός, sulcus; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 194.*

Cyclomaurus Fairmaire. — *Nastus* Lucas.

Otiorhynchiden. Seidlitz. *Berl. Ent. Zeit. 1868. p. 6 et 9. (Beiheft.)*

armipes Seidl. *Otiorh. p. 11.* Oran.
costulatus Fairm. *Ann. Fr. 1866. p. 64.* Algeria.
cyrtus Fairm. *l. c.* „
metallescens Luc. *Expl. Alg. 1849. p. 434. t. 36. f. 10. a-d.* — Fairm. *Ann. Fr. 1866. p. 63.* — Seidl. *Otiorh. p. 10.* Constantine.
parvicollis Seidl. *Otiorh. p. 8.* Algeria.
var. *siculus* Seidlitz. *l. c.* Sicilia.
piceus Allard. *Berl. Zeit. 1869. p. 324.* Constantine.
pilosulus Chevrol. *Rev. Zool. 1860. p. 450.* — Fairm. *Ann. Fr. 1866. p. 63.* — Seidl. *Otiorh. p. 9.* Algeria.
punctatus Allard. *Berl. Zeit. 1869. p. 325.* Constantine.
pygmaeus Seidl. *Otiorh. p. 8.* Algeria.
querulus Bohem. *Schh. Gen. Curc. II. p. 520.* — Fairm. *Ann. Fr. 1866. p. 62.* — Seidl. *Otiorh. p. 7.* „
seriehispidus Bohem. *Schh. Gen. Curc. II. p. 519.* — Fairm. *Ann. Fr. 1866. p. 63.* — Seidl. *Otiorh. p. 7.* „
♂ *albomarginatus* Luc. *Expl. Alg. p. 435. t. 37. f. 2. a-d; Rev. Zool. 1855. p. 292.* „
♀ *albopunctatus* Luc. *Expl. Alg. p. 434. t. 37. f. 1. a-c.* „
velutinus Fairm. *Ann. Fr. 1860. Bull. p. 31; 1866. p. 65.* — Seidl. *Otiorh. p. 10.* Oran.
12

Periprotus

περίβρωτος, arrosus.

Gerstäcker. *Wiegm. Arch. XXXVII. 1871. I. p. 72.*

pustulosus Gerstäck. *Wiegm. Arch. 1871. I. p. 72.* — Mombas.

1

Nastus

ναστός, spissus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 405.*

Goryi Bohem. *Schh. Gen. Curc. VII. 1. p. 406.* — Parreyss. *Dej. Cat. 3. ed. p. 284.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 21. f. 98.* — Tauria.

humatus Germ. *Ins. Spec. nov. p. 354.* — Bohem. *l. c. p. 407.* — Caucasus.

2

Mylacus = Omias

μύλαξ, lapis molaris.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 144.*

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 11 (Beiheft).*

armatus Seidl. *Otiorh. p. 20.* — Bosporus.

globosus Gylh. *Schh. Gen. Curc. II. p. 499.* — Stev. *Dej. Cat. 3. ed. p. 290.* — Seidl. *Otiorh. p. 18.* — Tauria.

globulus Bohem. *Schh. Gen. Curc. VII. 1. p. 153.* — Seidl. *Otiorh. p. 14.* — Hungaria.

glomulus Schönh. *Ménétr. Cat. rais. 1832. p. 219.* — Bohem. *Schh. Gen. Curc. II. p. 498.* — Seidl. *Otiorh. p. 19.* — Caucasus.

♀ *glomeratus* Bohem. *l. c.* — Tauria.

haematopus Rosenh. *Thier. Andal. 1856. p. 261.* — Seidl. *Otiorh. p. 16.* — Tirolis.

indutus Kiesenw. *Berl. Zeit. 1864. p. 259.* — Seidl. *Otiorh. p. 21.* — Creta.

murinus Bohem. *Schh. Gen. Curc. VII. 1. p. 145.* — Seidl. *Otiorh. p. 14.* — Sibiria.

var. *sphaericus* Bohem. *l. c. p. 128.* — Russia mer.

„ *vestitus* Bohem. *l. c. p. 129.* — Mare caspic.

pustulatus Seidl. *Otiorh. p. 17.* — Turcia.

rhinolophus Seidl. *Otiorh. p. 22.* — Andalusia.

rotundatus Fabr. *Ent. Syst. I. 2. p. 473.* — Herbst. *Käf. VI. p. 355. t. 87. f. 15.* — Bohem. *Schh. Gen. Curc. II. p. 500.* — Lacord. *Gen. Col. VI. p. 186. note 1.* — Seidl. *Otiorh. p. 15.* — M.

ovatus Oliv. *Ent. V. 83. p. 421. t. 25. f. 352.* — Podolia.

puberulus Stev. *Mus. Mosq. II. p. 94.* — Bohem. *l. c. p. 502.* — Tauria.

seminulum Fabr. *Ent. Syst. I. 2. p. 470.* — Bohem. *Schh. Gen. Curc. II. p. 497.* — Seidl. *Otiorh. p. 18.* — Germania.
globosus Sturm. *Cat. 1826. p. 176.* — Hungaria.
globulus Oliv. *Ent. V. 83. p. 421. t. 35. f. 545.* — „
scutellaris Meg. *Dej. Cat. 3. ed. p. 290.* — Transsylvania.
suturalis Meg. *in litt.* — „
turcicus Seidl. *Otiorh. p. 21.* — Turcia as.
verruca Stev. *Mus. Mosq. II. p. 94.* — Bohem. *Schh. Gen. Curc. II. p. 501.* — Seidl. *Otiorh. p. 16.* — Tauria.
13

Caenopsis

καινὸς, insuetus; ὄψις, facies.

Bach. *Käf. Fn. II. 1854. p. 268.*

Cataphorticus Jacquelin Duval.

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 33. (Beiheft.)*

fissirostris Walton. *Ann. nat. Hist. XIX. 1847. p. 452.* — Seidl. *Otiorh. p. 34.* — Anglia.
Bachi Bach. *Käf. Fn. II. p. 259.* — German. occ.
Larraldi Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. p. 140.* — Seidl. *Otiorh. p. 34.* — Gallia mer.
Waltoni Bohem. *Schh. Gen. Curc. VII. 1. p. 115.* — Wollast. *Ann. nat. Hist. 1862. p. 335.* — Seidl. *Otiorh. p. 35.* — Anglia.
ventricosus Steph. *in litt.* — Madera.
3

Parameira

παρὰ, juxta; Meira.

Seidlitz. *Berl. Ent. Zeit. 1868. p. 26. (Beiheft.)*

rudis Bohem. *Schh. Gen. Curc. VII. 1. p. 147.* — Stierl. *Mon. p. 333.* — Seidl. *Otiorh. p. 26.* — Turcia.
hispidus Stierl. *Mon. p. 163.* — „
setosa Seidl. *Otiorh. p. 27.* — „
2

Peritelus

περὶ, circum; τέλος, finis.

Germar. *Ins. Spec. nov. 1824. p. 407.*

Centricnemus Steven. — *Gymnomorphus* Seidlitz. — *Leptosphaerotus* Seidl. — *Meira* Jacq. Duv. — *Pedanus* Schönh. *olim.*

Monogr. Seidlitz. *Berl. Ent. Zeit. 1865. p. 271. t. 4.*
Otiorh. Seidlitz. *l. c. 1868. p. 28. (Beiheft.)*

adusticornis Kiesenw. *Ann. Fr. 1851. p. 635.* — Seidl. *Mon. p. 323.* — Mont Serrat.

aquilus Chevrol. *Rev. Zool. 1860. p. 134.* — Stierl. *Mon. p. 131; Berl. Zeit. 1862. p. 372.* — Seidl. *Mon. p. 551.* — Algeria.
furinus Chevrol. *l. c. p. 135.* — Stierl. *Mon. p. 131; Berl. Zeit. l. c.* — „
gracilis Chevrol. *l. c. 1861. p. 121.* — „

astragali Stierl. *Mon. p. 130.* — Seidl. *Mon p. 346.* — Sardinia.
corsicus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 347.* — Corsica.
crassicornis Jacq. Duv. *Ann. Fr. 1852. p. 713; Gen. Curc. t. 14. f. 65.* — Seidl. *Otiorh. p. 29.* — Gallia mer.
Cremieri Bohem. *Schh. Gen. Curc. VII. 1. p. 363.* — Stierl. *Mon. p. 132.* — Seidl. *Mon. p. 389.* — Italia.
echidna Seidl. *Mon. p. 329.* — Toscana.
exiguus Stierl. *Mon. p. 133.* — Seidl. *Otiorh. p. 31.* — Sicilia.
familiaris Bohem. *Schh. Gen. Curc. II. p. 514.* — Seidl. *Mon. p. 300.* — Hungaria.
famularis Gylh. *Schh. l. c.* — Tauria.
sphaeroides Creutz. *i. litt.* — Serbia.

Gougeleti Seidl. *Mon. p. 334.* — Malaga.
hispanus Chevrol. *Rev. Zool. 1866. p. 105.* — Cordova.

Grenieri Seidl. *Mon. p. 332.* — Gallia.
griseus Oliv. *Ent. V. 83. p. 358. t. 31. f. 475.* — Bohem. *Schh. Gen. Curc. II. p. 512.* — Jacq. Duv. *Gen. Col. Curc. t. 15. f. 68.* — Seidl. *Mon. p. 303.* — M.
dissimilis Sturm. *Dej. Cat. 3. ed. p. 290.* — Germania.
inquinatus Illig. *in litt.* — Gallia.
{*sphaeroides* Germ. *Ins. Spec. nov. p. 408.* — Hungaria.
{*hemisphaericus* Sturm. *Cat. 1826. p. 176.* — „

hirticornis Herbst. *Käf. VI. p. 327. t. 85. f. 14.* — Stierl. *Berl. Zeit. 1858. p. 290; Mon. p. 132.* — Seidl. *Mon. p. 343.* — M.
chrysoleucus Stentz *in litt.* — Tirolis.
simo Oliv. *Ent. V. 83. p. 361. t. 31. f. 472.* — Gallia.
♀ *depubes* Bohem. *Schh. Gen. Curc. VII. 1. p. 361.* — Stierl. *Berl. Zeit. 1858. p. 292.* — Helvetia.
variegatus Bohem. *l. c. p. 360.* — Stierl. *l. c. p. 291.* — Lombardia.

insularis Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 346.* — Ajaccio.
intersetosus Chevrol. *Rev. Zool. 1860. p. 80.* — Stierl. *Mon. p. 135.* — Seidl. *Mon. p. 353.* — Algeria.
Kiesenwetteri Seidl. *Mon. p. 322.* — Andalusia.
Kraatzi Tourn. *Mittheil. schwz. ent. Ges. nr. 8. 1864. p. 268.* — Sicilia.
latiscrobs Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 346.* — Ajaccio.
leptosphaeroides Seidl. *Otiorh. p. 32.* — Algeria.
leucogrammus Germ. *Ins. Spec. nov. p. 408.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 152.* — Seidl. *Mon. p. 292.* — † Frauenf. *Verh. zool. bot. Ver. Wien. 1861. p. 169.* — German. bor.
albolineatus Dej. *Cat. 1. ed. p. 96.* — „
albovittatus Dahl. *Dej. Cat. 3. ed. p. 290.* — Hungaria.

{*fuscipes* Meg. *Dej. Cat. 3. ed. l. c.* Germania.
{*lithargyreus* Gyssel. *Dej. Cat. l. c.* Meg. *Sturm. Cat. 1826. p. 176.* „
lanuginosus Creutz. *Sturm. Cat. 1826. p. 202.* Germania.
sublineatus Gyssel. *Dej. Cat. 3. ed. l. c.* „
microphthalmus Seidl. *Otiorh. p. 32.* Sicilia.
mononychus Seidl. *Mon. p. 347.* Catalonia.
muricatus Chevrol. *Rev. Zool. 1860. p. 78.* Algeria.
muscorum Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 347.* Ajaccio.
necessarius Gylh. *Schh. Gen. Curc. II. p. 513.* — Seidl. *Mon. p. 313.* Gallia.
nigrans Fairm. *Ann. Fr. 1862. p. 555.* — Seidl. *Mon. p. 349.* Gallia mer
noxius Bohem. *Schh. Gen. Curc. II. p. 515.* — Seidl. *Mon. p. 308.* Italia.
ericeti Dahl *in litt.* „
parvulus Seidl. *Mon. p. 327.* „
Pfisteri Stierl. *Berl. Zeit. 1864. p. 150.* — Seidl. *Otiorh. p. 31.* Sicilia.
planidorsis Seidl. *Mon. p. 341.* Gallia mer.
platysomus Seidl. *Mon. p. 329.* „
prolixus Kiesenw. *Ann. Fr. 1851. p. 636.* — Seidl. *Mon. p. 315.* Pyrenaei.
rudis Bohem. *Schh. Gen. Curc. VII. 1. p. 152.* Etruria.
{*Brucki* Seidl. *Mon. p. 325.* „
{*palustris* Dahl *in litt.* „
ruficornis Brisout. *Cat. Grenier. 1863. p. 106.* — Seidl. *Mon. p. 310.* Gallia.
pyrenaeus Kraatz *in litt.* Pyrenaei.
rusticus Bohem. *Schh. Gen. Curc. VII. 1. p. 148.* — Seidl. *Mon. p. 320.* Gallia.
oblongus Dej. *Cat. 3. ed. p. 290.* „
Schönherri Bohem. *Schh. Gen. Curc. VII. 1. p. 149.* — Stierl. *Berl. Zeit. 1858. p. 362.* — Seidl. *Mon. p. 338.* Gallia mer.
sellatus Bohem. *Res. Eugen. 1859. p. 126.* California.
senex Bohem. *Schh. Gen. Curc. II. p. 516.* — Dej. *Cat. 3. ed. p. 290.* — Seidl. *Mon. p. 295.* Gallia mer.
sentinus Schönh. *in litt.* „
sphaeroides Dej. *Cat. 1. ed. p. 96.* „
var. *Marqueti* Gautier. *Ann. Fr. 1857. Bull. p. 136.* „
setulifer Bohem. *Schh. Gen. Curc. VII. 1. p. 151.* — Lacord. *Gen. Col. VI. 1863. p. 184. note 1.* Cap bon. spei.
sinuatus Chevrol. *Rev. Zool. 1860. p. 79.* — Seidl. *Mon. p. 335.* Algeria.
squamulatus Reiche. *Ann. Fr. 1862. p. 297.* — Seidl. *Otiorh. p. 28.* Corsica.
subdepressus Muls. et Rey. *Opusc. ent. IX. 1859. p. 19.* — Seidl. *Mon. p. 318 et 354.* Gallia mer.
flavipennis Jacq. Duv. *Ann. Fr. 1852. p. 713.* „
var. *siculus* Seidl. *l. c.* Sicilia.
Susanae Seidl. *Mon. p. 298.* Andalusia.

suturellus Fairm. *Ann. Fr. 1859. p. 59.* — Seidl. *Otiorh. p. 30* Hyères.
elongatulus Fairm. *l. c. Bull. p. 104.* Pyrenaei.
minimus Stierl. *Mon. p. 134.* Sardinia.
trivialis Bohem. *Schh. Gen. Curc. VII. 1. p. 150.* Caffraria.
45

Omias

ὠμίας, humeris latis.

Schönherr. *Disp. meth. 1826. p. 190.*

Paurosomus Steven. — *Platymetopon* Megerle.

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 50. (Beiheft.)*

concinnus Bohem. *Schh. Gen. Curc. II. p. 508.* — Seidl. *Otiorh. p. 57.* Gallia mer.
mandibularis Chevrol. *Cat. Gren. 1863. p. 106.* „
Marqueti Gautier. *Ann. Fr. 1863. p. 489.* „
oblongus Bohem. *l. c. VII. 1. p. 141.* „
Raymondi Gautier. *l. c. 1861. p. 98.* Hyères.
parvulus Bohem. *l. c. II. p. 509.* Illyria.
sericeus Bohem. *l. c. VII. 1. p. 139.* „
crinitus Redtenb. *Hüg. Kaschm. IV. 2. p. 547.* Kaschmir.
cypricus Seidl. *Otiorh. p. 56.* Cyprus.
elongatus Hochh. *Bull. Mosc. 1847. II. p. 503.* Armenia.
forticornis Bohem. *Schh. Gen. Curc. VII. 1. p. 142.* — Seidl. *Otiorh. p. 60.* Germania.
gracilipes Bohem. *l. c. II. p. 505.* „
rugicollis Bohem. *l. c. VII. 1. p. 131.* „
validicornis Märkel. *Germ. Zeitschr. V. p. 250.* „
gracilipes Panz. *Fn. Germ. 57. 18.* „
Hanaki Frivald. *A'Királyi magyar. 1865. p. 205. t. 11. f. 7.* — Seidl. *Otiorh. p. 53.* Hungaria.
illotus Hochh. *Bull. Mosc. 1847. II. p. 502.* Caucasus.
inflatus Kolen. *Bull. Mosc. 1858. IV. p. 421.* „
interruptopunctatus Ménétr. *Mém. Ac. Petr. VI. 1849. p. 260.* Baschkiria.
lepidotus Perris. *Ann. Fr. 1866. p. 190.* Bona.
metallescens Seidl. *Otiorh. p. 57.* Sicilia.
micans Seidl. *Otiorh. p. 55.* Gallia mer.
mollinus Bohem. *Schh. Gen. Curc. II. p. 504.* — Seidl. *Otiorh. p. 59.* Germania.
Bohemani Zetterst. *Ins. Lapp. 1. p. 188.* — Bohem. *l. c. VII. 1. p. 130.* Lapponia.
nitidus Bohem. *l. c. p. 138.* — Seidl. *Otiorh. p. 55.* Tauria.
rufipes Bohem. *l. c. II. p. 500.* — Seidl. *Otiorh. p. 54.* Volhynia.
rugifrons Hochh. *Bull. Mosc. 1851. I. p. 52.* Crimea.
scabripennis Ménétr. *Mém. Ac. Petr. VI. p. 261.* Turcomania.
strigifrons Gylh. *Schh. Gen. Curc. II. p. 503.* — Seidl. *Otiorh. p. 59.* Tauria.
tessellatus Brullé. *Webb et Berth. Ins. Can. 1838. p. 72. t. 1. f. 15.* Canariae.
trichopterus Gautier. *Ann. Fr. 1863. p. 490.* Gallia.
21

Barypithes

βαρὺς, gravis; πείθω, moveo.

Jacquelin Duval. *Gen. Col. Curc. 1855. p. 13. (emend.)*

Barypeithes Jacq. Duv.

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 62. (Beiheft.)*

araneiformis Schrank. *Enum. Ins. 1781. p. 125.* — M.
brunnipes Oliv. *Ent. V. 1807. 83. p. 384. t. 35. f. 551.* — Bohem. *Schh. Gen. Curc. II. p. 506.* — Jacq. Duv. *Gen. Curc. t. 14. f. 66.* — Seidl. *Otiorh. p. 73.* — Gallia.
♂ *ebeninus* Bohem. *l. c. VII. 1. p. 137.* — Gallia bor.
gracilis Beck. *Beitr. baier. Ins. 1817. p. 25. t. 7. f. 38.* — Bavaria.
piceus Marsh. *Ent. Brit. 1802. p. 305.* — Anglia.
var. *pyrenaeus* Seidlitz. *l. c.* — Pyrenaei.
Chevrolati Bohem. *Schh. Gen. Curc. VII. 1. p. 135.* — Seidl. *Otiorh. p. 67.* — M.
♀ *ruficollis* Bohem. *l. c. II. p. 503.* — Austria.
♀ *subnitidus* Bohem. *l. c. VII. 1. p. 136.* — Dalmatia.
cinerascens Rosenh. *Thier. Andal. 1856. p. 260.* — Seidl. *Otiorh. p. 79.* — Andalusia.
Companyoi Bohem. *Schh. Gen. Curc. VII. 1. p. 141.* — Seidl. *Otiorh. p. 72.* — Pyrenaei.
curvimanus Jacq. Duv. *Gen. Col. Curc. 1855. p. 35. not. 1.* — Seidl. *Otiorh. p. 71.* — Gallia mer.
globus Seidl. *Otiorh. p. 65.* — Transsylvania.
var. *sphaeroides* Seidl. *l. c.* — „
indigens Bohem. *Schh. Gen. Curc. II. p. 508.* — Seidl. *Otiorh. p. 76.* — Lusitania.
mollicomus Ahrens. *N. Schrift. nat. Ges. Hall. II. 2. 1812. p. 17. t. 1. f. 8.* — Bohem. *Schh. Gen. Curc. II. p. 506.* — Seidl. *Otiorh. p. 75.* — M.
holosericeus Fabr. *Syst. El. II. p. 526. (forte.)* — Germania.
punctirostris Bohem. *l. c. VII. 1. p. 134.* — „
ruficollis Fabr. *Mant. I. p. 116. (forte.)* — Italia.
montanus Chevrol. *Cat. Gren. 1863. p. 105.* — Seidl. *Otiorh. p. 69.* — Mons Pilat.
pellucidus Bohem. *Schh. Gen. Curc. II. p. 507.* — Seidl. *Otiorh. p. 68.* — German. occ.
rutilus Chevrol. *in litt.* — Gallia.
scydmaenoides Seidl. *Otiorh. p. 72.* — Toscana.
styriacus Seidl. *Otiorh. p. 69.* — Styria.
sulcifrons Bohem. *Schh. Gen. Curc. VII. 1. p. 143.* — Seidl. *Otiorh. p. 77.* — Anglia.
meridionalis Muls. et Rey. *Opusc. ent. XIII. p. 28; Ann. Soc. Linn. Lyon. X. 1863. p. 28.* — Gallia.
rufipes Jacq. Duv. *Gen. Col. Curc. p. 13 not. 2 et p. 35. t. 10. f. 21. bis.* — Jekel. *Ann. Fr. 1855. Bull. p. 26.* — „
var. *andalusicus* Seidlitz. *l. c.* — Granada.
tenex Bohem. *Schh. Gen. Curc. VII. 1. p. 140.* — Seidl. *Otiorh. p. 76.* — Germania.
parvulus Ulrich *in litt.* — „

violatus Seidl. *Otiorh. p. 70.* — Gallia or.
trichopterus Chevrol. *i. litt.* — „
virguncula Seidl. *Otiorh. p. 66.* — Illyria.
16

Platytarsus

πλατὺς, latus; ταρσὸς, tarsus.

Schönherr. *Gen. Curc. V. 1840. p. 919.*

Brachysomus Schönh.

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 80. (Beiheft.)*

aurohirtus Seidl. *Otiorh. p. 85.* — Turcia.
aurosus Bohem. *Schh. Gen. Curc. VIII. 2. 1845. p. 404.* — Germ. *Fn. Ins. Eur. 1848. 24. 12.* — Lacord. *Gen. Col. VI. 1863. p. 52. not. 6.* — Seidl. *Otiorh. p. 83.* — Sicilia.
sulcirostris Chevrol. *Rev. Zool. 1860. p. 130.* — Algeria.
echinatus Bonsdorff. *Hist. Curc. Suec. II. 1785. p. 33. f. 22.* — Seidl. *Otiorh. p. 87.* — M.
hirsutulus Fabr. *Ent. Syst. I. 2. 1792. p. 468.* — Oliv. *Ent. V. 83. p. 863. t. 31. f. 478.* — Gylh. *Schh. Gen. Curc. II. p. 505.* — Suecia.
hispidulus Herbst. *Käf. VI. p. 354. t. 87. f. 14. (forte.)* — Germania.
scaber Müll. *Zool. Dan. Prodr. p. 86.* — Dania.
scabriculus Herbst. *Füssl. Arch. VII. p. 167. t. 45. f. 7. c-d.* — Germania.
hispidus Redtenb. *Fn. Austr. ed. 2. p. 700.* — Seidl. *Otiorh. p. 88.* — „
setiger Gylh. *Schh. Gen. Curc. V. p. 921.* — Jekel. *Ann. Fr. 1856. Bull. p. 72.* — Seidl. *Otiorh. p. 85.* — „
♀ *pruinosus* Bohem. *Schh. Gen. Curc. VII. 1. p. 133.* — Dalmatia.
setulosus Bohem. *l. c. VIII. 2. p. 400.* — Seidl. *Otiorh. p. 89.* — Helvetia.
hirtus Bohem. *l. c. p. 399.* — Gallia.
subnudus Seidl. *Otiorh. p. 88.* — Austria.
transsylvanicus Seidl. *Otiorh. p. 90.* — Transsylvania.
villosulus Germ. *Ins. Spec. nov. 1824. p. 406.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 132.* — Meg. *Dej. Cat. 3. ed. p. 290.* — Seidl. *Otiorh. p. 86.* — M.
9

Lichenophagus

λιχὴν, lichen; φάγω, edo.

Wollaston. *Ins. Mader. 1854. p. 389.*

acuminatus Wollast. *Ins. Mader. p. 391. t. 8. f. 3.* — Madera.
auctus Wollast. *Cat. Canar. Col. 1864. p. 363.* — Canariae.
var. *amplificatus* Wollast. *Col. Atlant. p. 330. note.* — Gomera.
buccatrix Wollast. *Col. Atlant. 1865. App. p. 54.* — „
fritillus Wollast. *Ins. Mader. p. 390. t. 8. f. 1.* — Madera.
impressicollis Wollast. *Cat. Canar. Col. p. 368.* — Teneriffa.
persimilis Wollast. *l. c. p. 365.* — Canariae.

sculptipennis Wollast. *Cat. Canar. Col. p. 367.* Canariae.
subnodosus Wollast. *l. c. p. 366.* „
tesserula Wollast. *l. c. p. 364.* Teneriffa.
9

Paraptochus

παρὰ, juxta; Ptochus.

Seidlitz. *Otiorh. Berl. Zeit. 1868. p. 35. not. (Beiheft.)*

californicus Seidl. *Otiorh. p. 36. not.* California.
1

Ptochus

πτωχὸς, pauper.

Schönherr. *Disp. meth. 1826. p. 188.*

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 35. (Beiheft.)*

adspersus Bohem. *Schh. Gen. Curc. II. p. 486.* — Seidl. *Otiorh. p. 41.* Amer. bor.
tessellatus Bohem. *l. c. p. 487.* — Dej. *Cat. 3. ed. p. 289.* „
bisignatus Germ. *Ins. Spec. nov. p. 410.* — Dahl. *Dej. Cat. 3. ed. p. 289.* — Bohem. *Schh. Gen. Curc. II. p. 488.* — Jacq. Duv. *Gen. Curc. p. 32. t. 13. f. 62.* — Seidl. *Otiorh. p. 44.* Hungaria.
grandicornis Stev. *Mus. Mosq. II. p. 94.* — Dej. *Cat. l. c.* Dalmatia.
inustus Stev. *Dej. Cat. l. c.* Tauria.
carinaerostris Bohem. *Schh. Gen. Curc. VII. 1. p. 105.* — Seidl. *Otiorh. p. 43.* Mongolia.
circumcinctus Bohem. *l. c. II. p. 481.* — Falderm. *Fn. transc. II. p. 201. t. 5. f. 3.* Persia.
deportatus Bohem. *l. c. II. p. 485.* — Seidl. *Otiorh. p. 38.* Sibiria.
variegatus Hochh. *Bull. Mosc. 1851. I. p. 65.* „
var. *fasciolatus* Gebl. *Ledeb. Reis. II. 3. p. 169.* „
desertus Motsch. *Bull. Acad. Petr. I. 1860. p. 312.* — Seidl. *Otiorh. p. 40.* Songoria.
fulvipes Hochh. *Bull. Mosc. 1851. I. p. 62.* Bokharia.
globiventris Lec. *Entom. Report. 1857. p. 56.* California.
lacteolus Motsch. *Bull. Ac. Petr. I. 1860. p. 313.* Wolga.
latifrons Hochh. *Bull. Mosc. 1847. II. p. 504.* Transcaucas.
longicollis Bohem. *Schh. Gen. Curc. II. p. 482.* — Falderm. *Fn. transc. II. p. 203.* Persia.
obscuripes Motsch. *Bull. Mosc. 1866. I. p. 180.* Japonia.
periteloides Fuss. *Verhandl. siebenb. Ver. 1861. p. 171. t. 3. f. A.* — Seidl. *Otiorh. p. 46.* Transsylvania.
pilifer Motsch. *Etud. ent. 1853. p. 49.* China bor.
porcellus Stev. *Mus. Mosq. II. p. 94.* — Bohem. *Schh. Gen. Curc. II. p. 483.* — Lacord. *Gen. Col. VI. 1863. p. 189. note 2.* — Seidl. *Otiorh. p. 40.* Tauria.
perdix Bohem. *l. c. p. 484.* „
strigirostris Hochh. *Bull. Mosc. 1851. I. p. 64.* Sibiria.

quadrisignatus Bach. *Stett. Zeit. 1856. p. 242.* — Seidl. *Otiorh. p. 45.* Thuringia.
rufipes Gylh. *Schh. Gen. Curc. II. p. 487.* — Seidl. *Otiorh. p. 43.* Caucasus.
saccatus Lec. *Entom. Report. 1857. p. 56.* Oregon.
setosus Bohem. *Schh. Gen. Curc. II. p. 484.* — Seidl. *Otiorh. p. 41.* Caucasus.
subsignatus Bohem. *l. c. p. 489.* — Seidl. *Otiorh. p. 46.* Tauria.
tigrinus Redtenb. *Hüg. Kaschm. IV. 2. p. 546.* — Lacord. *Gen. Col. VI. 1863. p. 189. note 2.* Kaschmir.

21

Asceparnus

ἀσκέπαρνος, impolitus.

Schönherr. *Mantis. sec. Curc. 1847. p. 59.*

nodipennis Schönh. *Mant. sec. p. 60. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 190.* Swan River.

1

Glyptosomus

γλυπτός, caelatus; σῶμα, corpus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 62.*

costipennis Schönh. *Mant. sec. p. 63. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 191.* — Seidl. *Otiorh. p. 91. not.* Port Natal.

1

Cercopius

κερκώπειος, dolosus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 154. (emend.)*

Cercopeus Schönh.

chrysorrhoeus Say. *Descr. of Curc. of N. Am. p. 13; compl. Works. I. p. 274.* — Bohem. *Schh. Gen. Curc. II. p. 517.* Amer. bor.

1

Trachyphloeus

τραχύς, asper; φλοιός, cortex.

Germar. *Ins. Spec. nov. 1824. p. 403.*

Cathormiocerus Küster. — *Lacordairius* Brisout. — *Mitomermus* Jacq. Duv.

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 91. (Beiheft.)*

algerinus Seidl. *Otiorh. p. 119.* Oran.
alternans Gylh. *Schh. Gen. Curc. II. p. 493.* — Seidl. *Otiorh. p. 108.* Gallia.
scaber Redtenb. *Fn. Austr. ed. II. p. 734.* Germania.

aristatus Gylh. *Ins. Suec. IV. p. 613; Schh. Gen. Curc. II. p. 491.* — Seidl. *Otiorh. p. 123.* — Suecia.
asphaltinus Gylh. *Schh. Gen. Curc. II. p. 496.* — „
hispidulus Steph. *Ill. Brit. IV. p. 122.* — Anglia.
setosus Marsh. *Ent. Brit. p. 107.* — Volhynia.
stipulatus Germ. *Fn. Ins. Eur. 13. 15.* — Hoffmsgg. *Dej. Cat. 3. ed. p. 289.* — Pomerania.

asperatus Bohem. *Schh. Gen. Curc. VII. 1. p. 116.* — Boston.
aureocruciatus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 342.* — Corsica.
brevirostris Bris., Ch. *Ann. Fr. 1866. p. 407.* — Seidl. *Otiorh. p. 121.* — Aranjuez.
brevis Bohem. *Schh. Gen. Curc. VII. 1. p. 113.* — Seidl. *Otiorh. p. 99.* — Cap bon. spei.
canaliculatus Schauf. *Col. Heft. II. 1867. p. 20.* — Seidl. *Otiorh. p. 95.* — Mallorca.
coloratus Allard. *Berl. Zeit. 1869. p. 325.* — Constantine.
cruciatus Seidl. *Otiorh. p. 103.* — Algeria.
digitalis Gylh. *Ins. Suec. IV. p. 615; Schh. Gen. Curc. II. p. 494.* — Seidl. *Otiorh. p. 110.* — Suecia.
dilatatus Lec. *Report. Pacif. Oc. IX. App. I. p. 21.* — Lacord. *Gen. Col. VI. 1863. p. 193. note 1.* — California.
Godarti Seidl. *Otiorh. p. 102.* — Algeria.
gracilicornis Seidl. *Otiorh. p. 115.* — Syria.
granulatus Seidl. *Otiorh. p. 127.* — Gallia mer.
guadarramus Seidl. *Otiorh. p. 125.* — Guadarrama.
incomptus Lec. *Report. Pacif. Oc. IX. App. I. p. 21.* — Oregon.
inermis Bohem. *Schh. Gen. Curc. VII. 1. p. 119.* — Seidl. *Otiorh. p. 126.* — Austria.
sabulosus Redtenb. *Fn. Austr. ed. 1. p. 431.* — „
laticollis Bohem. *Schh. Gen. Curc. VII. 1. p. 118.* — Seidl. *Otiorh. p. 106.* — Anatolia.
♂ *anoplus* Först. *Verh. Nat. Ver. Preuss. Rheinl. VI. 1849. Nachtrg. p. 30.* — Germania.
♂ *rectus* Thoms. *Skand. Col. VI. p. 132.* — Suecia.
♀ *spinimanus* Thoms. *l. c. p. 133.* — „
maculatus Perris. *Abeille. VII. 1870. p. 21.* — Sardinia.
melanothrix Kirby. *Fn. Bor. Am. IV. 1837. p. 202.* — Amer. bor.
myrmecophilus Seidl. *Otiorh. p. 125.* — Escurial.
nodipennis Chevrol. *Rev. Zool. 1860. p. 450.* — Seidl. *Otiorh. p. 103.* — Algeria.
notulatus Bohem. *Schh. Gen. Curc. VII 1. p. 109.* — Cap bon. spei.
orbitalis Seidl. *Otiorh. p. 104.* — Algeria.
parallelus Seidl. *Otiorh. p. 106.* — Hungaria.
pustulatus Seidl. *Otiorh. p. 101.* — Hispania.
Raymondi Gautier. *Ann. Fr. 1861. p. 99.* — Seidl. *Otiorh. p. 95.* — S. Raphaël.
Reichei Seidl. *Otiorh. p. 102.* — Tanger.
rostratus Thoms. *Skand. Col. X. p. 175.* — Scandinavia.
scaber Thoms. *l. c. VII. p. 131.* — „
rugicollis Seidl. *Otiorh. p. 114.* — Dalmatia.
scaber Linn. *Syst. nat. ed. X. p. 379.* — Seidl. *Otiorh. p. 117.* — M.

bifoveolatus Beck. *Beitr. baier. Ins. 1817. p. 24. t. 7. f. 36.* Germania.
confinis Steph. *Ill. Brit. IV. p. 121.* Anglia.
nigricans Steph. *l. c. p. 128.* „
scabriculus Gylh. *Schh. Gen. Curc. II. p. 490.* Suecia.
septentrionis Thoms. *Skand. Col. VII. p. 123.* „
{*squamosus* Gylh. *l. c. p. 491.* Gallia.
{*muralis* Reich *in litt.* Germania.
var. *tessellatus* Marsh. *Ent. Brit. p. 307.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 114.* Anglia.
scabriculus Linn. *Mantiss. plantar. VI. 1771. p. 531.* — Herbst. *Käf. VI. p. 351. t. 87. f. 10.* — Seidl. *Otiorh. p. 111.* — ♀ Schilling. *Arb. schles. Ges. 1828. p. 73.* M.
erinaceus Redtenb. *Fn. Austr. 1. ed. p. 430.* Germania.
digitalis Steph. *Ill. Brit. IV. p. 123.* Anglia.
maculatus Schönh. *in litt. olim.* Gallia.
occultus Chevrol. *in litt.* „
scaber Schönh. *Gen. Curc. VII. 1. p. 117.* — Jacq. Duv. *Gen. Curc. t. 14. f. 63; Cat. Curc. note 2.* „
♂ *setarius* Gylh. *Schh. Gen. Curc. II. p. 492.* Suecia.
♀ *spinimanus* Gylh. *l. c. p. 493.* „
viverra Herbst. *Füssl. Arch. V. p. 83.* Dalmatia.
Seidlitzi Bris. *Ann. Fr. 1866. p. 413.* — Seidl. *Otiorh. p. 100.* Escurial.
setiger Seidl. *Otiorh. p. 118.* Regio medit.
spathulatus Bohem. *Schh. Gen. Curc. VII. 1. p. 111.* — Lacord. *Gen. Col. VI. 1863. p. 193. note 1.* — Seidl. *Otiorh. p. 98.* Cap bon. spei.
♀ *squamifer* Bohem. *l. c. p. 112.* „
spinimanus Germ. *Ins. Spec. nov. p. 405.* — Seidl. *Otiorh. p. 109.* Germania.
echinatus Dej. *Cat. 3. ed. p. 289.* „
lanuginosus Gylh. *Schh. Gen. Curc. II. p. 494.* Podolia.
scabriculus Oliv. *Ent. V. 83. p. 362. t. 31. f. 476.* Gallia.
simplex Sturm. *Cat. 1826. p. 203.* Germania.
spinosulus Gautier. *Ann. Fr. 1861. p. 99.* S. Raphaël.
squalens Lec. *Report. Pacif. Oc. IX. App. 1. p. 21.* — Lacord. *Gen. Col. VI. 1863. p. 193. note 1.* Oregon.
squalidus Bohem. *Schh. Gen. Curc. VII. 1. p. 110.* Caffraria.
squamulatus Oliv. *Ent. V. 83. p. 363. t. 31. f. 477.* — Gylh. *Schh. Gen. Curc. II. p. 492.* — Seidl. *Otiorh. p. 124.* M.
syriacus Seidl. *Otiorh. p. 128.* Syria.
Truquii Seidl. *Otiorh. p. 109.* Cyprus.
variegatus Küst. *Käf. Eur. 18. 85.* — Seidl. *Otiorh. p. 120.* Sardinia.
hystrix Jacq. Duv. *Gen. Curc. p. 33. note 1. t. 14. f. 64.* Hispania.
ventricosus Germ. *Ins. Spec. nov. p. 405.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 109.* — Dahl. *Dej. Cat. 3. ed. p. 289.* — Seidl. *Otiorh. p. 113.* Hungaria.
tigrinus Meg. *Dej. Cat. l. c.* „
vestitus Küst. *Käf. Eur. 15. 61.* Illyria.
ypsilon Seidl. *Otiorh. p. 115.* Mehadia.
var. *turcicus* Seidlitz. *l. c.* Turcia.

Trachyphloeosoma

Trachyphloeus; σῶμα, corpus.

Wollaston. *Ann. nat. Hist. IV. 1869. p. 414.*

setosum Wollast. *Ann. nat. Hist. IV. 1869. p. 415.* — St. Helena.
1

Cathormiocerus

καθόρμιον, torques; κέρας, cornu.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 120.*

Schaumius Brisout. — *Scoliocerus* Wollast.

Otiorh. Seidlitz. *Berl. Ent. Zeit. 1868. p. 128. (Beiheft.)*

Chevrolati Seidl. *Otiorh. p. 135.* — Guadarrama.
socius Chevrol. *Rev. Zool. 1866. p. 26.* — „
cordicollis Seidl. *Otiorh. p. 132.* — Pyrenaei.
curvipes Wollast. *Ins. Mader. 1854. p. 393.* — Seidl. *Otiorh. p. 134.* — Madera.
curviscapus Seidl. *Otiorh. p. 134.* — Andalusia.
excursor Stierl. *Berl. Zeit. 1862. p. 363.* — Seidl. *Otiorh. p. 139.* — „
gracilior Fairm. *Ann. Fr. 1870. p. 400.* — Tanger.
gracilis Seidl. *Otiorh. p. 140.* — Hispania.
Grandini Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 343.* — Mostaganem.
horrens Gylh. *Schh. Gen. Curc. II. p. 495.* — Seidl. *Otiorh. p. 136.* — „
sulcirostris Chevrol. *Rev. Zool. 1866. p. 104.* — Escurial.
irrasus Seidl. *Otiorh. p. 142.* — „
lapidicola Chevrol. *Rev. Zool. 1866. p. 322.* — Seidl. *Otiorh. p. 138.* — Valladolid.
Vuillefroyi Bris., Ch. *Ann. Fr. 1866. p. 412.* — Reynosa.
Lethierryi Chevrol. *Rev. Zool. 1886. p. 104.* — Seidl. *Otiorh. p. 141.* — Escurial.
var. *Capiomonti* Seidlitz. *l. c.* — Algeria.
Maderae Wollast. *Ins. Mader. p. 392. t. 8. f. 2.* — Seidl. *Otiorh. p. 136.* — Madera.
pygmaeus Seidl. *Otiorh. p. 143.* — Aranjuez.
socius Bohem. *Schh. Gen. Curc. VII. 1. p. 121.* — Seidl. *Otiorh. p. 133.* — „
15

Anemophilus

ἄνεμος, ventus; φίλος, amicus.

Wollaston. *Ins. Mader. 1854. p. 385.*

crassus Wollast. *Ins. Mader. p. 386. t. 7. f. 7.* — Porto Santo.
subtessellatus Wollast. *l. c. p. 387.* — „
trossulus Wollast. *l. c. p. 388. t. 7. f. 9.* — „
3

Elytrodon.

ἔλυτρον, elytrum; ὀδούς, dens.

Schönherr. *Disp. meth. 1826. p. 209.*

Elytrodes Steven.

bidentatus Stev. *Mus. Mosq. II. p. 96.* — Bohem. *Schh. Gen. Curc. II. p. 638.* — Jacq. Duv. *Gen. Col. Curc. t. 16. f. 74.* Tauria.
var. { *bispinus* Bohem. *Schh. Gen. Curc. II. p. 639.* — Germ. *Fn. Ins. Eur. 20. 9.* — Ziegl. *Dej. Cat. 3. ed. p. 294.* Banat.
bispinosus Findel. *Dej. Cat. l. c.* . „ }
Chevrolati Reiche. *Ann. Fr. 1858. p. 5. t. 1. f. 4.* Naplus.
inermis Bohem. *Schh. Gen. Curc. VII. 1. p. 404.* Europa mer.
3

Choerocephalus

χοῖρος, porcus; κεφαλή, caput.

Chevrolat. *Rev. Zool. 1861. p. 307.*

Choerorhinus Chevrolat.

lanosimanus Chevrol. *Rev. Zool. 1860. p. 452.* Algeria.
1

Laparocerus

λαπαρός, mollis; κέρας, cornu.

Schönherr. *Gen. Curc. II. 1834. p. 530.*

Amphora Wollaston. — *Amyntas* Wollast. = *Atlantis* Wollast. — *Canopus* Wollast. — *Cyphoscelis* Wollast.

aenescens Wollast. *Ins. Mader. 1854. p. 383.* — Lacord. *Gen. Col. VI. 1863. p. 201. note.* Madera.
aethiops Wollast. *Cat. Canar. Col. 1864. p. 347.* Hierro.
angustulus Wollast. *Cat. Col. Mader. 1857. p. 116.* — Lacord. *Gen. Col. VI. 1863. p. 187. note 1.* Madera.
azoricus Drouet. *Rev. Zool. 1859. p. 256.* — Crotch. *Proc. zool. Soc. 1867. p. 388. t. 23. f. 6.* Azores.
canariensis Bohem. *Schh. Gen. Curc. VII. 1. p. 228.* Teneriffa.
calcatrix Wollast. *Ins. Mader. p. 366.* Madera.
clavatus Wollast. *l. c. p. 363. t. 7. f. 3.* „
compactus Wollast. *Cat. Canar. Col. p. 359.* Canariae.
crassifrons Wollast. *Ann. nat. Hist. XI. 1863. p. 220.* Teneriffa.
crassirostris Wollast. *Cat. Canar. Col. p. 345.* Canariae.
debilis Wollast. *Col. Atlant. 1865. App. p. 53.* Teneriffa.
dispar Wollast. *Cat. Canar. Col. p. 357.* Lanzarote.
distortus Wollast. *Ins. Mader. p. 357. t. 7 f. 2.* — Lacord. *Gen. Col. VI. 1863. p. 200. note 2.* Madera.
ellipticus Wollast. *Ann. nat. Hist. XI. 1863. p. 220.* Canariae.
excavatus Wollast. *l. c. p. 219.* „

excelsus Wollast. *Ins. Mader. p. 378.*	Madera.
globulipennis Wollast. *Cat. Canar. Col. p. 349.*	Palma.
gracilis Wollast. *l. c. p. 356.*	Gomera.
Grayanus Wollast. *Col. Atlant. 1865. p. 310.*	Canariae.
angustulus Wollast. *Ann. nat. Hist. XI. 1863. p. 219.*	„
grossepunctatus Wollast. *Cat. Canar. Col. p. 344.*	Teneriffa.
hirtus Wollast. *l. c. p. 348.*	Canariae.
inaequalis Wollast. *Ann. nat. Hist. XI. 1863. p. 220.*	Teneriffa.
inconstans Wollast. *Ins. Mader. p. 375.*	Porto Santo.
indutus Wollast. *Col. Atlant. App. p. 53.*	Gomera.
inflatus Wollast. *l. c. p. 51.*	„
instabilis Wollast. *Ins. Mader. p. 377.*	Madera.
lamellipes Wollast. *l. c. p. 364. t. 7. f. 5.*	„
lanatus Wollast. *l. c. p. 372. t. 7. f. 6.*	„
lauripotens Wollast. *l. c. p. 369; Trans. ent. Soc. 1871. p. 273.*	„
australis Wollast. *Ins. Mader. p. 370.*	„
noctivagans Wollast. *l. c. p. 367; Cat. Col. Mader. p. 114. (pars.)*	„
lepidopterus Wollast. *Cat. Canar. Col. p. 352.*	Canariae.
mendax Wollast. *Ins. Mader. p. 376.*	Porto Santo.
mendicus Wollast. *Cat. Canar. Col. p. 355.*	Hierro.
morio Bohem. *Schh. Gen. Curc. II. p. 531.* — Wollast. *Ins. Mader. p. 360. t. 7. f. 1.* — Jacq. Duv. *Gen. Col. Curc. t. 15. f. 69.* — Lacord. *Gen. Col. VI. 1863. p. 199. note 1.*	Madera.
Bertheloti Guérin *in litt.*	„
navicularis Wollast. *Ins. Mader. p. 374.*	Porto Panto.
noctivagans Wollast. *l. c. p. 367; Cat. Col. Mader. p. 114; Trans. ent. Soc. 1871. p. 271.*	Madera.
obscurus Wollast. *Cat. Canor. Col. p. 355.*	Teneriffa.
obsitus Wollast. *l. c. p. 361.*	Canariae.
obtriangularis Wollast. *l. c. p. 351.*	Teneriffa.
occidentalis Wollast. *l. c. p. 350.*	Hierro.
piceus Bohem. *Schh. Gen. Curc. II. p. 531; VII. 1. p. 228.*	Madera.
puncticollis Wollast. *Cat. Canar. Col. p. 362.*	Hierro.
rasus Wollast. *l. c. p. 354.*	Canariae.
scapularis Wollast. *l. c. p. 347.*	Teneriffa.
Schaumi Wollast. *Ins. Mader. p. 379; Cat. Col. Mader. p. 115.*	Madera.
Forae Wollast. *Ins. Mader. p. 380.*	Porto Santo.
sculptus Brullé Webb et Berth. *Ins. Can. p. 71.* — Lacord. *Gen. Col. VI. 1863. p. 201. note.*	Palma.
seniculus Wollast. *Cat. Canar. Col. p. 353.*	Canariae.
squamosus Brullé. *Webb. et Berth. Ins. Can. p. 71.* — Wollast. *Cat. Canar. Col. p. 344.*	Teneriffa.
subnebulosus Wollast. *l. c. p. 337.*	Canariae.
subopacus Wollast. *Col. Atlant. App. p. 52.*	Gomera.
sulcirostris Wollast. *Cat. Canar. Col. p. 359.*	Canariae.
tenellus Wollast. *l. c. p. 362.*	Teneriffa.
tessellatus Wollast. *l. c. p. 360.*	Canariae.

tetricus Bohem. *Schh. Gen. Curc. II. p. 542.* — Teneriffa.
simplex Brullé. *Webb et Berth. Ins. Canar. p. 71.* — „
tibialis Wollast. *Cat. Canar. Col. p. 338.* — Canariae.
incomptus Wollast. *Col. Atlant. App. p. 55.* — „
undatus Wollast. *Cat. Canar. Col. p. 342.* — Teneriffa.
undulatus Wollast. *Ann. nat. Hist. 1862. p. 332; Col. Atlant. App. p. 51.* — Madera.
ventrosus Wollast. *Ins. Mader. p. 382.* — „
vespertinus Wollast. *l. c. p. 371. t. 7. f. 4.* — „
vestitus Wollast. *Cat. Canar. Col. p. 358.* — Teneriffa.
Waterhousei Wollast. *Ins. Mader. p. 384. t. 7. f. 8.* — „
60

Aomus

α priv.; ὦμος, humerus.

Schönherr. *Gen. Curc. II. 1834. p. 532.*

pubescens Bohem. *Schh. Gen. Curc. II. p. 533.* — Falderm. *Fn. transc. II. p. 209. t. 5. f. 1.* — Persia occ.
1

Aprepes

ἀπρεπής, indecorus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 57.*

micans Schönh. *Mant. sec. p. 58. (indscrpt.).* — Lacord. *Gen. Col. VI. 1863. p. 203.* — Sibiria.
1

Pholicodes

φολικώδης, squamatus.

Schönherr. *Disp. meth. 1826. p. 186.*

breviusculus Mars. *Abeille. V. 1868. p. 196.* — Syria.
inauratus Bohem. *Schh. Gen. Curc. I. 2. p. 562; VII. 1. p. 230.* — Mannerh. *Dej. Cat. 3. ed. p. 271.* — Sibiria.
leucophaeus Schönh. *Disp. meth. p. 103.* — Caucasus.
lepidopterus Bohem. *Nouv. Mém. Mosc. VI. 1839. p. 25; Schh. Gen. Curc. VII. 1. p. 230.* — Falderm. *Dej. Cat. 3. ed. p. 290.* — „
nubiculosus Bohem. *Schh. l. c. II. p. 529.* — Falderm. *Fn. transc. II. p. 205. t. 5. f. 6.* — Persia occ.
plebejus Bohem. *l. c. p. 527.* — Caucasus.
syriacus Bohem. *l. c. VII. 1. p. 231.* — Syria.
trivialis Bohem. *l. c. II. p. 528.* — Caucasus.
7

Epiphaneus

ἐπιφανής, conspicuus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 232.*

malachiticus Bohem. *Schh. Gen. Curc. VII. 1. p. 233.* — Anatolia.
anatolicus Kinderm. *in litt.* — „
1

Merimnetes

μεριμνητής, anxius.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 253.*

tenuis Germ. *Linn. ent. III. 1848. p. 220.* Adelaida.
uniformis Bohem. *Schh. Gen. Curc. VII. 1. p. 254.* Nov. Holland.
2

Aptolemus

ἀπτόλεμος, ignavus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 1.*

rufipes Bohem. *Schh. Gen. Curc. VII. 1. p. 2.* — Lacord. *Gen. Atl. VII. t. 65. f. 1. a.* Brasilia.
1

Eustylus

εὖ, bene; στύλος, scapus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 40.*

humilis Erichs. *Wiegm. Arch. 1847. I. p. 129.* Peru.
placidus Erichs. *l. c. p. 129.* „
puber Oliv. *Ent. V. 83. p. 367. t. 4. f. 39. a-b.* — Latr. *Dej. Cat. 3. ed. p. 274.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 41.* Columbia.
jucundus Klug *in litt.* „
striatus Bohem. *Schh. Gen. Curc. VII. 1. p. 42.* Mexico.
4

Brachystylus

βραχύς, brevis; στύλος, scapus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 433.*

acutus Say. *Journ. Ac. Phil. III. 1824. p. 310.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 434.* Missouri.
1

Macrops

μακρὸς, longus; ὤψ, vultus.

Kirby. *Fn. Bor. Am. IV. 1837. p. 199.*

maculicollis Kirby. *Fn. Bor. Am. IV. p. 200. t. 8. f. 4.* Amer. bor.
vitticollis Kirby. *l. c. p. 200.* „
2

Aphrastus

ἄφραστος, inexpectatus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 39.*

taeniatus Say. *Descr. of Curc. of N. Amer. p. 9.* — Gylh. *Schh. Gen. Curc. II. p. 460.* Amer. bor.
canescens Dej. *Cat. 3. ed. p. 289.* „
1

Euphalia

Vox euphon.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 467.*

pardalis Pascoe. *Journ. Linn. Soc. X. 1870. p. 468. t. 19. f. 14. a-c.* Austral. occ.

1

Phyllobius

φύλλον, folium; βιόω, vivo.

Germar. *Ins. Spec. nov. 1824. p. 447.*

Chryus Megerle. — *Nemoicus* Stephens.

acuminatus Bohem. *Schh. Gen. Curc. VII. 1. p. 24.* Bavaria.
alneti Fabr. *Ent. Syst. I. 2. p. 487.* — Herbst. *Käf. VI. p. 260. t. 79. f. 3.* M.
angustatus Kirby *in litt.* Anglia.
cnides Marsh. *Ent. Brit. p. 318.* „
prasinus Oliv. *Ent. V. 83. p. 413. t. 26. f. 385.* Gallia.
pyri Gyllh. *Schh. Gen. Curc. II. p. 437.* Suecia.
altaicus Gebl. *Bull. Mosc. VI. 1833. p. 299.* Altai.
Apollinis Mill. *Wien. ent. Monatschr. 1862. p. 350.* — Kiesenw. *Berl. Zeit. 1864. p. 260.* Cephalonia.
argentatus Linn. *Syst. nat. ed. X. p. 384.* — Gylh. *Ins. Suec. III. p. 324; Schh. Gen. Curc. II. p. 446.* — Ratzeb. *Forstins. I. p. 115. t. 4. f. 10.* M.
arborator Herbst. *Käf. VII. p. 51. t. 98. f. 8. D.* — Meg. *Dej. Cat. 3. ed. p. 288.* Germania.
var. *argentatus* Marsh. *Ent. Brit. p. 318.* Anglia.
atrovirens Gylh. *Schh. Gen. Curc. II. p. 436.* Gallia or.
aurifer Bohem. *Schh. l. c. VII. 1. p. 29.* Hungaria.
betulae Fabr. *Syst. El. II. p. 543.* — Oliv. *Ent. V. 83. p. 414. t. 26. f. 387.* — Gyllh. *Schh. Gen. Curc. II. p. 457.* M.
betulinus Bechst. et Scharfenb. *Forstins. III. p. 886.* Gallia.
dasypterus Ulr. *Dej. Cat. 3. ed. p. 289.* Illyria.
brevicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 34.* China bor.
brevis Gylh. *Schh. l. c. II. p. 461.* Tauria.
{*dispar* Redtenb. *Fn. Austr. ed. 1. p. 433.* Germania.
{*femoralis* Meg. *in litt.* „
candidatus Perris. *Ann. Fr. 1865. p. 509.* Hispania.
canus Gylh. *Schh. Gen. Curc. II. p. 439.* Tauria.
carinicollis Motsch. *Mélang. biol. Ac. Petr. III. 1859. p. 235; Bull. Ac. Petr. XVII. 1859. p. 572.* Irkutsk.
celadonius Brullé. *Exp. Mor. p. 238. t. 42. f. 3.* — Kiesenw. *Berl. Zeit. 1864. p. 261.* Morea.
cervinus Hochh. *Bull. Mosc. 1847. II. p. 498.* Caucasus.
chloris Bohem. *Schh. Gen. Curc. VII. 1. p. 21.* Kamtschatka.
chlorizans Bohem. *l. c. p. 33.* Sibiria.
cinereipennis Gylh. *Schh. l. c. II. p. 459.* Tauria.
cinereus Gylh. *l. c. p. 455.* Silesia.

contemptus Schönh. *Ménétr. Cat. rais. 1832. p. 219.* — Gylh. *Schh. Gen. Curc. II. p. 447.* — Dej. *Cat. 3. ed. p. 288.* — Falderm. *Fn. transc. II. p. 190.* Tauria.
crassicollis Stierl. *Bull. Mosc. 1863. IV. p. 496.* Sarepta.
crassipes Motsch. *Bull. Mosc. 1859. IV. p. 495.* Amur.
crassus Motsch. *Schrenck. Reis. II. 1860. p. 163.* Sibiria bor.
cupreoaeneus Stierl. *Wien. ent. Monatschr. V. p. 222.* Janina.
cylindricollis Gylh. *Schh. Gen. Curc. II. p. 458.* Russia mer.
dorsalis Mannerh. *Humm. Essai. IV. 1825. p. 34.* — Gebl. *Ledeb. Reis. II. 3. p. 168.* — Mannerh. *Schh. Gen. Curc. II. p. 451.* Irtysch.
faeculentus Gylh. *Schh. l. c. p. 440.* Tauria.
femoralis Bohem. *Schh. l. c. VII. 1. p. 36.* Irkutsk.
fessus Bohem. *l. c. p. 14.* „
fulvago Stev. *Mus. Mosq. p. 95.* — Gylh. *Schh. Gen. Curc. II. p. 442.* Tauria.
fulvipes Gylh. *l. c. p. 441.* „
fumigatus Bohem. *Schh. l. c. VII. 1. p. 18.* Sibiria.
glaucus Scopoli. *Ent. Carn. 1763. p. 31.* M.
aeruginosus Kirby *in litt.* Anglia.
caesius Marsh. *Ent. Brit. p. 318.* Gallia.
calcaratus Fabr. *Ent. Syst. I. 2. p. 485.* — Clairv. *Ent. Helv. I. p. 90. t. 8. f. 3. 4.* — Gylh. *Schh. Gen. Curc. II. p. 435.* Suecia.
var. *carniolicus* Oliv. *Encycl. méth. V. p. 575.* Carniolia.
„ *coelestinus* Meg. *Dej. Cat. 3. ed. p. 288.* Germania.
„ *Scopolii* Meg. *in litt.* „
glycyrrhicae Becker. *Bull. Mosc. 1862. IV. p. 347.* — Stierl. *Bull. Mosc. 1863. IV. p. 495.* Sarepta.
grypsatus Bohem. *Schh. Gen. Curc. VII. 1. p. 27.* Mexico.
gyratus Gylh. *Schh. l. c. II. p. 444.* Sibiria.
hebes Bohem. *Schh. l. c. VII. 1. p. 26.* Caucasus.
hirtellus Reiche. *Galin. Voy. Abyss. 1850. p. 385. t. 24. f. 2.* Abyssinia.
hirtus Seidl. *Berl. Zeit. 1867. p. 187.* Jaen.
impressifrons Bohem. *Schh. Gen. Curc. VII. 1. p. 19.* Sibiria occ.
impressirostris Bohem. *l. c. p. 35.* „
incanus Gylh. *Schh. l. c. II. p. 455.* Gallia mer.
albidus Dahl. *Dej. Cat. 1. ed. p. 288.* Etruria.
ruficornis Redtenb. *Fn. Austr. ed. 1. p. 432.* — Dej. *Cat. l. c.* Germania.
inflatus Motsch. *Schrenck Reise. II. 1860. p. 163.* Altai.
irroratus Bohem. *Schh. Gen. Curc. VII. 1. p. 37.* Sibiria.
irrorellus Gemming. *Col. Heft. VIII. 1871.* Andalusia.
irroratus Seidl. *Berl. Zeit. 1867. p. 187.* „
jucundus Redtenb. *Hüg. Kaschm. IV. 2. p. 544.* Kaschmir.
lateralis Reiche. *Ann. Fr. 1857. p. 682.* — Kiesenw. *Berl. Zeit. 1864. p. 262.* Graecia.
ligurinus Gylh. *Schh. Gen. Curc. II. p. 450.* Tauria.
thalassinus Gebl. *Dej. Cat. 3. ed. p. 288.* Sibiria.
lineatocollis Bohem. *Schh. Gen. Curc. VII. 1. p. 23.* India or.
longipilis Bohem. *l. c. p. 15.* Sicilia.
lugubris Motsch. *Schrenck Reise. 1860. p. 162. t. 10. f. 12.* Dauria.

maculicornis Germ. *Ins. Spec. nov. p. 449; Fn. Ins. Eur. 9. 12.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 20.* — M.

maculosus Motsch. *Schrenck Reise. 1860. p. 162. t. 10. f. 13.* — Amur.

mimicus Walker. *Ann. nat. Hist. ser. 3. III. p. 263.* — Ceylon.

mixtus Hochh. *Bull. Mosc. 1847. II. p. 494.* — Caucasus.

montanus Mill. *Wien. ent. Monatschr. 1862. p. 351.* — Cephalonia.

tessellatus Kiesenw. *in litt.* — Athenae.

mus Fabr. *Syst. El. II. p. 524.* — Bohem. *Schh. Gen. Curc. II. p. 451.* — M.

canescens Germ. *Ins. Spec. nov. p. 451.* — Carniolia.

cinerascens Fabr. *Ent. Syst. I. 2. p. 467.* — Meg. *Dej. Cat. 1. ed. p. 93.* — Gallia.

spartii Sturm. *Cat. 1826. p. 187.* — Germania.

mutus Gylh. *Schh. Gen. Curc. II. p. 454.* — Volhynia.

oblongus Linn. *Syst. nat. ed. X. p. 384.* — Panz. *Fn. Germ. 19. 15.* — Gylh. *Schh. Gen. Curc. II. p. 448.* — Jacq. Duv. *Gen. Col. Curc. t. 13. f. 61.* — ✝ Nördling. *Stett. Zeit. 1848. p. 232.* — M.

floricola Herbst. *Käf. VI. p. 220. t. 75. f. 10.* — Germania.

fuscus Laich. *Tyr. Ins. I. p. 211.* — Tirolis.

pruni Scop. *Ent. Carn. p. 31.* — Carniolia.

querneus Fourcr. *Ent. Par. I. p. 128.* — Gallia.

rufescens Marsh. *Ent. Brit. p. 316.* — Anglia.

var. *varians* Besser. *Dej. Cat. 3. ed. p. 288.* — Russia mer.

obovatus Gebl. *Schh. Gen. Curc. II. p. 445.* — Sibiria occ.

omioides Hochh. *Bull. Mosc. 1851. I. p. 50.* — Nertschinsk.

pacificus Motsch. *Schrenck Reise. 1860. p. 163. t. 10. f. 14.* — Amur.

pallidipennis Hochh. *Bull. Mosc. 1847. II. p. 496.* — Caucasus.

pallipes Gylh. *Schh. Gen. Curc. II. p. 450.* — Chalcis.

pellitus Bohem. *Schh. l. c. VII. 1. p. 16.* — Sardinia.

picipes Motsch. *Etud. ent. IX. 1860. p. 20; Bull. Mosc. 1866. I. p. 180.* — Japonia.

pictus Stev. *Mus. Mosq. II. p. 95.* — Gylh. *Schh. Gen. Curc. II. p. 456.* — Tauria.

variegatus Sturm. *Cat. 1826. p. 187.* — „

pilifer Gylh. *Schh. Gen. Curc. II. p. 443.* — Caucasus.

pineti Redtenb. *Fn. Austr. ed. 1. p. 432.* — Germania.

pinicola Kiesenw. *Berl. Zeit. 1864. p. 260.* — Aetolia.

planirostris Gylh. *Schh. Gen. Curc. II. p. 462.* — Tauria.

pomaceus Gylh. *l. c. p. 438.* — M.

pomonae Oliv. *Ent. V. 83. p. 380. t. 35. f. 548.* — Germ. *Ins. Spec. nov. p. 450.* — „

albidus Steph. *Ill. Brit. IV. p. 150.* — Anglia.

prolongatus Motsch. *Bull. Mosc. 1866. I. p. 180.* — Japonia.

psittacinus Germ. *Ins. Spec. nov. p. 448.* — Schönh. *Gen. Curc. VII. 1. p. 15.* — M.

pyri Linn. *Syst. nat. ed. X. p. 384.* — Redtenb. *Fn. Austr. ed. 2. p. 711.* — „

amaurus Marsh. *Ent. Brit. p. 318.* — Anglia.

{ *chrysoloma* Ulr. *Dej. Cat. 3. ed. p. 288.* — Illyria.
{ *serotinus* Meg. *Dej. Cat. l. c.* — „

{ *vespertinus* Fabr. *Ent. Syst. I. 2. p. 487.* — Gylh. *Schh. Gen. Curc. II. p. 453.* — Suecia.
{ *fulvipes* Fabr. *Mant. I. p. 116.* — „
{ *mali* Gylh. *Ins. Succ. III. p. 330.* — „

var. { *aeruginosus* Ziegl. *Dej. Cat. 3. ed. p. 288.* Germania.
lar Panz. *Ent. Germ. p. 335. (forte.)* „
mali Fabr. *Mant. I. p. 122.* „ }
„ { *erythropus* Oliv. *Encycl. méth. V. p. 560.* Gallia.
padi Bonsd. *Curc. Suec. II. p. 26. f. 11.* Suecia.
rufipes Bonsd. *l. c. p. 25. f. 10.* „ }
roseus Blanch. *Gay. Hist. Chil. V. 1851. p. 374. (gen. dub.)* Chili.
rufipes Gebl. *Ledeb. Reis. II. 3. 1830. p. 169.* — Seidl. *Otiorh. p. 43.* Caucasus.
suratus Gylh. *Schh. Gen. Curc. II. 1834. p. 463.* „
scutellaris Redtenb. *Fn. Austr. 1. ed. p. 432.* — Kiesenw. *Berl. Zeit. 1866. p. 287.* Germania.
var. *alpinus* Stierl. *Berl. Zeit. 1859. p. 269.* Wallis.
„ *xanthocnemus* Kiesenw. *Ann. Fr. 1851. p. 634.* Pyrenaei.
seriehispidus Gylh. *Schh. Gen. Curc. II. p. 464.* Tauria.
sibiricus Gebl. *Bull. Mosc. VI. 1833. p. 299.* Sibiria.
sinuatus Fabr. *Syst. El. II. p. 528.* — Gylh. *Schh. Gen. Curc. II. p. 452.* M.
obliquatus Meg. *in litt.* Germania.
smaragdifer Kiesenw. *Berl. Zeit. 1864. p. 262.* Graecia.
squamosus Bris. *Ann. Fr. 1866. p. 409.* Madrid.
subdentatus Bohem. *Schh. Gen. Curc. VII. 1. p. 30.* Sicilia.
sulcirostris Bohem. *l. c. p. 462.* Volhynia.
tereticollis Gylh. *l. c. p. 457.* „
thalassinus Gylh. *l. c. p. 445.* Sibiria.
trivialis Bohem. *Schh. l. c. VII. 1. p. 32.* Caucasus.
tuberculifer Chevrol. *Rev. Zool. 1866. p. 27.* — Seidl. *Berl. Zeit. 1867. p. 186.* Escurial.
valgus Gylh. *Schh. Gen. Curc. II. 442.* Tauria.
varius Brullé. *Expd. Mor. Ent. p. 238.* Graecia.
verecundus Bohem. *Schh. Gen. Curc. VII. 1. p. 17.* Russia mer.
virens Bohem. *l. c. p. 25.* Franconia.
viridis Sturm. *Cat. 1843. p. 203.* „
viridans Bohem. *Schh. Gen. Curc. VII. 1. p. 22.* Bavaria.
viridiaereus Laich. *Verz. Tyr. Ins. 1781. I. p. 211.* M.
argentatus Bonsd. *Curc. Suec. II. p. 27.* var. δ. Suecia.
forticornis Knoch *in litt.* Germania.
fulvipes Payk. *Fn. Suec. III. p. 310.* Russia.
minutus Steph. *Ill. Brit. IV. p. 150.* Anglia.
parvulus Gylh. *Ins. Suec. III. p. 272.* — Oliv. *Ent. V. 83. p. 381. t. 20. f. 271.* Gallia.
uniformis Marsh. *Ent. Brit. p. 311.* — Gylh. *Schh. Gen. Curc. II. p. 458.* „
viridicollis Fabr. *Ent. Syst. I. 2. p. 469.* — Panz. *Fn. Germ. 19. 13.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 36.* M.

97

Alsus

Etym. null.

Motschulsky. *Bull. Mosc. 1845. I. p. 104.; Schrenck Reise. II. 1860. p. 160.*

collaris Motsch. *Schrenck Reis. II. 1860. p. 162.* Caucasus.
farinosus Motsch. *l. c. p. 161.* Kirgisia.

flavipes Motsch. *Schrenck Reis. II. 1860. p. 161. t. 10. f. 11.* Amur.
inderiensis Motsch. *l. c. p. 161.* Crimea.
macrocerus Motsch. *l. c. p. 162.* Sibiria or.
5

Opitomorphus

Etym. dub.

Motschulsky. *Bull. Mosc. 1845. I p. 104.*

brevirostris Motsch. *Bull. Mosc. 1845. I. p. 104. t. 1. f. 13.* Mare caspic.
1

Lepidosoma

λεπὶς, squama; σῶμα, corpus. (emend.)

Motschulsky. *Bull. Mosc. 1845. I. p. 105.*

Lepesoma Motsch.

californicum Motsch. *Bull. Mosc. 1845. I. p. 105.* California.
variegatum Motsch. *l. c. IV. p. 379. t. 7. f. 6.* Kamtschatka.
2

Proxyrus

Etym. null.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 437.*

abstersus Pascoe. *Journ. Linn. Soc. X. 1870. p. 438. t. 17. f. 8. a-c.* Champion bay.
lecideosus Pascoe. *l. c. p. 438.* „
2

Atmesia

Etym. null.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 468.*

marginata Pascoe. *Journ. Linn. Soc. X. 1870. p. 469. t. 18. f. 3. a-b.* Gawler.
1

Hormotrophus

ὅρμος, funiculus; τροφὸς, alumnus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 43.*

aureomixtus Bohem. *Schh. Gen. Curc. VII. 1. p. 44.* Haiti.
1

Rhynchuchus

ῥύγχος, rostrum; ἔχω, habeo.

Boheman. *Res. Eugen. 1859. p. 125.*

acuminatus Bohem. *Res. Eugen. p. 125. t. 2. f. 3.* Ins. Puna.
1

Macrocorynus

μακρὸς, longus; κορύνη, clava.

Schönherr. *Disp. meth. 1826. p. 178.*

discoideus Oliv. *Ent. V. 83. p. 418. t. 26. f. 379.* — Bohem. *Schh. Gen. Curc. II. p. 433.* Bengal.
1

Phlyda

Etym. null.

Pascoe. *Ent. Monthl. Mag. VI. 1869. p. 100.*

periteloides Pascoe. *Ent. Monthl. Mag. VI. p. 100. f. 1. a.* Adelaida.
1

Titinia

Etym. null.

Pascoe. *Ent. Monthl. Mag. VI. 1869. p. 101.*

ignara Pascoe. *Ent. Monthl. Mag. VI. p. 101. f. 4. a.* Melbourne.
1

Idaspora

Etym. null.

Pascoe. *Ent. Monthl. Mag. VI. 1869. p. 101.*

terrea Pascoe. *Ent. Monthl. Mag. VI. p. 101. f. 3. a.* Gawler.
1

Epherina

Etym. null.

Pascoe. *Ent. Monthl. Mag. VI. 1869. p. 102.*

longicornis Pascoe. *Ent. Monthl. Mag. VI. p. 102. f. 2. a.* Champion bay.
1

Myllocerus

μυλλὸς, curvus; κέρας, cornu.

Schönherr. *Disp. meth. 1826. p. 178.*

arabicus Bohem *Schh. Gen. Curc. VII. 1. p. 7.* Arabia.

aphthosus Pascoe. *Ent. Monthl. Mag. VI. 1869. p. 105.* — Cap York.
aristatus Bohem. *Schh. Gen. Curc. II. p. 430.* — Java.
aurifex Pascoe. *Ent. Monthl. Mag. VI. p. 103.* — Austral. occ.
australis Boisd. *Voy. Astrol. II. 1835. p. 367.* — Dej. *Cat. 3. ed. p. 288.* — Nov. Holland.
brevicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 5.* — India or.
brevicollis Bohem. *Res. Eugen. 1859. p. 124.* — Hongkong.
canaliculatus Bohem. *Schh. Gen. Curc. VII. 1. p. 5.* — Nubia.
cinerascens Pascoe. *Ent. Monthl. Mag. VI. p. 104.* — Austral. occ.
corycaeus Bohem. *Schh. Gen. Curc. VII. 1. p. 3.* — Java.
damascenus Mill. *Wien. ent. Monatschr. V. 1861. p. 208. t. 4. f. 9.* — Syria.
decretus Pascoe. *Ent. Monthl. Mag. VI. p. 104.* — Champion bay.
delicatulus Bohem. *Schh. Gen. Curc. VII. 1. p. 6.* — Pondichery.
dentifer Fabr. *Ent. Syst. I. 2. p. 488.* — Bohem. *Schh. Gen. Curc. II. p. 430.* — Tranquebar.
discolor Bohem. *l. c. p. 428.* — Bengal.
maculatus Dej. *Cat. 1. ed. p. 94.* — „
dorsatus Fabr. *Ent. Syst. Suppl. p. 173.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 11.* — Pondichery.
eximius Bohem. *l. c. II. p. 432.* — Senegal.
Fabricii Guér. *Voy. Delessert. 1843. II. p. 53.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 8.* — Pondichery.
glaucinus Pascoe. *Ent. Monthl. Mag. VI. p. 104.* — Champion bay.
herbaceus Pascoe. *l. c. p. 103.* — „
isabellinus Bohem. *Schh. Gen. Curc. II. p. 425.* — Java.
hispidulus Dej. *Cat. 3. ed. p. 288.* — „
modestus Redtenb. *Reis. Novar. II. p. 149.* — Sambelong.
morio Bohem. *Schh. Gen. Curc. II. p. 431.* — Galam.
musculus Bohem. *l. c. p. 429.* — Bengal.
nasutus Pascoe. *Ent. Monthl. Mag. VI. p. 105.* — Austral. occ.
posticus Walker. *Ann. nat. Hist. 1859. p. 263.* — Ceylon.
pruinosus Blanch. *Voy. Pole Sud. IV. p. 220. t. 15. f. 20.* — Borneo.
psittacinus Redtenb. *Reis. Novar. II. p. 150.* — Hongkong.
pudicus Pascoe. *Ent. Monthl. Mag. VI. p. 104.* — Nicol bay.
retrahens Walker. *Ann. nat. Hist. 1859. p. 263.* — Ceylon.
rusticus Pascoe. *Ent. Monthl. Mag. VI. p. 105.* — Champion bay.
saturatevirens Bohem. *Schh. Gen. Curc. II. p. 427.* — India or.
spurcatus Walker. *Ann. nat. Hist. 1859. p. 263.* — Ceylon.
subcostatus Kolen. *Bull. Mosc. 1858. III. p. 86. t. 2. f. 13.* — Caucasus.
subfasciatus Guér. *Voy. Delessert. 1843. II. p. 54.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 10.* — India or.
subvirens Bohem. *l. c. II. p. 426.* — Java.
viridanus Oliv. *Ent. V. 83. p. 419. t. 35. f. 544.* — „
transmarinus Herbst. *Käf. VI. p. 213. t. 75. f. 1.* — Bohem. *Schh. Gen. Curc. II. p. 429.* — India or.
variegatus Bohem. *l. c. VII. 1. p. 9.* — Bengal.
viridanus Fabr. *Syst. Ent. p. 155.* — Bohem. *l. c. II. p. 427.* — Tranquebar.
39

Arrhines

α priv.; ῥίν, nasus.

Schönherr. *Gen. Curc. II. 1834. p. 465.*
Arhines Schönh.

destructor Nietner. *Rev. Zool. 1864. p. 120.* — Ceylon.

languidus Gylh. *Schh. Gen. Curc. II. p. 466.* Bengal.
posthumus Bohem. *Schh. l. c. VII. 1. p. 47.* Java.
3

Drepanoderes

δρέπανον, falx; δέρις, collum.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 186.*

Pollendera Motschulsky.

fuscus Waterh. *Trans. ent. Soc. ser. 2. II. p. 187.* Bengal.
viridifasciatus Waterh. *l. c. p. 186.* — Lacord. *Gen. Atl. VII. t. 65. f. 2. a.* „
atomarius Motsch. *Etud. ent. VII. 1858. p. 86. f. 19.* Birma.
2

Styliscus

στυλίσκος, columella.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 45.*

armatus Thunb. *Nov. Act. Ac. Upsal. VII. p. 119.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 46.* Cap bon. spei.
1

Cladeuterus

κλαδευτής, sector.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 157.*

lepidopterus Bohem. *Schh. Gen. Curc. VII. 1. p. 158.* Caffraria.
1

Phaulomerinthus

φαῦλος, vilis; μήρινθος, funiculus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 190. (emend.)*

Phaylomerinthus Schönh.

cinereus Bohem. *Schh. Gen. Curc. VII. 1. p. 192.* Caffraria.
1

Ptochidius

Ptochus; εἶδος, aspectus.

Motschulsky. *Etud. ent. VII. 1858. p. 87.*

carinulatus Motsch. *Etud. ent. VII. p. 90.* India or.
costulatus Motsch. *Schrenck. Reis. II. 1860. p. 159. t. 10. f. 10.* Amur.
cylindricollis Motsch. *Etud. ent. VII. p. 88.* India or.
impar Motsch. *l. c. p. 89.* „
impressicollis Motsch. *l. c. p. 89.* „

lineatus Motsch. *Etud. ent. VII. p. 87.* Birma.
longicornis Motsch. *l. c. p. 88.* India or.
nigrosparsus Motsch. *l. c. p. 89.* „
tessellatus Motsch. *Schrenck Reis. II. 1860. p. 160.* Amur.
9

Epicalus

ἐπὶ, super; καλὸς, pulcher.

Motschulsky. *Etud. ent. VII. 1858. p. 90.*

virgatus Motsch. *Etud. ent. VII. p. 90.* Birma.
1

Metacinops

μετακινέω, muto; ὤψ, oculus.

Kraatz. *Berl. Ent. Zeit. VI. 1862. p. 117.*

rhinomacer Kraatz. *Berl. Zeit. 1862. p. 118. t. 2. f. 1. a-c.* Graecia.
1

Cyphicerus

κυφὸς, gibbus; κέρας, cornu.

Schönherr. *Disp. meth. 1826. p. 182.*

novemlineatus Oliv. *Ent. V. 83. p. 417. t. 26. f. 377.* — Gylh. *Schh. Gen. Curc. II. p. 467.* Bengal.
orbitalis Wiedem. *Zool. Mag. I. 3. p. 177.* „
passerinus Oliv. *Ent. V. 83. p. 419. t. 26. f. 378.* — Gylh. *Schh. Gen. Curc. II. p. 476.* „
nivosus Schönh. *Disp. meth. 1826. p. 183.* „
2

Platytrachelus

πλατὺς, latus; τράχηλος, collum.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 48.*

chloris Pascoe. *Journ. Linn. Soc. X. 1870. p. 458.* Austral. occ.
pistacinus Bohem. *Schh. Gen. Curc. VII. 1. p. 49.* — Lacord. *Gen. Atl. VII. t. 65. f. 3. a-b.* Siam.
2

Amblyrrhinus

ἀμβλὺς, obtusus; ῥὶν, nasus.

Schönherr. *Disp. meth. 1826. p. 183.*

poricollis Bohem. *Schh. Gen. Curc. II. p. 468; VII. 1. p. 50.* Tranquebar.
1

Acanthotrachelus

ἄκανθα, spina; τράχηλος, collum.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 236.*

ventricosus Bohem. *Schh. Gen. Curc. VII. 1. p. 237.* Nilgheria.
1

Lobetorus

λωβήτωρ, conviciator.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 155.*

verecundus Bohem. *Schh. Gen. Curc. VII. 1. p. 156.* Cap bon. spei.
1

Phyxelis

φύξηλις, timidus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 122.*

glomerosus Bohem. *Schh. Gen. Curc. VII. 1. p. 123.* Boston.
rigidus Say. *Descr. of Curc. p. 11.* — Gylh. *Schh. Gen. Curc. II. p. 312; VII. 1. p. 124.* Connecticut.
setifer Bohem. *Schh. l. c. VII. 1. p. 124.* New York.
3

Bustomus

βοῦς, bos; στόμα, os.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 100.*

setifer Bohem. *Schh. Gen. Curc. VII. 1. p. 102.* Caffraria.
setulosus Bohem. *l. c.* Cap bon. spei.
2

Eremnus

ἐρεμνός, obscurus.

Schönherr. *Disp. meth. 1826. p. 200.*

aciculaticollis Bohem. *Schh. Gen. Curc. VII. 1. p. 214.* Cap bon. spei.
adspersus Bohem. *l. c. p. 224.* „
albovarius Bohem. *l. c. p. 225.* Caffraria.
arrogans Bohem. *l. c. p. 204.* Cap bon. spei.
atratus Sparrm. *Act. Holm. 1785. p. 50. t. 2. f. 22.* — Gylh. *Schh. Gen. Curc. II. p. 542.* — Bohem. *Schh. l. c. VII. 1. p. 221.* „
dentipennis Bohem. *l. c. II. p. 543; VII. 1. p. 220.* „
canaliculatus Bohem. *l. c. VII. 1. p. 212.* „
exaratus Bohem. *l. c. II. p. 544.* „
frugalis Bohem. *l. c. VII. 1. p. 223.* Caffraria.

gyrosicollis Bohem. *Schh. Gen. Curc. VII. 1. p. 221.*	Caffraria.
gyrosifrons Bohem. *l. c. p. 220.*	Cap bon. spei.
inermis Bohem. *l. c. p. 211.*	Caffraria.
laticeps Bohem. *l. c. p. 219.*	Cap bon. spei.
lineatus Bohem. *l. c. p. 216.*	„
metallicus Bohem. *l. c. p. 226.*	Caffraria.
murinus Bohem. *l. c. p. 225.*	Cap bon. spei.
obtusus Bohem. *l. c. II. p. 545.*	„
occatus Bohem. *l. c. VII. 1. p. 222.*	„
opinabilis Bohem. *l. c. p. 209.*	„
parcus Bohem. *l. c. p. 208.*	Caffraria.
passerinus Bohem. *l. c. p. 227.*	Cap bon. spei.
pilifer Bohem. *l. c. p. 215.*	Caffraria.
pilosus Bohem. *l. c. p. 206.*	Cap bon. spei.
cymbium Germ. *in litt.*	„
plicicollis Bohem. *l. c. II. p. 546.*	„
semisuturalis Bohem. *l. c. VII. 1. p. 217.*	Caffraria.
seriesetosus Bohem. *l. c. p. 218.*	„
setifer Bohem. *l. c. p. 205.*	Cap bon. spei.
setulosus Bohem. *l. c. II. p. 541.* — Wiedem. *Dej. Cat. 3. ed. p. 291.*	„
sparsus Bohem. *l. c. VII. 1. p. 211*	Caffraria.
squamulatus Bohem. *l. c. p. 210.*	„
striatopunctatus Bohem. *l. c. p. 207.*	Cap bon. spei.
strigifrons Bohem. *l. c. p. 213.*	„

31

Dyslobus

δύς, male; λοβός, lobus.

Leconte. *Ann. nat. Hist. IV. 1869. p. 380.*

decoratus Lec. *Ann. nat. Hist. IV. 1869. p. 381.*	Vancouv. Ins.
granicollis Lec. *l. c. p. 380.*	„
segnis Lec. *Entom. Report. 1857. p. 56.*	California.

3

Brachytrachelus

βραχύς, brevis; τράχηλος, collum.

Schönherr. *Mantiss. sec. Curc. 1847. p. 60.*

opatrinus Schönh. *Mant. sec. p. 62. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 228.*	Port Natal.
porosus Schönh. *Mant. sec. p. 62. (indscrpt.)*	„

2

Phytoscaphus

φυτοσκάφος, hortulanus.

Schönherr. *Disp. meth. 1826. p. 210.*

articollis Bohem. *Schh. Gen. Curc. VII. 1. p. 415.*	Philippinae.
chloroticus Bohem. *l. c. p. 413.*	Bengal.

ictericus Bohem. *Schh. Gen. Curc. II. p. 643.* — Galam.
inductus Bohem. *l. c. VII. 1. p. 411.* — Bengal.
lixabundus Bohem. *l. c. II. p. 642.* — „
fasciatus Dej. *Cat. 3. ed. p. 294.* — „
var. *triangularis* Oliv. *Ent. V. 83. p. 420. t. 26. f. 380.* — „
nepalensis Bohem. *Schh. Gen. Curc. VII. 1. p. 412.* — Nepal.
siamensis Bohem. *l. c. p. 414.* — Siam.
7

Chloëbius

χλόη, herba; βιόω, vivo.

Schönherr. *Disp. meth. 1826. p. 211.*

immeritus Bohem. *Schh. Gen. Curc. II. p. 645.* — Caucasus.
psittacinus Bohem. *l. c. VII. 1. p. 416.* — Sibiria occ.
sulcirostris Hochh. *Bull. Mosc. 1851. I. p. 84.* — Kirgisia.
Steveni Bohem. *Schh. Gen. Curc. VII. 1. p. 417.* — Jacq. Duv. *Gen. Col. Curc. 1855. t. 17. f. 78.* — Caucasus.
3

Mandalotus

μανδαλωτός, pessulo obditum.

Erichson. *Wiegm. Arch. 1842. I. p. 193.*

crudus Erichs. *Wiegm. Arch. 1842. I. p. 194.* — Tasmania.
rigidus Erichs. *l. c.* — „
sterilis Erichs. *l. c. p. 195.* — „
vetulus Erichs. *l. c.* — „
4

Oxyophthalmus

ὀξύς, acutus; ὀφθαλμός, oculus.

Hochhuth. *Bull. Mosc. 1847. II. p. 500.*

Steveni Hochh. *Bull. Mosc. 1847. II. p. 501.* — Caucasus.
1

Oops

ὠόν, ovum; ὤψ, oculus.

Germar. *Linn. ent. III. 1848. p. 219.*

pistor Germ. *Linn. Ent. III. p. 220.* — Adelaida.
1

Callirrhopalus

καλός, pulcher; ῥόπαλον, clava.

Hochhuth. *Bull. Mosc. 1851. I. p. 54.*

Sedakovii Hochh. *Bull. Mosc. 1851. I. p. 56.* — Nertschinsk.
1

Panscopus

πάνσκοπος, omnia videns.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 266.*

erinaceus Say. *Descr. of Curc. p. 12.* — Gylh. *Schh. Gen. Curc. II. p. 311.* Amer. bor.
1

Pephricus

πεφρικὸς, asper.

Pascoe. *Trans. ent. Soc. 1870. p. 184.*

echymis Pascoe. *Trans. ent. Soc. 1870. p. 184. t. 5. f. 7.* Austral. occ.
1

Dasydema

δασὺς, hirtus; δέμας, corpus.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 379.*

hirtella Blanch. *Gay. Hist. Chil. V. p. 379. t. 24. f. 6. a-c.* Chili.
Spec. ined. Lacord. *Gen. Col. VI. p. 236. note 2.* „
2

Orimus

ὥριμος, maturus.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 411.*

cinctus Bohem. *Schh. Gen. Curc. VII. 1. p. 412.* Cap bon. spei.
1

Scotasmus

σκοτασμὸς, obscuratio.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 335.*

carinirostris Bohem. *Schh. Gen. Curc. VI. 2. p. 336.* Nov. Holland.
1

Tropidophorus

τρόπις, carina; φέρω, fero.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 257. (emend.)*

Tropiphorus Schönh.

carinatus Müll. *Zool. Dan. Prodr. p. 86.* — Bohem. *Schh. Gen. Curc. II. p. 313.* Germania.
mercurialis Dej. *Cat. 1. ed. p. 72.* Styria.
suturalis Gmel. *ed. Linn. I. 4. p. 1803.* Suecia.

cinereus Bohem. *Schh. Gen. Curc. VI. 2. p. 260.* Hungaria.
cuprifer Dahl. *Cat. p. 59.* „
elevatus Herbst. *Käf. VI. 1795. p. 235. t. 77. f. 3.* M.
lapidarius Payk. *Fn. Suec. III. p. 292.* Suecia.
mercurialis Fabr. *Syst. El. II. p. 530.* — Gylh. *Ins. Suec. III. p. 296; Schh. Gen. Curc. II. p. 313.* — Jacq. Duv. *Gen. Col. Curc. t. 10. f. 44.* Germania.
var. *aecidii* Marsh. *Ent. Brit. p. 307.* Anglia.
„ *attenuatus* Ziegl. *Dej. Cat. 1. ed. p. 92.* Styria.
„ *lepidotus* Herbst. *l. c. p. 233. t. 77. f. 1.* Gallia.
„ *obtusus* Bonsd. *Curc. Suec. II. p. 37. f. 30.* Suecia.
„ *terricola* Newm. *Ent. Mag. V. p. 173.* Anglia.
♀ *tomentosus* Marsh. *l. c. p. 270.* „
globatus Herbst. *Käf. VI. p. 354. p. 87. f. 13.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 261.* Europa.
micans Bohem. *l. c. p. 258.* Hungaria.
elevatus Parreyss *in litt.* Turcia.
ochraceosignatus Bohem. *Schh. Gen. Curc. VI. 2. p. 262.* M.
tricristatus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 348.* Gallia mer.
7

Hyomora

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 421.*

porcella Pascoe. *Journ. of Ent. II. p. 421. t. 17. f. 17.* Damarra.
1

Entyus

ἐντύω, *adorno.*

Schönherr. *Disp. meth. 1826. p. 141.*

Gastrodore Latreille. — *Rembus* Germar.

albicinctus Gylh. *Schh. Gen. Curc. II. p. 160.* Brasilia.
consputus Sturm *in litt.* „
auricinctus Germ. *Ins. Spec. nov. p. 379. t. 1. f. 11. a-c.* „
trifasciatus Dej. *Cat. 1. ed. p. 95.* „
irroratus Luc. *Casteln. Voy. 1859. p. 161.* „
nebulosus Gylh. *Schh. Gen. Curc. II. p. 161.* — Dej. *Cat. 3. ed. p. 279.* „
var. *hispidulus* Chevrol. *in litt.* „
nitidiventris Luc. *Casteln. Voy. 1859. p. 160.* „
peregrinatus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 438.* „
6

Sclerococcus

σκληρὸς, *durus;* κόκκος, *coccus.*

Schönherr. *Gen. Curc. VI. 1. 1840. p. 439.*

granulatus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 440.* — Lacord. *Gen. Atl. VII. t. 65. f. 4. a.* Brasilia.
1

Odontorrhinus

ὀδοὺς, dens; ῥὶν, nasus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 254.*

insperatus Bohem. *Schh. Gen. Curc. VI. 2. p. 255.* Persia occ.
1

Amphidees

ἀμφιδέης, valde timidus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 252.*

nubilosus Bohem. *Schh. Gen. Curc. VI. 2. p. 253.* — Lacord. *Gen. Col. VI. 1863. p. 242.* Mexico.
subgranulatus Chevrol. *in litt.* „
1

Opseotapinus

ὄψις, facies; ταπεινὸς, humilis.

Gemminger. *Col. Heft. VIII. 1871.*

Tapinopsis Blanchard.

angusticeps Blanch. *Gay. Hist. Chil. V. p. 378.* Chili.
lateralis Blanch. *l. c.* „
phaleratus Blanch. *l. c. p. 377. t. 24. f. 5. a-d.* „
sericeus Blanch. *l. c. p. 378.* „
sulcatulus Blanch. *l. c. p. 377.* „
5

Malonotus

μαλὸς, mollis; νῶτος, dorsum.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 357.*

Geonemides Blanch.

ater Blanch. *Gay. Hist. Chil. V. p. 360. t. 23. f. 13. a-f.* Chili.
niger Blanch. *l. c. p. 358. t. 23. f. 12. a-d.* — Lacord. *Gen. Atl. VII. t. 65. f. 5. a-b.* „
2

Megalometis

μεγαλόμητις, magnanimus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 267.*

Colobus Chevrol.

chiliensis Bohem. *Schh. Gen. Curc. VI. 2. p. 269.* — Blanch. *Gay. Hist. Chil. V. p. 370.* — Lacord. *Gen. Col. VI. 1863. p. 244. note 2.* Chili.

var. *laticollis* Blanch. *Gay. Hist. Chil. V. p. 370.* Chili.
spinifer Bohem. *l. c. p. 268.* — Blanch. *l. c. p. 366.* „
xanthomelas Fairm. et Germain. *Col. Chil. II. 1861. p. 7.* „
3

Synosomus

σὺν, simul; σῶμα, corpus.

Jekel. *Ann. nat. Hist. 3. ser. II. 1858. p. 358.*

geonomoides Jekel. *Ann. nat. Hist. 1858. p. 358.* Amer. centr.
1

Strangaliodes

στραγγαλιώδης, tortus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 219.*

Anchonus Reiche.

albosquamosus Bohem. *Schh. Gen. Curc. VI. 2. p. 220.* — Blanch. *Gay. Hist. Chil. V. p. 361. t. 24. f. 1. a-f.* Chili.
angustatus Blanch. *l. c. p. 364.* „
angustirostris Blanch. *l. c. p. 368.* „
argentatus Blanch. *l. c. p. 362.* „
aureosignatus Blanch. *l. c. p. 367.* „
aureosquamosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 428.* „
cinereus Blanch. *Gay. Hist. Chil. V. p. 363.* „
cognatus Blanch. *l. c. p. 369.* „
elongatus Blanch. *l. c. p. 364.* „
margaritaceus Erichs. *Wiegm. Arch. 1847. I. p. 129.* Peru.
marmoratus Blanch. *Gay. Hist. Chil. V. p. 363.* Chili.
squamifer Blanch. *l. c. p. 366. t. 24. f. 2. a-d.* „
sticticus Blanch. *l. c. p. 362.* „
tuberculifer Bohem. *Schh. Gen. Curc. VI. 2. p. 226.* — Lacord. *Gen. Col. VI. 1863. p. 245. note 4.* „
tuberculifer Blanch. *Gay. Hist. Chil. V. p. 368.* „
vestitus Blanch. *l. c. p. 367.* „
villosus Blanch. *l. c. p. 369.* „
17

Demimaea

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 440.*

luctuosa Pascoe. *Journ. Linn. Soc. X. 1870. p. 441. t. 17. f. 3. a-c.* Birma.
1

Bastactes

βαστακτής, bajulus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 293.*

bituberculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 294.* — Lacord. *Gen. Col. VI. 1863. p. 248. note 1.* Brasilia.
conifer Redtenb. *Reis. Novar. II. p. 151.* Rio Janeiro.
2

Catasarcus

κατάσαρκος, carnosus.

Schönherr. *Gen. Curc. V. 1840. p. 812.*

Revis. Pascoe. *Trans. ent. Soc. 1870. I. p. 13.*

albisparsus Pascoe. *Revis. p. 35.*	Champion bay.
albuminosus Pasc. *Revis. p. 29.*	"
araneus Pasc. *Revis. p. 29.*	"
bellicosus Pasc. *Revis. p. 28.*	Nov. Holland.
bilineatus Fåhrs. *Schh. Gen. Curc. V. p. 813.* — Pascoe. *Revis. p. 18.*	Swan River.
brevicollis Pascoe. *Revis. p. 32.*	Champion bay.
capito Pasc. *Revis. p. 33.*	"
carbo Pasc. *Revis. p. 35.*	Nov. Holland.
ceratus Pasc. *Revis. p. 24.*	"
cicatricosus Pasc. *p. 36.*	Champion bay.
concretus Pasc. *Revis. p. 38.*	Queensland.
echidna Pasc. *Revis. p. 28.*	Champion bay.
effloratus Pasc. *Revis. p. 21.*	"
ericius Pasc. *Revis. p. 37.*	"
foveatus Pasc. *Revis. p. 24.*	"
funereus Pasc. *Revis. p. 31.*	"
furfuraceus Pasc. *Revis. p. 39.*	"
griseus Pasc. *Revis. p. 22.*	Nov. Holland.
Hopei Fåhrs. *Schh. Gen. Curc. V. p. 815.* — Pascoe. *Revis. p. 22.*	Swan River.
vicinus Hope *in litt.*	"
humerosus Pasc. *Revis. p. 30.*	Nov. Holland.
impressipennis Boisd. *Voy. Astrol. II. p. 350. t. 7. f. 9.* — Lacord. *Gen. Col. VI. 1863. p. 250. note.*	"
rufipes Fåhrs. *Schh. Gen. Curc. V. p. 814.* — Labr. et Imh. *Gen. Curc. II. nr. 27.* — Pascoe. *Revis. p. 22.*	Swan River.
intermedius Pasc. *Revis. p. 27.*	Champion bay.
lepidus Pasc. *Revis. p. 39.*	"
longicornis Pasc. *Revis. p. 20.*	"
maculatus Pasc. *Revis. p. 25.*	K. Georg. S.
marginispinis Pasc. *Revis. p. 32.*	Champion bay.
memnonius Pasc. *Revis. p. 26.*	Victoria.
nitidulus Pasc. *Revis. p. 30.*	Swan River.
ochraceus Pasc. *Revis. p. 34.*	Champion bay.
opimus Pasc. *Revis. p. 19.*	"
ovinus Pasc. *Revis. p. 26.*	Queensland.
pollinosus Pasc. *Revis. p. 23.*	Nov. Holland.
rugulosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 380.* — Pasc. *Revis. p. 18.*	"
scordalus Pasc. *Revis. p. 37.*	Champion bay.
spinipennis Fåhrs. *Schh. Gen. Curc. V. p. 817.* — Labr. et Imh. *Gen. Curc. II. nr. 27.* — Pasc. *Revis. p. 32.*	Swan River.
stigmatipennis Boisd. *Voy. Astrol. II. p. 349.* — Pasc. *Revis. p. 18.*	Nov. Holland.
suturalis Pasc. *Revis. p. 18.*	"
transversalis Germ. *Linn. ent. III. 1848. p. 212.* — Pascoe. *Revis. p. 25.*	Adelaida.

trapa Pasc. *Revis. p. 38.* Champion bay.
tribulus Pasc. *Revis. p. 40.* „
vinosus Pasc. *Revis. p. 21.* „
41

Onesorus

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 483.*

candidus Pasc. *Journ. Linn. Soc. X. 1870. p. 484.* Australia.
maculosus Pasc. *l. c. p. 483. t. 19. f. 13. a.* Cap York.
obesus Pasc. *l. c.* Nicol bay.
tigrinus Pasc. *l. c.* Australia.
4

Esmelina

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 484.*

flavovittata Pascoe. *Journ. Linn. Soc. X. 1870. p. 484. t. 19. f. 8. a-b.* Queensland.
1

Gyponychus

γύψ, vultur; ὄνυξ, unguis.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 485.*

porosus Pascoe. *Journ. Linn. Soc. X. 1870. p. 485. t. 19. f. 10. a-b.* Mozambique.
1

Lysizone

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 485.*

alternata Pascoe. *Journ. Linn. Soc. X. 1870. p. 486.* Nicol bay.
1

Polyphrades

πολυφραδής, elocutus.

Schönherr. *Gen. Curc. V. 1840. p. 805.*

aesalon Pascoe. *Trans. ent. Soc. 1870. p. 448.* K. Georg. S.
ampliatus Pasc. *l. c. p. 447.* Austral. occ.
argentarius Fåhrs. *Schh. Gen. Curc. V. p. 809.* Swan River.
biplagiatus Pasc. *Trans. ent. Soc. 1870. p. 447.* Queensland.
cinereus Fåhrs. *Schh. Gen. Curc. V. p. 806.* Swan River.
laticollis Fåhrs. *l. c. p. 807.* „

latipennis Pascoe. *Trans. ent. Soc. 1870. p. 448.* — Championbay.
murinus Fåhrs. *Schh. Gen. Curc. V. p. 810.* — Swan River.
nanus Gylh. *Schh. l. c. I. p. 503.* — Boisd. *Voy. Astrol. II. p. 342.* — Lacord. *Gen. Col. VI. 1863. p. 251. note 1.* — Nov. Holland.
  australis Dej. *Cat. 3. ed. p. 269.* — Nov. Holland.
  leucophaeus Latr. *Dej. Cat. l. c.* — „
nitidilabris Germ. *Linn. ent. III. 1848. p. 212.* — Adelaida.
ortyx Pascoe. *Trans. ent. Soc. 1870. p. 446.* — Austral. occ.
paganus Bohem. *Schh. Gen. Curc. VIII. 2. p. 377.* — Labr. et Imh. *Gen. Curc. II. nr. 36.* — Nov. Holland.
pardalotus Pascoe. *Trans. ent. Soc. 1870. p. 447.* — K. Georg. S.
perignarus Fåhrs. *Schh. Gen. Curc. V. p. 811.* — Swan River.
pusillus Pascoe. *Trans. ent. Soc. 1870. p. 446.* — Austral. occ.
15

Chaodius

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 187.*

nigrescens Pascoe. *Trans. ent. Soc. 1870. p. 187. t. 5. f. 13.* — Austral. occ.
1

Essolithna

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 457.*

pluviata Pascoe. *Journ. Linn. Soc. 1870. p. 458. t. 18. f. 7. a-b.* — Nicol bay.
rhombus Pascoe. *l. c.* — Championbay.
2

Cherrus

χέῤῥος, asper.

Schönherr. *Disp. meth. 1826. p. 89.*

Bronchus Germar. — *Hybauchenia* Mac Leay.

australis Boisd. *Voy. Astrol. II. 1835. p. 345. t. 7. f. 13 (gen. dub.)* — K. Georg. S.
coenosus Fåhrs. *Schh. Gen. Curc. V. p. 802.* — Nov. Holland.
ebeninus Fåhrs. *l. c. p. 804.* — „
infaustus Oliv. *Ent. V. 83. p. 400. t. 25. f. 353.* — Gylh. *Schh. Gen. Curc. I. p. 500.* — „
  bulbifer Germ. *Ins. Spec. nov. p. 333.* — Boisd. *Voy. Astrol. II. p. 332.* — „
  granulatus Dej. *Cat. 3. ed. p. 269.* — „
iodimerus Boisd. *Voy. Astrol. II. p. 339. t. 7. f. 14.* — „
opatrinus Gylh. *Schh. Gen. Curc. I. p. 502.* — Boisd. *Voy. Astrol. II. p. 341.* — „
  rusticus Dej. *Cat. 3. ed. p. 269.* — „

plebejus Oliv. *Ent. V. 83. p. 400. t. 25. f. 357.* — Gylh. *Schh. Gen. Curc. I. p. 501.* — Labr. et Imh. *Gen. Curc. II. nr. 26.* Nov. Holland.
mistothes Herbst. *Käf. VII. p. 43. t. 97. f. 13.* „
vestitus Pascoe. *Trans. ent. Soc. 1870. p. 209.* Queensland.
8

Rhyparophilus

ῥυπαρὸς, sordidus; φίλος, amicus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 378.*

alternans Bohem. *Schh. Gen. Curc. VIII. 2. p. 379.* Nov. Holland.
1

Stenocorynus

στενὸς, angustus; κορύνη, clava.

Schönherr. *Disp. meth. 1826. p. 64.*

Gastrodus Mac Leay.

crenulatus Fabr. *Ent. Syst. p. 147.* — Oliv. *Ent. V. 83. p. 401. t. 11. f. 129.* — Gylh. *Schh. Gen. Curc. II. p. 321.* Nov. Holland.
australis Boisd. *Voy. Astrol. II. p. 394.* — Mac Leay. *Dej. Cat. 3. ed. p. 285.* „
lateralis Bohem. *Schh. Gen. Curc. II. p. 322.* „
albolineatus Mac Leay. *King's Surv. of Austral. II. App. p. 445.* — Sturm. *Cat. 1843. p. 189.* „
2

Elythrocallus

elytrum; callus.

Montrouzier. *Ann. Fr. 1860. p. 875.*

Chevrolati Montrouz. *Ann. Fr. 1860. p. 875. t. 7. f. 10.* — Lacord. *Gen. Atl. VII. t. 66. f. 1. a.* Nov. Caledon.
1

Leptops

λεπτὸς, tenuis; ὤψ, oculus.

Schönherr. *Gen. Curc. II. 1834. p. 297.*

acerba Pascoe. *Journ. Linn. Soc. X. 1870. p. 453.* Austral. occ.
angustior Germ. *Linn. ent. III. 1848. p. 215.* Adelaida.
cicatricosa Pascoe. *Ann. nat. Hist. 1871. p. 91.* Queensland.
colossus Pasc. *Journ. Linn. Soc. X. 1870. p. 451.* Champion bay.
crenata Bohem. *Schh. Gen. Curc. VI. 2. p. 222.* Nov. Holland.
dorsata Pascoe. *Journ. Linn. Soc. X. 1870. p. 453.* Austral. occ.
Duboulayi Pasc. *l. c. p. 452.* Champion bay.
dumosa Fåhrs. *Schh. Gen. Curc. VI. 2. p. 230.* Swan River.
ebenina Pascoe. *Journ. Linn. Soc. X. 1870. p. 454.* Queensland.

fera Pascoe. *Trans. ent. Soc. 1870. p. 185.* — Queensland.
Hopei Fåhrs. *Schh. Gen. Curc. VI. 2. p. 221.* — Nov. Holland.
humeralis Germ. *Linn. ent. III. p. 215.* — Adelaida.
hypocrita Pascoe. *Ann. nat. Hist. 1871. p. 92.* — Austral. mer.
hystricosa Fåhrs. *Schh. Gen. Curc. VI. 2. p. 229.* — Swan River.
iliaca Pascoe. *Ann. nat. Hist. 1871. p. 91.* — Cap York.
ovalipennis Pasc. *l. c. p. 91.* — Ins. Lizard.
polyacantha Pasc. *Journ. Linn. Soc. X. 1870. p. 453.* — Australia.
quadridens Fabr. *Syst. Ent. p. 153.* — Oliv. *Ent. V. 83. p. 397. t. 15. f. 187.* — Boisd. *Voy. Astrol. II. p. 335.* — Nov. Holland.
quadrituberculata Bohem. *Schh. Gen. Curc. II. p. 301.* — „
reducta Pascoe. *Trans. ent. Soc. 1870. p. 185.* — „
retusa Pasc. *Journ. Linn. Soc. X. 1870. p. 452.* — Queensland.
robusta Oliv. *Ent. V. 83. p. 398. t. 25. f. 356.* — Bohem. *Schh. Gen. Curc. II. p. 298.* — Nov. Holland.
bidentata Boisd. *Voy. Astrol. II. p. 361.* — Mac Leay. *Dej. Cat. 3. ed. p. 269.* — „
Germari Hope *in litt.* — „
rugicollis Latr. *i. litt.* — „
Spencei Bohem. *Schh. Gen. Curc. II. p. 299.* — „
spinea Fåhrs. *Schh. l. c. VI. 2. p. 228.* — Swan River.
spinigera Fåhrs. *l. c. p. 227.* — „
spinipennis Fåhrs. *l. c. p. 223.* — „
spinosa Fåhrs. *l. c. p. 224.* — „
squalida Bohem. *Schh. l. c. II. p. 300.* — Nov. Holland.
subfasciata Pascoe. *Trans. ent. Soc. 1870. p. 185.* — Queensland.
superciliaris Pascoe. *Journ. Linn. Soc. X. 1870. p. 452.* — „
tetraphysodes Pasc. *Ann. nat. Hist. 1871. p. 92.* — „
tribulus Fabr. *Syst. Ent. p. 153.* — Oliv. *Ent. V. 83. p. 396. t. 13. f. 161.* — Gylh. *Schh. Gen. Curc. I. p. 473.* — Nov. Holland.
echidna Mac Leay. *Dej. Cat. 3. ed. p. 269.* — „
♀ *Duponti* Boisd. *Voy. Astrol. II. p. 333.* — „
tuberculata Bohem. *Schh. Gen. Curc. II. p. 298.* — „
33

Aesiotes

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 422.*

notabilis Pascoe. *Journ. of Ent. II. p. 422. t. 17. f. 16.* — Queensland.
1

Baryopadus

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 186.*

corrugatus Pascoe. *Trans. ent. Soc. 1870. p. 186. t. 5. f. 5. a-b.* — Queensland.
1

Zymaus

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 449.*

binodosus Pascoe. *Trans. ent. Soc. 1870. p. 449. t. 7. f. 5. a.* Wide bay.
1

Catastygnus

κατάστυγνος, tristis.

Pascoe. *Ann. nat. Hist. 1871. p. 93.*

limbatus Pascoe. *Ann. nat. Hist. 1871. p. 94.* Port Denison.
rivularis Pasc. *l. c.* Moreton bay.
scutellaris Pasc. *l. c. p. 93.* Queensland.
stigma Pasc. *l. c. p. 94.* „
textilis Pasc. *l. c. p. 95.* Ins. Lizard.
5

Enchymus

ἔγχυμος, succosus.

Pascoe. *Ann. nat. Hist. 1871. p. 95.*

punctatonotatus Pascoe. *Ann. nat. Hist. 1871. p. 95.* Austral. mer.
1

Centyres

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 96.*

turgidus Pascoe. *Ann. nat. Hist. 1871. p. 96.* Queensland.
1

Amisallus

ἀμίσαλλος, morosus.

Schönherr. *Gen. Curc. V. 1840. p. 797.*

Cubicosomus Waterhouse.

nodosus Erichs. *Wiegm. Arch. 1842. I. p. 187.* Tasmania.
tuberosus Bohem. *Schh. Gen. Curc. V. p. 798.* Nov. Holland.
Whitei Waterb. *Trans. ent. Soc. ser. 2. II. 1853. p. 181.* — Lacord. *Gen. Atl. VII. t. 66. f. 2. a.* Richmond Riv.
3

Ophryastes

ὀφρυάζω, moveo supercilia.

Schönherr. *Gen. Curc. I. 1833. p. 508.*

Liparus Say.

argentatus Lec. *Proc. Ac. Phil. VI. 1853. p. 444.* California.

cinereus Fåhrs. *Schh. Gen. Curc. V. p. 819.* — Mexico.
decipiens Lec. *Proc. Ac. Phil. VI. p. 445.* — Texas.
globosus Motsch. *Bull. Ac. Petr. XVII. 1859. p. 572; Mélang. biol. Ac. Petr. III. 1859. p. 235.* — Lacord. *Gen. Col. VI. 1863. p. 257. note 2.* — Jakutsk.
hispidus Latr. *Humb. Voy. II. 1833. p. 28. t. 32. f. 2. (gen. dub.)* — Amer. mer.
latirostris Lec. *Proc. Ac. Phil. VI. p. 443.* — Arkansas.
ligatus Lec. *l. c.* — Nebraska.
porosus Lec. *l. c. VII. 1854. p. 225.* — Chihuahua.
Sallei Gylh. *Schh. Gen. Curc. V. p. 820.* — Lacord. *Gen. Atl. VII. t. 66. f. 3. a-b.* — Mexico.
sordidus Lec. *Proc. Ac. Phil. VI. p. 445.* — Texas.
speciosus Lec. *l. c. p. 444.* — „
sulcirostris Say. *Journ. Ac. Phil. III. 1824. p. 316.* — Gylh. *Schh. Gen. Curc. I. p. 509.* — Lec. *Proc. Ac. Phil. VI. p. 443.* — Arkansas.
tessellatus Say. *Journ. Ac. Phil. III. p. 318.* — Missouri.
tuberosus Lec. *Proc. Ac. Phil. VI. p. 443.* — New Mexico.
validus Lec. *l. c. VII. p. 225.* — Chihuahua.
varius Lec. *l. c. VI. p. 444.* — California.
vittatus Say. *Journ. Ac. Phil. III. p. 316.* — Germ. *Schh. Gen. Curc. I. p. 509.* — Lec. *Proc. Ac. Phil. VI. p. 443.; Col. Kans. 1859. p. 18. t. 1. f. 13. a. ♂.* — Labr. et Imh. *Gen. Curc. II. nr. 28.* — Arkansas.

17

Deracanthus

δέρη, collum; ἄκανθα, spina.

Schönherr. *Disp. meth. 1826. p. 90.*

Odontocnemus Zubkoff.

armatus Gebl. *Ledeb. Reis. II. 3. p. 148; Schh. Gen. Curc. I. p. 507.* — Tataria.
Fischeri Zubkoff. *Bull. Mosc. I. 6. 1829. p. 153. t. 4. f. 10.* — Fåhrs. *Schh. Gen. Curc. V. p. 848.* — Mare caspic.
grandis Motsch. *Bull. Ac. Petr. II. 1860. p. 544.* — Kirgisia.
hirsutulus Gylh. *Schh. Gen. Curc. V. p. 847.* — Mongolia.
var. *Faldermanni* Falderm. *Mém. Ac. Petr. II. 1835. p. 418. t. 5. f. 2.* — Schönh. *i. litt.* — „
hololeucus Falderm. *l. c. p. 417. t. 5. f. 1.* — Gylh. *Schh. Gen. Curc. V. p. 845.* — „
inderiensis Pallas. *Iter. I. App. 1771. p. 464; Jc. p. 26. t. B. f. 5.* — Lepech. *Tageb. I. p. 508. t. 16. f. 5.* — Sibiria.
spinifex Fabr. *Mant. I. p. 115.* — Herbst. *Käf. VI. p. 364. t. 88. f. 11.* — Gylh. *Schh. Gen. Curc. V. p. 844.* — „
Karelini Gylh. *l. c. p. 849.* — Labr. et Imh. *Gen. Curc. II. nr. 32.* — Mare caspic.
mucidus Bohem. *Schh. l. c. VIII. 2. p. 398.* — Mongolia.
pulchellus Gylh. *Schh. l. c. V. p. 846.* — „

9

Leptostethus

λεπτός, tenuis; στῆθος, pectus.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 175.*

marginatus Waterh. *Trans. ent. Soc. ser. 2. II. p. 175.* — Lacord. *Gen. Atl. VII. t. 66. f. 4. a.* Africa austr.
Waltoni Waterh. *l. c. p. 177.* „
2

Lordops

λορδός, cernuus; ὤψ, vultus.

Schönherr. *Disp. meth. 1826. p. 153.*

Menoetius Dejean.

adspersa Jekel. *Fabric. ent. I. nr. 6. 1854. p. 1.* Brasilia.
affinis Luc. *Casteln. Voy. 1859. p. 164.* „
albofasciata Jekel. *Fabric. ent. I. nr. 4. p. 11.* „
alboguttata Sahlb. *Schh. Gen. Curc. VI. 2. p. 174.* „
amoena Jekel. *Fabric. ent. I. nr. 4. p. 5.* „
arcuata Jekel. *l. c. p. 9.* „
argentosa Jekel. *l. c. p. 15.* „
aurosa Germ. *Ins. Spec. nov. 1824. p. 372.* „
Buqueti Jekel. *Fabric. ent. I. nr. 3. p. 1.* „
catharinensis Jekel. *l. c. p. 11.* „
circumdata Sahlb. *Schh. Gen. Curc. VI. 2. p. 176.* — Jekel. *Fabric. ent. I. nr. 2. p. 8.* „
conjugata Jekel. *l. c. nr. 5. p. 7.* „
costifera Jekel. *l. c. p. 13.* „
Deyrollei Jekel. *l. c. nr. 3. p. 9.* „
dives Luc. *Casteln. Voy. p. 163.* „
fasciata Jekel. *Fabric. ent. I. nr. 5. p. 9.* „
festiva Fåhrs. *Schh. Gen. Curc. VI. 2. p. 180.* „
funeraria Jekel. *Fabric. ent. I. nr. 3. p. 15.* „
guttata Fåhrs. *Schh. Gen. Curc. VI. 2. p. 181.* „
Gyllenhali Dalm. *Analect. ent. 1823. p. 83.* „
 decora Dej. *Cat. 1. ed. p. 94.* „
 dives Germ. *Ins. Spec. nov. p. 371.* „
 formosa Sturm. *Dej. Cat. 3. ed. p. 282.* „
infaceta Bohem. *Schh. Gen. Curc. II. p. 272.* „
insignis Bohem. *Schh. Gen. Curc. II. p. 269.* — Dej. *Cat. 3. ed. p. 282.* „
 Pertyi Jekel. *Fabric. ent. I. nr. 3. p. 7.* „
 principalis Perty. *Del. anim. 1830. p. 74. t. 15. f. 7.* „
 similis Micard *i. litt.* „
jucunda Bohem. *l. c. p. 271; VI. 2. p. 178.* „
 laeta Dej. *Cat. 3. ed. p. 282.* „
lacrimosa Fåhrs. *Schh. Gen. Curc. VI. 2. p. 175.* „
lateralis Fåhrs. *l. c. p. 182.* „
marginata Jekel. *Fabric. ent. I. nr. 4. p. 7.* — Dej. *Cat. 3. ed. p. 283.* „
navicularis Germ. *Ins. Spec. nov. p. 371.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 178.* „
 morbida Schönh. *Dej. Cat. 1. ed. p. 94.* „

obliquemarginata Jekel. *Fabric. ent. I. nr. 4. p. 13.* Brasilia.
obscura Jekel. *l. c. nr. 5. p. 5.* — Dej. *Cat. 3. ed. p. 283.* „
ostentata Jekel. *l. c. p. 3* „
postica Jekel. *l. c. p. 1.* „
prodiga Jekel. *Fabric. ent. I. nr. 3. p. 5.* „
Schönherri Dalm. *Analect. ent. 1823. p. 84.* „
illustris Dej. *Cat. 1. ed. p. 76.* „
principalis Germ. *Ins. Spec. nov. 1824. p. 373.* „
semicincta Jekel. *Fabric. ent. I. nr. 4. p. 3.* „
Sommeri Fåhrs. *Schh. Gen. Curc. VI. 2. p. 178.* „
var. *cincta* Fåhrs. *l. c. p. 179.* „
„ *farinosa* Chevrol. *i. litt.* „
„ *modesta* Jekel. *l. c. p. 16.* — Dej. *Cat. 3. ed. p. 283.* „
„ *V-album* Dej. *in litt.* „
„ *variabilis* Jekel. *Fabric. ent. I. nr. 5. p. 15.* „
Spinolae Jekel. *l. c. nr. 3. p. 3.* „
transversepunctata Jekel. *l. c. p. 13.* „
tricincta Jekel. *l. c. nr. 4. p. 1.* „
Troberti Jekel. *l. c. nr. 5. p. 11.* „
viridula Bohem. *Schh. Gen. Curc. II. p. 272.* — Fåhrs. *Schh. l. c. VI. 2. p. 183.* — Dej. *Cat. 3. ed. p. 283.* „
Waterhousei Jekel. *Fabric. ent. I. nr. 2. p. 15.* „
41

Trichocnemus

θρίξ, pilus; κνήμη, tibia.

Jekel. *Fabric. ent. I. nr. 6. 1854. p. 3.*

suturalis Jekel. *Fabric. ent. I. nr. 6. p. 5.* Brasilia.
1

Aulacometopus

αὖλαξ, sulcus; μέτωπον, frons.

Jekel. *Fabric. ent. I. nr. 6. 1854. p. 7. (emend.)*

Aulametopus Jekel.

biacutus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 177.* — Jekel. *Fabric. ent. I. nr. 6. p. 9.* Bahia.
♂ *margineus* Bohem. *Schh. Gen. Curc. II. p. 255.* „
1

Alocorrhinus

ἄλοξ, sulcus; ῥίν, nasus.

Jekel. *Fabric. ent. I. nr. 6. 1857. p. 11.*

albolineatus Sahlb. *Schh. Gen. Curc. VI. 2. p. 146.* Brasilia.
comprimatus Sahlb. *Spec. Ins. I. p. 32.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 144.* „

barbipennis Stev. *Mus. Mosq. I. p. 92.* — Dej. *Cat. 1. ed. p. 93.* — Brasilia.
cathetoplateus Perty. *Del. anim. p. 74. t. 15. f. 8.* — „
compressus Sturm. *Cat. 1826. p. 157.* — „
gemmatus Jekel. *Fabric. ent. I. nr. 6. p. 15.* — „
hieroglyphicus Luc. *Casteln. Voy. 1859. p. 163.* — „
loculosus Germ. *Ins. Spec. nov. 1824. p. 370.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 143.* — „
marginellus Fabr. *Spec. Ins. I. p. 193.* — Herbst. *Käf. VI. p. 117. t. 67. f. 13.* — „
albator Pallas. *Jc. p. 36. t. B. f. 21.* — „
albomarginatus Dupont. *Dej. Cat. 3. ed. p. 282.* — „
succinctus Fabr. *Syst. El. II. p. 534.* — „
Curtisi Sahlb. *Schh. Gen. Curc. VI. 2. p. 148.* — „
politus Fåhrs. *Schh. l. c. p. 145.* — „
scrobiculatus Fåhrs. *l. c. p. 147.* — „
succinctus Fabr. *Gen. Ins. Mant. p. 226.* — Jekel. *Fabric. ent. I. 2. p. 99.* — „
marginellus Oliv. *Ent. V. 83. p. 316. t. 11. f. 134.* — „
virescens Jekel. *Fabric. ent. I. 2. p. 97.* — „
10

Acanthobrachis

ἄκανθα, spina; βραχίων, brachium.

Jekel. *Fabric. ent. I. 2. 1857. p. 101.*

Acanthobrachys Lacord.

Germari Jekel. *Fabric. ent. I. 2. p. 103.* — Brasilia.
1

Eudmetus

εὔδμητος, bene aedificatus.

Jekel. *Fabric. ent. I. 2. 1857. p. 105.*

cinereus Jekel. *Fabric. ent. I. 2. p. 107.* — Columbia.
nigromaculatus Jekel. *l. c. p. 111.* — „
posticatus Jekel. *l. c. p. 109.* — „
3

Merodontus

μηρός, femur; ὀδούς, dens.

Jekel. *Fabric. ent. I. 2. 1857. p. 113.*

alophoides Jekel. *Fabric. ent. I. 2. p. 129.* — Cayennae.
aurulans Jekel. *l. c. p. 123.* — Rio Negro.
cordifer Jekel. *l. c. p. 127.* — Cayennae.
derosus Jekel. *l. c. p. 117.* — Lacord. *Dej. Cat. 3. ed. p. 282.* — „
signatus Chevrol. *i. litt.* — „

fornicatus Jekel. *Fabric. ent. I. 2. p. 119.* Amazon.
setosulus Jekel. *l. c. p. 121.* „
vetustus Jekel. *l. c. p. 125.* Cayennae.
7

Orthocnemus

ὀρθός, rectus; κνήμη, tibia.

Jekel. *Fabric. ent. I. 2. 1857. p. 131.*

heilipoides Jekel. *Fabric. ent. I. 2. p. 135.* Quito.
Lebasi Jekel. *l. c. p. 133.* Columbia.
2

Hypsonotus

ὕψος, altitudo; νῶτος, dorsum.

Germar. *Ins. Spec. nov. 1824. p. 367.*

Charamus Steven. — *Deroconus* Jekel. — *Dyorirhinus* Jek. — *Euscapus* Jek. — *Euschoinus* Jek. — *Euthyreus* Jek. — *Lasiocnemus* Jek. — *Oligocyrtus* Jek. — *Paraspondus* Jek. — *Stenorhinus* Jek. — *Tomometopus* Jek. — *Tomorhinus* Jek.

acutipennis Jekel. *Fabric. ent. I. 3. 1859. p. 229.* Columbia.
albicans Jekel. *l. c. p. 215.* Brasilia.
albofasciatus Jekel. *l. c. 2. p. 169.* „
albopictus Jekel. *l. c. 2. p. 181.* „
albopunctatus Luc. *Casteln. Voy. 1859. p. 162.* „
amoenus Jekel. *Fabric. ent. I. 3. p. 207.* „
apicatus Jekel. *l. c. 2. p. 173.* Columbia.
apocyrtoides Jekel. *l. c. 3. p. 241.* Caracas.
  pectoralis Chevrol. *in litt.* „
  rubricans Chevrol. *in litt.* „
aurarius Jekel. *Fabric. ent. I. 3. 1859. p. 185* Rio Negro.
  cuprarius Jekel *in litt.* „
auripes Jekel. *Fabric. ent. I. 2. p. 149.* Minas Geraës.
  molitor Jekel *in litt.* „
auritus Bohem. *Schh. Gen. Curc. II. p. 257.* Brasilia.
binotatus Fåhrs. *Schh. l. c. VI. 2. p. 163.* „
bipunctatus Jekel. *Fabric. ent. I. 3. p. 233.* Columbia.
Bohemani Jekel. *l. c. p. 197.* Brasilia.
caliginosus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 155.* „
  ater Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 498.* „
callosicollis Jekel. *Fabric. ent. I. 2. p. 179.* St. Catharina.
candidatus Jekel. *(indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 269. note 1.* Brasilia.
cervinus Jekel. *Fabric. ent. I. 3. p. 195.* — Dej. *Cat. 3. ed. p. 282.* „
chrysendetus Germ. *Ins. Spec. nov. p. 375. t. 1. f. 14.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 161.* „
  var. *isabellinemarginatus* Bohem. *Schh. l. c. II. p. 260.* „
  „ { *lateralis* Bohem. *l. c. p. 264.* — Dej. *Cat. 1. ed. p. 90.* „
  „ { *marginalis* Sturm. *Cat. 1826. p. 164.* „

cinctipes Bohem. *Schh. Gen. Curc. II. p. 259.* — Jekel. *Fabric. ent. I. 3. p. 203.* — Brasilia.
var. *arcuatus* Jekel. *l. c.* — „
„ *ater* Jekel *in litt.* — „
„ *Dejeani* Jekel *in litt.* — „
„ *Reichei* Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 501.* — „
clavulus Germ. *Ins. Spec. nov. p. 369.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 142.* — „
lama Stev. *Mus. Mosq. II. p. 92.* — „
compressipennis Jekel. *Fabric. ent. I. 3. p. 235.* — Columbia.
costatus Bohem. *Schh. Gen. Curc. II. p. 262.* — Brasilia.
Dalmani Bohem. *l. c. p. 263.* — „
designatus Fåhrs. *l. c. p. 164.* — „
dorsalis Fåhrs. *l. c. p. 152.* — „
dorsiger Jekel. *Fabric. ent. I. 3. p. 193.* — „
dorsalis Dej. *Cat. 3. ed. p. 282.* — „
Douei Jekel. *Fabric. ent. I. 3. p. 205.* — „
Fahraei Fåhrs. *Schh. Gen. Curc. VI. 2. p. 154.* — „
Faldermanni Sahlb. *Schh. l. c. p. 165.* — „
femoralis Jekel. *Fabric. ent. I. 3. p. 249. (indscrpt.)* — „
incanus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 157.* — Sturm. *Cat. 1826. p. 115.* — „
includens Jekel. *Fabric. ent. I. 2. p. 183.* — Luc. *Casteln. Voy. 1859. p. 161. t. 10. f. 5. a-b.* — „
aurosignatus Jekel *in litt.* — „
interruptelineatus Jekel. *Fabric. ent. I 3. p. 199.* — Buenos Aires.
irrigatus Germ. *Ins. Spec. nov. p. 375.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 151.* — Brasilia.
laevicollis Jekel. *Fabric. ent. I. 3. p. 237.* — Columbia.
languidus Bohem. *Res. Eugen. 1859. p. 123.* — Ins. Puna.
latus Jekel. *Fabric. ent. I. 3. p. 189.* — St. Vincent.
leucostictus Germ. *Ins. Spec. nov. p. 374.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 165.* — Jekel. *Fabric. ent. I. 3. p. 248.* — Brasilia.
lordopioides Jekel. *l. c. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 269. note 2.* — Bolivia.
marginellus Bohem. *Schh. Gen. Curc. II. p. 256.* — Brasilia.
melancholicus Jekel. *Fabric. ent. I. 3. p. 221.* — Dej. *Cat. 3. ed. p. 282. pars.* — „
molitor Fåhrs. *Schh. Gen. Curc. VI. 2. p. 160.* — „
♀ *auriceps* Jekel. *Fabric. ent. I. 2. p. 150.* — „
morio Jekel. *Fabric. ent. I. 2. p. 175.* — Venezuela.
murinus Sahlb. *Schh. Gen. Curc. VI. 2. p. 162.* — Amer. mer.
posticus Chevrol. *in litt.* — „
nebulosus Jekel. *Fabric. ent. I. 3. p. 217.* — Brasilia.
niger Jekel. *l. c. p. 219.* — „
melancholicus Dej. *Cat. 3. ed. p. 282. pars.* — „
nitidulus Jekel. *Fabric. ent. I. 3. p. 237.* — Columbia.
nubilosus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 158.* — Brasilia.
obsoletus Jekel. *Fabric. ent. I. 3. p. 211.* — „
attributus Jekel *in litt.* — „
ocularis Jekel. *Fabric. ent. I. 3. p. 191.* — Buenos Aires.
paraguayanus Jekel. *l. c. p. 209.* — Paraguay.

pavidus Jekel. *Fabric. ent. I. 3. p. 187.*	Brasilia.
cursor Jekel *in litt.*	„
phaeopterus Jekel. *Fabric. ent. I. 2. p. 149.*	„
picturatus Sahlb. *Schh. Gen. Curc. VI. 2. p. 150.*	„
pictus Jekel *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 270. note 3.*	Cayennae.
pilosulus Jekel. *Fabric. ent. I. 2. p. 149.*	Brasilia.
plumipes Sahlb. *Schh. Gen. Curc. VI. 2. p. 172.*	„
hirtipes Sturm. *Cat. 1826. p. 157.*	„
prodigialis Jekel. *Fabric. ent. I. 2. p. 160. (indscrpt.)*	Nov. Granada.
punctum Jekel. *l. c. 3. p. 231.*	Columbia.
quadrimaculatus Buquet *in litt.*	„
ramosus Jekel. *Fabric. ent. I. 3. p. 225.*	„
rotundicollis Bohem. *Schh. Gen. Curc. II. p. 258.* — Jekel. *Fabric. ent. I. 3. p. 244.*	Brasilia.
Schönherri Billb. *Enum. Ins. p. 45.*	„
rotundipennis Jekel. *Fabric. ent. I. 2. p. 167.*	„
ruficollis Bohem. *Schh. Gen. Curc. II. p. 265.*	„
rufipes Jekel. *(indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 269. note 3.*	Columbia.
sculpturatus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 156.*	Brasilia.
scutellum album Jekel. *Fabric. ent. I. 3. p. 249. (indscrpt.)*	„
selectus Jekel. *l. c. 2. p. 171.*	„
setarius Jekel. *l. c. 3. p. 213.*	Columbia.
♂ *nigricans* Dupont *in litt.*	„
♀ *brevipennis* Jekel *in litt.*	„
squamosus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 149.* — Dej. *Cat. 3. ed. p. 282.* — Jekel. *Fabric. ent. I. 3. p. 245.*	Brasilia.
stanneus Bohem. *Schh. Gen. Curc. II. p. 262.*	„
Stevensi Jekel. *l. c. 2. p. 165.*	„
subfasciatus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 159.*	„
subscutellaris Jekel. *Fabric. ent. I. 2. p. 177.*	St. Catharina.
subsellatus Jekel. *l. c. 3. p. 249. (indscrpt.)*	Brasilia.
umbrosus Germ. *Ins. Spec. nov. p. 370. t. 1. f. 13.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 152.*	„
apicalis Sturm. *Cat. 1826. p. 157.*	„
rotundicollis Dej. *Cat. 3. ed. p. 282.*	„
vestitus Jekel. *Fabric. ent. I. 3. p. 223.*	Columbia.
viridiadspersus Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. 1853. p. 505.*	Brasilia.
viridilineatus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 168.*	„
viridimarginatus Bohem. *Schh. l. c. II. p. 261.*	„
viridipupillatus Jekel. *Fabric. ent. I. 3. p. 239.*	„
viridisparsus Jekel. *l. c. p. 201.*	„

82

Lasiopus

λάσιος, hirtus; πούς, pes.

Schönherr. *Disp. meth. 1826. p. 153.*

cilipes Sahlb. *Spec. Ins. I. p. 35. t. 2. f. 4.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 172.*	Brasilia.

pilipes Stev. *Mus. Mosq. II. p. 92.* Brasilia.
rugipennis Dej. *Cat. 1. ed. p. 93.* „
1

Hypoptus

ὕποπτος, suspectus.

Jekel. *Fabric. ent. 1857. tabl. Gen.*

lepyroides Jekel. *Fabric. ent. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 272.* Columbia.
macularis Jekel. *Fabric. ent. (indscrpt.)* Mexico.
setosulus Jekel. *l. c. (indscrpt.)* Columbia.
3

Euides

εὐειδής, pulcher.

Jekel. *Fabric. ent. 1857. tabl. Gen. (emend.)*

Eueides Jekel.

Chevrolati Fåhrs. *Schh. Gen. Curc. VI. 2. p. 170.* Brasilia.
clericus Sahlb. *Spec. Ins. I. p. 34. t. 2. f. 5.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 169.* „
brasiliensis Dej. *Cat. 1. ed. p. 91.* „
scenicus Germ. *Ins. Spec. nov. p. 373.* „
Mellyi Jekel. *Fabric. ent. (indscrpt.)* „
Sahlbergi Fåhrs. *Schh. Gen. Curc. VI. 2. p. 171.* „
villosopunctatus Jekel. *Fabric. ent. (indscrpt.)* „
clericus var. *γ.* Fåhrs. *Schh. Gen. Curc. VI. 2. p. 170.* — Lacord. *Gen. Col. VI. 1863. p. 272. note 2.* „
5

Diaprosomus

διαπρό, omnino; σῶμα, corpus.

Jekel. *Fabric. ent. 1857. tabl. Gen.*

bivittatus Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. p. 512; Mélang. ent. fasc. II. p. 128.* Brasilia.
collaris Jekel. *Fabric. ent. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 273. note 2.* „
magnificus Sahlb. *Schh. Gen. Curc. VI. 2. p. 167.* „
cruciatus Dej. *Cat. 3. ed. p. 279.* „
regalis Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. p. 508; Mélang. ent. fasc. II. p. 124.* Minas Geraës.
splendidus Jekel. *Fabric. ent. (indscrpt.)* Brasilia.
transversus Jekel. *l. c. (indscrpt.)* — Lacord. *Gen. Atl. VII. t. 66. f. 5. a-b.* „
6

Tropidorrhinus

τρόπις, carina; ῥὶν, nasus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 360. (emend.)*

Tropirhinus Schönh. 1823.

affaber Fåhrs. *Schh. Gen. Curc. VI. 1. p. 361.* Brasilia.
costipennis Sahlb. *Schh. l. c. VI. 2. p. 166.* — Lacord. *Gen. Col. VI. 1863. p. 274.* „
2

Elytroxys

ἔλυτρον, elytrum; ὀξὺς, acutus.

Jekel. *Fabric. ent. 1857. tabl. Gen.*

inflatus Jekel. *Fabric. ent. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 275.* Brasilia.
1

Euryomus

εὐρὺς, latus; ὦμος, humerus.

Jekel. *Fabric. ent. 1857. tabl. Gen.*

elegans Kirby. *Trans. Linn. Soc. XII. 1818. p. 437. t. 22. f. 12.* Brasilia.
fastuosus Dej. *Cat. 3. ed. p. 283.* „
Kirbyi Gylh. *Schh. Gen. Curc. II. p. 275.* „
Mannerheimi Fåhrs. *Schh. l. c. VI. 2. p. 185.* „
Roeseli Bohem. *Schh. l. c. p. 184.* „
3

Eurylobus

ευρὺς, latus; λοβὸς, lobus.

Schönherr. *Disp. meth. 1826. p. 152.*

cinctellus Bohem. *Schh. Gen. Curc. II. p. 274.* Brasilia.
cingulatus Germ. *Ins. Spec. nov. p. 377.* — Bohem. *Schh. Gen. Curc. II. p. 274.* „
var. *canephorus* Germ. *Ins. Spec. nov. p. 376.* „
„ *fasciatus* Dej. *Cat. 1. ed. p. 90.* „
„ *niger* Sturm. *Cat. 1826. p. 158.* „
„ *subfasciatus* Dej. *Cat. 3. ed. p. 283.* „
2

Conothorax

κῶνος, conus; θώραξ, thorax.

Jekel. *Fabric. ent. 1857. tabl. Gen.*

luctuosus Dej. *in litt.* — Jekel. *Fabric. ent. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 277.* Bolivia.
1

Homoeonotus

ὅμοιος, similis; νῶτος, dorsum.

Jekel. *Fabric. ent. 1857. tabl. Gen. (emend.)*

Omoionotus Jekel.

Species duo Jekel. *(indscrpt.)* Brasilia.
2

Rhigus

ῥῖγος, rigor.

Germar. *Ins. Spec. nov. 1824. p. 438.*

agricola Bohem. *Schh. Gen. Curc. V. p. 732.* Brasilia.
Dejeani Gylh. *Schh. l. c. I. p. 446.* „
contaminatus Dej. *Cat. 3. ed. p. 268.* „
Faldermanni Bohem. *Schh. Gen. Curc. V. p. 733.* — Labr. et Imh. *Gen. Curc. II. nr. 19.* „
sordidus Germ. *in litt.* „
horridus Dalm. *Schh. Gen. Curc. I. p. 445.* — Labr. et Imh. *Gen. Curc. II. nr. 18.* „
irroratus Bohem. *Schh. Gen. Curc. V. p. 735.* — Labr. et Imh. *Gen. Curc. II. nr. 19.* „
nigrosparsus Perty. *Del. anim. 1830. p. 71. t. 14. f. 14.* „
multipunctatus Bohem. *Schh. Gen. Curc. V. p. 734.* — Dej. *Cat. 3. ed. p. 268.* „
phaleratus Perty. *Del. anim. p. 71. t. 14. f. 13.* „
Gyllenhali Bohem. *Schh. Gen. Curc. I. p. 448.* „
Schüppeli Germ. *Ins. Spec. nov. p. 439.* „
arrogans Dej. *Cat. 1. ed. p. 92.* „
var. *lateritius* Gylh. *Schh. Gen. Curc. I. p. 445.* „
speciosus Linn. *Mus. Lud. Ulr. p. 55.* Cayennae.
bidentatus Bohem. *Schh. Gen. Curc. I. p. 448.* — Dej. *Cat. 3. ed. p. 268.* „
smaragdulus Fabr. *Mant. I. p. 111.* — Oliv. *Ent. V. 83. p. 327. t. 19. f. 248.* „
tribuloides Pall. *Jc. 1781. p. 30. t. B. f. 11.* — Herbst. *Käf. VI. p. 513. t. 95. f. 11.* — Bohem. *Schh. Gen. Curc. I. p. 446.* Brasilia.
draco Dej. *Cat. 1. ed. p. 81.* „
tribulus Sturm. *Cat. 1826. p. 129.* „
viridiventris Chevrol. *Dej. Cat. 3. ed. p. 268.* „
10

Cydianirus

κυδιάνειρος, gloriosus.

Schönherr. *Gen. Curc. V. 1840. p. 737. (emend.)*

Cydianerus Schönh.

araneiformis Dalm. *Schh. Gen. Curc. I. p. 450.* — Labr. et Imh. *Gen. Curc. II. nr. 20.* Brasilia.
tumidus Dej. *Cat. 3. ed. p. 268.* „

argenteus Bohem. *Schh. Gen. Curc. V. p. 741.* Mexico.
atrox Germ. *Ins. Spec. nov. 1824. p. 438.* — Bohem. *Schh. Gen. Curc. I. p. 446.* — Lacord. *Gen. Col. VI. 1863. p. 280. note 1. A.* Brasilia.
nodipennis Sturm. *Cat. 1826. p. 129.* „
obesus Dej. *Cat. 3. ed. p. 268.* „
Bohemani Bohem. *Schh. Gen. Curc. V. p. 738.* „
Chevrolati Blanch. *Voy. d'Orb. 1843. p. 201. t. 16. f. 5.* Bolivia.
Fischeri Gylh. *Schh. Gen. Curc. I. p. 451.* „
latruncularius Perty. *Del. anim. 1830. p. 70. t. 14. f. 9.* Brasilia.
Mannerheimi Gylh. *Schh. Gen. Curc. I. p. 450.* „
pantherinus Dej. *Cat. 3. ed. p. 268.* „
virescens Luc. *Casteln. Voy. 1859. p. 150. t. 9. f. a-b.* „
Wahlbergi Bohem. *Schh. Gen. Curc. V. p. 740.* „
9

Polyteles

πολυτελής, magnificus.

Schönherr. *Gen. Curc. I. 1833. p. 452.*

Polydius Schönh.

coelestinus Perty. *Del. anim. 1830. p. 70. t. 14. f. 10.* Brasilia.
Steveni Gylh. *Schh. Gen. Curc. I. p. 453.* „
decussatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 441. t. 17. f. 1.* Peru.
Guerini Fåhrs. *Schh. Gen. Curc. V. p. 743.* — Labr. et Imh. *Gen. Curc. II. nr. 21.* Brasilia.
3

Entimus

ἔντιμος, honoratus.

Schönherr. *Disp. meth. 1826. p. 83.*

granulatus Linn. *Mus. Lud. Ulr. p. 61.* — Bohem. *Schh. Gen. Curc. I. p. 455.* Cayennae.
sumptuosus Fabr. *Ent. Syst. I. 2. p. 449.* — Oliv. *Ent. V. 83. p. 294. t. 1. f. 13.* „
imperialis Forster. *Nov. Spec. Ins. 1771. p. 34.* — Drury. *Ill. II. p. 62. t. 34. f. 1.* — Fabr. *Spec. Ins. I. p. 184.* — Bohem. *Schh. Gen. Curc. I. p. 455.* Brasilia
nobilis Oliv. *Ent. V. 83. p. 295. t. 20. f. 263; t. 5. f. 57.* — Bohem. *Schh. Gen. Curc. I. p. 455.* „
speciosus Erichs. *Wiegm. Arch. 1847. I. p. 127.* Peru.
splendidus Fabr. *Ent. Syst. I. 2. p. 448.* — Herbst. *Käf. VI. p. 227. t. 76. f. 3.* — Bohem. *Schh. Gen. Curc. I. p. 454.* — Labr. et Imh. *Gen. Curc. II. nr. 22.* Brasilia.
fastuosus Oliv. *Ent. V. 83. p. 294. t. 5. f. 51.* „
5

Phaedropus

φαιδρωπός, vultu sereno.

Schönherr. *Disp. meth. 1826. p. 112.*

candidus Fabr. *Syst. Ent. p. 146.* — Bohem. *Schh. Gen. Curc. I. p. 648.* — Cayennae.
tomentiger Herbst. *Käf. VI. p. 319. t. 85. f. 4. a-b.* — „
tomentosus Oliv. *Ent. V. 83. p. 343. t. 13. f. 155. a-b.* — „
togatus Bohem. *Schh. Gen. Curc. I. p. 647.* — Chevrol. *Dej. Cat. 3. ed. p. 274.* — Labr. et Imh. *Gen. Curc. II. nr. 23.* — Brasilia.
dorsalis Dej. *Cat. l. c.* — „
2

Brachycerus

βραχὺς, brevis; κέρας, cornu.

Olivier. *Encycl. méth. Ins. V. 1790. p. 181.*

acerbus Gylh. *Schh. Gen. Curc. V. p. 671.* — Cap bon. spei.
aegyptiacus Oliv. *Ent. V. 82. p. 51. t. 3. f. 34.* — Gylh. *Schh. Gen. Curc. I. p. 410.* — Aegyptus.
Olivieri Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 367. (forte.)* — „
affaber Gylh. *Schh. Gen. Curc. V. p. 641.* — Cap bon. spei.
albarius Gylh. *Gen. Curc. II. p. 683.* — Labr. et Imh. *Gen. Curc. II. nr. 10.* — Caffraria.
albidentatus Gylh. *l. c. p. 654.* — Labr. et Imh. *l. c. nr. 15.* — Sicilia.
lusitanicus Hope *in litt.* — Lusitania.
sardeus Dahl *in litt.* — Sardinia.
{*siculus* Dej. *Cat. 3. ed. p. 268.* — Sicilia.
{*albosignatus* Dahl. *Dej. Cat. l. c.* — „
algirus Fabr. *Mant. I. p. 120.* — Oliv. *Ent. V. 82. p. 54. t. 2. f. 19. a-b.* — Gylh. *Schh. Gen. Curc. I. p. 416.* — Algeria.
alpinus Dej. *in litt.* — Gallia mer.
muricatus Oliv. *Encycl. méth. V. p. 186.* — „
anaglypticus Gylh. *Schh. Gen. Curc. V. p. 679.* — Cap bon. spei.
var. *nodifer* Schönh. *in litt. olim.* — Gylh. *l. c.* — Caffraria.
„ *sparsipes* Schönh. *in litt. olim.* — Gylh. *l. c.* — „
angusticollis Wiedem. *Zool. Mag. II. 1. p. 119.* — Gylh. *Schh. Gen. Curc. V. p. 703.* — „
annulatus Gerstäck. *Monatsb. Berl. Ac. 1855. p. 83; Peters Reise. 1862. p. 305. t. 18. f. 6.* — Mozambique.
apicatus Gylh. *Schh. Gen. Curc. V. p. 637.* — Cap bon. spei.
stellaris Gylh. *l. c. I. p. 424.* — „
var. *cirrifer* Chevrol. *in litt.* — Gylh. *l. c.* — „
apterus Linn. *Syst. nat. ed. X. p. 386.* — Oliv. *Ent. V. 82. p. 44. t. 1. f. 3. a-b.* — Gylh. *Schh. Gen. Curc. I. p. 386; V. p. 606.* — Labr. et Imh. *Gen. Curc. II. nr. 13.* — Gerstäck. *Peters Reise. 1862. p. 305.* — „

cruciatus Degeer. *Ins. V. p. 275. t. 16. f. 1.*	Cap bon. spei.
granosus Gylh. *Schh. Gen. Curc. I. p 387.*	"
ornatus Drury. *Ill. II. p. 63. t. 34. f. 3. (forte.)*	"
var. {*caffer* Gylh. *l. c. p. 394.*	Caffraria.
{*Dregei* Schönh. *in litt. olim.*	"
" {*ferrugineus* Oliv. *Ent. V. 83. p. 45. t. 3. f. 28.* — Gylh. *l. c. p. 389.*	Madagascar.
{*cicatriculatus* Schönh. *in litt. olim.*	"
{*ochreatus* Germ. *in litt.*	"
" {*tessellatus* Gylh. *l. c. p. 388.*	Cap bon. spei.
{*apterus* Thunb. *Act. Ups. VI. p. 17.*	"
argillaceus Reiche. *Ann. Fr. 1857. p. 654.*	Syria.
asper Oliv. *Ent. V. 1807. 82. p. 64. t. 3. f. 32.* — Gylh. *Schh. Gen. Curc. I. p. 428; V. p. 684.*	Cap bon. spei.
vacca Thunb. *Nov. Act. Ups. VI. p. 36.*	Caffraria.
atrox Gerstäck. *Wiegm. Arch. 1871. I. p. 72.*	Ins. Zanzibar.
axillaris Gylh. *Schh. Gen. Curc. V. p. 715.*	Cap bon. spei.
barbarus Linn. *Syst. nat. ed. X. p. 386.* — Oliv. *Encycl. méth. V. p. 185; Ent. V. 82. p. 49. t. 2. f. 15. a-b.*	Lusitania.
lateralis var. Gylh. *Schh. Gen. Curc. I. p. 407.*	Hispania.
bicallosus Gylh. *l. c. V. p. 613.*	Caffraria.
biglobatus Sparrm. *Act. Holm. 1785. p. 53. t. 3. f. 30.* — Gylh. *Schh. Gen. Curc. I. p. 432; V. p. 696.*	Cap bon. spei.
spectrum Thunb. *Nov. Act. Ups. VI. p. 35.*	"
var. *interpunctatus* Schönh. *in litt. olim.* — Gylh. *l. c. V. p. 697.*	Caffraria.
" *lentus* Schönh. *in litt. olim.* — Gylh. *l. c. V. p. 696.*	Cap bon. spei.
" *margaritifer* Schönh. *in litt. olim.* — Gylh. *l. c. V. p. 698.*	"
" *saxosus* Schönh. *in litt. olim.* — Gylh. *l. c. V. p. 697.*	"
" *scrobirostris* Schönh. *in litt. olim.* — Gylh. *l. c. V. p. 697.*	Caffraria.
" *ungulatus* Gylh. *l. c. V. p. 697.*	Cap bon. spei.
buculus Schönh. *Gen. Curc. I. p. 427.*	"
juvencus Thunb. *Nov. Act. Ups. VI. p. 22.*	"
cancellatus Gylh. *Schh. Gen. Curc. I. p. 404; V. p. 615.*	"
verriculatus Schönh. *in litt.*	"
caperans Lichtenst. *Cat. Mus. Hamb. 1795. p. 55.* — Herbst. *Käf. VII. p. 88.*	"
avifrons Gylh. *Schh. Gen. Curc. I. p. 436; V. p. 717.* — Illig. *Dej. Cat. 3. ed. p. 268.*	"
var. *milleporus* Gylh. *l. c. I. p. 435.*	"
Chevrolati Fåhrs. *Schh. l. c. V. p. 657.*	Sicilia.
bufo Germ. *in litt.*	"
var. {*callosus* Schönh. *Gen. Curc. I. p. 427.* — Fåhrs. *l. c. p. 657.*	Cap bon. spei.
{*rudis* Chevrol. *in litt.*	"
{*variolosus* Thunb. *Nov. Act. Ups. VI. p. 30.*	"
cinctipes Gylh. *Schh. Gen. Curc. I. p. 397.*	"
cinerarius Wiedem. *Zool. Mag. II. 1. p. 115.* — Fåhrs. *Schh. Gen. Curc. V. p. 664.*	"
pimelioides Germ. *in litt.*	"

cinereus Oliv. *Ent. V. 82. p. 56. t. 3. f. 35. a-b.*	Aegyptus.
cirrosus Gylh. *Schh. Gen. Curc. V p. 660.* — Luc. *Expl. Alg. t. 35. f. 8. a-d.*	Sicilia.
clathratus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 362.*	Algeria.
comtus Fåhrs. *Schh. Gen. Curc. V. p. 663.*	Cap bon. spei.
congestus Gerstäck. *Monatsb. Berl. Ac. 1855. p. 83; Peters Reise. 1862. p. 306. t. 18. f. 7.*	Mozambique.
cordiger Sparrm. *Act. Holm. 1785. p. 50. t. 3. f. 23.* — Gylh. *Schh. Gen. Curc. 1. p. 395.*	Cap bon. spei.
papillosus Thunb. *Nov. Act. Ups. VI. p. 20.*	"
scabrosus Oliv. *Encycl. méth. V. p. 184; Ent. V. 82. p. 48. t. 2. f. 11.*	"
corniculatus Gylh. *Schh. Gen. Curc. I. p. 429.*	Caffraria.
cornifrons Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 363.*	Incert. sedis.
cornutus Linn. *Mus. Lud. Ulr. p. 57.* — Sparrm. *Act. Holm. 1785. p. 51. t. 3. f. 24.* — Gylh. *Schh. Gen. Curc. I. p. 399.* — Labr. et Imh. *Gen. Curc. II. nr. 11.*	Cap bon. spei.
spinirostris Oliv. *Encycl. méth. V. p. 183; Ent. V. 82. p. 59. t. 2. f. 9.*	"
coronirostris Gylh. *Schh. Gen. Curc. V. p. 627.*	"
corrosus Gylh. *l. c. I. p. 409.* — Dej. *Cat. 3. ed. p. 267.*	Corsica.
costalis Gylh. *l. c. V. p. 616.*	Cap bon. spei.
costatus Gylh. *l. c. p. 687.*	"
crenatus Oliv. *Encycl. méth. V. p. 186; Ent. V. 82. p. 66. t. 2. f. 17.* — Herbst. *Käf. VII. p. 96.*	Madagascar.
cribrarius Oliv. *Ent. V. 82. p. 58. t. 3. f. 33.*	Mesopotamia.
crispatirostris Gylh. *Schh. Gen. Curc. V. p. 689.*	Cap bon. spei.
crispicularis Gylh. *l. c. p. 690.*	"
curruca Gylh. *l. c. p. 677.* — Labr. et Imh. *Gen. Curc. II. nr. 11.*	"
curtulus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 366.*	Algeria.
detritus Thunb. *Nov. Act. Ups. VI. 1799. p. 21.* — Fåhrs. *Schh. Gen. Curc. V. p. 612.*	Cap bon. spei.
armatus Wiedem. *Dej. Cat. 3. ed. p. 267.*	"
maculatus Fabr. *Syst. El. II. p. 413.* — Fåhr. *l. c. p. 611.*	"
var. *hottentottus* Gylh. *Schh. Gen. Curc. I. p. 393.* — Fåhrs. *l. c. p. 612.*	"
" *koroquanus* Schönh. *i. litt.* — Fåhrs. *l. c. p. 612.*	"
discolor Gylh. *Schh. Gen. Curc. V. p. 647.*	"
dorsalis Gylh. *l. c. I. p. 425.*	"
dubius Panz. *ed. Voet. IV. p. 42. t. 34. f. E.*	Incert. sedis.
minor Voet. *Cat. II. Index. p. 16.*	"
duplicatus Gylh. *Schh. Gen. Curc. V. p 638.* — Labr. et Imh. *Gen. Curc. II. nr. 14.*	Caffraria.
favillaceus Schönh. *in litt. olim.*	"
var. { *Boei* Hope *in litt.* ♂	"
var. { *leprosus* Klug *in litt.* ♀	"
echinatus Gylh. *Schh. Gen. Curc. I. p. 402.*	Cap bon. spei.
Eckloni Gylh. *l. c. V. p. 694.*	Caffraria.
suturalis Hope *in litt.*	"

emeritus Linn. *Mus. Lud. Ulr. p. 56.* — Thunb. *Nov. Act. Ups. VI. p. 29.* — Gylh. *Schh. Gen. Curc. V. p. 617.* Cap bon. spei.
erinaceus Oliv. *Ent. V. 82. p. 53. t. 3. f. 25.* — Gylh. *Schh. Gen. Curc. 1. p. 400; V. p. 644.* „
erosus Gerstäck. *Monatsb. Berl. Ac. 1855. p. 83; Peters Reise. 1862. p. 306.* Mozambique.
europaeus Thunb. *Nov. Act. Ups. VI. p. 25.* — Gylh. *Schh. Gen. Curc. 1. p. 421.* Europa mer.
facietatus Gylh. *Schh. Gen. Curc. V. p. 618.* Cap bon. spei.
Fahraei Fåhrs. *Schh. l. c. p. 718.* „
farctus Illig. *Schneid. Neu. Mag. V. 1794. p. 617.* — Herbst. *Käf. VI. p. 98.* „
fascicularis Oliv. *Ent. V. 82. p. 64. t. 3. f. 31.* — Gylh. *Schh. Gen. Curc. V. p. 645.* „
fascicularis Panz. *ed. Voet. IV. p. 42. t. 34. f. C. (gen. dub.)* „
capensis Voet. *Cat. II. Index. p. 16.* „
fasciculosus Germ. *Schh. l. c. I. p. 425.* — Fåhrs. *Schh. l. c. V. p. 634.* „
fimbriatus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 365.* Austria.
fluctiger Gylh. *Schh. Gen. Curc. V. p. 651.* Barbaria.
formidulosus Gylh. *l. c. p. 699.* Cap bon. spei.
frontalis Fåhrs. *Schh. l. c. p. 619.* „
fuliginosus Gylh. *Schh. l. c. p. 712.* „
gemmatus Oliv. *Encycl. méth. V. p. 185; Ent. V. 82. p. 62. t. 2. f. 13.* Incert. sedis.
gemmeus Gylh. *Schh. Gen. Curc. V. p. 704.* Cap bon. spei.
gemmifer Germ. *Schh. l. c. I. p. 394.* — Fåhrs. *Schh. l. c. V. p. 680.* „
glabratus Wiedem. *Germ. Mag. IV. p. 159.* — Gylh. *Schh. Gen. Curc. I. p. 437; V. p. 719.* „
sublaevis Sturm. *Cat. 1826. p. 102.* „
glandulifer Gylh. *Schh. Gen. Curc. V. p. 667.* „
globifer Thunb. *Nov. Act. Ups. VI. p. 21.* — Gylh. *Schh. Gen. Curc. V. p. 621.* „
var. *bullatus* Gylh. *l. c. I. p. 396.* „
globosus Drury. *Ill. I. p. 69. t. 32. f. 4; II. 1773. Index.* — Fabr. *Syst. Ent. p. 153.* — Fåhrs. *Schh. Gen. Curc. V. p. 611.* „
granicollis Gylh. *Schh. l. c. p. 710.* „
granulatus Dej. *Cat. 3. ed. p. 268.* — Lacord. *Gen. Col. VI. 1863. p. 284. note 2.* Senegal.
var. *Leprieuri* Buquet. *Dej. Cat. l. c.* „
griseus Gylh. *Schh. Gen. Curc. 1. p. 433.* Cap bon. spei.
Gyllenhali Gylh. *l. c. V. p. 614.* „
haedus Gylh. *l. c. I. p. 401.* „
hispidus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 361.* Algeria.
hystrix Schönh. *Gen. Curc. I. p. 399.* Cap bon. spei.
cornutus Oliv. *Ent. V. 82. p. 53. t. 2. f. 14.* — Lacord. *Gen. Col. VI. 1863. p. 286. note 1.* „
impressifrons Gylh. *Schh. Gen. Curc. V. p. 631.* Caffraria.
imprudens Gylh. *l. c. p. 670.* Cap bon. spei.
inaequalis Thunb. *Nov. Act. Ups. VI. 1799. p. 27.* „
Thunbergi Gylh. *Schh. Gen. Curc. V. p. 648.* „

incertus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 367.* Aegyptus.
insularis Desbroch. *l. c. p. 367.* Sicilia.
intutus Gylh. *Schh. Gen. Curc. V. p. 658.* Cap bon. spei.
inurbanus Gylh. *l. c. p. 626.* „
junix Lichtenst. *Cat. Mus. Hamb. 1795. p. 55.* — Herbst. *Käf. VII. p. 88.* — Brullé. *Expd. Mor. III. p. 236.* Graecia.
 Besseri Krynick. *Bull. Mosc. V. 1832. p. 145.* — Gylh. *Schh. Gen. Curc. I. p. 413.* — Labr. et Imh. *Gen. Curc. II. nr. 15.* Volhynia.
 sinuatus Oliv. *Ent. V. 82. p. 58. t. 3. f. 26.* Mesopotamia.
 var. *difformis* Falderm. *Nouv. Mém. Mosc. VI. p. 16.* Persia occ.
 „ *pisifer* Thunb. *Nov. Act. Ups. VI. p. 23.* — Gylh. *l. c. V. p. 656.* Tauria.
juvencus Sparrm. *Act. Holm. 1785. I. p. 51. t. 3. f. 26.* Cap bon. spei.
kabylianus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 364.* Kabylia.
labrusca Gylh. *Schh. Gen. Curc. V. p. 672.* Cap bon. spei.
 uva Thunb. *Nov. Act. Ups. VI. p. 23.* „
lateralis Gylh. *Schh. Gen. Curc. I. p. 407.* Hispania.
lateritius Gylh. *l. c. V. p. 685.* Cap bon. spei.
latifrons Gylh. *l. c. p. 632.* „
latro Gylh. *l. c. I. p. 412.* Algeria.
levidipus Gylh. *l. c. V. p. 700.* Cap bon. spei.
libertinus Fåhrs. *Schh. l. c. p. 650.* Barbaria.
longirostris Gylh. *Schh. l. c. p. 692.* Cap bon. spei.
longiusculus Gylh. *l. c. p. 695.* „
luteus Wiedem. *Zool. Mag. II. 1. p. 114.* „
lutosus Gylh. *Schh. Gen. Curc. I. p. 417.* Gallia mer.
lutulentus Gylh. *l. c. p. 418.* Tauria.
 Besseri Falderm. *Fn. transc. II. p. 165. t. 5. f. 7.* — Dej. *Cat. 3. ed. p. 267.* Caucasus.
maculatus Oliv. *Encycl. méth. V. 1790. p. 183; Ent. V. 82. p. 45. t. 2. f. 8.* Madagascar.
 madagascariensis Schönh. *Gen. Curc. V. p. 613.* „
maculosus Kirby. *Trans. Linn. Soc. XII. 1818. p. 429.* — Schönh. *Gen. Curc. I. p. 399.* Cap bon. spei.
mauritanicus Oliv. *Ent. V. 82. p. 51. t. 3. f. 22.* Hispania.
 capensis Schönh. *Gen. Curc. I. p. 427.* Cap bon. spei.
 barbarus Thunb. *Nov. Act. Ups. VI. p. 24.* — Latr. *Gen. Crust. et Ins. II. p. 253.* Algeria.
 pterygomalis Gylh. *Schh. Gen. Curc. I. p. 406.* „
millepora Wiedem. *Germ. Mag. IV. p. 162.* — Gylh. *Schh. Gen. Curc. V. p. 706.* Cap bon. spei.
 gemmosus Gylh. *l. c. I. p. 436.* „
morio Fabr. *Syst. El. II. p. 416.* — Gylh. *Schh. Gen. Curc. V. p. 711.* „
muricatus Fabr. *Ent. Syst. I. 2. p. 383.* — Herbst. *Käf. VII. p. 97. t. 101. f. 8.* — Redtenb. *Fn. Austr. ed. II. p. 696.* Hungaria.
 foveicollis Gylh. *Schh. Gen. Curc. I. p. 419.* Germania.
nebulosus Oliv. *Ent. V. 82. p. 60. t. 3. f. 20.* — Gylh. *l. c. I. p. 405; V. p. 646.* Cap bon. spei.
 auritus Dej. *Cat. 3. ed. p. 267.* „
nodulosus Reiche. *Ann. Fr. 1857. p. 659.* Syria.
nubilus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 361.* Algeria.

obesus Fabr. *Syst. Ent. App. p. 822.* — Herbst. *Käf. VII. p. 78. t. 101. f. 2.* — Gylh. *Schh. Gen. Curc. I. p. 391.* — Fåhrs. *Schh. l. c. V. p. 608.* — Labr. et Imh. *Gen. Curc. II. nr. 13. var.*	Cap bon. spei.
afer Wulf. *Ins. Cap. p. 15. t. 1. f. 11. a-b.*	„
oedematosus Sulz. *Abgk. Gesch. Ins. p. 40. t. 4. f. 10.*	„
scalaris Oliv. *Encycl. méth. V. p. 183; Ent. V. 82. p. 46. t. 2. f. 18.*	„
tuberculatus Degeer. *Ins. VII. p. 658. t. 49. f. 8.*	„
var. *punctulatus* Oliv. *Ent. V. 82. p. 48. t. 3. f. 87.*	„
ocellatus Fabr. *Syst. Ent. p. 154.* — Herbst. *Käf. VII. p. 89.*	Madagascar.
opacus Wollast. *Cat. Canar. Col. 1864. p. 334.*	Lanzarote.
orbipennis Reiche. *Ann. Fr. 1857. p. 656.*	Syria.
ornatus Reiche. *l. c. p. 658.*	„
ovatus Brullé. *Expd. Mor. Ent. p. 235. t. 42. f. 1.*	Graecia.
oxonchus Wiedem. *Zool. Mag. II. 1. p. 118.*	Cap bon. spei.
papulosus Gylh. *Schh. Gen. Curc. V. p. 705.*	„
parens Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 366.*	Andalusia.
peninsularis Chevrol. *Rev. Zool. 1866. p. 105.*	Hispania.
perodiosus Gylh. *Schh. Gen. Curc. V. p. 661.*	„
pertusus Thunb. *Nov. Act. Ups. VI. p. 36.* — Gylh. *Schh. Gen. Curc. V. p. 713.* — Labr. et Imh. *Gen. Curc. II. nr. 12.*	Cap bon. spei.
var. *cancellatus* Klug *in litt.* — Gylh. *l. c.*	„
petulcus Gylh. *l. c. I. p. 429.*	Caffraria.
phrygianus Gylh. *l. c. V. p. 698.*	Cap bon. spei.
pictus Germ. *Schh. l. c. I. p. 426.*	„
piger Gylh. *Schh. l. c. V. p. 640.*	Caffraria.
planirostris Gylh. *l. c. I. p. 417.*	Italia.
plicatus Gylh. *l. c. p. 415.*	Hispania.
hespericus Dej. *Cat. 3. ed. p. 268.*	„
polyophthalmus Gylh. *Schh. Gen. Curc. V. p. 693.* — Guér. *Jc. t. 37. f. 1. a-b.*	Cap bon. spei.
porcellus Kinderm. *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 285. note 2.*	Turcia as.
posticus Gylh. *Schh. Gen. Curc. V. p. 643.*	Caffraria.
Pradieri Fairm. *Ann. Fr. 1856. p. 536.*	Gallia mer.
pulvereus Gylh. *Schh. Gen. Curc. V. p. 629.*	Cap bon. spei.
pulverulentus Oliv. *Ent. V. 82. p. 56. t. 3. f. 29.*	Aegyptus.
pustulosus Gylh. *Schh. Gen. Curc. I. p. 390.*	Cap bon. spei.
racemus Gylh. *l. c. V. p. 673.*	„
uva Gylh. *l. c. I. p. 402.*	„
Raffrayi Desbroch. *Mittheil. schwz. ent. Ges. 1861. p. 365.*	Algeria.
rectecostatus Desbroch. *l. c. p. 362.*	„
reflexus Gylh. *Schh. Gen. Curc. V. p. 620.*	Caffraria.
Reinhardti Gylh. *l. c. p. 675.*	Guinea.
reticulatus Wiedem. *Zool. Mag. II. 1. p. 113.*	Cap bon. spei.
Wiedemanni Dej. *Cat. 3. ed. p. 268.*	„
reticulosus Gylh. *Schh. Gen. Curc. I. p. 434.*	„
reticulatus Illig. *Dej. Cat. 3. ed. p. 268.*	„
rignus Erichs. *Wagn. Reis. III. 1841. p. 185. t. 8.* — Küst. *Käf. Eur. 2. 37.*	Algeria.
rubiginosus Gylh. *Schh. Gen. Curc. V. p. 624.*	Cap bon. spei.

rudis Gylh. *Schh. Gen. Curc. V. p. 625.*	Cap bon. spei.
rugipes Gylh. *l. c. p. 629.*	„
rugosus Thunb. *Nov. Act. Ups. VI p. 27.* — Gylh. *l. c. p. 649.*	„
rugulosus Gylh. *l. c. p. 681.*	Caffraria.
rusticanus Gylh. *l. c. p. 669.*	Cap bon. spei.
sacer Latr. *Voy. Cailliaud. IV. 1827. p. 291.* — Bertoloni. *Nov. Comm. Ac. Bonon. X. p. 401.* — Labr. et Imh. *Gen. Curc. II. nr. 14.*	Sennaar.
bufo Bohem. *Schh. Gen. Curc. VIII. 2. p. 375.*	Kordofan.
saginatus Gylh. *Schh. Gen. Curc. V. p. 709.*	Caffraria.
scabiosus Gylh. *l. c. p. 674.*	Cap bon. spei.
scalaris Fabr. *Gen. Ins. Mant. p. 228.* — Herbst. *Käf. VII. p. 87.*	„
scelestus Gylh. *Schh. Gen. Curc. V. p. 715.*	„
scoposus Gylh. *l. c. I. p. 400.*	„
serratus Thunb. *Nov. Act. Ups. VI. p. 25. (forte.)*	„
sticticus Panz. *ed. Voet. IV. p. 42. t. 34. f. D. (forte.)*	„
scrobicollis Gylh. *Schh. Gen. Curc. V. p. 622.*	Caffraria.
scrobiculatus Gylh. *l. c. I. p. 404.*	Cap bon. spei.
scrupulosus Gylh. *l. c. V. p. 701.*	„
var. *suspiciosus* Schönh. *in litt. olim.*	„
sculpturatus Fåhrs. *Schh. Gen. Curc. V. p. 678.*	„
scutellaris Luc. *Expl. Alg. p. 413. t. 35. f. 9. a-e.*	Algeria.
scutipennis Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 363.*	Hispania.
scutirostris Germ. *Schh. Gen. Curc. I. p. 437.* — Fåhrs. *Schh. Gen. Curc. V. p. 637.*	Incert sedis.
semiaeneus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 365.*	„
semiocellatus Gylh. *Schh. Gen. Curc. I. p. 397.* — Chevrol. *Dej. Cat. 3. ed. p. 267.*	Senegal.
semituberculatus Luc. *Expl. Alg p. 411. t. 35. f. 6. a-b.*	Algeria.
sericeus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 361.*	Bona.
setiger Gylh. *Schh. Gen. Curc. V. p. 633.*	Caffraria.
setosus Wiedem. *Germ. Mag. IV. p. 160.* — Gylh. *l. c. I. p. 431; V. p. 688.*	Cap bon. spei.
sibiricus Thunb. *Nov. Act. Ups. VI. p. 31.*	Sibiria.
siculus Gylh. *Schh. Gen. Curc. I. p. 414.*	Sicilia.
{ *Dahli* Dej. *Cat. 3. ed. p. 267.*	„
{ *globosus* Dahl. *Dej. Cat. l. c.*	„
Sparrmani Gylh. *Schh. Gen. Curc. V. p. 716.*	Cap bon. spei.
spectrum Fabr. *Spec. Ins. I. p. 194.* — Oliv. *Encycl. méth. V. p. 186; Ent. V. 82. p. 65. t. 1. f. 5.*	„
spilopterus Wiedem. *Zool. Mag. II. 1. p. 117.*	„
spiniger Fabr. *Syst. El. II. p. 413.* — Gylh. *Schh. Gen. Curc. V. p. 691.*	Guinea.
spissus Gylh. *l. c. p. 708.*	Caffraria.
stellaris Oliv. *Ent. V. 82. p. 63. t. 3. f. 36.* — Gylh. *Schh. Gen. Curc. V. p. 635.*	Cap bon. spei.
subfasciatus Gylh. *l. c. p. 640.*	„
bardus Schönh. *in litt. olim.*	„
subvariolatus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 360.*	Algeria.

sulcifrons Gylh. *Schh. Gen. Curc. I. p. 420.*	Senegal.
superciliosus Gylh. *l. c. p. 422.* — Falderm. *Fn. transc. II. p. 167. t. 5. f. 8.* — Labr. et Imh. *Gen. Curc. II. nr. 16.*	Russia mer.
insignis Miller. *Wien. Ent. Monatschr. V. p. 206.*	Rhodus.
tauricus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 368.*	Tauria.
tenebrosus Gylh. *Schh. Gen. Curc. V. p. 630.*	Caffraria.
tauriculus Sparrm. *Act. Holm. 1785. p. 51. t. 3. f. 25.*	Cap bon. spei.
inaequalis Oliv. *Encycl. méth. V. p. 185; Ent. V. 82. p. 61. t. 2. f. 12.* — Fabr. *Ent. Syst. I. 2. p. 382.*	"
tergosignatus Gylh. *Schh. Gen. Curc. V. p. 702.*	"
tetanicus Luc. *Expl. Alg. p. 414.*	Algeria.
texatus Gylh. *Schh. Gen. Curc. I. p. 433.* — Labr. et Imh. *Gen. Curc. II. nr. 12.*	Cap bon. spei.
torvus Gylh. *Schh. l. c. V. p. 691.*	"
transversus Oliv. *Ent. V. 82. p. 57. t. 3. f. 23.* — Gylh. *Schh. Gen. Curc. I. p. 415.*	Barbaria.
tremens Fåhrs. *Schh. l. c. V. p. 686.*	Caffraria.
tuberculosus Gylh. *Schh. l. c. p. 676.* — Labr. et Imh. *Gen. Curc. II. nr. 9.*	Guinea.
verrucosus Fabr. *Syst. El. II. p. 414.*	"
tuberosus Wiedem. *Germ. Mag. IV. 1821. p. 160.* — Fåhrs. *Schh. Gen. Curc. V. p. 666.*	Cap bon. spei.
instabilis Fåhrs. *l. c. p. 665.*	"
rufoverrucosus Schönh. *i. litt.*	"
stellatus Sturm. *Cat. 1826. p. 102.*	"
var. *contextus* Gylh. *Schh. Gen. Curc. I. p. 423.* — Fåhrs. *l. c. p. 665.*	"
" *gemmatus* Thunb. *Nov. Act. Ups. VI. p. 22.* — Fåhrs. *l. c.*	"
" { *glandulosus* Chevrol. *i. litt.*	"
" { *margaritaceus* Germ. *Schh. Gen. Curc. I. p. 398.*	"
" { *nodipennis* Hope *i. litt.*	"
" *subverrucosus* Chevrol. *i. litt.* — Fåhrs. *l. c. p. 666.*	"
turgidus Gylh. *Schh. Gen. Curc. V. p. 609.*	"
turrifer Gylh. *l. c. p. 623.*	"
ulcerosus Gylh. *l. c. p. 668.*	"
undatus Fabr. *Ent. Syst. Suppl. p. 162.* — Oliv. *Ent. V. 82. p. 50. t. 2. f. 16. a-b.* — Gylh. *Schh. Gen. Curc. I. p. 408; V. p. 653.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 4. f. 20.*	Europa mer.
algirus Oliv. *Encycl. méth. V. p. 185.*	Barbaria.
barbarus Dumér. *Consid. Gen. Ins. t. 16. f. 4.*	"
crispatus Fabr. *Ent. Syst. I. 2. p. 382.* — Oliv. *Ent. V. 82. p. 54. t. 3. f. 27.*	"
incultus Gylh. *l. c. I. p. 411.*	"
♂ *lacunatus* Latr. *Gen. Crust. et Ins. II. p. 252. note 1.*	"
uva Sparrm. *Act. Holm. 1785. p. 53. t. 3. f. 29.* — Fabr. *Ent. Syst. I. 2. p. 383.* — Gylh. *Schh. Gen. Curc. V. p. 673.*	Cap bon. spei

variolosus Oliv. *Encycl. méth. V. p. 185; Ent. V. 82. p. 61. t. 1. f. 7.* — Herbst. *Käf. VII. p. 95. t. 101. f. 10.*	Cap bon. spei.
velutinus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 364.*	Algeria.
ventralis Desbroch. *l. c. p. 366.*	Austria.
venustus Wiedem. *Zool. Mag. II. 1. p. 116.*	Cap bon. spei.
verrucifer Kirby. *Trans. Linn. Soc. XII. 1818. p. 430.*	„
verrucipennis Gylh. *Schh. Gen. Curc. I. p. 430.*	„
verrucosus Oliv. *Encycl. méth. V. p. 184; Ent. V. 82. p. 49. t. 1. f. 2.* — Gylh. *l. c. I. p. 396; V. p. 620.*	„
taeniatus Thunb. *Nov. Act. Ups. VI. p. 28.*	„
vespertilio Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 363.*	Austria.
vestitus Gylh. *Schh. Gen. Curc. V. p. 628.*	Caffraria.
Westermanni Fåhrs. *Schh. l. c. p. 607.*	Cap bon. spei.
Zeyheri Gylh. *Schh. l. c. p. 682.*	Caffraria.

208

Dinomorphus

δεινός, *horridus*; μορφή, *forma*.

Perty. *Delect. anim. art. 1830. p. 71.*

pimelioides Perty. *Del. anim. p. 72. t. 14. f. 15.* — Lacord. *Gen. Col. VI. 1863. p. 292. note 2; Atl. VII. t. 67. f. 1. a-d.*	Brasilia.

1

Hoplitotrachelus

ὁπλίτης, *armatus*; τράχηλος, *cervix*.

Schönherr. *Mantiss. sec. Curc. 1847. p. 47.*

reticulatus Schönh. *Mant. sec. p. 48. (indscrpt.)*	Africa mer.
spinifer Schönh. *l. c. p. 48. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 295; Atl. VII. t. 67. f. 2. a-c.*	Port Natal.

2

Byrsops

βύρσα, *corium*; ὤψ, *aspectus*.

Schönherr. *Gen. Curc. II. 1834. p. 408.*

Cryptops Schönh.

amplexicollis Wiedem. *Germ. Mag. IV. 1821. p. 163.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 390.*	Caffraria.
angustata Bohem. *l. c. p. 394.*	Cap bon. spei.
apicalis Bohem. *l. c. p. 395.*	„
bisignata Fairm. *Ann. Fr. 1871. p. 46.*	„
Bohemani Bohem. *Schh. Gen. Curc. VI. 2. p. 398.*	„
buccellaria Gylh. *Schh. l. c. II. p. 409.*	„
deprimata Bohem. *Schh. l. c. VI. 2. p. 407.*	„
Hopei Bohem. *l. c. p. 399.*	„

hottentotta Bohem. *Schh. Gen. Curc. VI. 2. p. 400.* Caffraria.
insincera Bohem. *l. c. p. 404.* Cap bon. spei.
lutosa Gylh. *Schh. l. c. II. p. 409.* „
plana Thunb. *Nov. Act. Ups. VI. p. 35.* „
praemorsa Thunb. *l. c. p. 33.* „
pusio Wiedem. *Zool. Mag. II. 1. 1823. p. 113.* „
quadrata Wiedem. *Germ. Mag. IV. p. 165.* — Gylh. *Schh. Gen. Curc. II. p. 411; Bohem. l. c. VI. 2. p. 396.* „
rana Bohem. *l. c. p. 406.* „
retusa Thunb. *Nov. Act. Ups. VI. p. 34.* — Bohem. *l. c. p. 392.* „
lineata Thunb. *l. c. p. 31.* „
sphodra Bohem. *l. c. p. 402.* „
spinicollis Wiedem. *Germ. Mag. IV. p. 161.* — Bohem. *l. c. p. 405.* „
sulcicollis Gylh. *Schh. l. c. II. p. 410.* — Dej. *Cat. 3. ed. p. 287.* „
suturalis Bohem. *Schh. Gen. Curc. VI. 2. p. 393.* „
tetragona Thunb. *Nov. Act. Ups. VI. p. 34.* — Bohem. *l. c. p. 401.* „
Thunbergi Bohem. *l. c. p. 391.* „
troglodytes Gylh. *Schh. l. c. II. p. 412.* „
vitiosa Bohem. *Schh. l. c. VI. 2. p. 403.* Caffraria.
Westermanni Bohem. *l. c. p. 397.* Cap bon. spei.
26

Synthocus

σύνθωκος, concessor.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 408.*

adustus Pascoe. *Journ. Linn. Soc. X. 1870. p. 464.* N'Gami.
deformis Bohem. *Schh. Gen. Curc. VI. 2. p. 413.* Cap bon. spei.
Hopei Bohem. *l. c. p. 412.* Africa mer.
informis Chevrol. *Guér. Jc. règn. anim. p. 143. t. 37. f. 8.* Senegal.
truncatus Bohem. *Schh. Gen. Curc. VI. 2. p. 410.* Cap bon. spei.
nigropictus Pascoe. *Journ. Linn. Soc. X. 1870. p. 463. t. 19. f. 11.* Damarra.
Reichei Bohem. *Schh. Gen. Curc. VI. 2. p. 411.* Cap bon. spei.
spinulosus Bohem. *l. c. p. 414.* Caffraria.
7

Spartecerus

σπάρτη, funis; κέρας, cornu.

Schönherr. *Gen. Curc. II. 1834. p. 421.*

Cyanippeus Castelnau.

angulatus Gylh. *Schh. Gen. Curc. II. p. 422.* Cap bon. spei.
capucinus Gerstäck. *Monatsb. Berl. Ac. 1855. p. 84; Peters Reise 1862. p. 310.* Mozambique.
foedus Bohem. *Schh. Gen. Curc. VI. 2. p. 441.* Cap bon. spei.
obesus Bohem. *l. c. p. 439.* Caffraria.

quadratus Gerstäck. *Monatsb. Berl. Ac. 1855. p. 84; Peters Reise 1862. p. 309. t. 18. f. 10.*	Mozambique.
sellatus Klug. *Erman. Reis. Atl. V. 1835. p. 43.*	Ile de Prince.

6

Hypocolobus

ὑποκόλοβος, submutilus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 442.*

anaglypticus Bohem. *Schh. Gen. Curc. VI. 2. p. 461.*	Caffraria.
caesus Gylh. *Schh. l. c. II. p. 423.* — Lacord. *Gen. Col. VI. 1863. p. 300. note 1.*	Cap bon. spei.
corniculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 445.*	"
denticollis Bohem. *l. c. p. 452.*	"
Dregei Bohem. *l. c. p. 446.*	Caffraria.
Eckloni Bohem. *l. c. p. 448.*	"
fallax Bohem. *l. c. p. 460.*	"
fictus Bohem. *l. c. p. 459.*	Cap bon. spei.
fraudulentus Bohem. *l. c. p. 455.*	"
impressifrons Bohem. *l. c. p. 450.*	Caffraria.
saxosus Bohem. *l. c. p. 458.*	Cap bon. spei.
scoparius Bohem. *l. c. p. 453.*	"
scrobifrons Bohem. *l. c. p. 456.*	"
squalidus Bohem. *l. c. p. 447.*	"
surdus Bohem. *l. c. p. 457.*	Caffraria.
tutulus Bohem. *l. c. p. 451.*	Cap bon. spei.
unicornis Bohem. *l. c. p. 444.*	"
variegatus Bohem. *l. c. p. 443.*	"
vermiculatus Bohem. *l. c. p. 454.*	Caffraria.
Zeyheri Bohem. *l. c. p. 449.*	"

20

Borborocoetes

βορβοροκοίτης, in luto jacens.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 437.*

squalidus Bohem. *Schh. Gen. Curc. VI. 2. p. 438.*	Astrabad.

1

Minyops

μινυός, parvus; ὤψ, vultus.

Schönherr. *Disp. meth. 1826. p. 163.*

Meleus Dejean. — *Microps* Steven.

carinata Linn. *Syst. nat. ed. 12. Addend. p. 1066.* — Herbst. *Käf. VI. p. 370. t. 89. f. 5.* — Bohem. *Schh. Gen. Curc. II. p. 317.*	Germania.
rugosostriata Goeze. *Ent. Beytr. I. p. 395.* — Schrank. *Fn. boic. I. p. 495.*	"
rugosa Gmel. *ed. Linn. I. 4. p. 1758.*	Gallia.

scabrosa Villers. *Ent. I. p. 206.* Hispania.
senex Rossi. *Fn. Etr. I. p. 131.* Italia.
Chaudoiri Hochh. *Bull. Mosc. 1847. II. p. 488.* Armenia.
costalis Gylh. *Schh. Gen. Curc. II. p. 320.* Podolia.
costata Bohem. *Schh. l. c. VI. 2. p. 288.* Turcia.
lutosa Frivald. *A' Magyar. tudòs. 1835. p. 266. t. 6. f. 9.* „
minuta Bohem. *Schh. Gen. Curc. VI. 2. p. 289.* „
rudis Ménétr. *Mém. Ac. Petr. VI. 1849. p. 259. t. 5. f. 11.* Baschkiria.
scrobiculata Gylh. *Schh. Gen. Curc. II. p. 320.* Tauria.
sinuata Bohem. *Schh. l. c. VI. 2. p. 287.* Sicilia.
variolosa Fabr. *Syst. Ent. p. 150.* — Bohem. *Schh. Gen. Curc. II. p. 318.* — Jacq. Duv. *Gen. Col. Curc. t. 10. f. 45.* Gallia mer.
carinata Oliv. *Ent. V. 83. p. 290. t. 6. f. 73.* „

10

Ethemaia

Etym. null.

Pascoe. *Journ. of Ent. II. 1865. p. 417.*

adusta Pascoe. *Journ. of Ent. II. p. 418.* Nov. Holland.
sellata Pascoe. *l. c. p. 418. t. 17. f. 25.* „

2

Rhytidorrhinus

ῥυτὶς, ruga; ῥὶν, nasus.

Schönherr. *Disp. meth. 1826. p. 162. (emend.)*

Rhytirrhinus Schönh.

Révis. Allard. *Berl. Ent. Zeit. 1870. p. 185. t. 1. (Beiheft.)*

acerbus Bohem. *Schh. Gen. Curc. II. p. 417.* Cap bon. spei.
alpicola Fairm. *Stett. Zeit. 1869. p. 232.* Alpes gall.
anaglypticus Bohem. *Schh. Gen. Curc. VI. 2. p. 428.* Cap bon. spei.
angusticollis Bohem. *l. c. VIII. 2. p. 432.* Dauria.
asper Allard. *Révis. p. 194.* Constantine.
atticus Reiche. *Ann. Fr. 1857. p. 686.* — Kiesenw. *Berl. Zeit. 1864. p. 264.* — Allard. *Révis. p. 195.* Graecia.
axillaris Bohem. *Schh. Gen. Curc. VI. 2. p. 431.* Cap bon. spei.
Bonvouloiri Bris. *Ann. Fr. 1866. p. 400.* — Allard. *Révis. p. 192.* La Granja.
brevitarsis Wollast. *Cat. Canar. Col. 1864. p. 333.* Canariae.
Brucki Allard. *Révis. p. 199.* Carthagena.
caudatus Bris. *Ann. Fr. 1866. p. 394.* Escurial.
clitellarius Bohem. *Schh. Gen. Curc. VI. 2. p. 435.* Barbaria.
annulipes Luc. *Expl. Alg. p. 430. t. 36. f. 6. a-d.* Europa mer.
var. *humilis* Luc. *l. c. p. 429. t. 36. f. 5. a-c.; Ann. Fr. 1859. Bull. p. 99.* Oran.
crispatus Bohem. *Schh. Gen. Curc. VI. 2. p. 436.* — Allard. *Révis. p. 193.* Hispania.
curtus Bohem. *l. c. p. 432.* Caffraria.

deformis Reiche. *Ann. Fr. 1858. p. 60.* — Allard. *Révis. p. 196.*	Graecia.
horridus Reiche. *l. c. 1857. p. 684.*	„
dentatus Bohem. *Schh. Gen. Curc. VI. 2. p. 433.*	Cap bon. spei.
dilatatus Fabr. *Syst. El. II. p. 520.* — Bohem. *Schh. Gen. Curc. VI. p. 434.* — Rosenh. *Thier. Andal. p. 254.*	Tanger.
escorialensis Bris. *Ann. Fr. 1866. p. 396.* — Allard. *Révis. p. 198.*	Escurial.
excisus Thunb. *Nov. Act. Ups. VI. 1799. p. 32.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 422.*	Cap bon. spei.
gibbus Kolen. *Bull. Mosc. 1858. III. p. 85. t. 3. f. 3.*	Caucasus.
horridus Luc. *Expl. Alg. p. 431. t. 36. f. 8. a-b.* — Allard. *Révis. p. 195.*	Algeria.
impressicollis Bohem. *Schh. Gen. Curc. II. p. 419.* — Dej. *Cat. 3. ed. p. 288.* — Jacq. Duv. *Gen. Col. Curc. t. 13. f. 60.* — Allard. *Révis. p. 200.*	Gallia mer.
impressicollis Luc. *Expl. Alg. p. 430. t. 36. f. 7. a-d.* — Kraatz. *Berl. Zeit. 1870. p. 272.*	Oran.
inaequalis Fabr. *Spec. Ins. I. p. 193.* — Oliv. *Ent. V. 83. p. 397. t. 13. f. 164.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 423.*	Caffraria.
cucullatus Sparrm. *Act. Holm. I. p. 53. t. 3. f. 28.*	„
interruptus Bris. *Ann. Fr. 1866. p. 397.*	Escurial.
laesirostris Fairm. *Ann. Fr. 1859. p. 278.* — Allard. *Révis. p. 202.*	Corsica.
Lefeburei Bohem. *Schh. Gen. Curc. II. p. 418.*	Aegyptus.
tuberculatus Allard. *Révis. p. 196.* — Oliv. *i. litt.*	„
longulus Rosenh. *Thier. Andal. 1856. p. 257.* — Allard. *Révis. p. 200.*	Andalusia.
variabilis Bris. *Ann. Fr. 1866. p. 398.*	Aranjuez.
nodifrons Bohem. *Schh. Gen. Curc. II. p. 418.* — Allard. *Révis. 193.*	Andalusia.
parvus Rosenh. *Thier. Andal. 1856. p. 258.* — Allard. *Révis. p. 197.*	„
pilipes Bohem. *Schh. Gen. Curc. VI. 2. p. 429.*	Cap bon. spei.
quadrituberculatus Bohem. *l. c. p. 426.*	„
Saintpierrei Allard. *Révis. p. 197.*	Oran.
scaber Allard. *Révis. p. 191.* — Brullé *in litt.*	Nauplia.
seriespinosus Bohem. *Schh. Gen. Curc. VI. 2. p. 430.*	Cap bon. spei.
setiger Bohem. *l. c. p. 424.*	„
sordidus Bohem. *l. c. p. 425.*	„
Stableaui Fairm. *Ann. Fr. 1862. p. 554.* — Allard. *Révis. p. 201.*	Pyrenaei or.
stenoderus Gemming. *Col. Heft. VIII. 1871.*	Barcelona.
angusticollis Rosenh. *Thier. Andal. 1856. p. 254.*	„
subfasciatus Rosenh. *Thier. Andal. 1856. p. 255.* — Allard. *Révis. p. 191.*	Andalusia.
transversetuberculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 427.*	Cap bon. spei.
turpis Bohem. *l. c. II. p. 416.*	„
variegatus Motsch. *Bull. Mosc. 1849. III. p. 139.* — Rosenh. *Thier. Andal. 1856. p. 258.* — Allard. *Révis. p. 190.*	Hispania.
variegatus Luc. *Expl. Alg. Ent. p. 428. t. 36. f. 4. a-c.*	Algeria.

Gronops

γρᾶνος, excavatus; ὤψ, vultus.

Schönherr. *Disp. meth. 1826. p. 157.*

Aulacus Megerle. — *Peroscelis* Fischer.

Révis. Allard. *Berl. Ent. Zeit. 1870. p. 202. (Beiheft.)*

fasciata Küst. *Käf. Eur. 23. 60.* — Allard. *Révis. p. 204.* — Hispan. mer.
Jekeli Allard. *Révis. p. 203.* — Aegyptus.
inaequalis Bohem. *Schh. Gen. Curc. VI. 2. p. 135.* — Allard. *Révis. p. 206.* — Irkutsk.
luctuosa Chevrol. *Rev. Zool. 1861. p. 120.* — Allard. *Révis. p. 206.* — Algeria.
lunata Fabr. *Syst. Ent. p. 148.* Gylh. *Schh. Gen. Curc. II. p. 253.* — Jacq. Duv. *Gen. Col. Curc. t. 9. f. 39.* — Allard. *Révis. p. 205.* — Europa.
amputata Oliv. *Ent. V. 83. p. 364. t. 31. f. 479.* — Gallia.
costata Gylh. *Ins. Suec. III. p. 89.* — Suecia.
elevata Fabr. *Syst. El. II. p. 524.* — Seelandia.
percussor Herbst. *Käf. VI. p. 250. t. 78. f. 4.* — Germania.
var. *C-nigrum* Rossi. *Fn. Etr. I. p. 130.* — Italia.
„ *rubrica* Ahrens. *N. Schrift. Ges. Hal. II. 3. p. 16. t. 1. f. 7. et p. 38.* — Germania.
pallidula Wollast. *Col. Hesperid. 1867. p. 131.* — St. Vincent.
proletaria Bohem. *Schh. Gen. Curc. VI. 2. p. 137.* — Cap bon. spei.
punctirostris Bohem. *l. c. p. 138.* — „
seminigra Allard. *Révis. p. 205.* — Alsatia.
sibirica Allard. *Révis. p. 206.* — Sibiria.
squalida Bohem. *Schh. Gen. Curc. VI. 2. p. 139.* — Cap bon. spei.
sulcata Bohem. *l. c. p. 136.* — Allard. *Révis. p. 205.* — Russia mer.

12

Plastologus

πλαστολόγος, mendax.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 139.*

costatus Bohem. *Schh. Gen. Curc. VI. 2. p. 141.* — Caffraria.

1

Perieges

περιηγής, rotundatus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 419.*

bardus Bohem. *Schh. Gen. Curc. VI. 2. p. 420.* — Caucasus.

1

Cyphorrhinus

κυφὸς, gibbus; ῥὶν, nasus.

Perroud. *Ann. Soc. Linn. Lyon. XI. 1864. p. 152.*

eximius Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 153.* Nov. Caledon.
1

Thecosternus

θήκη, vagina; στέρνον, sternum.

Say. *Descr. of Curc. of N. Amer. 1831. p. 8. (emend.)*

Lithodus Germar. — *Thecesternus* Say.

Monogr. Leconte. *Proc. Ac. Phil. VIII. 1856. p. 18.*

affinis Lec. *Mon. p. 18.* Arkansas.
erosus Lec. *Mon. p. 18.* „
humeralis Say. *Journ. Ac. Phil. V. 2. 1827. p. 254.* — Germ. *Schh. Gen. Curc. II. p. 420.* — Lec. *Mon. p. 18.* — Lacord. *Gen. Atl. VII. t. 67. f. 3. a-b.* Amer. bor.
longior Lec. *Mon. p. 19.* Arkansas.
morbillosus Lec. *Mon. p. 19.* „
rectus Lec. *Mon. p. 18.* „
rudis Lec. *Mon. p. 18.* „
7

Amycterus

α priv.; μυκτὴρ, rostrum.

Schönherr. *Disp. meth. 1826. p. 202.*

Amycteridae. Mac Leay, W. *Trans. ent. Soc. N. S. Wales. I. 1866. p. 265.*

Boisduvali Boisd. *Voy. Astrol. II. 1835. p. 393.* — Mac Leay. *Amyct. p. 266.* K. Georg. S.
draco Mac Leay. *King. Survey. II. App. 1827. p. 244.* — Mac Leay. *Amyct. p. 266.* Nov. Holland.
Leichhardti Mac Leay. *Amyct. p. 269.* Lynd River.
Schönherri Hope. *Trans. ent. Soc. I. p. 68. t. 8. f. 2.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 82.* — Mac Leay. *Amyct. p. 268.* Austral. occ.
4

Psalidura

ψαλὶς, forfex; οὐρα, cauda.

Fischer. *Mém. Mosc. VI. 1823. p. 265. (emend.)*

Phalidura Mac Leay.

Amycteridae. Mac Leay, W. *Trans. ent. Soc. N. S. Wales 1. 1866. p. 199 et 319.*

abnormis Mac Leay. *Amyct. p. 215.* Argyle.

brunnipes Schönh. *Mant. sec. p. 54. (indscrpt.)* — Nov. Holland.
carinata Boisd. *Voy. Astrol. II. p. 385.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — Port Jackson.
caudata Mac Leay. *Amyct. p. 210.* — Darling Dwns.
Coxi Mac Leay. *Amyct. p. 204.* — Dabee.
crenata Boisd. *Voy. Astrol. II. p. 385.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — Nov. Holland.
Durvillei Bohem. *Schh. Gen. Curc. VII. 1. p. 52.* — Mac Leay. *Amyct. p. 215.* — „
elongata Mac Leay. *Amyct. p. 207.* — Lambing Flat.
falciformis Mac Leay. *Amyct. p. 213.* — Mudgee.
forficulata Mac Leay. *Amyct. p. 210.* — Rockhampton.
foveata Lac Leay. *Amyct. p. 213.* — Nov. Holland.
granosa Guér. *Voy. Coquille. II. 2. 1830. p. 120.* — Boisd. *Voy. Astrol. II. p. 386.* — Port Jackson.
Helyi Mac Leay. *Amyct. p. 213.* — Austral. bor.
Hopei Bohem. *Schh. Gen. Curc. VII. 1. p. 65.* — Nov. Holland.
Kirbyi Hope *in litt.* — „
Howitti Mac Leay. *Amyct. p. 211.* — Melbourne.
impressa Boisd. *Voy. Astrol. II. p. 375. t. 7. f. 10.* — Mac Leay. *Amyct. p. 208.* — Tasmania.
lacrymosa Schönh. *Mant. sec. p. 55. (indscrpt.)* — Nov. Holland.
maculosa Schönh. *l. c. p. 54. (indscrpt.)* — „
Mannerheimi Schönh. *l. c. p. 55.* — „
Mastersi Mac Leay. *Amyct. p. 214.* — Ipswich.
mira Bohem. *Schh. Gen. Curc. VII. 1. p. 51.* — Mac Leay. *Amyct. p. 204.* — Swan River.
♂ *paradoxa* Sturm. *Cat. 1843. p. 350. t. 5. f. 3. a-d.* — „
mirabilis Kirby. *Trans. Linn. Soc. XII. 1818. p. 469. t. 23. f. 9. a-c.* — Fischer. *Mém. Mosc. VI. 1823. p. 265. tit. f. 11.* — Boisd. *Voy. Astrol. II. p. 381.* — Gylh. *Schh. Gen. Curc. II. p. 470.* — Mac Leay. *Amyct. p. 202.* — N. S. Wales.
mirabunda Gylh. *Schh. Gen. Curc. II. p. 471.* — Bohem. *Schh. l. c. VII. 1. p. 52.* — Boisd. *Voy. Astrol. II. p. 377.* — Mac Leay. *Amyct. p. 207.* — Nov. Holland.
miracula Mac Leay. *Amyct. p. 205.* — Mudgee.
mirifica Mac Leay. *Amyct. p. 206.* — Nov. Holland.
Mitchelli Mac Leay. *Amyct. p. 210.* — Victoria Riv.
montana Mac Leay. *Amyct. p. 209.* — Ipswich.
postica Boisd. *Voy. Astrol. II. p. 379.* — Nov. Holland.
reticulata Boisd. *l. c. p. 384.* — Mac Leay. *Amyct. p. 214.* — Wellingt. Vall.
rufilineata Mac Leay. *Amyct. p. 203.* — Newcastle.
scabra Boisd. *Voy. Astrol. II. p. 382.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — „
Spencei Bohem. *Schh. Gen. Curc. VII. 1. p. 64.* — Nov. Holland.
squalida Bohem. *l. c. p. 53.* — „
squamigera Mac Leay. *Amyct. p. 212.* — „
subcostata Mac Leay. *Amyct. p. 206.* — Paramatta.
subvittata Mac Leay. *Amyct. p. 211.* — Queensland.
verrucosa Mac Leay. *Amyct. p. 203.* — Nov. Holland.
tuberculata Boisd. *Voy. Astrol. II. p. 372.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — „
Wilcoxi Mac Leay. *Amyct. p. 209.* — Clarence Riv.

Acantholophus

ἄκανθα, spina; λόφος, crista.

Schönherr. *Mantiss. sec. Curcul. 1847. p. 55.*

Polycanthus Hope.

Amycteridae. Mac Leay, W. *Trans. ent. Soc. N. S. Wales. I. 1866. p. 270.*

Adelaidae Waterh. *Trans. ent. Soc. ser. 2. III. 1854. p. 76.* — Mac Leay. *Amyct. p. 281.*	Adelaida.
amycteroides Mac Leay. *Amyct. p. 271.*	K. Georg. S.
Angasi Mac Leay. *Amyct. p. 286.*	Austral. mer.
apicalis Mac Leay. *Amyct. p. 276.*	"
approximatus Mac Leay. *Amyct. p. 283.*	Victoria.
aureolus Bohem. *Schh. Gen. Curc. VII. 1. p. 79.* — Mac Leay. *Amyct. p. 272.*	K. Georg. S.
bivittatus Bohem. *Schh. Gen. Curc. VII. 1. p. 74.* — Mac Leay. *Amyct. p. 274.*	Austral. occ.
convexiusculus Mac Leay. *Amyct. p. 330.*	N. S. Wales.
crassidens Mac Leay. *Amyct. p. 276.*	K. Georg. S.
crenaticollis Mac Leay. *Amyct. p. 289.*	N. S. Wales.
denticollis Mac Leay. *Amyct. p. 282.*	Currajong.
dumosus Bohem. *Schh. Gen. Curc. VII. 1. p. 77.* — Mac Leay. *Amyct. p. 272.*	K. Georg. S.
picipes Hope *in litt.*	Swan River.
trilineatus Hope *in litt.*	"
echidna Mac Leay. *Amyct. p. 280.*	Blue Mount.
echinatus Guér. *Voy. Coquille. 1830. p. 122.* — Boisd. *Voy. Astrol. II. p. 371.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — Mac Leay. *Amyct. p. 280.*	N. S. Wales.
gravicollis Mac Leay. *Amyct. p. 329.*	Port Lincoln.
Howitti Mac Leay. *Amyct. p. 285.*	Victoria.
humeralis Mac Leay. *Amyct. p. 278.*	Swan River.
hypoleucus Bohem. *Schh. Gen. Curc. VII. 1. p. 76.* — Mac Leay. *Amyct. p. 275.*	K. Georg. S.
albolineatus Hope *in litt.*	Swan River.
hystrix Bohem. *Schh. Gen. Curc. VII. 1. p. 78.* — Mac Leay. *Amyct. p. 273.*	"
irroratus Mac Leay. *Amyct. p. 328.*	Port Lincoln.
Kreffti Mac Leay. *Amyct. p. 288.*	Austral. bor.
lateralis Bohem. *Schh. Gen. Curc. VII. 1. p. 75.* — Mac Leay. *Amyct. p. 277.*	Swan River.
Marshami Kirby. *Trans. Linn. Soc. XII. 1818. p. 436.* — Boisd. *Voy. Astrol. II. p. 369.* — Gylh. *Schh. Gen. Curc. II. p. 472.* — Mac Leay. *Amyct. p. 279.*	N. S. Wales.
cristatus Mac Leay *in litt.*	"
echinatus Dej. *Cat. 1. ed. p. 64.*	"
irroratus Hope *in litt.*	"
sepidioides Latr. *Dej. Cat. 3. ed. p. 289.*	"
Mastersi Mac Leay. *Amyct. p. 327.*	K. Georg. S.
mucronatus Mac Leay. *Amyct. p. 287.*	Blue Mount.
planicollis Waterh. *Trans. ent. Soc. 1854. p. 78.* — Lacord. *Gen. Col. VI. 1863. p. 312. note 2.* — Mac Leay. *Amyct. p. 290.*	Austral. mer.

posticalis Mac Leay. *Amyct. p. 327.* — K. Georg. S.
rugiceps Mac Leay. *Amyct. p. 328.* — „
scabrosus Mac Leay. *Amyct. p. 287.* — Blue Mount.
serraticollis Mac Leay. *Amyct. p. 282.* — Wingelo.
spinifer Mac Leay. *Amyct. p. 284.* — Victoria.
spinosus Mac Leay. *Amyct. p. 274.* — K. Georg. S.
squalidus Mac Leay. *Amyct. p. 285.* — Merimbula.
squamosus Mac Leay. *Amyct. p. 287.* — Victoria.
sublobatus Mac Leay. *Amyct. p. 329.* — Dandenong.
suturalis Bohem. *Schh. Gen. Curc. VII. 1. p. 72.* — Mac Leay. *Amyct. p. 277.* — Swan River.
transitus Mac Leay. *Amyct. p. 271.* — „
tribulus Mac Leay. *Amyct. p. 330.* — Port Lincoln.
tridentatus Mac Leay. *Amyct. p. 288.* — Victoria Riv.
truncaticornis Mac Leay. *Amyct. p. 286.* — Newcastle.

40

Cubicorrhynchus

κυβικός, cubicus; ῥύγχος, rostrum.

Lacordaire. *Gen. Col. VI. 1863. p. 314.*

Amycteridae. Mac Leay, W. *Trans. ent. Soc. N. S. Wales. I. 1866. p. 291.*

angularis Mac Leay. *Amyct. p. 331.* — Swan River.
Bohemani Bohem. *Schh. Gen. Curc. VII. 1. p. 83.* — Mac Leay. *Amyct. p. 291.* — „
calcaratus Mac Leay. *Amyct. p. 294.* — Austral. mer.
crenicollis Waterh. *Trans. ent. Soc. 1854. p. 79.* — Lacord. *Gen. Col. VI. 1863. p. 314. not. 2.* — Mac Leay. *Amyct. p. 293.* — Swan River.
Dohrni Waterh. *Trans. ent. Soc. 1854. p. 79.* — Mac Leay. *Amyct. p. 293.* — „
eximius Mac Leay. *Amyct. p. 332.* — K. Georg. S.
granulatus Schönh. *Mantiss. sec. 1847. p. 57. (indscrpt.)* — Nov. Holland.
maculatus Mac Leay. *Amyct. p. 295.* — Murrumbidg.
maximus Mac Leay. *Amyct. p. 294.* — Swan River.
morosus Boisd. *Voy. Astrol. II. 1835. p. 386.* — Dej. *Cat. 3. ed. p. 289.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 67.* — Germ. *Linn. ent. III. p. 217.* — Mac Leay. *Amyct. p. 292.* — New S. Wales.
piceosetosus Mac Leay. *Amyct. p. 295.* — Yass.
prodigus Mac Leay. *Amyct. p. 333.* — K. Georg. S.
pupillatus Chevrol. *in litt.* — Nov. Holland.
scotobioides Waterh. *Trans. ent. Soc. 1854. p. 76. (indscrpt)* — „
sepidioides Mac Leay. *Amyct. p. 294.* — Mac Leay. *Schh Mantiss. sec. p. 57. (indscrpt.)* — Murrumbidg.
spinicollis Mac Leay. *Amyct. p. 332.* — K. Georg. S.

16

Hyborrhynchus

ὕβος, gibbus; ῥύγχος, rostrum.

Mac Leay, W. *Trans. ent. Soc. N. S. Wales. I. 1866. p. 295. (Amyct.)*

bicornutus Mac Leay. *Amyct. p. 333.* — Port Lincoln.
coenosus Bohem. *Schh. Gen. Curc. VII. 1. p. 80.* — Mac Leay. *Amyct. p. 297.* — K. Georg. S.
crassiusculus Mac Leay. *Amyct. p. 334.* — „
furcatus Mac Leay. *Amyct. p. 296.* — „
maculatus Mac Leay. *Amyct. p. 297.* — „
Mastersi Mac Leay. *Amyct. p. 335.* — Port Lincoln.
rugosus Mac Leay. *Amyct. p. 298.* — K. Georg. S.
7

Talaurinus

ταλαυρῖνος, callosus.

Mac Leay, W. *Trans. ent. Soc. N. S. Wales. I. 1866. p. 216. (Amyct.)*

aberrans Mac Leay. *Amyct. p. 233.* — Victoria.
alternans Mac Leay. *Amyct. p. 231.* — New S. Wales.
alternatus Mac Leay. *Amyct. p. 240.* — Nov. Holland.
ambiguus Mac Leay. *Amyct. p. 225.* — Darling Dwns.
amycteroides Mac Leay. *Amyct. p. 235.* — Victoria Riv.
angustatus Mac Leay. *Amyct. p. 241.* — K. Georg. S.
bucephalus Oliv. *Ent. V. 83. p. 399. t. 25. f. 355.* — Boisd. *Voy. Astrol. II. p. 373.* — Gylh. *Schh. Gen. Curc. II. p. 473.* — Mac Leay. *Amyct. p. 227.* — New S. Wales.
Gyllenhali Hope *in litt.* — „
camdensis Mac Leay. *Amyct. p. 226.* — Camden.
catenulatus Mac Leay. *Amyct. p. 234.* — Nov. Holland.
caviceps Mac Leay. *Amyct. p. 320.* — Port Lincoln.
costatus Boisd. *Voy. Astrol. II. 1835. p. 384.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — Mac Leay. *Amyct. p. 238.* — New S. Wales.
Dameli Mac Leay. *Amyct. p. 242.* — K. Georg. S.
dubius Mac Leay. *Amyct. p. 226.* — Darling Dwns.
dumosus Mac Leay. *Amyct. p. 243.* — K. Georg. S.
cuomoides Mac Leay. *Amyct. p. 225.* — Queensland.
exasperatus Erichs. *Wiegm. Arch. 1842. I. p. 191* — Tasmania.
Howitti Mac Leay. *Amyct. p. 217.* — Victoria.
excavatus Bohem. *Schh. Gen. Curc. VII. 1. p. 54.* — Mac Leay. *Amyct. p. 236.* — New S. Wales.
foveatus Mac Leay. *Amyct. p. 237.* — Nov. Holland.
griseus Mac Leay. *Amyct. p. 219.* — Rockhampt.
hiscipennis Mac Leay. *Amyct. p. 321.* — Victoria.
humeralis Mac Leay. *Amyct. p. 224.* — Victoria Riv.
hystricosus Bohem. *Schh. Gen. Curc. VII. 1. p. 69.* — Mac Leay. *Amyct. p. 242.* — K. Georg. S.
impressicollis Mac Leay. *Amyct. p. 239.* — Victoria.
incanescens Mac Leay. *Amyct. p. 244.* — K. Georg. S.
incertus Mac Leay. *Amyct. p. 221.* — Rockhampt.
Kirbyi Mac Leay. *King. Survey. II. 1827. p. 444.* — Guér. *Voy. Coquille. II. 2. 1830. p. 121.* — Boisd. *Voy. Astrol. II. p. 387.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 66.* — Mac Leay. *Amyct. p. 238.* — Port Jackson.

lacunosus Mac Leay. *Amyct. p. 240.*	Manning Riv.
laticeps Mac Leay. *Amyct. p. 319.*	K. Georg. S.
maculatus Mac Leay. *Amyct. p. 220.*	Nov. Holland.
Manglesi Bohem. *Schh. Gen. Curc. VII. 1. p. 61.* — Mac Leay. *Amyct. p. 244.*	K. Georg. S.
Mastersi Mac Leay. *Amyct. p. 239.*	South Creeck.
Mitchelli Mac Leay. *Amyct. p. 234.*	Victoria Riv.
morbillosus Boisd *Voy. Astrol. II. p. 386.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — Lacord. *Gen. Atl. VII. t. 67. f. 4. a-e.* — Mac Leay. *Amyct. p. 222.*	Victoria.
muricatus Mac Leay. *Amyct. p. 321.*	K. Georg. S.
murrumbidgensis Mac Leay. *Amyct. p. 227.*	Murrumbidg.
nodulosus Mac Leay. *Amyct. p. 223.*	Nov. Holland.
pallidus Mac Leay. *Amyct. p. 223.*	"
papulosus Mac Leay. *Amyct. p. 222.*	"
parallelus Mac Leay. *Amyct. p. 224.*	"
pastillarius Bohem. *Schh. Gen. Curc. VII. 1. p. 60.* — Mac Leay. *Amyct. p. 232.*	K. Georg. S.
scaber Hope *in litt.*	"
penicillatus Mac Leay. *Amyct. p. 220.*	Tasmania.
morbillosus Erichs. *Wiegm. Arch. 1842. I. p. 191. (forte.)*	"
pulverulentus Mac Leay. *Amyct. p. 223.*	Nov. Holland.
Rayneri Mac Leay. *Amyct. p. 221.*	"
riverinae Mac Leay. *Amyct. p. 218.*	Murrumbidg.
Roei Bohem. *Schh. Gen. Curc. VII. 1. p. 62.* — Mac Leay. *Amyct. p. 231.*	K. Georg. S.
rudis Mac Leay. *Amyct. p. 227.*	New S. Wales.
rugiceps Mac Leay. *Amyct. p. 242.*	K. Georg. S.
rugicollis Mac Leay. *Amyct. p. 241.*	Singleton.
rugifer Boisd. *Voy. Astrol. II. p. 378.* — Mac Leay. *Amyct. p. 236.*	Swan River.
rugosus Mac Leay. *Amyct. p. 229.*	Nov. Holland.
salebrosus Mac Leay. *Amyct. p. 229.*	"
scaber Mac Leay. *Amyct. p. 240.*	Swan River.
scabrosus Mac Leay. *Amyct. p. 235.*	Victoria Riv.
semispinosus Bohem. *Schh. Gen. Curc. VII. 1. p. 59.* — Mac Leay. *Amyct. p. 232.*	K. Georg. S.
simillimus Mac Leay. *Amyct. p. 237.*	Merimbula.
sphaerulatus Mac Leay. *Amyct. p. 235.*	Nov. Holland.
spinosus Mac Leay. *Amyct. p. 243.*	K. Georg. S.
squamosus Mac Leay. *Amyct. p. 219.*	Murrumbidg.
tomentosus Boisd. *Voy. Astrol. II. p. 373. t. 7. f. 11.* — Mac Leay. *Amyct. p. 217.*	Victoria.
tuberculatus Mac Leay. *Amyct. p. 233.*	"
typicus Mac Leay. *Amyct. p. 230.*	Argyle.
variegatus Mac Leay. *Amyct. p. 218.*	Victoria Riv.
verrucosus Guér. *Voy. Coquille. II. 2. p. 121.* — Boisd. *Voy. Astrol. II. p. 372.* — d'Urville. *Dej. Cat. 3. ed. p. 289.* — Mac Leay. *Amyct. p. 230.*	Argyle.
Victoriae Mac Leay. *Amyct. p. 319.*	Victoria.
Westwoodi Bohem. *Schh. Gen. Curc. VII. 1. p. 63.* — Mac Leay. *Amyct. p. 228.*	New S. Wales.

Sclerorrhinus

σκληρός, *durus;* ῥίν, *nasus.*

Mac Leay, W. *Trans. ent Soc. N. S. Wales. I. 1866. p. 245. (Amyct.)*

acuminatus Mac Leay. *Amyct. p. 255.*	Austral. mer.
Adelaidae Mac Leay. *Amyct. p. 247.*	Adelaida.
alternus Mac Leay. *Amyct. p. 247.*	WaggaWagga
Angasi Mac Leay. *Amyct. p. 253.*	Austral. mer.
angustus Mac Leay. *Amyct. p. 246.*	Murrumbidg.
apicalis Mac Leay. *Amyct. p. 260.*	New S. Wales.
arenosus Mac Leay. *Amyct. p. 322.*	Austral. mer.
asper Mac Leay. *Amyct. p. 254.*	"
biordinatus Mac Leay. *Amyct. p. 326.*	York Penins.
bubalus Oliv. *Ent. V. 83. p. 399. t. 25. f. 354.* — Boisd. *Voy. Astrol. II. p. 382.* — Gylh. *Schh. Gen. Curc. II. p. 474.* — Bohem. *l. c. VII. 1. p. 64.* — Mac Leay. *Amyct. p. 257.*	Tasmania.
confusus Mac Leay. *Amyct. p. 251.*	Adelaida.
conspersus Mac Leay. *Amyct. p. 250.*	"
dilaticollis Mac Leay. *Amyct. p. 258.*	Victoria.
dimidiatus Mac Leay. *Amyct. p. 324.*	Austral. mer.
divaricatus Mac Leay. *Amyct. p. 248.*	Adelaida.
dolens Boisd. *Voy. Astrol. II. 1835. p. 376.* — Mac Leay. *Amyct. p. 264.*	Nov. Holland.
elongatus Bohem. *Schh. Gen. Curc. VII. 1. p. 58.* — Germ. *Linn. ent. III. p. 217.* — Mac Leay. *Amyct. p. 259.*	Austral. mer.
exilis Mac Leay. *Amyct. p. 245.*	Murrumbidg.
fuscus Mac Leay. *Amyct. p. 253.*	Austral. mer.
Germari Mac Leay. *Amyct. p. 325.*	Port Lincoln.
horridus Mac Leay. *Amyct. p. 256.*	Austral. mer.
Howitti Mac Leay. *Amyct. p. 257.*	Victoria.
interioris Mac Leay. *Amyct. p. 252.*	Stewart's L.
interruptus Mac Leay. *Amyct. p. 263.*	Mudgee.
irregularis Mac Leay. *Amyct. p. 263.*	Austral. mer.
laticollis Mac Leay. *Amyct. p. 326.*	K. Georg. S.
longus Mac Leay. *Amyct. p. 258.*	Austral. mer.
Mastersi Mac Leay. *Amyct. p. 323.*	"
mucronatus Mac Leay. *Amyct. p. 255.*	Victoria.
nodulosus Mac Leay. *Amyct. p. 249.*	Adelaida.
obliteratus Mac Leay. *Amyct. p. 255.*	Victoria.
parvulus May Leay. *Amyct. p. 260.*	Austral. mer.
pilularius Mac Leay. *Amyct. p. 324.*	"
riverinae Mac Leay. *Amyct. p. 246.*	Murrumbidg.
rugicollis Mac Leay. *Amyct. p. 250.*	Adelaida.
sabulosus Mac Leay. *Amyct. p. 322.*	Austral. mer.
sordidus Mac Leay. *Amyct. p. 254.*	"
squalidus Mac Leay. *Amyct. p. 261.*	Lambing Flat.
Stewarti Mac Leay. *Amyct. p. 252.*	Stewart's L.
Stutchburyi Mac Leay. *Amyct. p. 264.*	Queensland.
subcostatus Mac Leay. *Amyct. p. 258.*	Wingelo.
sublineatus Germ. *Linn. ent. III. 1848. p. 217.* — Mac Leay. *Amyct. p. 250.*	Adelaida.

subsequens Mac Leay. *Amyct. p. 263.* Mudgee.
tristis Boisd. *Voy. Astrol. II. p. 388. t. 7. f. 12.* — Mac Leay. *Amyct. p. 259.* Tasmania.
tuberculosus Mac Leay. *Amyct. p. 256.* Victoria.
vermiculatus Mac Leay. *Amyct. p. 261.* Braidwood.
verrucosus Mac Leay. *Amyct. p. 262.* Nov. Holland.
vestitus Mac Leay. *Amyct. p. 323.* Austral. mer.
vittatus Mac Leay. *Amyct. p. 249.* Adelaida.
Waterhousei Mac Leay. *Amyct. p. 251.* „
50

Melanegis

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 452.*

stygius Pascoe. *Trans. ent. Soc. 1870. p. 452. t. 7. f. 6. a.* K. Georg. S.
1

Euomus

εὖ, bene; ὦμος, humerus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 52.*

basalis Boisd. *Voy. Astrol. II. 1835. p. 390.* — Dej. *Cat. 3. ed. p. 289.* Nov. Holland.
Fahraei Schönh. *Mant. sec. p. 54. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 316. note 2.* „
insculptus Bohem. *Schh. Gen. Curc. VII. 1. p. 56.* Swan River.
nodipennis Bohem. *l. c. p. 68.* „
scorpio Boisd. *Voy. Atrol. II. p. 391. t. 7. f. 15.* Nov. Holland.
Stephensi Gylh. *Schh. Gen. Curc. II. p. 473.* — Boisd. *Voy. Astrol. II. p. 388.* „
6

Tetralophus

τέτρα, quatuor; λόφος, crista.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 173.*

elevatus Pascoe. *Trans. ent. Soc. 1870. p. 453.* Victoria.
excursus Pascoe. *l. c.* Austral. mer.
incanus Pascoe. *l. c.* Victoria.
sculpturatus Waterh. *Trans. ent. Soc. 1853. p. 174.* — Lacord. *Gen. Atl. VII. t. 67. f. 5. a.* Nov. Holland.
4

Atychoria

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 415.*

funesta Pascoe *Journ. of Ent. II. p. 416. t. 17. f. 22.* Nov. Holland.
1

Dialeptopus

διάλεπτος, valde tenuis; πούς, pes.

Pascoe. *Trans. ent. Soc. 1870. p. 450.*

collaris Bohem. *Schh. Gen. Curc. VII. 1. p. 57.* -- Lacord. *Gen. Col. VI. 1863. p. 316. note 2.* — Swan River.
ferreus Pascoe. *Trans. ent. Soc. 1870. p. 451.* — Victoria.
macilentus Pascoe. *l. c.* — Austral. occ.
monachus Pascoe. *l. c.* — New S. Wales.
sepidioides Pascoe. *l. c. p. 450. t. 7. f. 4. a.* — Austral. occ.
5

Mythites

μυθίτης, seditiosus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 11.*

Acanthomus Germ.

perfossus Germ. *Linn. ent. III. 1848. p. 210.* — Adelaida.
sulcicollis Germ. *l. c. p. 211.* — „
tuberculatus Schönh. *Mant. sec. p. 13. (indscrpt.)* — Tasmania.
2

Amorphorrhinus

ἄμορφος, deformis; ῥίν, nasus.

Lacordaire. *Gen. Col. VI. 1863. p. 318.*

australis Germ. *Linn. ent. III. 1848. p. 209.* -- Lacord. *Gen. Atl. VII. t. 67. f. 6. a-b.* — Adelaida.
polyacanthus Pascoe. *Trans. ent. Soc. 1870. p. 454.* — Austral. occ.
2

Bothynorrhynchus

βόθυνος, foramen; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 320.*

lascivus Bohem. *Schh. Gen. Curc. VII. 1. p. 85.* -- Lacord. *Gen. Atl. VII. t. 68. f. 1. a.* — Nov. Holland.
1

Oncylotrachelus

ὀγκύλος, tumidus; τράχηλος, collum.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 86. (emend.)*

Occylotrachelus Schönh.

aciculaticollis Bohem. *Schh. Gen. Curc. VII. 1. p. 87.* — Cap bon. spei.
rugicollis Chevrol. *in litt.* — „
Spec. ined. Jekel. *Lacord. Gen. Col. VI. 1863. p. 321. note 2.* — „
2

Somatodes

σωματώδης, corporalis.

Schönherr. *Gen. Curc. V. 1840. p. 800.*

Placoderes Waterhouse.

misumenus Gylh. *Schh. Gen. Curc. V. p. 801.* — Labr. et Imh. *Gen. Curc. II. nr. 25.* — Cap bon. spei.
variegatus Waterh. *Trans. ent. Soc. 1853. p. 184.* — Incert. sedis.
2

Cyclomus

κύκλος, circulus; ὦμος, humerus.

Schönherr. *Disp. meth. 1826. p. 198.*

Hyphantus Germar. nec 1824

boops Gylh. *Schh. Gen. Curc. II. p. 548.* — Cap bon. spei.
dasypus Germ. *Ins. Spec. nov. 1824. p. 334.* — „
lanugipes Bohem. *Schh. Gen. Curc. II. p. 550.* — „
eminulus Bohem. *l. c. p. 549.* — „
languidus Bohem. *l. c. VII. 1. p. 96.* — „
4

Epichthonius

ἐπιχθόνιος, terrestris.

Schönherr. *Disp. meth. 1826. p. 200.*

simus Wiedem. *Zool. Mag. II. 1. 1823. p. 126.* — Bohem. *Schh. Gen. Curc. II. p. 547.* — Cap bon. spei.
coronatus Bohem. *l. c. p. 550.* — Guér. *Jc. Ins. t. 37. f. 2.* — Lacord. *Gen. Atl. VII. t. 68. f. 2. a.* — „
inquinatus Schönh. *Disp. meth. p. 200.* — „
pollutus Schönh. *l. c.* — „
sepidioides Chevrol. *in litt.* — „
1

Brachyolus

βραχύς, brevis.

White. *Voy. Ereb. and Terror. 1846. p. 13.*

punctatus White. *Voy. Ereb. Terr. p. 13. t. 3. f. 5.* — Nov. Zeeland.
1

Teratopus

τερατωπός, monstrosus adspectu.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 430.*

Terapopus Schönh. *(ex error.)*

hottentottus Bohem. *Schh. Gen. Curc. VIII. 2. p. 431.* — Lacord. *Gen. Col. VII. p. 610. nota.* — Cap bon. spei.
1

Hipporrhinus

ἵππος, equus; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 85.*

Bronchys Germar. — *Hipporhis* Billberg.

albicans Gylh. *Schh. Gen. Curc. V. p. 770* Caffraria.
albicinctus Gylh. *l. c. p. 781.* „
albolineatus Fåhrs. *Schh. l. c. p. 754.* Cap bon. spei.
appendiculatus Gylh. *Schh. l. c. p. 789.* „
binodis Gylh. *l. c. I. p. 478.* „
bituberculatus Gylh. *l. c. p. 488.* „
caffer Thunb. *Nov. Act. Ups. VII. p. 120.* — Gylh. *Schh. Gen. Curc. I. p. 487.* „
calvus Herbst. *Käf. VII. p. 46. t. 98. f. 4.* — Gylh. *l. c. p. 486.* „
rhinaulax Wiedem. *Dej. Cat. 3. ed. p. 269.* „
callidus Gylh. *Schh. Gen. Curc. V. p. 760.* „
capensis Linn. *Mus. Lud. Ulr. p. 59.* — Sparrm. *Act. Holm. 1785. p. 48. t. 2. f. 16.* — Gylh. *Schh. Gen. Curc. I. p. 483.* „
capicola Gylh. *l. c. V. p. 771.* „
capistratus Fabr. *Mant. I. p. 120.* — Gylh. *Schh. Gen. Curc. V. p. 786.* „
carinirostris Gylh. *l. c. p. 762.* „
clavus Fabr. *Syst. Ent. p. 154.* — Oliv. *Ent. V. 83. p. 392. t. 13. f. 162.* — Boisd. *Voy. Astrol. II. p. 334.* Nov. Holland.
condecoratus Gylh. *Schh. Gen. Curc. I. p. 464.* Cap bon. spei.
globifer Fabr. *Ent. Syst. I. 2. p. 482. var. (forte.)* „
constrictus Gylh. *Schh. Gen. Curc. V. p. 790* „
contortus Gylh. *l. c. p. 764.* „
cornirostris Gylh. *l. c. p. 787.* Caffraria.
cornutus Sturm *in litt.* „
{*tenebricosus* Dej. *Cat. 3. ed. p. 269.* Cap bon. spei.
{*umbraticus* Sturm. *Dej. Cat. l. c.* „
corpulentus Gylh. *Schh. Gen. Curc. V. p. 783.* „
costatus Gylh. *l. c. I. p. 489; V. p. 778.* „
crispatus Fabr. *Spec. Ins. I. p. 194.* — Oliv. *Ent. V. 83. p. 389. t. 13. f. 160.* „
curtus Gylh. *Schh. Gen. Curc. V. p. 785.* „
delectans Herbst. *Käf. VII. p. 47. t. 98. f. 5.* — Gylh. *Schh. Gen. Curc. V. p 761.* „
Dregei Gylh. *l. c. p. 749.* — Labr. et Imh. *Gen. Curc. II. nr. 34.* „
Ecklonı Gylh. *Schh. Gen. Curc. V. p. 756.* „
ferus Gylh. *l. c. p. 758.* „
frontalis Sparrm. *Act. Holm. 1785. 1. p. 47. t. 2. f. 14.* — Gylh. *Schh. Gen. Curc. I. p. 479.* — Fåhrs. *Schh. l. c. V. p. 757.* „
globifer Fabr. *Syst. Ent. App. p. 823.* — Voet. *Col. ed. Panz. IV. p. 62. t. 38. f. 27.* „
granatus Gylh. *Schh. Gen. Curc. V. p. 769.* Caffraria.
granicollis Gylh. *l. c. I. p. 496.* — Fåhrs. *Schh. l. c. V. p. 776.* Cap bon. spei.
var. *cicatricosus* Gylh. *l. c.* „

granulatus Gylh. *Schh. Gen. Curc. V. p. 792.* — Cap bon. spei.
sulcirostris Schönh. *in litt.* — „
granulosus Thunb. *Nov. Act. Ups. VII. p. 120.* — Gylh. *Schh. l. c. I. p. 484; V. p. 792.* — Wiedem. *Dej. Cat. 3. ed. p. 269.* — „
hottentottus Illig. *Dej. Cat. l. c.* — „
Gyllenhali Gylh. *Schh. Gen. Curc. V. p. 753.* — Schönh. *in litt.* — „
infacetus Gylh. *l. c. I. p. 480.* — Labr. et Imh. *Gen. Curc. II. nr. 34.* — „
senex Sturm *in litt.* — „
lacunosus Gylh. *Schh. Gen. Curc. I. p. 485; V. p. 789.* — „
longulus Gylh. *l. c. V. p. 773.* — „
mammillatus Gylh. *l. c. I. p. 476.* — „
misumenus Gylh. *l. c. p. 466.* — Fåhrs. *Schh. l. c. V. p. 751.* — „
nigrospinosus Donov. *Epitom. Ins. Holl. 1805.* — Boisd. *Voy. Astrol. II. p. 335.* — Nov. Holland.
nivosus Sparrm. *Act. Holm. I. 1785. p. 45. t. 2. f. 11.* — Gylh. *Schh. Gen. Curc. I. p. 470.* — Fåhrs. *Schh. l. c. V. p. 752.* — Labr. et Imh. *Gen. Curc. II. nr. 33.* — Cap bon. spei.
nodulosus Herbst. *Käf. VI. p. 300. t. 83. f. 8.* — „
recurvus Gylh. *Schh. Gen. Curc. I. p. 467.* — „
nodulosus Fabr. *Syst. ent. p. 184.* — Oliv. *Ent. V. 83. p. 391. t. 15. f. 188.* — Gylh. *Schh. Gen. Curc. I. p. 474.* — „
notonchus Wiedem. *Zool. Mag. II. 1. 1823. p. 124.* — „
obesus Gylh. *Schh. Gen. Curc. V. p. 782.* — Caffraria.
partitus Gylh. *l. c. I. p. 481.* — Cap bon. spei.
perfunctorius Gylh. *l. c. V. p. 763.* — „
pilularius Fabr. *Mant. I. p. 121.* — Oliv. *Ent. V. 83. p. 391. t. 9. f. 99.* — Gylh. *Schh. Gen. Curc. I. p. 460.* — „
armillatus Sparrm. *Act. Holm. I. p. 44. (forte.)* — „
var. *pastillarius* Gylh. *l. c. p. 462.* — „
pollinarius Gylh. *l. c. V. p. 759.* — „
porculus Sparrm. *Act. Holm. I. 1785. p. 49. t. 2. f. 20.* — Gylh. *Schh. Gen. Curc. I. p. 495.* — „
punctirostris Gylh. *l. c. V. p. 787.* — „
pygmaeus Gylh. *l. c. I. p. 497; V. p. 776.* — „
quadrilineatus Gylh. *l. c. V. p. 780.* — „
quadrinodis Fåhrs. *Schh. l. c. p. 765.* — „
quadrispinosus Fabr. *Gen. ins. Mant. p. 228.* — Herbst. *Käf. VI. p. 510.* — „
recurvus Fabr. *Syst. El. II. p. 535.* — Fåhrs. *Schh. Gen. Curc. V. p. 753.* — „
Sparrmani Gylh. *Schh. l. c. I. p. 471.* — „
rhamphastus Gylh. *l. c. p. 486.* — Klug. *Dej. Cat. 3. ed. p. 269.* — Labr. et Imh. *Gen. Curc. II. nr. 35.* ♂♀. — „
rubifer Fabr. *Syst. ent. App. p. 822.* — Oliv. *Ent. V. 83. p. 389. t. 13. f. 159.* — Gylh. *Schh. Gen. Curc. I. p. 468.* — „
sulcicollis Dej. *Cat. 3. ed. p. 269.* — „
rubrospinosus Fåhrs. *Schh. Gen. Curc. V. p. 750.* — „

rugirostris Gylh. *Schh. Gen. Curc. V. p. 791.*	Cap bon. spei.
seriatus Gylh. *l. c. p. 777.*	"
seriegranosus Gylh. *l. c. p. 772.*	Caffraria.
serienodosus Gylh. *l. c. I p. 490.* — Fåhrs. *Schh. l. c. V. p. 779.*	Cap bon. spei.
seriespinosus Gylh. *l. c. p. 477.* — Fåhrs. *l. c. V. p. 762.*	"
setifer Gylh. *l. c. V. p. 770.*	"
setulosus Gylh. *l. c. p. 777.*	"
severus Gylh. *l. c. p. 747.*	"
sexvittatus Fabr. *Ent. Syst. I. 2. p. 478.* — Oliv. *Ent. V. 83. p. 386. t. 12. f. 149.* — Gylh. *Schh. Gen. Curc. I. p. 472.*	"
nycthemerus Sparrm. *Act. Holm. I. 1785. p. 46. t. 2. f. 12.*	"
spectrum Fabr. *Syst. El. II. p. 537.* — Gylh. *Schh. Gen. Curc. I. p. 462.* — Labr. et Imh. *Gen. Curc. II. nr. 33.*	"
var. *abruptecostatus* Gylh. *l. c. p. 463.*	"
var. *armillatus* var. *β.* Sparrm. *Act. Holm. I. p. 45. t. 2. f. 10.*	"
spiculosus Gylh. *Schh. Gen. Curc. I. p. 469.* — Fåhrs. *Schh. l. c. V. p. 751.*	"
glandifer Fabr. *Ent. Syst. I. 2. p. 483. (forte.)*	"
globifer Herbst. *Käf. VI. p. 299. t. 83. f. 6.*	"
spinicollis Gylh. *Schh. Gen. Curc. V. p. 766.*	Caffraria.
spinifer Gylh. *l. c. p. 748.*	"
squalidus Gylh. *l. c. I. p. 490.*	"
subcordatus Gylh. *l. c. V. p. 782.*	"
sublineatus Gylh. *l. c. p. 775.*	Cap bon. spei.
subvittatus Gylh. *l. c. p. 774.*	"
thoracicus Fåhrs. *Schh. l. c. p. 767.*	"
tuberifer Gylh. *Schh. l. c. I. p. 466.* — Fåhrs. *Schh. l. c. V. p. 751.*	"
globifer Oliv. *Ent. V. 83. p. 388. t. 11. f. 135.*	"
tuberosus Gylh. *Schh. Gen. Curc. V. p. 768.*	Caffraria.
turpis Schönh. *Gen. Curc. 1. p. 465.*	Cap bon. spei.
pilularis Herbst. *Käf. VI. p. 305. t. 84. f. 2.*	"
vafer Fåhrs. *Schh. Gen. Curc. V. p. 755.*	"
verrucellus Gylh. *Schh. l. c. p. 784.*	"
verrucosus Linn. *Mus. Lud. Ulr. p. 60.* — Oliv. *Ent. V. 83. p. 387. t. 10. f. 125. ♀.* — Gylh. *Schh. Gen. Curc. I. p. 481.*	"
Wahlbergi Bohem. *Schh. l. c. VIII. 2. p. 376.*	"

80

Eupages

εὐπαγής, firmus.

Schönherr. *Gen. Curc. II. 1834. p. 413.*

coccosus Bohem. *Schh. Gen. Curc. VI. 2. p. 416.*	Cap bon. spei.
gibbosus Bohem. *l. c. p. 415.*	Caffraria.
impressicollis Bohem. *l. c. p. 417.*	"
lutulentus Bohem. *l. c. p. 418.* — Lacord. *Gen. Col. VI. 1863. p. 328. note 1.*	Cap bon. spei.

tuberculosus Gylh. *Schh. Gen. Curc. II. p. 414.* Cap bon. spei.
rotundicollis Chevrol. *Dej. Cat. 3. ed. p. 287.* „
scabripennis Dej. *Cat. l. c.* „
5

Pachytrichus

παχὺς, crassus; θρὶξ, pilus.

Schönherr. *Gen. Curc. III. 1836. p. 514.*

ursus Bohem. *Schh. Gen. Curc. III. p. 515.* Caffraria.
1

Brotheus

Etym. dub.

Stephens. *Ill. Brit. IV. 1831. p. 152.*

porcatus Marsh. *Ent. Brit. 1802. p. 255.* — Steph. *Ill. Brit. IV. p. 154.* Cap bon. spei.
1

Stenotarsus

στενὸς, angustus; ταρσὸς, tarsus.

Schönherr. *Gen. Curc. V. 1840. p. 794.*

affaber Bohem. *Schh. Gen. Curc. V. p. 796.* — Lacord. *Gen. Atl. VII. t. 68. f. 3. a-c.* Cap bon. spei.
signatus Bohem. *l. c. p. 795.* Caffraria.
2

Paracaerius

παρακαίριος, intempestivus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 39. (emend.)*

Paracairius Schönh.

costatus Schönh. *Mant. sec. p. 41. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 332.* Port Natal.
verrucatus Schönh. *l. c. p. 41. (indscrpt.)* „
2

Rhyparosomus

ῥυπαρὸς, sordidus; σῶμα, corpus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 200.*

horridus Bohem. *Schh. Gen. Curc. VI. 2. p. 202.* Caffraria.
inaequalis Bohem. *l. c. p. 201.* Cap bon. spei.
surdus Bohem. *l. c. p. 203.* Caffraria.
3

Styphlus

στυφλὸς, asper.

Schönherr. *Disp. meth. 1826. p. 258.*

penicillus Gylh. *Schh. Gen. Curc. III. p. 510.* Gallia mer.
anatolicus Chevrol. *in litt.* Smyrna.
rubricatus Fairm. *Ann. Fr. 1861. p. 586.* Pyrenaei.
insignis Aubé. *Cat. Gren. 1863. p. 129.* Gallia.
ulcerosus Aubé. *Ann. Fr. 1850. p. 340.* Batum.
unguicularis Aubé. *l. c.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 23. f. 110.* Gallia.
4

Orthochaetes

ὀρθὸς, rectus; χαίτη, juba.

Germar. *Ins. Spec. nov. 1824. p. 302.*

Comasinus Megerle. — *Strenes* Schönh.

discoidalis Fairm. *Stett. Zeit. 1869. p. 232.* Alpes gall.
erinaceus Jacq. Duv. *Gen. Col. Eur. Curc. p. 53. note 1.* Gallia.
setiger Beck. *Beitr. baier. Ins. Fn. 1817. p. 21. t. 6. f. 50.* — Germ. *Ins. Spec. nov. p. 304.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 407.* Germania.
setosus Sturm. *Cat. 1826. p. 184.* Gallia.
setulosus Gylh. *Schh. Gen. Curc. III. p. 511.* — Jacq. Duv. *Gen. Col. Curc. t. 23. f. 111.* „
4

Dichotrachelus

δίχα, bipartite; τράχηλος, collum.

Stierlin. *Stett. Ent. Zeit. 1853. p. 171; Berl. Ent. Zeit. 1859. p. 268.*

Synops. Fairmaire. *Ann. Fr. 1861. p. 584.*

angusticollis Chevrol. *Cat. Grenier. 1863. p. 111.* Gallia.
Graellsi Perris. *Ann. Fr. 1864. p. 297.* Hispania.
Imhoffi Stierl. *Stett. Zeit. 1857. p. 63.* — Fairm. *Synops. p. 586.* Helvetia.
Linderi Fairm. *Ann. Fr. 1852. p. 87; Synops. p. 585.* Pyren. or.
bigorrensis Bonvoul. *Ann. Fr. 1861. p. 569. t. 16. f. 3.* „
maculosus Fairm. *Stett. Zeit. 1869. p. 233.* Alpes gall.
Manueli Marseul. *Ann. Fr. 1871. p. 79.* Mont. Cenis.
muscorum Fairm. *Ann. Fr. 1848. p. 170; Synops. p. 586.* Gallia.
verrucosus Kiesenw. *Ann. Fr. 1851. p. 646.* Pyrenaei.
Rudeni Stierl. *Stett. Zeit. 1853. p. 183.* — Fairm. *Synops. p. 585.* Helvetia.
alpinus Bremi. *Stett. Zeit. 1855. p. 197.* — Stierl. *Stett. Zeit. 1856. p. 362.* „

Stierlini Gredler. *Käf. v. Passeier. 1857. p. 70; Käf. Tirol. II. 1866. p. 326.* Tirolis.
sabaudus Fairm. *Synops. p. 586.* — Mars. *Ann. Fr. 1871. p. 80.* Sabaudia.
var. *vulpinus* Gredler. *l. c. p. 72.* Tirolis.
sulcipennis Stierl. *Stett. Zeit. 1853. p. 171.* — Fairm. *Synops. p. 585.* Pedemont.
10

Zephryne
Vox euphon.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 471.*

sordida Pascoe. *Journ. Linn. Soc. X. 1870. p. 472. t. 19. f. 12. a-b.* Australia.
1

Trachodema
τραχὺς, asper; δέμας, corpus.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 374.*

tuberculosum Blanch. *Gay. Hist. Chil. V. p. 375. t. 24. f. 4. a-d.* Chili.
1

Eripsimus
ἐρείψιμος, caducus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 408. (emend.)*
Erepsimus Schönh.

setifer Bohem. *Schh. Gen. Curc. VIII. 2. p. 409.* Brasilia.
1

Dysostines
Etym. null.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 472.*

fuligineus Pascoe. *Trans. ent. Soc. 1870. p. 455.* Tasmania.
hoplostethus Pascoe. *l. c.* ,,
pilipes Pascoe. *l. c. p. 456.* Albany.
pustulosus Pascoe. *l. c.* K. Georg. S.
valgus Pascoe. *Journ. Linn. Soc. X. p. 473. t. 19. f. 1. a-b.* Queensland.
5

Byrsopages
βυρσοπαγὴς, coriaceus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 208.*

carinatus Motsch. *Schrenck. Reis. 1860. II. p. 168.* Kenai.

ventricosus Motsch. *Schrenck. Reis. p. 168. t. 10. f. 21.* Dauria.
villosus Bohem. *Schh. Gen. Curc. VI. 2. p. 209.* — Falderm. *Dej. Cat. 3. ed. p. 284.* Kamtschatka.
3

Homalorrhinus

ὁμαλὸς, *planus;* ῥιν, *nasus.*

Schönherr. *Ménétr. Cat. rais. 1832. p. 215.*

lutosus Hochh. *Bull. Mosc. 1847. II. p. 467.* Armenia.
squamosus Fåhrs. *Schh. Gen. Curc. V. p. 852.* Turcomania.
tristis Schönh. *Ménétr. Cat. rais. p. 216.* — Gylh. *Schh. Gen. Curc. V. p. 851.* Caucasus.
3

Cylindrorrhinus

κύλινδρος, *cylindrus;* ῥιν, *nasus.*

Guérin. *Voy. Coquille. Ent. 1830. p. 119. (emend.)*

Cylidrorhinus Guér.

angulatus Guér. *Rev. Zool. 1841. p. 217.* — Waterh. *Proc. Zool. Soc. 1841. p. 127.* — Blanch. *Gay. Hist. Chil. V. p. 356.* Magellan.
clathratus Blanch. *Gay. Hist. Chil. V. p. 356; Voy. Pole Sud. IV. p. 212. t. 13. f. 20.* „
costatus Redtenb. *Reis. Novar. II. p. 154.* Chili.
lemniscatus Quoy et Gaym. *Voy. de l'Uran. Zool. 1824. p. 549. t. 82. f. 4.* — Guér. *Voy. Coquille. II. 2. p. 119.* Magellan.
lineatus Blanch. *Gay. Hist. Chil. V. p. 355; Voy. Pole Sud. IV. p. 212. t. 13. f. 19.* Chili.
tessellatus Guér. *Rev. Zool. 1839. p. 303.* — Blanch. *Gay. Hist. Chil. V. p. 355. t. 22. f. 12. a-c; Voy. Pole Sud. IV. p. 211. t. 13. f. 18.* Magellan.
6

Adioristus

ἀδιόριστος, *indifferens.*

Waterhouse. *Proc. Zool. Soc. 1841. p. 124.*

albostrigosus Fairm. et Germain. *Col. Chil. 1860. p. 7.* Chili.
angustatus Waterh. *Proc. Zool. Soc. 1841. p. 125.* — Blanch. *Gay. Hist. Chil. V. p. 352. t. 12. f. 2. a-c.* Petorca.
axillaris Fairm. et Germ. *Col. Chil. II. 1861. p. 7.* Chili.
conspersus Waterh. *Proc. Zool. Soc. 1841. p. 125.* — Blanch. *Gay. Hist. Chil. V. p. 353.* „
costatus Blanch. *Gay. Hist. Chil. V. p. 352.* Magellan.
crassirostris Fairm. et Germ. *Col. Chil. 1860. p. 7.* Chili.
gonoderus Fairm. et Germ. *Col. Chil. 1860. p. 7.* „

magellanicus Blanch. *Voy. Pole Sud. IV. p. 209. t. 14. f. 10.* — Magellan.
montanus Blanch. *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 342. note 2.* — „
oblongus Blanch. *Gay. Hist. Chil. V. p. 357.* — Lacord. *Gen. Col. VI. 1863. p. 342. note 3.* — „
perforatus Fairm. et Germ. *Col. Chil. 1860. p. 7.* — Chili.
praelongus Fairm. et Germ. *Col. Chil. 1860. p. 7.* — „
punctulatus Waterh. *Proc. Zool. Soc. 1841. p. 124.* — Blanch. *Gay. Hist. Chil. V. p. 351. t. 23. f. 11. a-c.* — Lacord. *Gen. Atl. VII. t. 68. f. 4. a-b.* — Petorca.
simplex Waterh. *Proc. Zool. Soc. 1841. p. 126; Ann. nat. Hist. X. 1842. p. 222.* — „
sitonoides Blanch. *Gay. Hist. Chil. V. p. 353.* — Chili.
subdenudatus Waterh. *Proc. Zool. Soc. 1841. p. 126; Ann. nat. Hist. 1842. p. 223.* — Mendoza.

16

Scotoeborus

σκοτέεις, *obscurus;* βορὸς, *vorans.*

Schönherr. *Gen. Curc. VII. 1. 1843. p. 97.*

murinus Bohem. *Schh. Gen. Curc. VII. 1. p. 98.* — Dej. *Cat. 3. ed. p. 273.* — Buenos Aires.

1

Otidoderes

ὠτὶς, *otis;* δέρη, *collum.*

Lacordaire. *Gen. Col. VI. 1863. p. 343.*

Otideres Dejean.

chilensis Blanch. *Gay. Hist. Chil. V. p. 326. t. 23. f. 9. a-d.* — Lacord. *Gen. Col. VI. 1863. p. 343. note 1.* — Chili.
denticulatus Fairm. et Germ. *Col. Chil. 1860. p. 4.* — „
inquinatus Lacord. *Gen. Col. VI. 1863. p. 343; Gen. Atl. VII. t. 68. f. 5. a.* — Dej. *Cat. 3. ed. p. 283.* — „

3

Listroderes

λιστρόω, *levigo;* δέρις, *collum.*

Schönherr. *Disp. meth. 1826. p. 158.*

albescens Blanch. *Gay. Hist. Chil. V. p. 345.* — Chili.
angusticeps Blanch. *Gay. Hist. Chil. V. p. 341.* — „
annulipes Blanch. *Gay. Hist. Chil. V. p. 340.* — „
apicalis Waterh. *Proc. Zool. Soc. 1841. p. 123; Ann. nat. Hist. X. 1842. p. 219.* — Montevideo.
appendiculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 192.* — Pennsylvania.
bimaculatus Bohem. *Schh. Gen. Curc. VI. 2. p. 187.* — Blanch. *Gay. Hist. Chil. V. p. 339.* — Chili.

carinicollis Blanch. *Gay. Hist. Chil. V. p. 340.* — Chili.
caudatus Say. *Journ. Ac. Phil. III. 1824. p. 311.* — Gylh. *Schh. Gen. Curc. II. p. 278.* — Missouri.
chalceatus Blanch. *Gay. Hist. Chil. V. p. 342. t. 22. f. 11.* — Chili.
cinerarius Blanch. *l. c. p. 349.* — „
cinerascens Blanch. *l. c. p. 348.* — „
comatus Erichs. *Wiegm. Arch. 1847. I. p. 129.* — Peru.
costirostris Gylh. *Schh. Gen. Curc. II. p. 277.* — Bohem. *Schh. l. c. VI. 2. p. 189.* — Brasilia.
insubidus Germ. *in litt.* — „
var. {*obliquus* Dej. *Cat. 3. ed. p. 283.* — Gylh. *l. c.* — „
{*elongatulus* Klug. *Dej. Cat. l. c.* — „
delumbis Gylh. *Schh. Gen. Curc. II. p. 283.* — Amer. bor.
distinguendus Gylh. *l. c. p. 281.* — „
fasciculiger Blanch. *Gay. Hist. Chil. V. p. 342.* — Chili.
fascioliger Blanch. *Gay. Hist. Chil. V. p. 345.* — „
fulvipes Guér. *Rev. Zool. 1839. p. 304.* — Lacord. *Gen. Col. VI. 1863. p. 345. note 1.* — Magellan.
griseus Guér. *Rev. Zool. 1839. p. 305.* — Blanch. *Gay. Hist. Chil. V. p. 337.* — „
humilis Gylh. *Schh. Gen. Curc. II. p. 284.* — Dej. *Cat. 3. ed. p. 283.* — Amer. bor.
immundus Bohem. *Schh. Gen. Curc. VI. 2. p. 198.* — Pennsylvania.
inaequalipennis Bohem. *l. c. p. 189.* — „
inaequalis Blanch. *Gay. Hist. Chil. V. p. 344.* — Chili.
latiusculus Bohem. *Schh. Gen. Curc. VI. 2. p. 199.* — Pennsylvania.
lineatulus Say. *Descr. of Curc. of N. Am. p. 11.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 195.* — Massachussett
nodifer Bohem. *Schh. Gen. Curc. VI. 2. p. 194.* — Blanch. *Gay. Hist. Chil. V. p. 343.* — Chili.
oregonensis Lec. *Entom. Report. 1857. p. 55.* — Oregon.
ovatus Bohem. *Schh. Gen. Curc. VI. 2. p. 191.* — Blanch. *Gay. Hist. Chil. V. p. 347.* — Chili.
parvulus Blanch. *Gay. Hist. Chil. V. 349.* — „
percostatus Fairm. et Germ. *Col. Chil. 1860. p. 8.* — „
pilosus Bohem. *Schh. Gen. Curc. VI. 2. p. 190.* — Blanch. *Gay. Hist. Chil. V. p. 350.* — „
pilosus Waterh. *Proc. Zool. Soc. 1841. p. 122; Ann. nat. Hist. 1842. p. 218.* — Petorca.
planicollis Blanch. *Gay. Hist. Chil. V. p. 338.* — Chili.
planipennis Blanch. *l. c. p. 346.* — „
porcellus Say. *Descr. of Curc. of N. Am. p. 11.* — Gylh. *Schh. Gen. Curc. II. p. 284.* — Missouri.
robustus Waterh. *Proc. Zool. Soc. 1841. p. 122.* — Blanch. *Gay. Hist. Chil. V. p. 341. t. 22. f. 10. a-c.* — Coquimbo.
ruficauda Steinheil. *Atti di Milan. 1872.* — Buenos Aires.
rugipennis Blanch. *Gay. Hist. Chil. V. p. 346.* — Magellan.
setiger Steinh. *Atti di Milan. 1872.* — Mendoza.
solutus Bohem. *Schh. Gen. Curc. VI. 2. p. 197.* — Pennsylvania.
sordidus Gylh. *Schh. l. c. II. p. 280.* — Dej. *Cat. 3. ed. p. 283.* — „
sparsus Say. *Descr. of Curc. of N. Am. p. 11.* — Gylh. *Schh. Gen. Curc. II. p. 282.* — Missouri.
squalidus Gylh. *l. c. p. 281.* — „
spurcus Bohem. *Schh. Gen. Curc. VI. 2. p. 196.* — Boston.

squamiger Say. *Descr. of Curc. of N. Am. p. 11.* — Gylh. *Schh. Gen. Curc. II. p. 279.* — Amer. bor.
subcinctus Bohem. *Schh. Gen. Curc. VI. 2. p. 193.* — Blanch. *Gay. Hist. Chil. V. p. 348.* — Chili.
subcostatus Waterh. *Proc. Zool. Soc. 1841. p. 121.* — Blanch. *Gay. Hist. Chil. V. p. 338.* — Petorca.
teretirostris Lec. *Entom. Report. 1857. p. 55.* — California.
tuberculifer Blanch. *Gay. Hist. Chil. V. p. 344.* — Chili.
varicosus Blanch. *Voy. Pole Sud. IV. p. 238. t. 14. f. 3.* — Lacord. *Gen. Col. VI. 1863. p. 149. note 1.* — Magellan.
vittatus Guér. *Rev. Zool. 1839. p. 304.* — „

50

Gromilus

Etym. null.

Blanchard. *Voy. Pole Sud. IV. 1853. p. 208. (indscrpt.)*

insularis Blanch. *Voy. Pole Sud. IV. p. 208. t. 14. f. 11.* — Auckland.

1

Rhypochromus

ῥύπος, sordes; χρῶμα, color.

Motschulsky. *Etud. ent. VII. 1858. p. 84.*

cruciger Motsch. *Etud. ent. VII. p. 85.* — Birma.
laticollis Motsch. *l. c. p. 84.* — „
obliquus Motsch. *l. c.* — „
ornatus Motsch. *l. c. p. 85.* — „
setifer Motsch. *l. c. p. 83.* — „

5

Macrotarsus

μακρὸς, longus; ταρσὸς, tarsus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 337.*

Révis. Capiomont. *Ann. Fr. 1867. p. 478.*

Bartelsi Bohem. *Schh. Gen. Curc. VI. 1. p. 339.* — Capiom. *Révis. p. 481.* — Turcomania.
concinnus Bohem. *l. c. p. 363.* — Gebl. *Bull. Mosc. 1859. II. p. 498.* — Capiom. *Révis. p. 484.* — Flum. Tschui.
Faldermanni Bohem. *l. c. p. 338.* — Capiom. *Révis. p. 482.* — Mongolia.
Gebleri Gebl. *Bull. Mosc. VI. 1833. p. 298.* — Bohem. *l. c. II. p. 399.* — Capiom. *Révis. p. 482.* — Altai.
Motschulskyi Bohem. *l. c. VI. 1. p. 340.* — Capiom. *Révis. p. 480.* — „
notatus Capiom. *Révis. p. 483.* — „

6

Steriphus

στέριφος, firmus.

Erichson. *Wiegm. Arch. 1842. I. p. 190.*

solidus Erichs. *Wiegm. Arch. 1842. I. p. 190.* Tasmania.
1

Pantopoeus

παντοποιός, audax.

Schönherr. *Gen. Curc. VII. 1. 1843. p. 252.*

cervinus Bohem. *Schh. Gen. Curc. VII. 1. p. 253.* Nov. Holland.
1

Peripagis

περὶ, circum; πάγος, firmus.

Pascoe. *Trans. ent. Soc. 1870. p. 187.*

rufipes Pascoe. *Trans. ent. Soc. 1870. p. 188. t. 5. f. 10. a.* Nov. Holland.
1

Perperus

πέρπερος, perperus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 262.*

Nothrodes Erichson.

innocuus Bohem. *Schh. Gen. Curc. VI. 2. p. 264.* Nov. Holland.
globifer Hope *in litt.* „
insularis Bohem. *l. c. p. 265.* „
languidus Erichs. *Wiegm. Arch. 1842. I. p. 193.* Tasmania.
marginalis Bohem. *Res. Eugen. 1859. p. 124.* Sidney.
obscurus Bohem. *Schh. Gen. Curc. VI. 2. p. 264.* Swan River.
5

Rhytidophloeus

ῥυτιδόφλοιος, cortice rugoso.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 290.*

albipes Fabr. *Ent. Syst. I. 2. p. 477.* — Oliv. *Ent. V. 83. p. 395. t. 9. f. 102.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 291.* — Coquerel. *Ann. Fr. 1859. p. 253. t. 7. f. 7. a.* Madagascar.
nodosus Fairm. *Ann. Fr. 1871. p. 47.* „
2

Lithinus

λίθινος, lapideus.

Klug. *Abhandl. Berl. Ac. 1833. p. 196.*

Aterpus Guérin.

Révision. Coquerel. *Ann. Fr. 1859. p. 246.*

humeralis Coquerel. *Révis. p. 248. t. 7. f. 5. a-c.*	Madagascar.
ludiosus Bohem. *Schh. Gen. Curc. VI. 2. p. 236.* — Coquer. *Révis. p. 248.*	"
nigrocristatus Coquer. *Révis. p. 250.*	"
niveus Coquer. *Révis. p. 249. t. 7. f. 6. a-b..*	"
planus Coquer. *Révis. p. 251.*	"
superciliosus Klug. *Abhandl. Berl. Ac. 1833. p. 196. t. 4. f. 9.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 234.* — Coquerel. *Révis. p. 247.*	"
informis Petit. *Dej. Cat. 3. ed. p. 271.*	"
pipa Guér. *Mag. Zool. 1833. Cl. IX. t. 98.*	"

6

Anisorrhynchus

ἄνισος, inaequalis; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 308.*

aratus Bohem. *Schh. Gen. Curc. VI. 2. p. 314.*	Lusitania.
bajulus Oliv. *Ent. V. 83. p. 287. t. 9. f. 103.* — Bohem. *Schh. Gen. Curc. II. p. 357.* — Jacq. Duv. *Gen. Col. Curc. t. 11. f. 51.*	Gallia mer.
var. *cornix* Dufour. *Dej. Cat. 3. ed. p. 286.*	Hispania.
barbarus Bohem. *Schh. Gen. Curc. II. p. 358; VI. 2. p. 312.*	Sicilia.
alternans Dej. *Cat. 3. ed. p. 286.*	Algeria.
carinicollis Fairm. *Ann. Fr. 1868. p. 497.*	Tanger.
costatus Bohem. *Schh. Gen. Curc. VI. 2. p. 311.* — Ziegl. *Dej. Cat. 3. ed. p. 286.*	Sardinia.
curtus Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 137.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 373.*	Gallia.
ferus Erichs. *Wagn. Reis. III. 1841. p. 187.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 373.*	Algeria.
monachus Germ. *Reis. Dalm. 1817. p. 234. t. 11. f. 2.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 313.*	Dalmatia.
gagates Germ. *in litt.*	"
var. *fascicularis* Dahl. *Sturm. Cat. 1843. p. 201.*	Sicilia.
" *stigmaticus* Meg. *Dej. Cat. 3. ed. p. 286.*	Illyria.
" *striatopunctatus* Sturm. *Cat. 1826. p. 119.*	Sardinia.
procerus Chevrol. *Rev. Zool. 1861. p. 119.*	Algeria.
siculus Bohem. *Schh. Gen. Curc. VI. 2. p. 312.*	Sicilia.
Sturmi Bohem. *l. c. p. 310.*	Italia.
bajulus Oliv. *Ent. V. 83. t. 18. f. 103. b.*	Algeria.

11

Trysibius

τρυσίβιος, molestus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 304.*

intermedius Waltl. *Isis. 1838. p. 468.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 305.* Turcia.
Olivieri Bohem. *l. c. p. 306.* Graecia.
tenebrioides Oliv. *Ent. V. 83. p. 287. t. 32. f. 493.* „
tenebrioides Pall. *Jc. 1781. p. 36. t. B. f. 20* — Redtenb. *Fn. Austr. ed. 2. p. 723.* Desert. casp.
Besseri Bohem. *Schh. Gen. Curc. II. p. 359.* Podolia.
morio Dej. *Cat. 3. ed. p. 286.* „
var. { *punctipennis* Brullé. *Expd. Mor. p. 240. t. 42. f. 8.* — Bohem. *l. c. VI. 2. p. 307.* — Dej. *Cat. 3. ed. p. 286.* — Jacq. Duv. *Gen. Col. Curc. t. 11. f. 50.* Graecia.
graecus Brullé. *l. c. p. 240. t. 42. f. 9.* } „
3

Liparus

λιπαρός, crassus.

Olivier. *Ent. V. 1807. 83. p. 73 et 283.*

Molytes Schönh.

coronatus Goeze. *Ent. Beytr. I. 1777. p. 395.* — Gmel. *ed. Linn. I. 4. p. 1778.* — Gylh. *Schh. Gen. Curc. II. p. 350.* M.
anglicanus Marsh. *Ent. Brit. p. 290.* — Steph. *Ill. Brit. IV. p. 105.* Anglia.
germanus Fabr. *Syst. El. II. p. 475.* — Panz. *Fn. Germ. 42. 16.* Suecia.
teutonus Illig. *Mag. VI. p. 310.* Germania.
var. *sulcirostris* Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 372.* Gallia mer.
carinaerostris Küst. *Käf. Eur. 15. 57.* — Kirsch. *Berl. Zeit. 1871. p. 45.* Hungaria.
glabrirostris Küst. *l. c. 18. 82.* „
dirus Herbst. *Käf. VI. p. 331. t. 86. f. 3.* — Gylh. *Schh. Gen. Curc. II. p. 354.* — Kirsch. *Berl. Zeit. 1871. p. 46.* Germania.
{ *glabratus* Fabr. *Syst. El. II. p. 523.* — Gylh. *l. c.* „
dirus Oliv. *Ent. V. 83. p. 286. t. 18. f. 225; t. 4. f. 43. a.* Gallia.
reticulatopunctatus Sturm. *Cat. 1843. p. 201.* } „
laevigatus Gylh. *l. c. p. 355.* Tauria.
germanus Linn. *Syst. nat. ed. X. p. 383.* — Gylh. *Schh. Gen. Curc. II. p. 351.* — Jacq. Duv. *Gen. Col. Curc. t. 11. f. 49.* M.
fuscomaculatus Fabr. *Mant. I. p. 122.* — Herbst. *Käf. VI. p. 329. t. 86. f. 2.* Suecia.
tigris Goeze. *Ent. Beytr. I. p. 395.* — Gmel. *ed. Linn. I. 4. p. 1778.* — Schäff. *Jc. t. 101. f. 6.* Germania.

var. {*carinaerostris* Gylh. *Schh. Gen. Curc. II. p. 352.* — Meg. *Dej. Cat. 3. ed. p. 285.* Alpes.
flavomaculatus Dahl *in litt.* Carniolia.}
„ *laevirostris* Gylh. *l. c. p. 352.* — Ocskay. *Dej. Cat. 3. ed. p. 285.* Hungaria.

illyricus Gylh. *Schh. Gen. Curc. II. p. 353.* — Ulr. *Dej. Cat. 3. ed. p. 286.* Illyria.

5

Psaldus

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 188.*

liosomoides Pascoe. *Trans. ent. Soc. 1870. p. 189.* K. Georg. S.

1

Liosoma

λεῖος, laevis; σῶμα, corpus.

Stephens. *Ill. Brit. IV. 1831. p. 106. (emend.)*

Leiosoma Steph. — *Leiosomus* Schönh.

concinnum Bohem. *Schh. Gen. Curc. VI. 2. p. 318.* Illyria.
cribrum Gylh. *Schh. l. c. II. p. 357.* — Meg. *Dej. Cat. 3. ed. p. 286.* Germania.
cribricolle Dahl. *Dej. Cat. l. c.* „
cyanopterum Redtenb. *Fn. Austr. ed. 1. p. 440; ed. 2. p. 724.* „
Discontignyi Brisout. *Cat. Col. Gren. II. 1867. p. 189.* Pyrenaei.
foveolatum Chevrol. *Rev. Zool. 1859. p. 299.* Algeria.
geniculatum Bris. *Cat. Grenier. 1863. p. 103.* Gallia.
impressum Bohem. *Schh. Gen. Curc. VI. 2. p. 317.* Saxonia.
Kirschi Gredler. *Käf. Tirol. II. 1866. p. 321.* Tirolis.
Lethierryi Bris. *Cat. Grenier. 1863. I. p. 100; II. 1867. p. 189.* Pyrenaei.
muscorum Bris. *l. c. 1863. p. 101.* „
oblongulum Bohem. *Schh. Gen. Curc. VI. 2. p. 316.* Helvetia.
ovatulum Clairv. *Ent. Helv. I. p. 82. t. 6. f. 3. 4.* — Bohem. *l. c. p. 316.* — Jacq. Duv. *Gen. Col. Curc. t. 11. f. 52.* „
crassicolle Dahl. *Dej. Cat. 1. ed. p. 88.* Germania.
deflexum Panz. *Ent. Germ. p. 310.* — Redtenb. *Fn. Austr. ed. 2. p. 724.* „
limatulum Dufour. *Dej. Cat. 3. ed. p. 286.* Hispania.
neglectum Bremi. *Stett. Zeit. 1855. p. 200.* — Gerstäck. *Wiegm. Arch. 1856. II. p. 194.* Helvetia.
punctatum Marsh. *Ent. Brit. p. 291.* — Steph. *Ill. Brit. IV. p. 106.* Anglia.
Pandellei Bris. *Cat. Col. Gren. II. 1867. p. 191.* Pyrenaei.
pyrenaeum Bris. *l. c. p. 190.* „
Reynosae Bris. *Ann. Fr. 1866. p. 393.* Reynosa.
robustum Seidlitz. *Berl. Zeit. 1867. p. 187.* Andalusia.
rufipes Bris. *Cat. Grenier. 1863. p. 104.* Pyrenaei.

Stierlini Tournier. *Berl. Zeit. 1860. p. 318.* — Seidl. *Berl. Zeit. 1867. p. 188. not. 1.* Sibiria.
substriatum Chevrol. *Rev. Zool. 1859. p. 298.* Algeria.
19

Xenomicrus

ξένος, hospes; μικρὸς, parvus.

Wollaston. *Cat. Canar. Col. 1864. p. 331.*

apionides Wollast. *Cat. Canar. Col. p. 331.* Canariae.
1

Meleus

μέλεος, vanus.

Lacordaire. *Gen. Col. VI. 1863. p. 358.*

anceps Bohem. *Schh. Gen. Curc. VI. 2. p. 323.* Silesia.
fallax Falderm. *Fn. transc. III. p. 188.* — Gylh. *Nouv. Mém. Mosc. VI. p. 20; Schh. Gen. Curc. VI. 2. p. 330.* — Hochh. *Bull. Mosc. 1851. 1. p. 40.* Persia occ.
♂ *Chaudoiri* Schönh. *in litt.* Caucasus.
♀ *dolosus* Schönh. *in litt.* „
Gerli Bohem. *Schh. Gen. Curc. VI. 2. p. 319.* — Parreyss. *Dej. Cat. 3. ed. p. 286.* Croatia.
granulifer Bohem. *l. c. p. 327.* Europa mer.
granulipennis Fairm. *Ann. Fr. 1852. p. 89. t. 3. f. 9.* Sicilia.
Megerlei Panz. *Fn. Germ. 87. 7.* — Gylh. *Schh. Gen. Curc. II. p. 361.* — Jacq. Duv. *Gen. Col. Curc. t. 12. f. 54.* — ‡ Frauenfeld. *Verh. zool.-bot. Ver. Wien. III. 1854. p. 351.* Germania.
Findeli Bohem. *Schh. Gen. Curc. VI. 2. p. 320.* — Dahl. *Dej. Cat. 3. ed. p. 286.* Hungaria.
Illigeri Germ. *Ins. Spec. nov. p. 329.* — Dahl. *Dej. Cat. 3. ed. p. 286.* — Bohem. *l. c. p. 326.* Carniolia.
Parreyssi Bohem. *l. c. p. 328.* Illyria.
Creutzeri Meg. *Dej. Cat. 3. ed. p. 286.* Carinthia.
silphoides Herbst. *Käf. VI. p. 279. t. 81. f. 9.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 329.* Iberia.
geometra Oliv. *Ent. V. 83. p. 289. t. 27. f. 398.* „
♀ *illotus* Gylh. *Schh. Gen. Curc. II. p. 364.* — Falderm. *Fn. transc. II. p. 200. t. 6. f. 7; III. p. 188.* Armenia.
leucographus Boeber *in litt.* Iberia.
Steveni Germ. *Ins. Spec. nov. p. 332.* „
vittatus Motsch. *in litt.* Caucasus.
squalidus Gylh. *Schh. Gen. Curc. II. p. 363.* Asia minor.
Sturmi Germ. *N. Ann. Wetterau. Ges. I. 1819. p. 138; Ins. Spec. nov. p. 330.* — Bohem. *Schh. Gen. Curc. VI. 2. p 325.* Germania.
pertusus Parreyss *in litt.* Hungaria.
styrianus Bohem. *l. c. p. 324.* Styria.
Tischeri Germ. *Ins. Spec. nov. p. 328.* — Bohem. *l. c. p. 322.* — ‡ Märkel. *Allg. deutsch. nat. Zeit. 1857. p. 180.* Saxonia.
12

Plinthus

πλίνθος, later.

Germar. *Ins. Spec. nov. 1824. p. 327.*

caliginosus Fabr. *Syst. Ent. p. 137.* — Oliv. *Ent. V. 83. p. 90. t. 22. f. 300.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 333.* — ✝ Chapuis et Cand. *Mém. Liége. 1853. p. 547.*	Germania.
didymus Donov. *Brit. Ins. XVI. t. 570.*	Anglia.
carinatus Bohem. *Schh. Gen. Curc. VI. 2. p. 334.* — Eschsch. *Dej. Cat. 3. ed. p. 286.*	Amer.bor.occ.
Chevrolati Jacq. Duv. *Gen. Curc. 1854. p. 74.*	Gallia.
cucullus Wollast. *Cat. Canar. Col. 1864. p. 330.*	Canariae.
granulatus Bohem. *Schh. Gen. Curc. VI. 2. p. 331.*	Alpes.
imbricatus Dufour. *Act. Soc. Linn. Bordeaux. 1851.*	Pyrenaei.
nivalis Jacq. Duv. *Gen. Curc. p. 27. t. 12. f. 55.*	„
mucronatus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 41.*	Tirolis.
musicus Wollast. *Ann. nat. Hist. ser. 3. VI. 1860. p. 18.*	Teneriffa.
parthenius Costa. *Ricerch. ent. sopr. mont. Parten. 1858. p. 26.*	Neapolis.
Perezi Bris. *Ann. Fr. 1866. p. 408.*	Madrid.
porcatus Panz. *Fn. Germ. 1798. 57. 16.*	Germania.
arenarius Ziegl. *Dej. Cat. 3. ed. p. 286.*	„
porculus Fabr. *Syst. El. II. p. 467.* — Oliv. *Ent. V. 83. p. 404. t. 22. f. 305.* — Gylh. *Schh. Gen. Curc. II. p. 365.*	Hungaria.
Schalleri Germ. *Ins. Spec. nov. p. 331.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 332.*	Carniolia.
tigratus Rossi. *Fn. Etr. Mant. 1. 1792. p. 39.* — Bohem. *Schh. Gen. Curc. II. p. 364.*	Italia.
velutinus Wollast. *Ann. nat. Hist. 3. ser. VI. 1860. p. 19.*	Teneriffa.

13

Methypora

Etym. null.

Pascoe. *Journ. of Ent. II. 1865. p. 416.*

postica Pascoe. *Journ. of Ent. II. p. 416. t. 17. f. 5.*	Melbourne.

1

Lithocryptus

λίθος, lapis; κρύπτω, occulto.

Desbrochers des Loges. *Mittheil. schweiz. ent. Ges. III. 1871. p. 344.*

arvernicus Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 345.*	Gallia mer.

1

Acrisius

Nomen mythol.

Desbrochers des Loges. *Ann. Fr. 1869. p. 395.*

Hyperomorphus Perris.

Koziorowiczi Desbroch. *Ann. Fr. 1869. p. 396.* Ajaccio.
asperatus Perris. *Abeille. VII. 1870. p. 27.* Bastia.
1

Cyriaspis

κυριεύω, possedo; ἀσπὶς, scutum.

Kirsch. *Berl. Ent. Zeit. 1868. p. 177.*

rufirostris Kirsch. *Berl. Zeit. 1868. p. 179.* Bogotá.
1

Typacrus

Etym. dub.

Kirsch. *Berl. Ent. Zeit. 1868. p. 179.*

mirus Kirsch. *Berl. Zeit. 1868. p. 180.* Bogotá.
1

Opsittis

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 456.*

atomaria Pascoe. *Trans. ent. Soc. 1870. p. 457. t. 7. f. 8.* K. Georg. S.
1

Oncorrhinus

ὄγκος, tumor; ῥὶν nasus.

Schönherr. *Gen. Curc. III. 1836. p. 593.*

Archarias Dupont.

cribrithorax Fåhrs. *Schh. Gen. Curc. VI. 2. p. 339.* Cayennae.
nodulosus Fåhrs. *l. c. p. 340.* Columbia.
planatus Fåhrs. *l. c. p. 341.* Brasilia.
scabricollis Gylh. *Schh. l. c. III. p. 594.* — Fåhrs. *l. c. VII. 2. p. 338.* — Lacord. *Gen. Atl. VII. t. 69. f. 1. a-b.* Cayennae.
4

Anchonus

ἀγχονάω, strangulo.

Schönherr. *Disp. meth. 1826. p. 257.*

Leprosomus Guérin.

abnormis Fåhrs. *Schh. Gen. Curc. VII. 2. p. 393.* Mexico.
amplicollis Kirsch. *Berl. Zeit. 1870. p. 372.* Bogotá.

aratus Kirsch. *Berl. Zeit. 1868. p. 187.*	Bogotá.
aries Guér. *Jc. Règn. anim. p. 168.*	Columbia.
buceros Kirsch. *Berl. Zeit. 1868. p. 184.*	Bogotá.
callosus Gylh. *Schh. Gen. Curc. III. p. 508.*	Columbia.
carinatus Guér. *Jc. Règn. anim. p. 168.*	„
caveatus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 406.*	Guadeloupe.
celsus Bohem. *Schh. l. c. p. 396.*	Nov. Granada.
elongatus Reiche *in litt.*	„
clathratus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 399.*	Guadeloupe.
columbiacus Fåhrs. *l. c. p. 389.*	Columbia.
complanatus Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 594.*	Amazon.
concretus Kirsch. *Berl. Zeit. 1868. p. 192.*	Bogotá.
constrictus Kirsch. *l. c. p. 193.*	„
cornutus Guér. *Jc. Règn. anim. p. 169.*	Columbia.
cornutus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 388.* — Lacord. *Gen. Atl. t. 69. f. 2. a-b.*	Nov. Granada.
cribricollis Coquerel. *Ann. Fr. 1849. p. 448. t. 14. IV. f. 1;* ♀ *p. 449. f. 2-4.* — Dej. *Cat. 3. ed. p. 307.*	Martinique.
cristatus Candèze. *Mém. Liége. 1861. p. 372. t. 4. f. 2. c;* ♀ *p. 370. t. 4. f. 2. a-b.*	Venezuela.
deplanatus Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 594.*	Amazon.
diapyrus Kirsch. *Berl. Zeit. 1868. p. 189.*	Bogotá.
dolosus Kirsch. *l. c. p. 183.*	„
elongatus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 397.*	Mexico.
fasciculatus Kirsch. *Berl. Zeit. 1868. p. 194.*	Bogotá.
favosus Kirsch. *l. c. 1870. p. 372.*	„
galapagoënsis Waterh. *Ann. nat. Hist. XVI. 1845. p. 39.*	Galapagos.
gracilis Kirsch. *Berl. Zeit. 1868. p. 182.*	Bogotá.
Guildingi Fåhrs. *Schh. Gen. Curc. VII. 2. p. 398.*	St. Vincent.
Hopei Fåhrs. *l. c. p. 392.*	„
immundus Kirsch. *Berl. Zeit. 1868. p. 183.*	Bogotá.
impressus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 402.*	St. Vincent.
inaequalis Fåhrs. *l. c. p. 406.*	Guadeloupe.
indus Fåhrs. *l. c. p. 403.*	St. Vincent.
interruptus Fåhrs. *l. c. p. 400.*	Guadeloupe.
Lafertei Fåhrs. *l. c. p. 394.*	Martinique.
lucifer Guér. *Jc. Règn. anim. p. 169.*	Columbia.
libertinus Kirsch. *Berl. Zeit. 1868. p. 181.*	Bogotá.
lineatus Kirsch. *l. c. p. 191.*	„
lixoides Kirsch. *l. c. p. 188.*	„
luctuosus Kirsch. *l. c. p. 190.*	„
margaritatus Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 595.*	Amazon.
mediocris Kirsch. *Berl. Zeit. 1868. p. 192.*	Bogotá.
modestus Kirsch. *l. c. p. 193.*	„
morbillosus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 390.*	Nov. Granada.
necopinus Kirsch. *Berl. Zeit. 1868. p. 187.*	Bogotá.
nodifer Bohem. *Schh. Gen. Curc. VII. 2. p. 391.*	Nov. Granada.
ocularis Fåhrs. *Schh. l. c. p. 394.*	Mexico.
pararius Kirsch. *Berl. Zeit. 1868. p. 186.*	Bogotá.
planus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 395.*	Nov. Granada.
porcatus Fåhrs. *l. c. p. 397.*	Columbia.
rufus Kirsch. *Berl. Zeit. 1868. p. 185.*	Bogotá.

serietuberculatus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 405.* Martinique.
serratus Fabr. *Syst. El. II. p. 442.* — Fåhrs. *l. c. p. 401.* St. Thomas.
setipes Fåhrs. *l. c. p. 391.* Nov. Granada.
subspinosus Fabr. *Syst. El. II. p. 444.* — Fåhrs. *l. c. p. 401.* Amer. mer.
suillus Fabr. *Ent. Syst. I. 2. p. 402.* — Guér. *Jc. Ins. t. 39. bis. f. 1. a-c.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 400.* Amer. mer. ins.
sordidus Fabr. *l. c. p. 402.* „
variolosus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 404.* — Lacord. *Gen. Col. VI. 1863. p. 364. note 2.* Columbia.
galamensis Chevrol. *in litt.* „
56

Steremnius

στερέμνιος, solidus.

Schönherr. *Gen. Curc. III. 1836. p. 242.*

tuberosus Bohem. *Schh. Gen. Curc. III. p. 243.* Nov. Holland.
1

Cycloteres

κυκλοτερής, rotundus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 383.*

Audouini Bohem. *Schh. Gen. Curc. VII. 2. p. 384.* — Fairm. *Ann. Fr. 1871. p. 51.* Madagascar.
bipartitus Fairm. *l. c. p. 52.* „
Brullei Bohem. *l. c. p. 385.* — Lacord. *Gen. Atl. VII. t. 69. f. 3. a.* — Fairm. *l. c. p. 51.* „
contractus Klug. *Ins. Madag. p. 199. t. 4. f. 10.* — Lacord. *Gen. Col. VI. 1863. p. 375. note 2.* „
4

Adexius

α priv.; δεξιός, dexter.

Schönherr. *Gen. Curc. II. 1834. p. 366.*

rudis Küst. *Käf. Eur. 23. 68.* Silesia.
scrobipennis Gylh. *Schh. Gen. Curc. II. p. 367.* — Jacq. Duv. *Gen. Curc. t. 12. f. 53.* Carinthia.
subterraneus Dahl *in litt.* Carniolia.
2

Elassonyx

ἐλάσσων, debilior; ὄνυξ, unguis.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 386.*

Catomismus Schönh. *olim.*

Dregei Bohem. *Schh. Gen. Curc. VII. 2. p. 387.* Caffraria.
1

Solenorrhinus

σωλήν, tubus; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 257.*

porifer Sparrm. *Act. Holm. 1785. p. 41. t. 2. f. 2.* — Gylh. *Schh. Gen. Curc. III. p. 519.* — Lacord. *Gen. Atl. VII. t. 69. f. 4. a.* — Cap bon. spei.

1

Tanyrrhynchus

τανύω, extendo; ῥύγχος, rostrum.

Schönherr. *Disp. meth. 1826. p. 212.*

affaber Bohem. *Schh. Gen. Curc. III. p. 520.* — Caffraria.
albidulus Bohem. *l. c. p. 524.* — „
asiaticus Ménétr. *Mém. Ac. Petr. VI. 1849. p. 262.* — Turcomania.
bardus Bohem. *Schh. Gen. Curc. III. p. 526.* — Caffraria.
biguttatus Bohem. *l. c. VII. 2. p. 413.* — Port Natal.
brevis Bohem. *l. c. p. 419.* — Cap bon. spei.
carinatus Bohem. *l. c. III. p. 529; VII. 2. p. 418.* — Caffraria.
costirostris Bohem. *l. c. VII. 2. p. 416.* — Port Natal.
inflatus Bohem. *l. c. p. 420.* — Cap bon. spei.
longulus Bohem. *l. c. III. p. 528.* — Caffraria.
loripes Bohem. *l. c. VII. 2. p. 418.* — Cap bon. spei.
pulverulentus Bohem. *l. c. III. p. 525; VII. 2. p. 417.* — „
rudis Bohem. *l. c. VII. 2. p. 415.* — „
squalidus Bohem. *l. c. p. 417.* — Africa.
strigirostris Sparrm. *Act. Holm. 1785. p. 42. t. 2. f. 5.* — Bohem. *l. c. III. p. 523.* — Cap bon. spei.
terranus Schönh. *Disp. meth. 1826. p. 213.* — „
suturalis Bohem. *l. c. III. p. 527; VII. 2. p. 418.* — Caffraria.
tenuirostris Bohem. *l. c. VII. 2. p. 414.* — Cap bon. spei.
tibialis Bohem. *l. c. III. p. 521.* — „
tibiellus Bohem. *l. c. p. 522.* — „

19

Stenocephalus

στενός, angustus; κεφαλή, caput.

Schönherr. *Mantiss. sec. Curcul. 1847. p. 77.*

Stereorhynchus Lacordaire.

setipennis Schönh. *Mant. sec. p. 78. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 371.* — Africa austr.
suturalis Schönh. *l. c. p. 78. (indscrpt.)* — „

2

Myorrhinus

μύω, claudo; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 213.*

Apsis Germar. — *Cuphorhynchus* Megerle.

albolineatus Fabr. *Ent. Syst. I. 2. p. 490.* — Oliv. *Ent.* — Germania.

V. 83. p. 423. t. 23. f. 322. — Gylh. *Schh. Gen. Curc. III. p. 531.* Germania.
complicatus Germ. *Allg. Encycl. sect. I. 5. p. 13. c. fig.* — Koy. *Dej. Cat. 1. ed. p. 89.* Gallia.
incisirostris Gylh. *Schh. Gen. Curc. III. p. 532.* Caffraria.
lepidus Brullé. *Expd. Mor. III. p. 246.* — Kiesenw. *Berl. Zeit. 1864. p. 265.* Graecia.
Brullei Guér. *Jc. Règn. anim. p. 154.* „
incrassatus Stev. *Sturm. Cat. 1826. p. 97.* Tauria.
Steveni Gylh. *Schh. Gen. Curc. III. p. 530.* — Jacq. Duv. *Gen. Col. Curc. t. 23. f. 112.* „
linis Gylh. *Schh. Gen. Curc. III. p. 532.* Caffraria.
setarius Fåhrs. *Schh. l. c. VII. 2. p. 421.* „
siculus Kraatz. *Berl. Zeit. 1859. p. 56.* Sicilia.
subvittatus Fairm. *Ann. Fr. 1866. p. 267.* Asia minor.
7

Xynaea

Etym. null.

Pascoe. *Journ. of Ent. II. 1865. p. 419.*

saginata Pascoe. *Journ. of Ent. II. p. 420. t. 17. f. 2.* Nov. Holland.
1

Synaptonyx

συναπτὸς, conjunctus; ὄνυξ, unguis.

Wollaston. *Trans. ent. Soc. ser. 2. II. 1853. p. 187.*

ovatus Wollast. *Trans. ent. Soc. 1853. p. 188.* Nov. Holland.
1

Trachodes

τραχώδης, asper.

Germar. *Ins. Spec. nov. 1824. p. 325.*

Sthereus Motschulsky.

borealis Motsch. *Bull. Mosc. 1845. IV. p. 374.* Kamtschatka.
costatus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 409.* Bavaria.
fasciculatus Motsch. *Bull. Mosc. 1845. IV. p. 374.* Kamtschatka.
hispidus Linn. *Syst. nat. ed. X. p. 383.* — Gylh. *Schh. Gen. Curc. III. p. 514.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 22. f. 107.* M.
acanthion Beck. *Beitr. baier. Ins. Fn. 1817. p. 22. t. 6. f. 32.* Germania.
fasciculatus Dej. *Cat. 3. ed. p. 307.* Gallia or.
squamifer Gylh. *Ins. Suec. III. p. 200.* Suecia.
horridus Mannerh. *Bull. Mosc. 1852. II. p. 354.* Sitkha.
hystrix Gylh. *Schh. Gen. Curc. III. p. 513.* Tauria.
ptinoides Germ. *Ins. Spec. nov. p. 327.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 408.* Unalaschka.
ptinicollis Eschsch. *Sturm. Cat. 1826. p. 184.* „

quadrituberculatus Motsch. *Bull. Mosc. 1845. IV. p. 375. t. 7. f. 4.* — Mannerh. *Bull. Mosc. 1852. II. p. 355.* Sitkha.
8

Echinosoma

ἐχῖνος, erinaceus; σῶμα, corpus.

Wollaston. *Ins. Mader. 1854. p. 395.*

porcellus Wollast. *Ins. Mader. p. 396. t. 8. f. 5.* Madera.
1

Nesiotes

νησιώτης, insulae incola.

Wollaston. *Journ. of Ent. 1861. p. 211.*

asperatus Wollast. *Ann. nat. Hist. IV. 1869. p. 413.* St. Helena.
squamosus Wollast. *Journ. of Ent. 1861. p. 212. t. 14. f. 3; Ann. nat. Hist. IV. 1869. p. 413.* „
2

Cecractes

κεκράκτης, clamator.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 302.*

argenteus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 303.* Madagascar.
1

Catachaenus

καταχαίνω, oscito.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 305.*

circulus Eydoux. *Rev. Zool. 1839. p. 266.* Manilla.
cinctellus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 306.* „
1

Eugnathus

εὖ, bene; γνάθος, mandibula.

Schönherr. *Gen. Curc. II. 1834. p. 132.*

alternans Fåhrs. *Schh. Gen. Curc. VI. 1. p. 304.* Siam.
depressifrons Bohem. *Schh. l. c. p. 298.* — Lacord. *Gen. Col. VI. 1. 1863. p. 383. note 2.* Mexico.
squamifer Bohem. *l. c. VIII. 2. p. 419.* Cuba.
viridanus Gylh. *Schh. l. c. II. p. 133.* Java.
vestitus Dej. *Cat. 3. ed. p. 278.* „
4

Scythropus

σκυθρωπὸς, morosus.

Schönherr. *Disp. meth. 1826. p. 140.*

Pachyrhinus Schönh. *olim.*

argenteolus Chevrol. *Rev. Zool. 1866. p. 323 note.* Vernet.
cedri Chevrol. *l. c. p. 324 note.* Blidah.
dentipes Seidlitz. *Berl. Zeit. 1867. p. 185.* Andalusia.
glabratus Chevrol. *Rev. Zool. 1866. p. 322.* Hispania.
mustela Herbst. *Käf. VII. p. 35. t. 97. f. 8.* — Gylh. *Schh. Gen. Curc. II. p. 154.* — Jacq. Duv. *Gen. Col. Curc. t. 7. f. 34.* M.
villosulus Herbst. *Käf. VI. p. 253. t. 78. f. 8.* Germania.
var. *squameus* Ziegl. *Dej. Cat. 1. ed. p. 94.* „
„ *squamulosus* Herbst. *l. c. VI. p. 216. t. 75. f. 4.* „
squamosus Kiesenw. *Ann. Fr. 1851. p. 631.* Catalonia.
6

Coleocerus

κολεὸς, vagina; κέρας, cornu.

Schönherr. *Gen. Curc. V. 1840. p. 927. (emend.)*

Colecerus Schönh.

setosus Bohem. *Schh. Gen. Curc. V. p. 928.* Mexico.
variegatus Bohem. *l. c. VIII. 2. p. 405.* „
2

Pororrhynchus

πῶρος, callus; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 311.*

labeonis Fåhrs. *Schh. Gen. Curc. VI. 1. p. 312.* Buenos Aires.
1

Periorges

περιοργής, iratus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 420.*

subsignatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 421.* Brasilia.
1

Eurysaces

εὐρυσάκης, latiscutatus.

Schönherr. *Gen. Curc. VI. 1. p. 313.*

grammicus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 314.* Brasilia.
1

Eudius

εὔδιος, quietus.

Schönherr. *Gen. Curc. II. 1834. p. 162.*

aspersus Montrouz. *Ann. Fr. 1860. p. 877.* Nov. Caledon.
jocosus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 441.* Brasilia.
quadrisignatus Gylh. *Schh. l. c. II. p. 163.* — Fåhrs. *l. c. VI. 1. p. 441.* „
varians Blanch. *Gay. Hist. Chil. V. p. 324. t. 23. f. 8. a-f.* — Lacord. *Gen. Col. VI. 1863. p. 388. note 1.* Chili.
4

Eudiagogus

εὐδιάγωγος, contentus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 307.*

episcopalis Gylh. *Schh. Gen. Curc. II. p. 164.* — Labr. et Imh. *Gen. Curc. II. nr. 48.* Brasilia.
amoenus Klug. *Dej. Cat. 3. ed. p. 280.* „
pictus Dej. *Cat. l. c.* „
pallidevittatus Luc. *Casteln. Voy. 1859. p. 158.* „
pulcher Fåhrs. *Schh. Gen. Curc. VI. 1. p. 310.* — Chevrol. *Dej. Cat. 3. ed. p. 280.* Mexico.
Rosenschoeldi Fåhrs. *l. c. p. 309.* Amer. bor.
4

Promecops

προμήκης, oblongus; ὤψ, aspectus.

Schönherr. *Disp. meth. 1826. p. 135.*

arcuata Fåhrs. *Schh. Gen. Curc. VI. 1. p. 329.* Brasilia.
nubifera var. Gylh. *Schh. l. c. II. p. 167.* Amer. bor.
boops Gylh. *l. c. p. 165.* — Fåhrs. *Schh. l. c. VI. 1. p. 315.* Brasilia.
cerussata Fåhrs. *l. c. p. 319.* „
cincta Fåhrs. *l. c. p. 323.* „
clitellaria Fåhrs. *l. c. p. 334.* „
cognata Fåhrs. *l. c. p. 331.* St. Vincent.
dorsalis Fåhrs. *l. c. p. 335.* Brasilia.
fallax Fåhrs. *l. c. p. 333.* „
gracilis Fåhrs. *l. c. p. 336.* „
impurata Gylh. *Schh. l. c. II. p. 167.* „
lepida Fåhrs. *l. c. VI. 1. p. 317.* Columbia.
jucunda Klug *in litt.* „
leucothyrea Fåhrs. *l. c. p. 328.* Nov. Granada.
limbata Gylh. *Schh. l. c. II. p. 168.* Brasilia.
lunata Fåhrs. *Schh. l. c. VI. 1. p. 327.* St. Vincent.
nubeculosa Gylh. *Schh. l. c. II. p. 166.* Brasilia.
nubifera Fåhrs. *Schh. l. c. VI. 1. p. 325.* Amer. mer.
parvula Fåhrs. *l. c. p. 332.* Brasilia.

phalerata Luc. *Casteln. Voy. 1859. p. 158.*	Brasilia.
postica Fåhrs. *Schh. Gen. Curc. VI. 1. p. 322.*	Guadeloupe.
pulchella Bohem. *Res. Eugen. 1859. p. 122.*	Rio Janeiro.
rhombica Fåhrs. *Schh. Gen. Curc. VI. 1. p. 326.*	Columbia.
rhombifera Fåhrs. *l. c. p. 325.*	"
scrobicollis Fåhrs. *l. c. p. 320.*	Brasilia.
setigera Fåhrs. *l. c. p. 318.*	"
signata Blanch. *Voy. d'Orb. p. 201. t. 16. f. 6.*	Chiquitos.
torva Fåhrs. *l. c. p. 330.*	Brasilia.
umbrata Fåhrs. *l. c. p. 324.*	Mexico.
vagabunda Fåhrs. *l. c. p. 321.*	Brasilia.
viator Fåhrs. *l. c. p. 332.*	Mexico.
vulpina Fåhrs. *l. c. p. 316.*	Brasilia.

30

Aracanthus

ἄρα, *valde;* ἄκανθα, *spina.*

Schönherr. *Gen. Curc. V. 2. 1840. p. 821.*

pallidus Say. *Descr. of Curc. of N. Am. p. 9.* — Fåhrs. *Schh. Gen. Curc. V. 2. p. 822.*	Amer. bor.

1

Oxyops

ὀξύς, *acutus;* ὤψ, *facies.*

Schönherr. *Disp. meth. 1826. p. 61.*

arcifera Pascoe. *Journ. Linn. Soc. X. 1870. p. 481.*	Rockhampton.
arctata Pasc. *l. c. p. 482.*	Adelaida.
aulica Pasc. *l. c. p. 479.*	Queensland.
bilunaris Pasc. *l. c. p. 480.*	Gawler.
cancellata Bohem. *Schh. Gen. Curc. III. p. 486.*	Nov. Holland.
clathrata Bohem. *l. c. p. 487.* — Germ. *Linn. Ent. III. p. 214.*	"
concreta Pascoe. *Journ. Linn. Soc. X. 1870. p. 479.*	N. S. Wales.
crassicornis Pasc. *l. c. p. 480.*	Champion bay.
excavata Boisd. *Voy. Astrol. II. p. 327.* — d'Urville. *Dej. Cat. 3. ed. p. 269.*	Nov. Holland
fovosa Bohem. *Schh. Gen. Curc. III. p. 485.*	"
farinosa Pascoe. *Ann. nat. Hist. 1871. p. 96.*	Albany.
fasciata Boisd. *Voy. Astrol. II. p. 330.*	Nov. Holland.
obliquata Bohem. *Schh. Gen. Curc. III. p. 488.* — Germ. *Linn. Ent. III. p. 214.*	"
fasciculata Redtenb. *Reis. Novar. II. p. 155.*	Sidney.
gemella Pascoe. *Journ. Linn. Soc. X. 1870. p. 481.*	Champion bay
Hopei Bohem. *Schh. Gen. Curc. III. p. 483.*	Nov. Holland.
irrasa Pascoe. *Journ. Linn. Soc. X. 1870. p. 480.*	Queensland.
marginalis Pasc. *l. c. p. 481.*	Rockhampton.
scabrosa Boisd. *Voy. Astrol. II. p. 328.*	Nov. Holland.
squamulosa Bohem. *Schh. Gen. Curc. III. p. 484.*	"
subfasciata Jekel *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 393. note 1.*	"

tuberculata Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 155.* — Nov. Holland.
vitiosa Pascoe. *Journ. Linn. Soc. X. 1870. p. 481.* — Wide bay.
21

Pantoreites

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 462.*

scenicus Pascoe. *Journ. Linn. Soc. X. 1870. p. 463.* — New S. Wales.
virgatus Pascoe. *l. c. t. 18. f. 4.* — „
2

Syarbis

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 423.*

Acroteriasus Roelofs.

Deyrollei Roelofs. *Ann. Soc. Belg. XI. 1867. p. 76. t. 2. f. 2.* — Australia.
emarginatus Roel. *l. c. X. p. 247. t. 1. f. 4.* — N.Holland.occ.
goniopteroides Pascoe. *Journ.Linn.Soc. X.1870.p.444.* — Nicol bay.
Haagi Roel. *Ann. Soc. Belg. X. p. 245. t. 1. f. 1.* — Queensland.
niger Roel. *l. c. XI. p. 75. t. 2. f. 1.* — Australia.
nubilus Roel. *l. c. X. p. 246. t. 1. f. 3.* — N.Holland.bor.
pruinosus Chevrol. *in litt.* — „
pachypus Pascoe. *Journ. of Ent. II. p. 424. t. 17. f. 1.* — Queensland.
punctipennis Roel. *Ann. Soc. Belg. XI. p. 76. t. 2. f. 3.* — Australia.
sciurus Pascoe *Journ. Linn. Soc. X. 1870. p. 444.* — Nicol bay.
subnitidus Roel. *Ann. Soc. Belg. X. p. 245. t. 1. f. 2.* — Nov. Holland.
10

Bryachus

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 478.*

squamicollis Pascoe. *Journ. Linn. Soc. X. 1870. p. 479.* — Queensland.
subfasciatus Jekel *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 393. not. 1.* — Pascoe. *l. c. p. 479.* — Nov. Holland.
2

Goniopterus

γωνία, angulus; πτερὸν, ala.

Schönherr. *Gen. Curc. 1. 1833. p. 456. (emend.)*

Brachysoma Dejean. — *Gonipterus* Schönh.

balteatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 477.* — Adelaida.
cinnamomeus Pascoe. *l. c.* — Queensland.
cionoides Pascoe. *l. c. p. 478.* — New S. Wales.

exaratus Fåhrs. *Schh. Gen. Curc. VI. 1. p. 462.* — Dej. *Cat. 3. ed. p. 269.* — Blanch. *Voy. Pole Sud. IV. p. 204. t. 14. f. 8.* — Nov. Holland.
ferrugatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 477.* — Queensland.
gibberus Boisd. *Voy. Astrol. II. p. 324.* — Dej. *Cat. 3. ed. p. 269.* — Nov. Holland.
hyperoides Pascoe. *Ann. nat. Hist. 1871. p. 96.* — Queensland.
kanalensis Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 157.* — Nov. Caledon.
lepidotus Gylh. *Schh. Gen. Curc. I. p. 457.* — Boisd. *Voy. Astrol. II. p. 323.* — Nov. Holland.
notographus Boisd. *l. c. p. 326.* — Latr. *Dej. Cat. 3. ed. p. 269.* — „
reticulatus Boisd. *l. c. p. 326.* — Latr. *l. c.* — „
scutellatus Gylh. *Schh. Gen. Curc. I. p. 458.* — Boisd. *l. c. p. 322.* — „
sepulchralis Pascoe. *Journ. Linn. Soc. X. 1870. p. 478.* — Adelaida.
suturalis Gylh. *Schh. Gen. Curc. I. p. 459.* — Mac Leay. *Dej. Cat. 3. ed. p. 269.* — Boisd. *Voy. Astrol. II. p. 325.* — Nov. Holland.
turbidus Pascoe. *Ann. nat. Hist. 1871. p. 97.* — Tasmania.
15

Haplopus

ἁπλοῦς, simplex; ποῦς, pes.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 470.*

Bohemani Jekel *in litt.* — Lacord. *Gen. Atl. VII. t. 69. f. 5. a.* — Brasilia.
submarginalis Bohem. *Schh. Gen. Curc. VI. 1. p. 472.* — „
Westermanni Bohem. *l. c. p. 471.* — „
3

Alophus

ἄλοφος, sine crista.

Schönherr. *Disp. meth. 1826. p. 166.*

Graptus Schönh. *olim.* — *Leucon* Besser. — *Rhytidoma* Wollaston.

agrestis Bohem. *Schh. Gen. Curc. VI. 2. p. 206.* — Caucasus.
albonotatus Motsch. *Schrenck. Reise. 1860. p. 166. t. 10. f. 19.* — Amur.
alternans Wollast. *Col. Atlant. 1865. App. p. 50.* — Gomera.
alternatus Say. *Descr. of Curc. of N. Am. p. 10.* — Bohem. *Schh. Gen. Curc. II. p. 286.* — Amer. bor.
var. *marmoratus* Motsch. *in litt.* — Kadjak.
armeniacus Hochh. *Bull. Mosc. 1847. II. p. 486.* — Armenia.
biguttatus Gebl. *Nouv. Mém. Mosc. II. 1832. p. 63.* — Nertschinsk.
cirriger Mannerh. *Schh. Gen. Curc. II. p. 289.* — Dauria.
constrictus Lec. *Entom. Report. 1857. p. 54.* — Sitkha.
didymus Lec. *Proc. Ac. Phil. VII. 1854. p. 20; Entom. Report. 1857. p. 54.* — Oregon.
foraminosus Stierl. *Wien. ent. Monatschr. V. 1861. p. 221.* — Epirus.
gibbulosus Motsch. *Bull. Mosc. 1859. IV. p. 495.* — Amur.

humeralis Gebl. *Bull. Mosc. VI. 1833. p. 297.* Sibiria.
leucon Mannerh. *Schh. Gen. Curc. II. p. 285.* — Boeber. *Dej. Cat. 3. ed. p. 283.* „
lineatus Gebl. *Bull. Ac. Petr. 1841. p. 374; Bull. Mosc. 1859. IV. p. 344.* Songoria.
magnificus Wollast. *Cat. Canar. Col. 1864. p. 326.* Teneriffa.
nictitans Bohem. *Schh. Gen. Curc. VI. 2. p. 207.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 374.* Aegyptus.
singularis Jacq. Duv. *Gen. Col. Curc. p. 21. not. 2. t. 9. f. 40.* Gallia mer.
quadriguttatus Gebl. *Ledeb. Reis. II. 3. p. 167; Nouv. Mém. Mosc. II. 1832. p. 64.* — Mannerh. *Schh. Gen. Curc. II. p. 288.* Sibiria.
quadrinotatus Motsch. *Schrenck. Reis. 1860. p. 166.* Ochotsk.
rudis Bohem. *Schh. Gen. Curc. VI. 2. p. 204.* Irkutsk.
seriatus Mannerh. *Bull. Mosc. 1853. III. p. 245.* Kadjak.
triguttatus Fabr. *Syst. Ent. p. 148.* — Oliv. *Ent. V. 83. p. 352. t. 19. f. 250.* — Bohem. *Schh. Gen. Curc. II. p. 287.* M.
cordiger Sulz. *Abgek. Gesch. Ins. p. 40. t. 4. f. 11.* Gallia.
melanocardius Herbst. *Käf. t. 94. f. 2.* Germania.
Vau Schrank. *Enum. Ins. p. 120.* — Steph. *Ill. Brit. IV. p. 109.* Anglia.
rufimanus Marsh. „
striatirostris Marsh. „
trinotatus Marsh. — Steph. *l. c. p. 109.* „
var. *gamma* Meg. *Dej. Cat. 3. ed. p. 283.* Germania.
„ *V-griseum* Meg. *Dej. Cat. l. c.* Illyria.
21

Cepurus

κηπουρός, *hortulanus.*

Schönherr. *Gen. Curc. II. 1834. p. 347.*

torridus Oliv. *Ent. V. 83. p. 347. t. 8. f. 91. a-b.* — Gylh. *Schh. Gen. Curc. II. p. 348.* Senegal.
caliginosus Dej. *Cat. 3. ed. p. 285.* „
1

Lepidophorus

λεπὶς, *squama;* φέρω, *fero.*

Kirby. *Fn. Bor. Am. IV. 1837. p. 201.*

lineaticollis Kirby. *Fn. Bor. Am. IV. p. 201.* — Capiomont. *Ann. Fr. 1867. p. 478.* Canada.
borealis Ménétr. *i. litt.* Kenai.
1

Bubalocephalus

βούβαλος, *bubalus;* κεφαλή, *caput.*

Capiomont. *Ann. Fr. 1867. p. 485.*

Kiesenwetteri Capiom. *Ann. Fr. 1867. p. 488; 1868. t. 3. f. 3-5.* — Seidl. *Berl. Zeit. 1868. p. 50. (Beiheft.)* Sierra Nevada.

rotundicollis Capiom. *Ann. Fr. 1867. p. 486.* — Ramb. *Dej. Cat. 3. ed. p. 287.* Andalusia.
2

Prophaesia

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 189.*

albilatera Pascoe. *Trans. ent. Soc. 1870. p. 190.* Austral. mer.
cretata Pascoe. *l. c. p. 190.* „
2

Hypera

ὑπέρα, funis.

Germar. *Mag. Ent. IV. 1821. p. 335.*

Révision. Capiomont. *Ann. Fr. 1867. p. 417. t. 11-12. (I.); 1868. p. 73. (II.)*

Brachypera Capiom. — *Dapalinus* Capiom. — *Donus* Megerle. — *Erirhinomorphus* Capiom. — *Metadonus* Capiom. — *Pachypera* Capiom. — *Phelypera* Capiom. — *Phytonomidius* Capiom. — *Phytonomus* Schönh. — *Pseudypera* Capiom. — *Tigrinellus* Capiom. — *Tylopterus* Capiom.

aegyptiaca Capiom. *Révis. II. p. 209.* Alexandria.
albicans Capiom. *Révis. II. p. 183.* Europa mer.
alternans Steph. *Ill. Brit. IV. 1831. p. 95. t. 20. f. 6.* Anglia.
Julini Sahlb. *Ins. Fenn. II. 1835. p. 42.* — Capiom. *Révis. II. p. 153.* Fennia.
Kunzei Gylh. *Schh. Gen. Curc. II. p. 386.* ♂. Germania.
lineata Steph. *Cat. p. 168.* Anglia.
parallelogramma Bohem. *Schh. l. c. II. p. 386.* „
alternata Bohem. *l. c. VI. 2. p. 382.* — Capiom. *Révis. II. p. 155.* Sibiria.
anceps Bohem. *l. c. p. 348.* — Capiom. *Révis. II. p. 137.* Caucasus.
angusticollis Bohem. *l. c. II. p. 388.* — Capiom. *Révis. II. p. 156.* Sibiria.
arundinis Payk. *Mon. Curc. 47. 44.* — Fabr. *Ent. Syst. I. 2. p. 464.* — Herbst. *Käf. VI. p. 162. t. 71. f. 1.* — Germ. *Schh. Gen. Curc. II. p. 372.* — Capiom. *Révis. II. p. 157.* — ♀ Boie. *Stett. Zeit. 1850. p. 359.* Germania.
sii Leach *i. litt.* Anglia.
arvernica Capiom. *Révis. I. p. 499; II. t. 2. f. 5.* ♀. Mont Dore.
Aubei Capiom. *Révis. I. p. 521.* Pyrenaei.
austera Bohem. *Schh. Gen. Curc. II. p. 376.* — Capiom. *Révis. I. p. 528; II. t. 1. f. 10.* ♀. Marocco.
fuscata Bohem. *l. c. VI. 2. p. 368.* — Rosenh. *Thier. Andal. p. 253.* Tanger.
tigrina Waltl. *Reis. Span. II. p. 78.* Hispania.
Barnevillei Capiom. *Révis. II. p. 79.* Pyrenaei.
Bohemani Capiom. *Révis. II. p. 158. t. 4. f. 3.* ♂. Algeria.
Bonvouloiri Capiom. *Révis. I. p. 549.* Pyrenaei.

brevicollis Capiom. *Révis. II. p. 147.*	Sarepta.
brevirostris Capiom. *Révis. II. p. 117. not. 1.*	Escurial.
Brucki Capiom. *Révis. I. p. 551.*	Toscana.
brunnipennis Bohem. *Schh. Gen. Curc. II. p. 381.* — Capiom. *Révis. II. p. 203.*	Sicilia.
camelus Capiom. *Révis. I. p. 470.*	Cayennae.
cervina Capiom. *Révis. I. p. 460.* — Dej. *Cat. 3. ed. p. 286.*	Montevideo.
Chevrolati Capiom. *Révis. II. p. 97.*	Algeria.
ocularis Capiom. *i. litt.*	Constantine.
chlorocoma Bohem. *Schh. Gen. Curc. VI. 2. p. 359.* — Capiom. *Révis. I. p. 556.*	Persia occ.
circumvaga Bohem. *l. c. p. 367.* — Capiom. *Révis. II. p. 94.*	Gallia mer.
var. *algira* Chevrol. *in litt.*	Algeria.
var. *mauritanica* Capiom. *l. c. p. 95.*	"
var. *turgida* Dej. *Cat. 3. ed. p. 287.*	"
comata Bohem. *Schh. Gen. Curc. VI. 2. p. 361.* — Meg. *Dej. Cat. 1. ed. p. 29.* — Capiom. *Révis. I. p. 538.*	M.
palumbaria Dej. *Cat. 3. ed. p. 287.*	Germania.
viennensis Sturm. *Dej. Cat. l. c.*	Istria.
compta Say. *Descr. of Curc. of N. Am. p. 12.* — Gylh. *Schh. Gen. Curc. II. p. 384.*	Amer. bor.
var. *diversa* Gylh. *l. c. p. 371.* — Dej. *Cat. 3. ed. p. 286.* — Capiom. *Révis. II. p. 163.*	"
constans Bohem. *Schh. Gen. Curc. II. p. 394.* — Ziegl. *Dej. Cat. 3. ed. p. 287.*	Gallia.
balteata Chevrol. *Rev. Zool. 1840. p. 16.* — Rosenh. *Thier. Andal. p. 253.* — Capiom. *Révis. II. p. 237.*	Lusitania.
contaminata Herbst. *Käf. VI. p. 276. t. 81. f. 5.* — Germ. *Mag. Ent. IV. p. 342.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 366.* — Capiom. *Révis. II. p. 170.*	Germania.
maculosa Dej. *Cat. 3. ed. p. 286.*	Styria.
corpulenta Schauf. *Sitzgb. Ges. Isis. 1861. p. 50.*	Hispania mer.
crinita Bohem. *Schh. Gen. Curc. II. p. 403.* — Dej. *Cat. 3. ed. p. 287.* — Capiom. *Révis. II. p. 102.*	Gallia mer.
♂ *scapularis* Chevrol. *Rev. Zool. 1860. p. 449.*	Algeria.
setosa Meg. *in litt.*	Sicilia.
socialis Bohem. *l. c. VI. 2. p. 364.*	"
villosa Ziegl. *Dej. Cat. l. c.*	"
var. *visnagae* Oliv. *in litt.*	Algeria.
curta Bohem. *Schh. Gen. Curc. VI. 2. p. 365.* — Capiom. *Révis. II. p. 146.*	Sibiria occ.
cypris Reiche. *Ann. Fr. 1857. p. 679.* — Capiom. *Révis. I. p. 511; II. t. 2. f. 6.* ♂.	Cyprus.
cyrta Germ. *Mag. Ent. IV. p. 345.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 351.* — Capiom. *Révis. I. p. 500.*	Dalmatia.
sericata Meg. *in litt.*	Caucasus.
turbata Bohem. *l. c. p. 356.*	Hungaria.
dapalis Bohem. *l. c. II. p. 375.* — Capiom. *Révis. II. p. 165. t. 3. f. 1.* ♂.	Europa mer.
decipiens Capiom. *Révis. II. p. 144.*	Caucasus.
Delarouzeei Capiom. *Révis. II. p. 87.*	Pyren. or.
denominanda Capiom. *Révis. II. p. 211.*	Serbia.

deportata Bohem. *Schh. Gen. Curc. VI. 2. p. 354. var. β.* — Capiom. *Révis. I. p. 497.* — Sibiria occ.
Deyrollei Capiom. *Révis. II. p. 99.* — Lusitania.
distigma Bohem. *Schh. Gen. Curc. VI. 2. p. 344.* — Capiom. *Révis. I. p. 465.* — Mexico.
var. *bimaculata* Capiom. *olim..* — Columbia.
distinguenda Bohem. *Schh. Gen. Curc. VI. 2. p. 375.* — Capiom. *Révis. II. p. 139.* — Mare caspic.
curta var. α. Bohem. *l. c.* — „
dorsata Gylh. *Schh. Gen. Curc. II. p. 373.* — Capiom. *Révis. II. p. 197.* — Ucrania.
dorsonotata Capiom. *Révis. I. p. 463.* — Buquet. *Dej. Cat. 3. ed. p. 286.* — Brasilia.
dubia Capiom. *Révis. II. p. 82.* — Lozère.
egregia Capiom. *Révis. II. p. 243.* — Algeria.
elegans Bohem. *Schh. Gen. Curc. VI. 2. p. 358.* — Dahl. *Dej. Cat. 3. ed. p. 287.* — Capiom. *Révis. I. p. 547.* — Banat.
elongata Payk. *Fn. Suec. III. p. 236.* — Gylh. *Schh. Gen. Curc. II. p. 374.* — Bohem. *Schh. l. c. VI. 2. p. 369.* — Capiom. *Révis. II. p. 193.* — M.
mutabilis Germ. *Mag. IV. p. 341.* — Curonia.
{*palustris* Dahl. *Dej. Cat. 3. ed. p. 286.* — Hungaria.
{*punctulata* Ziegl. *Dej. Cat. l. c.* — Styria.
Fairmairei Capiom. *Révis. II. p. 81.* — Lozère.
fallax Capiom. *Révis. II. p. 124. t. 2. f. 2. ♀.* — Andalusia.
farinosa Bohem. *Schh. Gen. Curc. VI. 2. p. 378.* — Capiom. *Révis. II. p. 219.* — Caucasus.
fasciculata Herbst. *Käf. VI. p. 289. t. 82. f. 6.* — Germ. *Schh. Gen. Curc. II. p 401.* — Jacq. Duv. *Gen. Col. Curc. t. 12. f. 56.* — Capiom. *Révis. II. p. 129.* — M.
dauci Oliv. *Ent. V. 83. p. 127. t. 35. f. 542.* — Wollast. *Trans. ent. Soc. 1871. p. 269.* — Gallia.
fascicularis Ziegl. *Dej. Cat. 3. ed. p. 287.* — Germania.
fasciculosa Gylh. *Ins. Suec. III. p 107.* — Steph. *Ill. Brit. IV. p. 93.* — Suecia.
lunata Wollast. *Ins. Mader. 1854. p. 398.* — Madera.
stictica Kirby *in litt.* — Anglia.
variegata Bach. *Käf. Fn. II. 1854. p. 254.* — Germania.
Germari Bohem. *Schh. Gen. Curc. VI. 2. p. 349.* — Capiom. *Révis. I. p. 472.* — Brasilia.
globosa Fairm. *Ann. Fr. 1858. p. 879.* — Capiom. *Révis. I. p. 552.* — Gallia or.
gravida Dej. *Cat. 3. ed. p. 287.* — „
gracilenta Capiom. *Révis. II. p. 233.* — Mostaganem.
Grandini Capiom. *Révis. II. p. 131.* — Algeria.
griseofasciata Capiom. *Révis. I. p. 462.* — Dej. *Cat. 3. ed. p. 286.* — Brasilia.
var. *bifasciata* Capiom. *l. c. p. 463.* — „
guttipes Capiom. *Révis. II. p. 97.* — Algeria.
Heydeni Capiom. *Révis. II. p. 141.* — Mongolia.
hierichontica Capiom. *Révis. II. p. 109.* — Jericho.
hispanica Capiom. *Révis. II. p. 86. t. 3. f. 2. ♀.* — Hispania.
hispidula Bohem. *Schh. Gen. Curc. II. p. 404.* — Dej. *Cat. 3. ed. p. 287.* — Capiom. *Révis. II. p. 108. t. 4. f. 1. ♀.* — Aegyptus.

iberica Capiom. *Révis. II. p. 76.* — Hispania mer.
idriensis Hoppe et Hornsch. *Nov. Act. Ac. Cur. Leop. XII. 1825. p. 488. t. 45. f. 12. a.* — Capiom. *Révis. II. p. 273.* — Idria.
incita Bohem. *Schh. Gen. Curc. VI. 2. p. 363.* — Capiom. *Révis. II. p. 142.* — Irkutsk.
incompta Bohem. *l. c. II. p. 391.* — Capiom. *Révis. II. p. 238.* — Lusitania.
insularis Capiom. *Révis. I. p. 527.* — Cyprus.
intermedia Bohem. *Schh. Gen. Curc. VI. 2. p. 352.* — Capiom. *Révis. I. p. 518; II. t. 2. f. 4.* ♀. — Helvetia.
♂ *fuscescens* Bohem. *l. c. p. 370.* — ⚘ Goureau. *Ann. Fr. 1866. Bull. p. 18.* — Gallia.
globosa Dej. *Cat. 3. ed. p. 286.* — "
irrorata Wollast. *Cat. Col. Canar. 1864. p. 327.* — Capiom. *Révis. II. p. 120.* — Canariae.
isabellina Bohem. *Schh. Gen. Curc. II. p. 400.* — Capiom. *Révis. p. 119. t. 2. f. 1.* ♀. — Aegyptus.
jucunda Capiom. *Révis. II. p. 231.* — Sicilia.
juvenca Motsch. *Bull. Ac. Petr. II. 1860. p. 538.* — Falderm. *in litt.* — Kirgisia.
Kraatzi Capiom. *Révis. I. p. 495; II. t. 1. f. 8.* — Hungaria.
Kunzei Germ. *Fn. Ins. Eur. 7. 11.* — Gylh. *Schh. Gen. Curc. II. p. 386.* ♀. — Capiom. *Révis. II. p. 151.* — Germania.
lineata Herbst. *Käf. t. 95. f. 5. a-b.* — "
laticollis Hochh. *Bull. Mosc. 1847. II. p. 493.* — Caucasus.
lepida Capiom. *Révis. II. p. 198.* — Dauria.
Lepricuri Capiom. *Révis. II. p. 125.* — Bona.
Lethierryi Capiom. *Révis. II. p. 242. t. 3. f. 6.* ♂. — Escurial.
lineolaticollis Blanch. *Gay. Hist. Chil. V. 1851. p. 372.* — Capiom. *Révis. II. p. 282.* — Chili.
liliputana Luc. *Expl. Alg. Ent. p. 427.* — Capiom. *Révis. II. p. 249 et 283.* — Oran.
Lucasi Capiom. *Révis. I. p. 554.* — Marocco.
lusitanica Capiom. *Révis. II. p. 89.* — Lusitania.
maculipennis Fairm. *Ann. Fr. 1859. p. 279.* — Dej. *Cat. 3. ed. p. 287.* — Capiom. *Révis. II. p. 177. t. 4. f. 4.* ♂. — Corsica.
marmorata Capiom. *Révis. I. p. 520.* — Carniolia.
♀ *budensis* Dahl *in litt.* — Hungaria.
Marmottani Capiom. *Révis. II. p. 107.* — Batna.
melanocephala Degeer. *Mém. V. p. 272. t. 15. f. 27.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 343.* — Capiom. *Révis. I. p. 469.* — Surinam.
melarhyncha Oliv. *Ent. V. 83. p. 144. t. 29. f. 431.* — Gylh. *Schh. Gen. Curc. II. p. 395.* — Hoffmsg. *Dej. Cat. 3. ed. p. 287.* — Capiom. *Révis. II. p. 219.* — Lusitania.
auriflua Waltl. *Reis. Span. II. p. 78.* — Rosenh. *Thier. Andal. 1856. p. 254.* — Capiom. *Révis. II. p. 230.* — Andalusia.
meles Fabr. *Ent. Syst. I. 2. p. 466.* — Germ. *Schh. Gen. Curc. II. p. 389.* — Capiom. *Révis. II. p. 173.* — ⚘ Laboulb. *Ann. Fr. 1862. p. 569. t. 13. f. 29-33.* — M.
trifolii Herbst. *Käf. VI. p. 266. t. 80. f. 5.* — Germania.

var. *borealis* Germ. *Mag. IV. p. 339.* Suecia.
„ *pallida* Dej. *Cat. 3. ed. p. 287. (immatur.)* Gallia.
„ *straminea* Marsh. *Ent. Brit. p. 267.* — Steph. *Ill. Brit. IV. p. 100.* Anglia.

minuta Blanch. *Gay. Hist. Chil. V. p. 373.* — Capiom. *Révis. II. p. 283.* Chili.
Mniszechi Capiom. *Révis. I. p. 516.* Altai.
moesta Capiom. *Révis. I. p. 461.* Brasilia.
mongolica Motsch. *Schrenck. Reis. 1860. p. 164. t. 10. f. 16.* Mongolia.
montivaga Capiom. *Révis. II. p. 91.* Sierra Nevada.
murina Fabr. *Ent. Syst. I. 2. p. 463.* — Germ. *Schh. Gen. Curc. II. p. 383.* — Capiom. *Révis. II. p. 199.* — ✝ Heeger. *Isis. 1848. p. 979. t. 8. f. 1-11.* M.
dorsigera Kirby *in litt.* Germania.
elongata Steph. *Ill. Brit. IV. p. 101.* Anglia.
fuscocinerea Marsh. „
nebulosa Steph. *l. c. p. 96.* Gallia.
plantaginis Marsh. *Ent. Brit. p. 265.* „
variabilis Wollast. *Cat. Canar. Col. p. 328. (pars.)* Madera.
var. *brunnipennis var. β.* Bohem. *Schh. l. c. VI. 2. p. 379.* Aegyptus.
„ *insidiosa* Bohem. *l. c. II. p. 382.* Banat.
„ *melancholica* Fabr. *Syst. El. II. p. 518.* Suecia.

nigrirostris Fabr. *Syst. Ent. p. 132.* — Panz. *Fn. Germ. 36. 14.* — Gylh. *Schh. Gen. Curc. II. p. 393.* — Capiom. *Révis. II. p. 227. t. 1. f. 5.* M.
var. *nigrirostris* Oliv. *Ent. V. 83. p. 140. t. 33. f. 508.* — Gylh. *l. c.* Gallia.
„ *rufipes* Steph. *Ill. Brit. IV. p. 100.* Anglia.
„ *variabilis* Fabr. *Ent. Syst. I. 2. p. 407.* Germania.

nigrovelutina Fairm. *An. Fr. 1859. p. 56.* — Capiom. *Révis. II. p. 127. t. 1. f. 6. 7.* Pyrenaei.
oblita Capiom. *Révis. I. p. 464.* Brasilia.
oblonga Bohem. *Schh. Gen. Curc. VI. 2. p. 369.* — Capiom. *Révis. I. p. 544.* Sicilia.
obscura Capiom. *Révis. I. p. 556.* Lozère.
obtusa Rosenh. *Thier. Andal. 1856. p. 252.* — Capiom. *Révis. II. p. 90.* Andalusia.
ochracea Blanch. *Voy. d'Orb. p. 202. t. 17. f. 5.* Bolivia.
ochracea Capiom. *Révis. I. p. 471.* Brasilia.
Olivieri Capiom. *Révis. II. p. 181.* Europa mer.
pastinacae Oliv. *Ent. V. 83. p. 124. t. 27. f. 394. a-b.* — Bohem. *Schh. Gen. Curc. II. p. 379.* Italia.
ononidis Chevrol. *Cat. Gren. 1863. p. 105.* — Capiom. *Révis. II. p. 221.* S. Raphaël.
orientalis Capiom. *Révis. I. p. 509.* Graecia.
ornata Capiom. *Révis. II. p. 210.* Sibiria occ.
ornatipennis Blanch. *Gay. Hist. Chil. V. p. 371. t. 24. f. 3.* Chili.
ovalis Bohem. *Schh. Gen. Curc. VI. 2. p. 371.* — Capiom. *Révis. I. p. 515.* Gallia.
oxalidis Herbst. *Käf. VI. p. 247. t. 78. f. 1.* — Gylh. *Schh. Gen. Curc. II. p. 375.* — Capiom. *Révis. I. p. 512.* Germania.

{*croatica* Dej. *Cat. 3. ed. p. 287.* — Croatia.
{*mehadiensis* Dahl. *Dej. Cat. l. c.* — Hungaria.
♂ *monticola* Bach. *Stett. Zeit. 1856. p. 244.* — Thuringia.
tessellata Dahl. *Dej. Cat. l. c.* — Styria.
♀ *viennensis* Herbst. *l. c. p. 338. t. 86. f. 9.* — Bohem. *Schh. l. c. p. 396.* — ⚘ Frauenfeld. *Verh. zool. bot. Ver. Wien. 1863. p. 1224.* — Germania.

palumbaria Germ. *Mag. IV. 1821. p. 345.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 360.* — Capiom. *Révis. I. p. 535; II. t. 2. f. 3.* ♀. — ⚘ Frauenf. *Verh. zool. bot. Ver. Wien. 1863. p. 1223.* — Carniolia.
austriaca Meg. *Dej. Cat. 3. ed. p. 287.* — Germania.

Pandellei Capiom. *Révis. II. p. 189. t. 4. f. 6.* ♂. — Pyrenaei.

pantherina Capiom. *Révis. I. p. 534.* — Persia.

pastinacae Rossi. *Fn. Etr. I. p. 116.* — Capiom. *Révis. II. p. 179.* — Italia.
setosa Bohem. *Schh. Gen. Curc. II. p. 379.* — Gallia mer.

perplexa Capiom. *Révis. II. p. 105.* — Lusitania.

Perrisi Capiom. *Révis. II. p. 93.* — Hispania.

philanthus Oliv. *Ent. V. 83. p. 123. t. 4. f. 41; t. 35. f. 541.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 347.* — Capiom. *Révis. I. p. 531.* — Sicilia.
lateralis Dej. *Cat. 3. ed. p. 287.* — Gallia mer.
limbata Dahl *in litt.* — Sardinia.
meridonalis Villa. *Cat. Col. Eur. dupl. Suppl. 1835. p. 49.* — Lombardia.
var. *carinirostris* Chevrol. *Rev. Zool. 1860. p. 133.* — Algeria.

picta Redtenb. *Russegg. Reise. 1. 1843. p. 998.* — Cyprus.

Piochardi Capiom. *Révis. II. p. 85.* — Gallia mer.

plantaginis Degeer. *Mém. V. p. 237. t. 7. f. 17—21. cum* ⚘. — Germ. *Schh. Gen. Curc. II. p. 381.* — Capiom. *Révis. II. p. 212.* — M.
cordicollis Kirby *in litt.* — Anglia.
naevia Gmel. *ed. Linn. I. 4. p. 1750.* — Suecia.
spartii Hoppe. *Enum. Ins. p. 60. (forte.)* — Germania.
var. *aurolineata* Brullé. *Expd. Mor. III. p. 242. t. 42. f. 6.* — Graecia.

pollux Fabr. *Syst. El. II. p. 457.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 373.* — Capiom. *Révis. II. p. 159.* — ⚘ Boie. *Stett. Zeit. 1850. p. 359.* — M.
adspersa Fabr. *Ent. Syst. I. 2. p. 413.* — Suecia.
bitaeniata Kirby *in litt.* — Anglia.
commaculata Herbst. *Käf. VI. p. 230. t. 76. f. 8.* — Germania.
fasciolata Villers. *Ent. I. p. 216; IV. p. 283. (forte.)* — Gallia.
interrupta Marsh. *Ent. Brit. p. 269.* — Anglia.
var. *histrio* Bohem. *l. c. p. 374.* — Germania.
„ *ignota* Bohem. *l. c. p. 373.* — Helvetia.
„ *Kunzei* Steph. *Manual. p. 237.* — Anglia.
„ *palustris* Steph. *Ill. Brit. IV. p. 96.* — „
„ *rumicis* var. δ. Payk. *Fn. Suec. III. p. 231.* — Suecia.
„ *rumicis* Oliv. *Ent. V. 83. p. 126. t. 27. f. 391.* — Gallia.

polygoni Linn. *Fn. Suec. 1761. p. 177.* — Fabr. *Spec. Ins. I. p. 188.* — Herbst. *Käf. VI. p. 242. t. 77. f. 10.* — Gylh. *Schh. Gen. Curc. II. p. 385.* — Capiom. *Révis. II. p. 191.* — M.

cinerea Oliv. *Encycl. méth. V. p. 496.*	Gallia.
fasciata Degeer. *Mém. V. p. 234.*	Germania.
striata Herbst. *Arch. IV. p. 72. t. 24. f. 13.*	„
var. *arator* Marsh. *Ent. Brit. p. 266.* — Steph. *Ill. Brit. IV. p. 93.*	Anglia.
„ *canescens* Steph. *l. c. p. 95.*	„
„ *picicornis* Steph. *l. c. p. 95.*	„
„ *viciae* Steph. *l. c. p. 94.*	„
pontica Capiom. *Révis. II. p. 208.*	Tarsus.
porcellus Capiom. *Révis. II. p. 78.*	Rhodus.
postica Gylh. *Ins. Suec. III. p. 113; Schh. Gen. Curc. II. p. 391.*	M.
Poupillieri Capiom. *Révis. II. p. 186.*	Algeria.
punctata Fabr. *Syst. Ent. p. 150.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 346.* — Capiom. *Révis. II. p. 421.*	M.
media Marsh. *Ent. Brit. p. 302.*	Anglia.
var. *austriaca* Schrank. *Enum. Ins. p. 123.* — Herbst. *Käf. VI. p. 243. t. 77. f. 11.*	Germania.
„ *hostilis* Ziegl. *Dej. Cat. 3. ed. p. 287.*	Styria.
„ *linzensis* Gmel. *ed. Linn. I. 4. p. 1799.*	Suecia.
„ *picta* Villers. *Ent. I. p. 216; IV. p. 282.*	Gallia.
„ *proxima* Carmagn. *Villa Cat. Col. Eur. dupl. p. 24.*	Italia.
„ *rufa* Bohem. *l. c. II. p. 402.*	Helvetia.
punctella Bohem. *l. c. VI. 2. p. 357.* — Capiom. *Révis. I. p. 498.*	Sibiria occ.
♀ *deportata* Bohem. *l. c. p. 354.*	„
puncticauda Motsch. *Schrenck. Reise. 1860. p. 164. t. 10. f. 15.*	Amur.
pyrenaea Capiom. *Révis. I. p. 502.*	Pyrenaei.
Reichei Capiom. *Révis. II. p. 111.*	Graecia.
Roggenhoferi Ferrari. *Verh. zool. bot. Ver. Wien. 1866. p. 368.* — Capiom. *Révis. II. p. 281.*	Austria.
rudicollis Capiom. *Révis. II. p. 82.*	Lusitania.
rumicis Linn. *Syst. nat. ed. X. p. 379.* — Herbst. *Käf. VI. p. 241. t. 77. f. 9.* — Gylh. *Schh. Gen. Curc. II. p. 370.* — Capiom. *Révis. II. p. 161. t. 1. f. 4.* — ⚥ Degeer. *Mém. V. p. 232. t. 7. f. 10-16.* — Goureau. *Ann. Fr. 1844. p. 49. t. 2. nr. I.*	M.
acetosae Oliv. *Ent. V. 83. p. 127.* — Panz. *Fn. Germ. 42. 9.*	Germania.
{ *albicans* Kirby *in litt.*	Anglia.
{ *elongata* Kirby *in litt.*	„
{ *griseola* Kirby *in litt.*	„
pyrrhodactyla Marsh. *Ent. Brit. p. 259.*	„
salviae Schrank. *Naturf. XXIV. 1789. p. 74.* — Bohem. *Schh. Gen. Curc. II. p. 398.* — Capiom. *Révis. I. p. 545.*	Germania.
etrusca Meg. *in litt.*	Italia.
♀ *latipennis* Bohem. *l. c. p. 397.*	„
Saulcyi Capiom. *Révis. II. p. 113.*	Syria.
scapularis Gebl. *Bull. Mosc. VI. 1833. p. 298.* — Capiom. *Révis. II. p. 132.*	Sibiria occ.
Schüppeli Bohem. *Schh. Gen. Curc. II. p. 369.* — Capiom. *Révis. I. p. 461.*	Brasilia.
pantherina Schüpp. *Dej. Cat. 3. ed. p. 286.*	„

scolymi Capiom. *Révis. II. p. 234. t. 1. f. 3; t. 3. f. 7.* ♀ Sicilia.
scutellaris Capiom. *in litt. (olim.)* Algeria.
segnis Capiom. *Révis. I. p. 537.* Tirolis.
sejugata Bohem. *Schh. Gen. Curc. VI. 2. p. 376.* — Capiom. *Révis. II. p. 183.* Gallia.
seriata Mannerh. *Bull. Mosc. 1853. III. p. 243.* Kadjak.
sierrana Capiom. *Révis. II. p. 83.* Sierra Nevada.
signata Bohem. *Schh. Gen. Curc. II. p. 378.* — Capiom. *Révis. II. p. 184.* Algeria.
ambigena Chevrol. *Rev. Zool. 1861. p. 268.* „
♂ *lubencula* Bohem. *l. c. p. 395.* „
sinuata Capiom. *Révis. II. p. 217.* Mesopotamia.
sparsuta Capiom. *Révis. I. p. 466.* Brasilia.
spissa Bohem. *Schh. Gen. Curc. VI. 2. p. 355.* — Capiom. *Révis. I. p. 493.* Caucasus.
steppensis Motsch. *Bull. Ac. Petr. I. 1860. p. 313.* Songoria.
Stierlini Capiom. *Révis. II. p. 223.* Helvetia.
striata Bohem. *Schh. Gen. Curc. II. p. 388.* — Sturm. *Dej. Cat. 3. ed. p. 287.* — Capiom. *Révis. II. p. 171. t. 4. f. 2.* ♀. Germania.
alternans Meg. *Dej. Cat. 1. ed. p. 89.* Banat.
lineata Dahl *in litt.* Italia.
subcostata Capiom. *Révis. II. p. 202.* Shangai.
subdepressa Hochh. *Bull. Mosc. 1851. I. p. 42.* Sibiria.
subsulcata Hochh. *l. c. 1847. II. p. 491.* Lenkoran.
subvittata Capiom. *Révis. II. p. 166. t. 4. f. 5.* ♂. Graecia.
suspiciosa Herbst. *Käf. VI. p. 265. t. 80. f. 3.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 375.* — Capiom. *Révis. II. p. 194.* — ⸸ Kaltenbach. *Verh. nat. Ver. Preuss. Rheinl. XIX. p. 75.* M.
bitaeniata Marsh. *Ent. Brit. p. 268.* Anglia.
miles Payk. *Fn. Suec. III. p. 233.* Suecia.
var. *pedestris* Payk. *l. c. p. 236.* — Gylh. *Schh. l. c. II. p. 374.* Germania.
„ *senex* Kirby *in litt.* Anglia.
suturalis Redtenb. *Fn. Austr. ed. 1. p. 436; ed. 2. p. 727.* Germania.
tessellata Herbst. *Käf. VI. p. 367. t. 89. f. 2.* — Bohem. *Schh. Gen. Curc. II. p. 404.* — Capiom. *Révis. I. p. 524;* ⸸ *l. c. II. t. 3. f. 2.* „
Hellwigi Megerle *in litt.* „
maculata Redtenb., W. *Quaed. gen. p. 19.* — Redtenb., L. *Fn. Austr. ed. 2. p. 726.* — Kiesenw. *Berl. Zeit. 1864. p. 266.* — ⸸ Heeger. *Sitzgb. Wien. Ac. VII. p. 348. t. 13.* „
tibialis Hochh. *Bull. Mosc. 1851. I. p. 44.* Kirgisia.
tigrina Bohem. *Schh. Gen. Curc. II. p. 377.* — Dej. *Cat. 3. ed. p. 287.* — Capiom. *Révis. II. p. 181.* Gallia.
elongata Curtis *in litt.* Anglia.
hyperici Frivald. *in litt.* Hungaria.
trilineata Marsh. *Ent. Brit. p. 268.* — Capiom. *Révis. II. p. 225.* Anglia.
plagiata Redtenb. *Fn. Austr. ed. 1. p. 437.* Germania.
plantaginis var. γ, δ, ε. Germ. *Schh. Gen. Curc. II. p. 381.* Gallia.
repanda Oliv. *Ent. V. 83. p. 139.* „

tristis Capiom. *Révis. I. p. 542.* — Pyrenaei or.
tumida Capiom. *Révis. II. p. 101.* — Hispania.
tychioides Capiom. *Révis. II. p. 168.* — Sarepta.
varia Bohem. *Schh. Gen. Curc. VI. 2. p. 362.* — Mare caspic.
variabilis Herbst. *Käf VI. p. 263. t. 80. f. 1.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 380.* — Capiom. *Révis. II. p. 205.* — ‡ Audouin. *Ann. sc. nat. ser. 2. XI. p. 107.* — M.
bimaculata Marsh. *Ent. Brit. p. 266.* — Anglia.
interstincta Kirby *in litt.* — „
murina var. Wollast. *Col. Atlant. p. 305.* — Canariae.
phaeopus Steph. *Ill. Brit. IV. p. 100.* — Anglia.
picipes Steph. *l. c. p. 97.* — „
postica Steph. *l. c. p. 100.* — „
straminea Kirby *in litt.* — „
sublineata Steph. *l. c. p. 96.* — „
villosula Steph. *l c. p. 97.* — „
var. *parca* Gylh. *Schh. Gen. Curc. II. p. 390.* — Gallia.
variegata Brullé. *Expd. Mor. III. p. 241.* — Capiom. *Révis. I. p. 525.* — Graecia.
velutina Bohem. *Schh. Gen. Curc. VI. 2. p. 353.* — Capiom. *Révis. I. p. 539.* — Hungaria.
viciae Gylh. *Ins. Suec. III. p. 101; Schh. Gen. Curc. II. p. 377.* — Capiom. *Révis. II. p. 240.* — ‡ Perris. *Mém. Ac. Lyon. 1851. p. 93.* — Germania.
grisea Dej. *Cat. 3. ed. p. 287.* — Styria.
nigropunctata Khuenburg *in litt.* — Hungaria.
vicina Capiom. *Révis. I. p. 522.* — Dej. *Cat. 3. ed. p. 287.* — Algeria.
vidua Comolli. *Col. prov. Novoc. 1837. p. 32.* — Capiom. *Révis. II. p. 129.* — Italia.
Vuillefroyana Capiom. *Révis. II. p. 135. t. 1. f. 9.* ♀; *9. bis.* ♂. — Hispan. mer.

167

Limonobius

λειμών, pratum; βιόω, vivo.

Schönherr. *Mantiss. sec. Curc. 1847. p. 44. (emend.)*

Limobius Schönh.

dissimilis Herbst. *Käf. VI. p. 290. t. 82. f. 7.* — Gylh. *Schh. Gen. Curc. II. p. 392.* — Redtenb. *Fn. Austr. ed. 2. p. 731.* — Capiom. *Révis. II. p. 248.* — M.
amoenus Germ. *Sturm. Cat. 1826. p. 156.* — Germania.
borealis Payk. *Fn. Suec. III. p. 249.* — Suecia.
fulvipes Steph. *Ill. Brit. IV. p. 98.* — Anglia.
fumipes Curtis. *Ann. nat. Hist. V. 1840. p. 280.* — „
micans Sturm. *Cat. 1826. p. 157.* — Germania.
sus Herbst. *Käf. VI. p. 278. t. 81. f. 8.* — „
taraxaci Dahl. *Dej. Cat. 3. ed. p. 287.* — „
var. *globicollis* Reiche. *Ann. Fr. 1857. p. 680.* — Graecia.
„ *irregularis* Parreyss *in litt.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 383.* — Hungaria.
Hampei Capiom. *Révis. II. p. 250.* — Transsylvania.

mixtus Bohem. *Schh. Gen. Curc. II. p. 380.* — Dej. *Cat. 3. ed. p. 287.* — Walton. *Ann. nat. Hist. 1848. p. 300.* — Jacq. Duv. *Gen. Col. Curc. t. 12. f. 57.* — Capiom. *Révis. II. p. 246.* — Gallia.

3

Cephalalges

κεφαλαλγής, cephalalgicus.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 467.*

Cubae Guér. *Rev. Zool. 1838. p. 281.* — Bohem. *Schh. Gen. Curc. VI. 1. p. 469.* — Cuba.

murinus Bohem. *l. c. p. 468.* — St. Domingo.

2

Isorrhinus

ἴσος, aequalis; ῥίν, nasus.

Capiomont. *Ann. Fr. 1867. p. 443. (Révis.)*

Chevrolati Capiom. *Révis. I. p. 445.* — Mexico.

confusus Bohem. *Schh. Gen. Curc. VI. 2. p. 350.* — Capiom. *Révis. I. p. 446.* — „

fuscomaculatus Capiom. *Révis. I. p. 444.* — Bolivia.

3

Chloropholus

χλωρός, viridis; φολίς, squama.

Capiomont. *Ann. Fr. 1867. p. 446. (Révis.)*

Lacordairei Capiom. *Révis. I. p. 450.* — Cochinchina.

nigropunctatus Gory. *Guér. Mag. Zool. 1834. Cl. IX. t. 120. f. 1.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 341.* — Madagascar.

sumptuosus Dupont. *Dej. Cat. 3. ed. p. 286.* — „

rubrovittatus Gory. *l. c. t. 120. f. 2.* — Capiom. *Révis. p. 448.* — „

trifasciatus Capiom. *Révis. I. p. 449.* — „

4

Larinosomus

Larinus; σῶμα, corpus.

Capiomont. *Ann. Fr. 1867. p. 451. (Révis.)*

analis Capiom. *Révis. I. p. 457.* — Cayennae.

nebulosus Capiom. *Révis. I. p. 453.* — Dej. *Cat. 3. ed. p. 286.* — Brasilia.

nigrosparsus Capiom. *Révis. I. p. 455.* — „

propinquus Capiom. *Révis. I. p. 454.* — „

scutellaris Capiom. *Révis. I. p. 456.* — Patagonia.

5

Eurychirus

εὐρὺς, latus; χεὶρ, manus.

Waterhouse. *Trans. ent. Soc. ser. 3. II. 1853. p. 182.*

bituberculatus Waterh. *Trans. ent. Soc. 1853. p. 183.* Nov. Holland.
1

Coniatus

κονιατὸς, arenatus.

Schönherr. *Disp. meth. 1826. p. 176.*

Révis. Capiomont. *Ann. Fr. 1868. p. 253.*

aegyptiacus Capiom. *Révis. II. p. 262.* Aegyptus.
Deyrollei Capiom. *Révis. II. p. 256.* Andalusia.
jonicus Capiom. *Révis. II. p. 271.* Corfu.
laetus Miller. *Verh. zool. bot. Ver. Wien. 1866. p. 819.* — ‡ Frauenf. *l. c. 1868. p. 887.* „
repandus Fabr. *Ent. Syst. I. 2. p. 456.* — Gylh. *Schh. Gen. Curc. II. p. 406.* — Capiom. *Révis. II. p. 258.* Italia.
tamarisci. var. Oliv. *Ent. V. 83. p. 366. t. 34. f. 533.* Lusitania.
Saulcyi Capiom. *Révis. II. p. 261.* Aegyptus.
Schrencki Gebl. *Bull. Ac. Petr. 1841. p. 374.* Songoria.
caspicus Bohem. *Schh. Gen. Curc. VI. 2. p. 388.* — Gebl. *Bull. Mosc. 1859. IV. p. 345.* — Capiom. *Révis. II. p. 263.* Daghestan.
splendidulus Fabr. *Spec. Ins. I. p. 186.* — Gylh. *Schh. Gen. Curc. II. p. 407.* — Capiom. *Révis. II. p. 268.* Iberia.
elegans Kolenati *in litt.* Syria.
Steveni Capiom. *Révis. II. p. 270.* Incert. sedis.
suavis Gylh. *Schh. Gen. Curc. II. p. 407.* — Capiom. *Révis. II. p. 265. t. 1. f. 1.* Italia.
triangulifer Chevrol. *Rev. Zool. 1860. p. 455.* Algeria.
chrysochlorus Luc. *Ann. Fr. 1848. Bull. p. 18; Expl. Alg. p. 562.* — Jacq. Duv. *Gen. Col. Curc. t. 13. f. 59.* — ‡ Perris. *Ann. Fr. 1850. p. 25; Ann. Soc. Linn. Lyon. 1857. p. 139.* Gallia mer.
tamaricis Fabr. *Mant. I. p. 113.* — Herbst. *Käf. VI. p. 489. t. 95. f. 3. a-b.* — Gylh. *Schh. Gen. Curc. II. p. 406.* Europa mer.
Mimonti Boield. *Ann. Fr. 1859. p. 474. t. 8. f. 8.* — Capiom. *Révis. II. p. 254.* Graecia.
vanus Herbst. *Käf. VII. p. 26. t. 97. f. 6. c.* Gallia mer.
Wenckeri Capiom. *Révis. II. p. 260.* German. rhen.
12

Ithycerus

ἰθὺς, rectus; κέρας, cornu.

Schönherr. *Disp. meth. 1826. p. 55.*

Pachyrhynchus Kirby.

noveboracensis Forster. *Nov. Spec. Ins. 1771. p. 35.* Amer. bor.

curculionoides Herbst. *Käf. VII. p. 136. t. 105. f. 1.* — Gylh. *Schh. Gen. Curc. I. p. 246.* — Labr. et Imh. *Gen. Curc. II. nr. 7.* Amer. bor.
infracticornis Norwich. *Sturm. Cat. 1826. p. 119.* „
murinus Dej. *Cat. 3. ed. p. 262.* „
punctatulus Fabr. *Ent. Syst. I. 2. p. 461.* „
Schönherri Kirby. *Fn. Bor. Am. IV. p. 271.* Canada.
taeniolatus Hentz. *Dej. Cat. l. c.* „
1

Diabathrarius

διάβαθρον, calceamentum.

Schönherr. *Gen. Curc. VI. 1. 1840. p. 464.*

apicalis Bohem. *Schh. Gen. Curc. VI. 1. p. 466.* — Lacord. *Gen. Atl. VII. t. 70. f. 1. a-b.* Cap bon. spei.
variegatus Bohem. *l. c. p. 465.* „
2

Strongylorrhinus

στρογγύλος, rotundus; ῥίν, nasus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 65.*

ochraceus Schönh. *Mant. sec. p. 66. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 410.* — Waterh. *Trans. ent. Soc. 1862. p. 227.* Tasmania.
1

Aromagis

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 421.*

echinata Pascoe. *Journ. of Ent. II. p. 422. t. 17. f. 3.* N. S. Wales.
1

Rhinoplethes

ῥίν, nasus; πλῆθος, plenitudo.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 469.*

foveatus Pascoe. *Journ. Linn. Soc. X. p. 469.* Warren Riv.
1

Iphisaxus

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 469.*

asper Pascoe. *Journ. Linn. Soc. X. p. 470. t. 19. f. 7. a-b.* K. Georg. S.
1

Atelicus

ἀτελής, infinitus.

Waterhouse. *Trans. ent. Soc. ser. 3. I. 1862. p. 228.*

Peltochirus Lacord.

atrophus Pascoe. *Trans. ent. Soc. 1870. p. 458.* Tasmania.
ferrugineus Waterh. *Trans. ent. Soc. 1862. p. 230.* Adelaida.
guttatus Pascoe. *Trans. ent. Soc. 1870. p. 458.* Tasmania.
inaequalis Waterh. *Trans. ent. Soc. 1862. p. 229.* — Lacord. *Gen. Atl. VII. t. 70. f. 2. a-c.* „
4

Aterpus

ἄτερπος, injucundus.

Schönherr. *Disp. meth. 1826. p. 156.*

Aades Schönh.

cultratus Fabr. *Syst. Ent. p. 153.* — Oliv. *Ent. V. 83. p. 121. t. 13. f. 157.* — Gylh. *Schh. Gen. Curc. II. p. 252.* — Blanch. *Voy. Pole Sud. IV. p. 207. t. 14. f. 9.* Nov. Holland
bicristatus Fabr. *Syst. El. II. p. 517.* „
horrens Gylh. *Schh. Gen. Curc. II. p. 251.* — Boisd. *Voy. Astrol. II. p. 354.* „
rubus Bohem. *Schh. Gen. Curc. VI. 2. p. 128.* — Erichs. *Wiegm. Arch. 1842. I. p. 187.* Tasmania.
scoparius Erichs. *l. c. p. 188.* „
seriatus Boisd. *Voy. Astrol. II. p. 355.* Nov. Holland.
tuberculatus Gylh. *Schh. Gen. Curc. II. p. 250.* — Dej. *Cat. 3. ed. p. 282.* — Boisd. *Voy. Astrol. II. p. 354.* „
6

Lophotus

λοφωτός, cristatus.

Schönherr. *Gen. Curc. II. 1834. p. 314.*

Aegorhinus Erichson. — *Ceropsis* Solier. — *Eublepharus* Sol. — *Leucolopus* Dejean. — *Lophodus* Dej.

albolineatus Blanch. *Gay. Hist. Chil. V. p. 332. t. 22. f. 9. a-c.* Chili.
Eschscholtzi Bohem. *Schh. Gen. Curc. II. p. 316.* — Blanch. *Gay. Hist. Chil. V. p. 333.* „
Germari Sol. *Ann. Fr. 1839. p. 21. t. 1. f. 13-15.* „
fasciatus Bohem. *Schh. Gen. Curc. VI. 2. p. 131.* — Blanch. *Gay. Hist. Chil. V. p. 334.* — Eschsch. Dej. *Cat. 3. ed. p. 284.* „
nodipennis Hope. *Trans. ent. Soc. I. p. 15. t. 1. f. 5.* — Gylh. *Schh. Gen. Curc. VI. 2. p. 133.* — Blanch. *Gay. Hist. Chil. V. p. 328. t. 22. f. a-f.* „

echinatus Buquet. *Dej. Cat. 3. ed. p. 284.* Chili.
Rouleti Sol. *Ann. Fr. 1839. p. 17. t. 1. f. 1-6; Bull. p. 50.*
phaleratus Erichs. *Nov. Act. Ac. Cur. Leop. XVI. p. 262. t. 39. f. 1.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 130.* — Blanch. *Gay. Hist. Chil. V. p. 335. t. 22. f. 10. a-f.* „
trifasciatus Hope *in litt.* „
quadridentatus Philippi. *Stett. Zeit. 1860. p 248.* „
reticulatus Gylh. *Schh. Gen. Curc. VI. 2. p. 132.* — Blanch. *Gay. Hist. Chil. V. p. 334.* „
Schönherri Sol. *Ann. Fr. 1839. p. 19. t. 1. f. 9-12.* — Blanch. *l. c. p. 332.* „
Servillei Sol. *l. c. p. 15. t. 1. f. 7-8.* — Blanch. *l. c. p. 327.* — Lacord. *Gen. Col. VI. 1863. p. 414. note 3.* „
strumosus Oliv. *Ent. V. 83. p. 394. t. 4. f. 36.* Terr. d. Fuego.
longipes Waterh. *Ann. nat. Hist. V. 1840. p. 330.* „
subrugosus Philippi. *Stett. Zeit. 1860. p. 248.* Chili.
superciliosus Guér. *Voy. Coquille. II. 2. p. 112. t. 6. f. 1.* — Blanch. *Gay. Hist. Chil. V. p. 336.* „
suturalis Blanch. *l. c. p. 331.* „
vitulus Fabr. *Syst. Ent. p. 152.* — Blanch. *Gay. Hist. Chil. V. p. 329.* Terr. d. Fuego.
excavatus Dej. *Cat. 3. ed. p. 284.* „
leprosus Oliv. *Ent. V. 83. p. 395. t. 25. f. 360.* „

14

Pelororrhinus

πέλωρος, monstrosus; ῥίν, nasus.

Schönherr. *Gen. Curc. II. 1834. p. 248.*

angustatus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 126.* Nov. Holland.
argentosus Gylh. *Schh. l. c. II. p. 249.* — Boisd. *Voy. Astrol. II. p. 353.* „
margaritaceus Erichs. *Wiegm. Arch. 1842. I. p. 188.* Tasmania.
pusio Schönh. *Gen. Curc. VII. 2. p. 369.* — Blanch. *Voy. Pole Sud. IV. p. 241. t. 14. f. 2.* — Lacord. *Gen. Col. VI. 1863. p. 416. note 2.* Nov. Holland.
variegatus Fåhrs. *Schh. l. c. VI. 2. p. 127.* „
sparsus Germ. *Linn. ent. III. 1848. p. 214.* Adelaida.

5

Medicasta

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 441.*

leucura Pascoe. *Journ. Linn. Soc. X. p. 442. t. 17. f. 11. a-d.* Champion bay.

1

Rhinaria

ῥινάριον, nasulus.

Kirby. *Trans. Linn. Soc. XII. 1818. p. 430.*

artensis Montrouz. *Ann. Fr. 1860. p. 887. (alt. gen.)* — Ins. Art.
costata Erichs. *Wiegm. Arch. 1842. I. p. 198.* — Tasmania.
cristata Kirby. *Trans. Linn. Soc. XII. p. 431. t. 22. f. 9. a-d.* — Boisd. *Voy. Astrol. II. p 415.* — Nov. Holland.
excavata Boisd. *l. c. p. 417.* — „
faceta Pascoe. *Journ. of Ent. II. 1865. p. 419.* — „
granulosa Fåhrs. *Schh. Gen. Curc. VI. 2. p. 124.* — „
grisea Boisd. *Voy. Astrol. II. p. 414.* — „
rugosa Boisd. *l. c. p. 416.* — Dej. *Cat. 3. ed. p. 306.* — „
lopha Gylh. *Schh. Gen. Curc. III. p. 482.* — Hope. *Dej. Cat. l. c.* — „
stellio Pascoe. *Journ. of Ent. II. 1865. p. 419.* — Swan River.
transversa Boisd. *Voy. Astrol. II. p. 413.* — Nov. Holland.
variegata Boisd. *l. c. p. 411. t. 7. f. 10.* — Nov. Guinea.
maculosa Fåhrs. *Schh. Gen. Curc. VI. 2. p. 125.* — Nov. Holland.

11

Rhytidoderes

ῥυτὶς, ruga; δέρις, collum.

Schönherr. *Disp. meth. 1826. p. 149. (emend.)*

Diastochelus Jacquelin Duval. — *Rhytideres* Schönh.

plicatus Oliv. *Ent. V. 83. p. 322. t. 6. f. 65.* — Gylh. *Schh. Gen. Curc. II. p. 203.* — Gallia.
siculus Fåhrs. *Schh. l. c. VI. 2. p. 61.* — Sicilia.
plicatus Brullé. *Webb et Berth. Canar. Ent. 1838. p. 72.* — Canariae.

2

Leucochromus

λευκὸς, albus; χρῶμα, color.

Motschulsky. *Bull. Ac. Petr. II. 1860. p. 539.*

gigas Mars. *Abeille. V. 1868. p. 197.* — Tuggurt.
imperialis Zubkoff. *Bull. Mosc. 1837. V. p. 71. t. 4. f. 5; 1844. I. t. 1. f. 4.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 1.* — Lacord. *Gen. Col. VI. 1863. p. 422.* — Turcomania.
Lehmanni Ménétr. *Mém. Ac. Petr. VI. 1849. p. 251. t. 5. f. 2.* — „

3

Eumecops

εὖ, bene; μῆκος, longitudo; ὤψ, facies.

Hochhuth. *Bull. Mosc. 1851. 1. p. 46.*

Kittaryi Hochh. *Bull. Mosc. 1851. I. p. 47.* — Dohrn. *Stett. Zeit. 1869. p. 308.* — Kirgisia.

1

Stephanocleonus

στέφανος, corona; Cleonus.

Motschulsky. *Bull. Ac. Petr. II. 1860. p. 539.*

Plagiographus Chevrol.

Amori Mars. *Abeille. V. 1868. p. 199.*	Syria.
gaditanus Chevrol. *Col. Heft. V. 1869. p. 76 et 125.*	Cadix.
excoriatus Gylh. *Schh. Gen. Curc. II. p. 194.* — Illig. *Dej. Cat. 3. ed. p. 280.*	Germania.
ulcericollis Dahl. *Dej. Cat. l. c.*	Gallia.
var. *oblitterus* Buquet. *Dej. Cat. l. c.*	Algeria.
fastigiatus Erichs. *Wagn. Reis. III. 1841. p. 187. t. 8.*	"
flaviceps Pall. *Jc. 1781. p. 34. t. H. f. 17.* — Gylh. *Schh. Gen. Curc. II. p. 188.* — Lacord. *Gen. Col. VI. 1863. p. 424.*	Selenga.
frontatus Fisch. *Ent. Ross. II. p. 232. t. 44. f. 7.*	Barnaul.
fossulatus Fisch. *Ent. Ross. II. p. 233. t. 44. f. 8.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 17.*	Dauria.
rubrifrons Fisch. *Bull. Mosc. 1835. p. 164. t. 6. f. 6.*	"
foveolatus Fisch. *Ent. Ross. II. p. 232. t. 44. f. 4.* — Gebl. *Nouv. Mém. Mosc. II. 1830. p. 62.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 20.*	"
Korini Fåhrs. *Schh. l. c. p. 21.*	Sibiria occ.
leucopterus Fisch. *Ent. Ross. II. p. 231. t. 44. f. 3.* — Gylh. *Schh. l. c. II. p. 175.*	"
Gebleri Steven *in litt.*	"
marginatus Fisch. *Ent. Ross. II. p. 231. t. 44. f. 2.* — Gebl. *Nouv. Mém. Mosc. II. 1830. p. 62.* — Bohem. *Schh. l. c. VI. 2. p. 18.*	Dauria.
dauricus Dej. *Cat. 3. ed. p. 280.*	"
megalographus Fåhrs. *Schh. l. c. p. 33.*	Sicilia.
nebulosus Linn. *Syst. nat. ed. X. p. 385.* — Fåhrs. *l. c. p. 8.*	Germania.
carinatus Degeer. *Ins. V. p. 241.*	Gallia.
obliquus Fabr. *Ent. Syst. I. 2. p. 460.* — Herbst. *Käf. VI. p. 83. t. 64. f. 14.* — Gylh. *Schh. l. c. II. p. 192.* — Fåhrs. *l. c. VI. 2. p. 32.* — Jacq. Duv. *Gen. Col. Curc. t. 8. f. 38.*	Germania.
glaucus Panz. *Fn. Germ. 19. 6.*	Gallia.
paradoxus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 28.*	Mongolia.
Saintpierrei Chevrol. *Col. Heft. V. 1869. p. 76.*	Oran.
Schönherri Gebl. *Nouv. Mém. Mosc. II. 1830. p. 63.*	Sibiria or.
scriptus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 19.*	Mongolia.
superciliosus Gebl. *Nouv. Mém. Mosc. II. 1830. p. 62.*	Sibiria or.
tetragrammus Pallas. *Jc. 1781. p. 29. t. B. f. 10.* — Herbst. *Käf. VI. p. 512. t. 95. f. 10.*	Wolga.
concinnus Gylh. *Schh. Gen. Curc. II. p. 186.* — Falderm. *Fn. transc. II. p. 185. t. 6. f. 4.*	Podolia.
thoracicus Fisch. *Bull. Mosc. VIII. 1835. p. 161. t. 6. f. 3.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 16.*	Dauria.
turbatus Fåhrs. *l. c. p. 9.*	M.
glaucus Gylh. *Schh. l. c. II. p. 179.*	Germania.
nebulosus Oliv. *Ent. V. 83. p. 259. t. 18. f. 223.*	Gallia.

Bothynoderes

βόθυνος, foramen; δέρις, collum.

Schönherr. *Disp. meth. 1826. p. 147.*

Chromoderus Motschulsky. — *Chromonotus* Motsch. — *Conorhynchus* Motsch. — *Epimeces* Billberg.

affinis Schrank. *Enum. Ins. 1781. p. 121.* — M.
albidus Fabr. *Mant. I. 1787. p. 114.* — Panz. *Fn. Germ. 19. 7.* — Gylh. *Schh. Gen. Curc. II. p. 244.* — Jacq. Duv. *Gen. Col. Curc. t. 8. f. 38. bis.* — Styria.
Bonsdorffi Oliv. *Encycl. méth. V. p. 535.* — Gallia.
{*berolinensis* Gmel. *ed. Linn. I. 4. p. 1799.* — Germania.
{*candidus* Herbst. *Füssl. Arch. IV. p. 83. t. 24. f. 31.* — „
cinerascens Bartels. *Dej. Cat. 3. ed. p. 281.* — Turcomania.
niveus Bonds. *Curc. Suec. II. p. 21. f. 6.* — Suecia.
albicans Gylh. *Schh. Gen. Curc. II. p. 239.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 110.* — Ulr. *Dej. Cat. 3. ed. p. 281.* — Illyria.
ambiguus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 95.* — Sibiria occ.
anxius Gylh. *Schh. Gen. Curc. II. p. 227.* — Falderm. *Fn. transc. II. p. 192. t. 5. f. 11.* — Persia.
bipunctatus Zubkoff. *Bull. Mosc. I. 1829. p. 164. t. 5. f. 4.* — Kirgisia.
brevirostris Gylh. *Schh. Gen. Curc. II. p. 237.* — Dej. *Cat. 3. ed. p. 281.* — Gallia mer.
var. *bipunctatus* Dahl. *Dej. Cat. l. c.* — Sardinia.
brevis Fåhrs. *Schh. Gen. Curc. VI. 2. p. 83.* — Nubia.
callosus Bach. *Käf. Fn. 1854. p. 230.* — Germania.
carinicollis Gylh. *Schh. Gen. Curc. II. p. 241.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 95.* — Crimea.
carinifer Fåhrs. *l. c. p. 92.* — Mare caspic.
cicatricosus Hoppe. *Enum. Ins. Erlang. 1795. p. 61.* — Germania.
cinereus Herbst. *Käf. VI. p. 79. t. 64. f. 10.* — Gylh. *Schh. Gen. Curc. II. p. 244.* — India or.
cinereifer Schönh. *Gen. Curc. VI. 2. p. 103.* — „
cognatus Fåhrs. *Schh. l. c. VI. 2. p. 91.* — Mare caspic.
communis Motsch. *Bull. Ac. Petr. 1860. II. p. 542.* — Kirgisia.
confluens Fåhrs. *Schh. Gen. Curc. VI. 2. p. 82.* — Tataria.
conicirostris Oliv. *Ent. V. 83. p. 264. t. 30. f. 447.* — Gylh. *Schh. l. c. II. p. 236.* — Gallia mer.
var. *punctipes* Eschsch. *Dej. Cat. 3. ed. p. 281.* — Russia mer.
costipennis Fåhrs. *Schh. l. c. VI. 2. p. 99.* — Mare caspic.
cylindricus Gebl. *Bull. Mosc. 1841. IV. p. 601.* — Sibiria or.
declivis Oliv. *Ent. V. 83. p. 272. t. 21. f. 288.* — Fåhrs. *Schh. l. c. VI. 2. p. 113.* — German. mer.
scalaris Fisch. *Bull. Mosc. VIII. 1835. t. 6. f. 5.* — Podolia.
elongatus Gebl. *Bull. Ac. Petr. III. 1845. p. 104; Bull. Mosc. 1860. III. p. 25.* — Kirgisia.
farinosus Fåhrs. *Schh. l. c. VI. 2. p. 93.* — Turcomania.
flavicans Fåhrs. *l. c. p. 90.* — Illyria.
foveicollis Gebl. *Schh. l. c. II. p. 234.* — Sibiria.
var. *fatuus* Gylh. *Schh. l. c. p. 243.* — „
glaucus Fabr. *Mant. Ins. I. p. 114.* — Germ. *Schh. Gen. Curc. VI. 2. p. 114.* — German. bor.

Gotschi Hochh. *Bull. Mosc. 1847. II. p. 481.*	Armenia.
humeralis Zubkoff. *Bull. Mosc. I. 1829. p. 165. t. 5. f. 5.*	Kirgisia.
incanescens Panz. *Ent. Germ. 1795. p. 322.*	Germania.
lagopus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 98.*	Tataria.
leucographus Fåhrs. *l. c. p. 100.*	„
longulus Fåhrs. *l. c. p. 103.*	Caffraria.
luscus Chevrol. *Col. Heft. V. 1869. p. 77.*	Carthagena.
lymphatus Fåhrs. *l. c. p. 88.*	Mare caspic.
macilentus Oliv. *Ent. V. 83. p. 270. t. 24. f. 340.* — Gylh. *Schh. l. c. II. p. 243.*	Bengal.
obliteratus Westerm. *Dej. Cat. 3. ed. p. 281.*	„
mendicus Gylh. *Schh. l. c. II. p. 238.*	Gallia mer.
mimosae Oliv. *Ent. V. 83. p. 256. t. 20. f. 252.* — Gylh. *l. c. p. 227.*	Bagdad.
musculus Fåhrs. *l. c. VI. 2. p. 96.*	Sibiria.
nasutus Hochh. *Bull. Mosc. 1847. II. p. 483.*	Armenia.
nigrivittis Pall. *Jc. p. 31. t. B. f. 12.* — Gylh. *Schh. l. c. II. p. 238.*	Desert. caspic.
nubeculosus Bohem. *Nouv. Mém. Mosc. I. 1829. p. 131.* — Gylh. *Schh. l. c. II. p. 231.*	Caucasus.
obnoxius Fåhrs. *Schh. l. c. VI. 2. p. 88.*	Dauria.
orbitalis Fåhrs. *l. c. p. 111.*	Sicilia.
cylindrus Reiche et Saulc. *Cat. nr. 548.*	„
picipes Fåhrs. *l. c. p. 112.*	Crimea.
pictus Pall. *It. I. App. p. 463; Jc. p. 35. t. H. f. 18.* — Gylh. *Schh. l. c. II. p. 190.*	Sibiria.
Pallasi Dej. *Cat. 3. ed. p. 280.*	„
pilipes Fåhrs. *Schh. Gen. Curc. VI. 2. p. 81.*	Caucasus.
pilosellus Fåhrs. *l. c. p. 97.*	Kirgisia.
pulverulentus Zubkoff. *Bull. Mosc. I. 1829. p. 167. t. 5. f. 7.* — Krynicki. *Bull. Mosc. V. 1832. p. 152.*	„
Bartelsi Fåhrs. *Schh. l. c. p. 108.*	Russia mer.
punctiventris Germ. *Ins. Spec. nov. p. 397; Fn. Ins. Eur. 13. 14.*	Germania.
{ *carinatus* Zubkoff. *Bull. Mosc. I. 1829. p. 166. t. 5. f. 6.* — Karelin. *Dej. Cat. 3. ed. p. 281.*	Russia mer.
{ *carinulatus* Schönh. *Gen. Curc. II. p. 225.*	Kirgisia.
leucostigma Fisch. *in litt.*	Dauria.
lugens Ulr. *Sturm. Cat. 1843. p. 198.*	Podolia.
{ *stigma* Sturm. *Cat. 1826. p. 110.*	Hungaria.
{ *quadricarinatus* Meg. *Sturm. Cat. l. c.*	„
var. *halophilus* Schönh. *Ménétr. Cat. rais. p. 218.* — Gebl. *Schh. Gen. Curc. II. p. 234.* — Fåhrs. *Schh. l. c. VI. 2. p. 87.*	Sibiria.
salebrosicollis Bohem. *Schh. l. c. VI. 2. p. 90; VIII. 2. p. 428.*	„
Schönherri Motsch. *Bull. Ac. Petr. 1860. II. p. 543.*	Kirgisia.
humeralis Fåhrs. *Schh. Gen. Curc. VI. 2. p. 101.*	„
Schrencki Gebl. *Bull. Ac. Petr. III. 1845. p. 104; Bull. Mosc. 1860. III. p. 26.*	Songoria.
signaticollis Gylh. *Schh. l. c. II. p. 232.* — Falderm. *Fn. transc. II. p. 195. t. 5. f. 10.*	Persia.
soricinus Mars. *Abeille. V. 1868. p. 200.*	Biskra.
sparsus Gylh. *Schh. Gen. Curc. II. p. 240.*	Caucasus.
volvulus Schönh. *Gen. Curc. VI. 2. p. 104.*	Tauria.

strabus Gylh. *Schh. Gen. Curc. II. p. 230.* — Fåhrs. *l. c. VI. 2. p. 80.* — Falderm. *Fn. transc. II. p. 193. t. 5. f. 9.* — Russia mer.
suillus Gylh. *l. c. p. 228.* — Cap bon. spei.
surdus Gylh. *l. c. p. 235.* — „
tenebrosus Bohem. *Nouv. Mém. Mosc. I. 1829. p. 132.* — Gylh. *l. c. p. 232.* — Fåhrs. *Schh. l. c. VI. 2. p. 80.* — Russia mer.
turbinatus Chevrol. *Col. Heft. V. 1869. p. 75.* — Oran.
verrucosus Gebl. *Ledeb. Reis. II. 3. p. 166; Schh. Gen. Curc. II. p. 229.* — Fåhrs. *Schh. l. c. VI. 2. p. 77.* — Tataria.
vexatus Gylh. *Schh. l. c. II. p. 240.* — Fåhrs. *Schh. l. c. VI. 2. p. 95.* — Tauria.
virgatus Schönh. *Ménétr. Cat. rais. p. 219.* — Gylh. *Schh. l. c. p. 242.* — Caucasus.
vittatus Zubkoff. *Bull. Mosc. I. 1829. p. 163. t. 5. f. 3.* — Hochh. *Bull. Mosc. 1851. I. p. 34.* — Kirgisia.

62

Epirrhynchus

ἐπὶ, super; ῥύγχος, rostrum.

Schönherr. *Disp. meth. 1826. p. 86.*

argus Sparrm. *Act. Holm. 1785. p. 47. t. 2. f. 15.* — Gylh. *Schh. Gen. Curc. I. p. 498.* — Cap bon. spei.

1

Leucosomus

λευκὸς, albus; σῶμα, corpus.

Motschulsky. *Mém. Ac. Petr. II. 1860. p. 539.*

ocellatus Fåhrs *Schh. Gen. Curc. VI. 2. p. 12.* — Lacord. *Gen. Col. VI. 1863. p. 426.* — Sicilia.
quadripunctatus Schrank. *Naturf. XXIV. 1789. p. 71.* — M.
  colon Laich. *Verz. Tyr. Ins. I. p. 227.* — Tirolis.
  distinctus Fabr. *Ent. Syst. I. 2. p. 459.* — Steph. *Ill. Brit. IV. p. 153.* — Anglia.
  ophthalmicus Rossi. *Fn. Etr. I. 1790. p. 128. t. 1. f. 12; t. 5. f. 12.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 12.* — Germania.
  var. *pasticus* Germ. *Schh. Gen. Curc. II. p. 184.* — Italia.

2

Leucomigus

λευκὸς, albus; μιγὰς, miscellaneus.

Motschulsky. *Mém. Ac. Petr. II. 1860. p. 539.*

Chromosomus Motschulsky.

candidatus Pall. *Jc. 1781. p. 28. t. B. f. 7.* — Gylh. *Schh. Gen. Curc. II. p. 173.* — Lacord. *Gen. Col. VI. 1863. p. 427.* — Russia mer.
  farinosus Oliv. *Ent. V. 83. p. 257. t. 20. f. 259.* — Kirgisia.
  quagga Herbst. *Käf. VII. p. 10. t. 96. f. 4.* — Mare caspic.

Fischeri Fåhrs. *Schh. Gen. Curc. VI. 2. p. 74.* — Tataria.
granulata Fisch. *Ent. Ross. II. p. 231. t. 44. f. 1.* — Turcomania.
quadraticollis Fåhrs. *Schh. Gen. Curc. VI. 2. p. 86.* — Aegyptus.
retusus Fabr. *Syst. El. II. p. 515.* — Fåhrs. *l. c. p. 84.* — Guinea.
bisignatus Dej. *Cat. 3. ed. p. 281.* — Senegal.
senectus Fåhrs. *l. c. p. 87.* — Aegyptus.
tessellatus Fairm. *Ann. Fr. 1849. p. 424; 1862. p. 557.* — Andalusia.
6

Pachycerus

παχὺς, crassus; κέρας, cornu.

Schönherr. *Disp. meth. 1826. p. 57.*

Rhabdorrhynchus Motschulsky.

albarius Gylh. *Schh. Gen. Curc. II. p. 246.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 8. f. 38 ter.* — Gallia.
anchusae Chevrol. *Rev. Zool. 1854. p. 480. t. 7. f. 2.* — Syria.
crucifer Hochh. *Bull. Mosc. 1847. II. p. 485.* — Armenia.
formosus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 121.* — Cap bon. spei.
Karelini Fåhrs. *l. c. p. 119.* — Persia.
mixtus Fabr. *Ent. Syst. I. 2. p. 417.* — Oliv. *Ent. V. 83. p. 250. t. 21. f. 285.* — Barbaria.
atomarius Fåhrs. *Schh. Gen. Curc. VI. 2. p. 122.* — Dej. *Cat. 3. ed. p. 282.* — Sicilia.
{ *Menetriesi* Gylh. *Schh. l. c. p. 118.* — Kolenati. *Bull. Mosc. 1858. III. t. 1. f. 4.* — „
{ *regularis* Germ. *in litt.* — Caucasus.
rugosus Luc. *Expl. Alg. 1849. p. 423. t. 36. f. 3. a-d.* — Algeria.
segnis Germ. *Ins. Spec. nov. p. 398; Fn. Ins. Eur. 18. 16.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 123.* — Germania.
cordiger Germ. *N. Annal. Wetterau. Ges. I. 1819. p. 135.* — Tergestum.
Faldermanni Dej. *Cat. 3. ed. p. 282.* — Turcomania.
scabrosus Brullé. *Expd. Mor. III. p. 243.* — Gylh. *Schh. Gen. Curc. II. p. 246.* — Fåhrs. *l. c. p. 123.* — Dej. *Cat. l. c.* — Gallia mer.
var. *planirostris* Bohem. *Nouv. Mém. Mosc. I. 1829. p. 129.* — Gylh. *l. c. p. 199; VI. 2. p. 124.* — Sicilia.
sparsus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 120.* — Cap bon. spei.
tessellatus Luc. *Rev. Zool. 1855. p. 292.* — Algeria.
varius Herbst. *Käf. VI. p. 252. t. 78. f. 7.* — Gylh. *Schh. l. c. II. p. 245.* — Germania.
11

Hypsosternus

ὕψος, altitudo; στέρνον, sternum.

Kirsch. *Berl. Ent. Zeit. 1868. p. 194.*

setipes Kirsch. *Berl. Zeit. 1868. p. 195.* — Bogotá.
1

Mecaspis

μῆκος, longitudo; ἀσπὶς, scutum.

Schönherr. *Disp. meth. 1826. p. 57.*

alternans Oliv. *Ent. V. 83. p. 251. t. 24. f. 332.* — Gylh. *Schh. Gen. Curc. II. p. 214.* — Fåhrs. *Schh. l. c. VI. 2. p. 44.* M.
blandus Ziegl. *Dej. Cat. 3. ed. p. 281.* Gallia.
caesus Gylh. *l. c. p. 217.* „
var. *incisuratus* Gylh. *l. c. p. 215.* Tauria.
cinereus Schrank. *Enum. Ins. 1781. p. 122.* — Oliv. *Ent. V. 83. p. 252. t. 30. f. 452.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 43.* M.
bicarinatus Fisch. *Bull. Mosc. II. 1830. p. 187.* Russia.
costatus Herbst. *Käf. VI. p. 84. t. 65. f. 1.* — Ziegl. *Dej. Cat. 3. ed. p. 281.* Germania.
difficilis Duftschm. *Dej. Cat. l. c.* Hispania.
coenobita Oliv. *Ent. V. 83. p. 253. t. 24. f. 331.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 45.* Germania.
{*algiricus* Buquet. *Dej. Cat. 3. ed. p. 281.* Algeria.
{*sisymbrii* Dahl. *Dej. Cat. l. c.* Sicilia.
lurcans Herbst. *Käf. VII. p. 14. t. 96. f. 8.* Gallia.
cunctus Gylh. *Schh. Gen. Curc. II. p. 218.* Gallia mer.
dorsalis Fisch. *in litt.* Russia mer.
quadrisulcatus Sturm. *Cat. 1826. p. 119.* Gallia mer.
emarginatus Fabr. *Mant. I. 1787. p. 114.* — Oliv. *Encycl. méth. V. 1790. p. 532.* Germania.
florentinus Herbst. *Käf. VI. p. 59. t. 62. f. 15.* „
palmatus Oliv. *Ent. V. 83. p. 245. t. 35. f. 540.* — Gylh. *Schh. Gen. Curc. II. p. 213.* Gallia.
Miegi Fairm. *Ann. Fr. 1855. p. 317.* Hispania.
misellus Gylh. *Schh. Gen. Curc. II. p. 217.* Lusitania.
nanus Gylh. *l. c. p. 216.* Italia.
senilis Rosenh. *Thier. Andal. 1856. p. 250.* Andalusia.
fimbriatus Chevrol. *Rev. Zool. 1860. p. 132.* Algeria.

9

Cleonus

κλεωνία, helenium.

Schönherr. *Disp. meth. 1826. p. 145.*

Cleonis Latreille. — *Coniocleonus* Motschulsky. — *Cyphocleonus* Motsch. — *Entymetopus* Motsch. — *Geomorus* Schönh. — *Isomerus* Motsch. — *Oosomus* Motsch. — *Pleurocleonus* Motsch. — *Porocleonus* Motsch. — *Trichocleonus* Motsch.

achates Fåhrs. *Schh. Gen. Curc. VI. 2. p. 5.* Hungaria.
albogilvus Gylh. *Schh. l. c. II. p. 196.* Senegal.
albolineatus Ménétr. *Mém. Ac. Petr. VI. 1849. p. 252. t. 5. f. 3.* Turcomania.
albotessellatus Fairm. *Ann. Fr. 1868. p. 497.* Sahar. alger.
alpinus Gebl. *Bull. Mosc. VI. 1833. p. 294.* Sibiria occ.
angularis Lec. *Col. of Kans. 1859. p. 17.* Arkansas.

arabs Oliv. *Ent. V. 83. p. 257. t. 20. f. 255.* — Arabia.
Armitagei Wollast. *Cat. Canar. Col. 1864. p. 321.* — Teneriffa.
arenarius Oliv. *Ent. V. 83. p. 404. t. 8. f. 95.* — Gylh. *Schh. Gen. Curc. II. p. 200.* — India or.
tessellatus Dej. *Cat. 3. ed. p. 281.* — „
argillaceus Motsch. *Bull. Ac. Petr. 1860. II. p. 543.* — Turcomania.
atrirostris Gebl. *Nouv. Mém. Mosc. II. 1830. p. 60.* — Sibiria or.
austerus Ménétr. *Mém. Ac. Petr. VI. p. 254. t. 5. f. 6.* — Turcomania.
axillaris Falderm. *Mém. Ac. Petr. II. 1835. p. 428.* — Mongolia.
basigranatus Fairm. *Ann. Fr. 1868. p. 495.* — Constantine.
bicostatus Gebl. *Bull. Mosc. VI. 1833. p. 297 nota.* — Sibiria.
costatus Gebl. *Nouv. Mém. Mosc. II. 1830. p. 60.* — „
buteo Fåhrs. *Schh. Gen. Curc. VI. 2. p. 78.* — Mare caspic.
candidus Oliv. *Ent. V. 83. p. 266. t. 30. f. 449.* — Fåhrs. *l. c. p. 71.* — Lacord. *Gen. Col. VI. 1863. p. 431. note 1.* — Arabia.
canus Wiedem. *Zool. Mag. II. 1. 1823. p. 128.* — Cap bon. spei.
alboguttatus Dej. *Cat. 3. ed. p. 280.* — „
guttatus Chevrol. *Guér. Jc. IV. p. 143. t. 37. f. 9.* — „
lacrimosus Gylh. *Schh. Gen. Curc. II. p. 190.* — „
carinatus Gylh. *l. c. p. 172.* — Sibiria.
carinirostris Gylh. *l. c. p. 176.* — „
caspicus Fåhrs. *l. c. VI. 2. p. 29.* — Falderm. Dej. *Cat. 3. ed. p. 281.* — Mare caspic.
cenchrus Pall. *Jc. 1781. p. 29. t. B. f. 9.* — Gylh. *Schh. Gen. Curc. II. p. 207.* — Wolga.
cinctiventris Fåhrs. *Schh. l. c. VI. 2. p. 54.* — Aegyptus.
cinerascens Hochh. *Bull. Mosc. 1851. I. p. 32.* — Sibiria.
cineritius Gylh. *Schh. Gen. Curc. II. p. 177.* — Falderm. *Fn. transc. II. p. 184. t. 6. f. 2.* — „
complanatus Zubkoff. *Bull. Mosc. VI. 1833. p. 332.* — Turcomania.
Parreyssi Fåhrs. *Schh. l. c. VI. 2. p. 109.* — „
compressicollis Falderm. *Mém. Ac. Petr. II. 1835. p. 424.* — Mongolia.
compressithorax Bohem. *Schh. Gen. Curc. VI. 2. p. 70.* — Cap bon. spei.
cordofanus Fåhrs. *Schh. l. c. p. 72.* — Kordofan.
coriaginosus Zubkoff. *Bull. Mosc. VI. 1833. p. 335.* — Turcomania.
costatus Fabr. *Mant. I. p. 115.* — Gylh. *Schh. Gen. Curc. II. p. 220.* — Germania.
bilineatus Rossi. *Fn. Etr. 1. p. 110.* — Italia.
costicollis Gylh. *Schh. Gen. Curc. II. p. 172.* — Falderm. *Fn. transc. II. p. 183. t. 6. f. 5.* — Persia occ.
cretaceus Redtenb. *Denkschr. Wien. Ac. I. 1850. p. 49.* — Persia mer.
cretosus Fairm. *Ann. Fr. 1868. p. 496.* — Biskra.
crinipes Fåhrs. *Schh. Gen. Curc. VI. 2. p. 35.* — Caucasus.
cristulatus Fairm. *Rev. Zool. 1859. p. 59.* — Algeria.
dealbatus Germ. *Schh. Gen. Curc. II. p. 221.* — Fåhrs. *Schh. l. c. VI. 2. p. 3.* — Nubia.
depressus Gebl. *Ledeb. Reis. II. 3. 1830. p. 101.* — Sibiria.
dissimulatus Ménétr. *Mém. Ac. Petr. VI. p. 258. t. 5. f. 9.* — Turcomania.
ellipticus Fairm. *Ann. Fr. 1868. p. 495.* — Barbaria.
ericae Fåhrs. *Schh. Gen. Curc. VI. 2. p. 36.* — Gallia.
Eversmanni Fåhrs. *l. c. p. 58.* — Bokhara.
excavatus Zubkoff. *Bull. Mosc. VI. 1833. p. 332.* — Turcomania.
Fabricii Gemming. *Col. Heft. VIII. 1871.* — German. mer.

roridus Fabr. *Ent. Syst. I. 2. p. 457.* — Herbst. *Käf. VI. p. 82. t. 64. f. 13.* — Gylh. *Schh. Gen. Curc. II. p. 204.*	Italia.
Faldermanni Fåhrs. *Schh. Gen. Curc. VI. 2. p. 107.*	Turcomania.
fallax Fåhrs. *l. c. p. 56.*	Cap bon. spei.
exquisitus Chevrol. *in litt.*	„
fasciatus Fisch. *Bull. Mosc. II. 1830. p. 187.*	Persia.
fascicularis Gebl. *Bull. Mosc. VI. 1833. p. 295.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 427.*	Kirgisia.
fenestratus Pall. *Jc. 1781. p. 33. t. B. f. 16.*	Selenga.
ferrugineus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 24.*	Tataria.
fronto Fisch. *Bull. Mosc. VIII. 1835. p. 162. t. 6. f. 7.* — Fåhrs. *l. c. p. 71.*	„
fumosus Fåhrs. *l. c. p. 47.*	Senegal.
furcatus Zubkoff. *Bull. Mosc. VI. 1833. p. 334.*	Turcomania.
Gebleri Fåhrs. *Schh. Gen. Curc. VI. 2. p. 77.*	„
glacialis Herbst. *Käf. VII. p. 9. t. 96. f. 3.* — Gylh. *Schh. Gen. Curc. II. p. 173.*	Cap bon. spei.
capensis Dej. *Cat. 3. ed. p. 280.*	„
nebulosus Sparrm. *Act. Holm. I. p. 48. t. 2. f. 18.*	„
grammicus Panz. *Naturf. 24. p. 21. t. 1. f. 28.* — Gylh. *Schh. Gen. Curc. II. p. 201.*	M.
bilineatus Oliv. *Ent. V. 83. p. 261. t. 17. f. 213.*	Gallia.
graminis Sturm. *Dej. Cat. 3. ed. p. 281.*	Germania.
granosus Zubkoff. *Bull. Mosc. VI. 1833. p. 333.*	Turcomania.
granulatus Oliv. *Ent. V. 83. p. 271. t. 25. f. 365.*	Cap bon. spei.
granulosus Mannerh. *Humm. Ess. IV. 1825. p. 35.* — Gylh. *Schh. Gen. Curc. VI. 2. p. 69.*	Nertschinsk.
guttulatus Gylh. *l. c. II. p. 178.* — Fåhrs. *Schh. l. c. VI. 2. p. 9.*	Fennia.
Hedenborgi Fåhrs. *l. c. p. 6.*	Aegyptus.
Helferi Chevrol. *Guér. Jc. p. 144.* — Lacord. *Gen. Col. VI. 1863. p. 427. note 1.*	Sicilia.
Henningi Fåhrs. *Schh. Gen. Curc. VI. 2. p. 22.*	Sibiria.
hexagrammus Fåhrs. *l. c. p. 26.*	Mongolia.
hexastichus Bohem. *Schh. l. c. p. 25.*	Irkutsk.
hieroglyphicus Oliv. *Ent. V. 83. p. 258. t. 20. f. 258.* — Gylh. *Schh. l. c. II. p. 174.*	Aegyptus.
molitor Gylh. *l. c. p. 174.*	„
pacificus Dej. *Cat. 1. ed. p. 96.*	„
raphilineus Sieber. *Beschr. Verz. 1820. p. 61.*	„
Hollbergi Fåhrs. *Schh. Gen. Curc. VI. 2. p. 10.*	Lac. Saisan.
hololeucus Pall. *Jc. 1781. p. 35. t. H. f. B. 19.* — Fåhrs. *l. c. p. 106.* — Falderm. *Dej. Cat. 3. ed. 281.*	Mare caspic.
canescens Dej. *Cat. l. c.*	Turcomania.
ibex Bohem. *Schh. Gen. Curc. VIII. 2. p. 426.*	Rhodus.
Jekeli Wollast. *Ann. nat. Hist. 1862. p. 441.*	Canariae.
impexus Motsch. *Bull. Ac. Petr. II. 1860. p. 446.*	Songoria.
impressicollis Fåhrs. *Schh. Gen. Curc. VI. 2. p. 27.*	Sibiria.
inducens Walker. *Ann. nat. Hist. ser. III. 1859. p. 263.*	Ceylon.
interruptus Zubkoff. *Bull. Mosc. I. 1829. p. 162. t. 5. f. 2.*	Kirgisia.
interstinctus Gylh. *Schh. Gen. Curc. II. p. 206.* — Falderm. *Fn. transc. II. p. 188. t. 5. f. 12.*	Persia.
irroratus Ménétr. *Mém. Ac. Petr. VI. p. 257.*	Turcomania.
Karelini Fåhrs. *Schh. Gen. Curc. VI. 2. p. 38.*	Irkutsk.

lacunosus Gylh. *Schh. Gen. Curc. II. p. 194.*	Barbaria.
lateralis Gylh. *l. c. p. 198.* — Dej. *Cat. 3. ed. p. 280.*	Galam.
Lejeunei Fairm. *Ann. Fr. 1866. p. 65.*	Algeria.
leucomelanus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 32.*	India or.
leucophaeus Ménétr. *Mém. Ac. Petr. VI. p. 254. t. 5. f. 7.*	Turcomania.
leucophyllus Fisch. *Lettre à Pander. 1821. p. 14; Ent. Ross. II. p. 232. t. 44. f. 6.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 73.*	Tataria.
limis Ménétr. *Mém. Ac. Petr. VI. p. 259.*	Baschkiria.
limpidus Gylh. *Schh. Gen. Curc. II. p. 210.*	Cap bon. spei.
lateralis Sturm. *Cat. 1826. p. 119.*	"
quadrimaculatus Sturm. *Cat. l. c.*	"
lineolatus Motsch. *Bull. Ac. Petr. II. 1860. p. 539. (tabl. synopt.)*	Sibiria.
lutulentus Lec. *Col. of Kans. 1859. p. 17.*	Kansas.
Maresi Luc. *Ann. Fr. 1857. Bull. p. 56.*	Algeria.
margaritifer Luc. *Rev. Zool. 1844. p. 267; Expl. Alg. p. 422. t. 36. f. 2. a-b.*	"
marginicollis Fåhrs. *Schh. Gen. Curc. VI. 2. p. 41.*	Mare caspic.
Marmottani Bris. *Ann. Fr. 1866. p. 391.*	Aranjuez.
melancholicus Ménétr. *Mém. Ac. Petr. VI. p. 255. t. 5. f. 8.*	Turcomania.
melogrammus Motsch. *Etud. ent. III. 1854. p. 64.*	Shangai.
mesopotamicus Oliv. *Ent. V. 83. p. 264. t. 30. f. 446.*	Mesopotamia.
microgrammus Gylh. *Schh. Gen. Curc. II. p. 187.*	Russia.
mitis Gertäck. *Wiegm. Arch. 1871. I. p. 73.*	Lac. Jipe.
mixtus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 60.*	India or.
inquinatus Gylh. *Schh. l. c. III. p. 110.*	"
major Herbst. *Käf. VI. p. 88. t. 65. f. 4. (forte.)*	"
moerens Fåhrs. *Schh. Gen. Curc. VI. 2. p. 40.*	Tauria.
molitor Lec. *Proc. Ac. Phil. IX. 1858. p. 78.*	California.
mongolicus Falderm. *Mém. Ac. Petr. II. 1835. p. 423.*	Hungaria.
morbillosus Fabr. *Ent. Syst. I. 2. p. 457.* — Herbst. *Käf. VI. p. 78. t. 64. f. 9.* — Gylh. *Schh. Gen. Curc. II. p. 208.*	
tigrinus Oliv. *Ent. V. 83. p. 260. t. 17. f. 212.*	Gallia mer.
verrucicollis Billb. *Enum. Ins. p. 45.*	Algeria.
mucidus Germ. *Mag. I. 1. 1813. p. 132.* — Wollast. *Col. Hesperid. 1867. p. 130.*	Cap bon. spei.
{ *velatus* Gylh. *Schh. Gen. Curc. II. p. 196.*	"
{ *nubeculosus* Illig. *in litt.*	"
{ *sannio* Herbst. *Käf. VI. p. 104. (forte.)*	Lac. Jipe.
var. *maculipes* Gylh. *l. c. p. 197.*	Cap Verd.
murinus Falderm. *Mém. Ac. Petr. II. 1835. p. 425.*	Irkutsk.
nomas Pall. *It. I. App. p. 463; Ic. p. 27. t. B. f. 6.* — Herbst. *Käf. VI. p. 93. t. 65. f. 9.*	Desert. caspic.
firmus Schönh. *Ménétr. Cat. rais. p. 217.* — Gylh. *Schh. Gen. Curc. II. p. 203.* — Falderm. *Fn. transc. II. p. 187. t. 6. f. 6.*	Caucasus.
omogeron Herbst. *Käf. VII. p. 11. t. 96. f. 5.*	"
nubilus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 13.*	Irkutsk.
obliquatus Ménétr. *Mém. Ac. Petr. VI. p. 257.*	Turcomania.
obliteratus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 64.*	Sibiria.
obsoletefasciatus Ménétr. *Mém. Ac. Petr. VI. p. 256.*	Turcomania.
obsoletus Gylh. *Schh. Gen. Curc. II. p. 182.* — Mannerh. *Dej. Cat. 3. ed. p. 280.*	Sibiria.
dauricus Steven. *Dej. Cat. l. c.*	Dauria.

occultus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 50.* Sibiria.
octosignatus Gylh. *Schh. Gen. Curc. II. p. 214.* — Falderm. *Fn. transc. II. p. 191. t. 6. f. 3.* Persia.
ocularis Fabr. *Ent. Syst. I. 2. p. 400.* — Coqueb. *Ill. Ins. III. p. 133. t. 30. f. 12.* — Bohem. *Schh. Gen. Curc. II. p. 183.* Italia.
barbarus Oliv. *Ent. V. 83. p. 262. t. 17. f. 210.* Algeria.
oculatus Fisch. *Bull. Mosc. II. 1830. p. 188.* Persia.
ophinotus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 104.* Senegal.
opimus Gylh. *Schh. l. c. II. p. 185.* „
ornatus Reiche. *Ann. Fr. 1857. p. 672; 1858. t. 1. f. 2.* Beyruth.
pacificus Oliv. *Ent. V. 83. p. 268. t. 20. f. 256.* Persia.
Pallasi Fåhrs. *Schh. Gen. Curc. VI. 2. p. 30.* Mare caspic.
Panderi Fisch. *Bull. Mosc. VIII. 1835. p. 162. t. 6. f. 4.* — Fåhrs. *l. c. p. 68.* Tataria.
perlatus Fabr. *Mant. I. p. 114.* — Gylh. *Schh. Gen. Curc. II. p. 204.* — Lacord. *Gen. Col. VI. 1863. p. 432. note 3.* India or.
faunus Oliv. *Ent. V. 83. p. 267. t. 24. f. 342.* Java.
Piochardi Bris. *Ann. Fr. 1866. p. 390.* Escurial.
pudicus Ménétr. *Mém. Ac. Petr. VI. p. 253. t. 5. f. 4.* Turcomania.
pulchellus Falderm. *Mém. Ac. Petr. II. 1835. p. 426.* Mongolia.
pulvereus Lec. *Col. of Kans. 1859. p. 17.* Arkansas.
puncticollis Bohem. *Schh. Gen. Curc. VI. 2. p. 15.* Irkutsk.
pruinosus Gylh. *Schh. l. c. II. p. 183.* Russia mer.
pygmaeus Gebl. *Bull. Mosc. 1848. II. p. 342.* Sibiria.
quadrimaculatus Motsch. *Bull. Ac. Petr. II. 1860. p. 541.* Turcomania.
quadrivittatus Zubkoff. *Bull. Mosc. I. 1829. p. 161. t. 5. f. 1.* — Eschsch. *Dej. Cat. 3. ed. p. 281.* Kirgisia.
bicarinatus Gylh. *Schh. Gen. Curc. II. p. 212.* Tauria.
frontalis Falderm. *Dej. Cat. 3. ed. p. 281.* „
Raymondi Perris. *Abeille. VII. 1870. p. 22.* Sardinia.
Renardi Gebl. *Bull. Mosc. 1848. II. p. 344.* Sibiria.
roridus Pallas. *Jc. 1781. p. 28. t. B. f. 8.* Wolga.
aquila Fåhrs. *Schh. Gen. Curc. VI. 2. p. 75.* Mare caspic.
granulatus Fisch. *Ent. Ross II. p. 231.* „
sabulosus Motsch. *Bull. Mosc. 1845. I. p. 102.* Kirgisia.
samaritanus Reiche. *Ann. Fr. 1857. p. 671.* Palaestina.
Samsonovii Gebl. *Bull. Ac. Petr. III. 1845. p. 103; Bull. Mosc. 1860. III. p. 24.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 425.* Kirgisia.
sardous Chevrol. *Col. Heft. V. 1869. p. 75.* Sardinia.
Schönherri Gemming. *Col. Heft. VIII. 1871.* Italia.
sparsus Gylh. *Schh. Gen. Curc. II. p. 205.* „
scrobicollis Fåhrs. *Schh. Gen. Curc. VI. 2. p. 51.* — Lacord. *Gen. Col. VI. 1863. p. 432. note 2.* Caffraria.
scutellatus Bohem. *Nouv. Mém. Mosc. I 1829. p. 130.* — Gylh. *Schh. Gen. Curc. II. p. 181.* Gallia mer.
quadricarinatus Meg. *Dej. Cat. 1. ed. p. 97.* Sicilia.
scabrinus Ziegl. *Dej. Cat. 3. ed. p. 180.* Styria.
var. *luridus* Ziegl. *l. c.* Illyria.
Sedacovii Bohem. *Schh. Gen. Curc. VI. 2. p. 67.* Irkutsk.
senegalensis Gylh. *Schh. l. c. II. p. 181.* Senegal.

sexguttatus Redtenb. *Hüg. Kaschm. IV. 2. 1848. p. 546. t. 26. f. 4.* — Kaschmir.
sexmaculatus Krynick. *Bull. Mosc. 1832. V. p. 153.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 62.* — Russia mer.
sollicitus Gylh. *Schh. l. c. II. p. 211.* — Falderm. *Fn. trans. II. p. 189.* — „
var. *squalidus* Gylh. *l. c. p. 210.* — Irkutsk.
simplex Herbst. *Käf. VII. p. 13. t. 96. f. 7.* — Cap bon. spei.
sparsus Zubkoff. *Bull. Mosc. VI. 1833. p. 334.* — Turcomania.
paganus Schönh. *Gen. Curc. VI. 2. p. 117.* — „
stillatus Gylh. *Schh. l. c. II. p. 191.* — Cap bon. spei.
sulcirostris Sparrm. *Act. Holm. 1785. p. 49. t. 2. f. 19.* — „
sulcicollis Fåhrs. *Schh. Gen. Curc. VI. 2. p. 34.* — Sicilia.
sulcirostris Linn. *Syst. nat. ed. 12. p. 617.* — Herbst. *Käf. VI. p. 74. t. 64. f. 7.* — Gylh. *Schh. Gen. Curc. II. p. 180.* — M.
cardui Sanvitale. *Dej. Cat. 3. ed. p. 280.* — Italia.
fasciatus Villers. *Ent. I. p. 216; IV. p. 283.* — Germania.
{*fuscatus* Gmel. *ed. Linn. I. 4. p. 1804.* — Suecia.
{*transversofasciatus* Goeze. *Ent. Beytr. I. p. 409.* — „
indicus Hope *in litt.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 55.* — Bengal.
nebulosus Knoch. *Beitr. I. p. 87. t. 6. f. 8-11.* — Gallia.
superciliosus Gylh. *Schh. Gen. Curc. II. p. 202.* — Fåhrs. *Schh. l. c. VI. 2. p. 59.* — Java.
inquinatus Oliv. *Dej. Cat. 3. ed. p. 281.* — „
tabidus Oliv. *Ent. V. 83. p. 262. t. 16. f. 201.* — Gylh. *Schh. Gen. Curc. II. p. 192.* — Bohem. *Schh. l. c. VIII. 2. p. 428.* — Gallia.
attenuatus Dej. *Cat. 1. ed. p. 97.* — Hispania.
elegans Dahl. *Dej. Cat. 3. ed. p. 280.* — Etruria.
obliquus Heer. *Hartg. Geol. Verhältn. 141.* — Lanzarote.
Pelleti Fairm. *Ann. Fr. 1859. Bull. p. 52.* — Chevrol. *Col. Heft. V. 1869. p. 77.* — Gallia.
teretirostris Gebl. *Bull. Mosc. VI. 1833. p. 296.* — Sibiria.
testatus Gylh. *Schh. Gen. Curc. II. p. 209.* — Etruria.
pictus Dahl. *Dej. Cat. 3. ed. p. 281.* — „
Thunbergi Fåhrs. *Schh. Gen. Curc. VI. 2. p. 66.* — India or.
tigrinus Panz. *Naturf. 24. 1789. p. 21. t. 1. f. 29.* — M.
dealbatus Gmel. *ed. Linn. I. 4. p. 1806.* — Suecia.
marmoratus Fabr. *Ent. Syst. I. 2. p. 485.* — Herbst. *Käf. VI. p. 81. t. 64. f. 12.* — Gylh. *Schh. Gen. Curc. II. p. 206.* — „
marmoreus Schrank. *Fn. boic. 1. p. 500.* — Germania.
roridus Voet. *Cat. II. p. 66. t. 39. f. 39.* — Gallia.
var. *pantherinus* Dahl. *Dej. Cat. 3. ed. p. 281.* — Sicilia.
tomentosus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 65.* — Kordofan.
torosus Fåhrs. *l. c. p. 42.* — Bokhara.
tricarinatus Fisch. *Ent. Ross. II. p. 233. t. 44. f. 9.* — Dauria.
frontatus Gylh. *Schh. Gen. Curc. II. p. 188.* — „
trisulcatus Herbst. *Käf. VI. p. 89. t. 65. f. 5.* — Fåhrs. *Schh. Gen. Curc. VI. 2. p. 37.* — M.

hybridus Germ. *N. Annal. Wetter. Ges. I. 1. p. 135.* — Germania.
madidus Oliv. *Ent. V. 83. p. 253. t. 30. f. 451.* — Gallia.
quinquelineatus Herbst. *Käf. VI. p. 107. t. 66. f. 12.* — Suecia.
var. *altaicus* Gebl. *Ledeb. Reis. II. 3. p. 154.* — Altai.
„ *adumbratus* Gebl. *l. c.; Schh. Gen. Curc. II. p. 220.* — Sibiria.

trivittatus Say. *Descr. of Curc. p. 10.* — Germ. *Schh. Gen. Curc. II. p. 222.* — Amer. bor.

tuberculatus Gebl. *Ledeb. Reis. II. 3. p. 165.* — Gylh. *Schh. Gen. Curc. II. p. 175.* — Sibiria.

variegatus Motsch. *Bull. Ac. Petr. 1860. II. p. 542.* — Turcomania.
variolosus Wollast. *Cat. Canar. Col. p. 323.* — Fuerteventura.
vestitus Fåhrs. *Schh. Gen. Curc. VI. 2. p. 49.* — Aegyptus.
vittatus Kirby. *Fn. Bor. Am. IV. 1837. p. 199.* — Amer. bor.
vittiger Fåhrs. *Schh. Gen. Curc. VI. 2. p. 11.* — Tauria.
frenatus Reiche et Saulc. *Cat. nr. 545.* — „

165

Liocleonus

λεῖος, laevis; Cleonus.

Motschulsky. *Bull. Ac. Petr. II. 1860. p. 539.*

clathratus Oliv. *Ent. V. 83. p. 256. t. 18. f. 219.* — Gylh. *Schh. Gen. Curc. II. p. 171.* — Lacord. *Gen. Col. VI. 1863. p. 432.* — Aegyptus.

leucomelas Fåhrs. *Schh. Gen. Curc. VI. 2. p. 52.* — Luc. *Expl. Alg. p. 422. t. 36. f. 1. a-d.* — Algeria.

2

Rhinocyllus

ῥίν, nasus; κυλλὸς, curvus.

Germar. *Neu. Annal. Wetter. Ges. I. 1819. p. 137.*

antiodontalgicus Gerbi. *Storia nat. d'un nuov. Ins. 1794. p. 1.* — Herbst. *Käf. VII. p. 18. t. 96. f. 11.* — Gylh. *Schh. Gen. Curc. III. p. 148.* — M.
thaumaturgus Rossi. *Mant. II. App. p. 94.* — Italia.

conicus Fröhl. *Naturf. XXVI. 1792. p. 132.* — M.
carduі Donov. *Nat. Hist. Brit. Ins. XV. 1811. t. 512.* — Anglia.
latirostris Latr. *Hist. nat. Crust. et Ins. XI. 1803. p. 125.* — Schönh. *Ménétr. Cat. rais. p. 215.* — Gylh. *Schh. Gen. Curc. III. p. 148.* — Jacq. Duv. *Gen. Col. Curc. t. 17. f. 80.* — ‡ Goureau. *Ann. Fr. 1845. p. 77. t. 2. II. f. 1. 4-7.* — Germania.
morosus Oliv. *Ent. V. 83. p. 283. t. 30. f. 457.* — Gallia.
sulcifrons Dej. *Cat. 1. ed. p. 98.* — Italia.
thaumaturgus Steph. *Ill. Brit. IV. p. 161.* — Anglia.

depressirostris Bohem. *Schh. Gen. Curc. VII. 2. p. 25.* — Russia mer.
inquilinus Gylh. *Ins. Suec. IV. p. 608; Schh. Gen. Curc. III. p. 150.* — Fennia.

odontalgicus Oliv. *Ent. V. 83. p. 282. t. 30. f. 456.* — Gallia.
Olivieri Gylh. *Schh. Gen. Curc. III. p. 148.* — Meg. *Dej. Cat. 3. ed. 297.* — Germania.
undulatus Schneid. *in litt.* — Lusitania.
planifrons Brullé. *Expd. Mor. Ent. 1832. p. 244.* — Gylh. *Schh. Gen. Curc. III. p. 149.* — Dej. *Cat. 3. ed. p. 297.* — Dalmatia.
murinus Sturm. *Cat. 1826. p. 160.* — ,,
provincialis Fairm. *Cat. Grenier. 1863. p. 110.* — S. Raphaël.
7

Microlarinus

μικρὸς, parvus; Larinus.

Hochhuth. *Bull. Mosc. 1847. II. p. 540.*

lypriformis Wollast. *Ann. nat. Hist. 1861. p. 102; Col. Hesperid. 1867. p. 128.* — S. Vincent.
rhinocylloides Hochh. *Bull. Mosc. 1847. II. p. 541.* — Caucasus.
Lareynici Jacq. Duv. *Ann. Fr. 1852. p. 714; Gen. Curc. 1854. t. 17. f. 81.* — Gallia.
2

Larinus

λαρινὸς, saginatus.

Germar. *Ins. Spec. nov. 1824. p. 379.*

Lachnaeus Schönh. *olim.* — *Rhinobatus* Germar. *olim.*

acanthiae Gylh. *Schh. Gen. Curc. III. p. 135.* — Illig. *Dej. Cat. 3. ed. p. 297.* — Lusitania.
adspersus Hochh. *Bull. Mosc. 1847. II. p. 538.* — Armenia.
aeruginosus Hochh. *l. c. 1851. I. p. 90.* — ,,
afer Gylh. *Schh. Gen. Curc. III. p. 110.* — Marocco.
albarius Bohem. *Schh. l. c. VII. 2. p. 7.* — Sicilia.
albocinctus Chevrol. *Rev. Zool. 1866. p. 106.* — Valladolid.
bardus Gylh. *Schh. Gen. Curc. III. p. 114.* — Persia.
basalis Chevrol. *Rev. Zool. 1860. p. 80.* — Algeria.
bicolor Bohem. *Schh. Gen. Curc. VII. 2. p. 20.* — Russia mer.
bombycinus Luc. *Expl. Alg. 1849. p. 444.* — Algeria.
brevirostris Hochh. *Bull. Mosc. 1851. I. p. 86.* — Armenia.
brevis Herbst. *Käf. VI. p. 127. t. 68. f. 6.* — Germania.
senilis Fabr. *Syst. El. II. p. 515.* — Gylh. *Schh. Gen. Curc. III. p. 136.* — Redtenb. *Fn. Austr. ed. 2. p. 754.* — Hungaria.
buccinator Oliv. *Ent. V. 83. p. 274. t. 21. f. 273.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 5.* — Sicilia.
costirostris Escher *in litt.* — Algeria.
byrrhinus Sparrm. *Act. Holm. I. 1785. p. 42. t. 2. f. 4.* — Gylh. *Schh. Gen. Curc. III. p. 139.* — Cap bon. spei.
canescens Gylh. *l. c. p. 126.* — Sturm. *Dej. Cat. 3. ed. p. 297.* — Hungaria.
var. *cinerascens* Dej. *Cat. l. c.* — Caucasus.
cardopatii Luc. *Expl. Alg. p. 446.* — Algeria.

carinifer Bohem. *Schh. Gen. Curc. VII. 2. p. 16.* Sicilia.
carinirostris Gylh. *Schh. l. c. III. p. 121.* Graecia.
carlinae Oliv. *Ent. V. 83. p. 280. t. 21. f. 282.* — Gylh. *Schh. Gen. Curc. III. p. 133.* — ‡ Laboulb. *Ann. Fr. 1858. p. 279. t. 7. II. f. 1-9.* M.
ebeneus Marsh. *Ent. Brit. p. 270.* Anglia.
oblongus Besser. *Dej. Cat. 3. ed. p. 297.* Podolia.
planus Steph. *Ill. Brit. IV. p. 160.* Anglia.
teres Ziegl. *Dej. Cat. l. c.* Dalmatia.
carthami Oliv. *Ent. V. 83. p. 278. t. 21. f. 277.* Aegyptus.
centaureae Oliv. *l. c. p. 278. t. 21. f. 276.* Persia.
Chevrolati Bohem. *Schh. Gen. Curc. VII. 2. p. 24.* Sicilia.
albovittatus Chevrol. *in litt.* Senegal.
cirsii Stev. *Mus. Mosq. II. p. 97.* — Gylh. *Schh. Gen. Curc. III. p. 107.* Europa mer.
conspersus Bohem. *Schh. l. c. VII. 2. p. 12.* — Dej. *Cat. 3. ed. p. 297.* Gallia mer.
costirostris Gylh. *Schh. Gen. Curc. III. p. 105.* Sicilia.
criniger Gylh. *l. c. p. 140.* Cap bon. spei.
comatus Germ. *in litt.* „
crinitus Bohem. *Schh. Gen. Curc. III. p. 144.* — Frivald. *A'Királyi magyar. 1865. p. 215. t. 12. f. 6.* Caucasus.
cuniculinus Oliv. *Ent. V. 83. p. 282. t. 30. f. 458.* Arabia.
curtus Hochh. *Bull. Mosc. 1851. I. p. 88.* Armenia.
cynarae Fabr. *Mant. 1. p. 98.* — Gylh. *Schh. Gen. Curc. III. p. 105.* Gallia mer.
var. *giganteus* Kollar. *Dej. Cat. 3. ed. p. 296.* Corfu.
„ *heros* Ziegl. *Dej. Cat. l. c.* Sardinia.
escorialensis Bris. *Ann. Fr. 1866. p. 401.* Escurial.
ferrugatus Gylh. *Schh. Gen. Curc. III. p. 132.* Gallia.
filirostris Rosenh. *Thier. Andal. 1856. p. 269.* Granada.
flavescens Germ. *Ins. Spec. nov. p. 386.* — Dej. *Cat. 3. ed. p. 297.* — Schönh. *Gen. Curc. III. p. 116.* — Jacq. Duv. *Gen. Col. Curc. t. 16. f. 77.* Gallia mer.
planus Herbst. *Käf. VI. p. 123.* Dalmatia.
Genei Bohem. *Schh. Gen. Curc. VII. 2. p. 17.* Sardinia.
ursus Géné *in litt.* „
glabrirostris Gylh. *Schh. Gen. Curc. III. p. 109.* Sicilia.
glaucus Gylh. *l. c. p. 140.* Cap bon. spei.
granicollis Bohem. *Schh. l. c. VII. 2. p. 11.* Irkutsk.
gravidus Oliv. *Ent. V. 83. p. 275. t. 30. f. 450.* Amer. bor.
grisescens Gylh. *Schh. Gen. Curc. III. p. 134.* — Falderm. *Fn. transc. II. p. 239.* Persia.
guttifer Bohem. *Schh. Gen. Curc. VII. 2. p. 13.* Sicilia.
Gyllenhali Gemming. *Col. Heft. VIII. 1871.* Persia.
brevis Gylh. *Schh. Gen. Curc. III. p. 129.* „
Hedenborgi Bohem. *Schh. l. c. VIII. 2. p. 442.* Rhodus.
hirtus Gylh. *Schh. l. c. III. p. 141.* Cap bon. spei.
hirtellus Helfer. *Sturm. Cat. 1843. p. 209.* Turcia.
hirtus Waltl. *Isis. 1838. p. 468.* „
hispanicus Motsch. *Bull. Mosc. 1849. III. p. 137.* Hispania.
hololeucus Motsch. *l. c. 1845. I. p. 101.* Sarepta.
longirostris Kinderm. *in litt.* „
jaceae Fabr. *Syst. Ent. p. 129.* — Panz. *Fn. Germ. 18. 2.* — Schönh. *Gen. Curc. III. p. 122.* M.

carduí Fourcr. *Ent. Par. I. p. 118.* — Gallia.
planus Herbst. *Käf. VI. t. 68. f. 3.* — Germania.
pollinis var. b. Laich. *Verz. Tyr. Ins. I. p. 229.* — Tirolis.
stellaris Ulr. *Dej. Cat. 3. ed. p. 297.* — Illyria.
tessellatus Ziegl. *Dej. Cat. l. c.* — Dalmatia.
idoneus Gylh. *Schh. Gen. Curc. III. p. 137.* — Iberia.
immitis Gylh. *l. c. p. 124.* — Thracia.
impressus Gebl. *Nouv. Mém. Mosc. II. 1830. p. 64.* — Dej. *Cat. 3. ed. p. 297.* — Sibiria.
foveicollis Gylh. *l. c. p. 130.* — „
inquinatus Oliv. *Ent. V. 83. p. 266. t. 6. f. 67.* — Barbaria.
latus Herbst. *Füssl. Arch. IV. 1784. p. 71. t. 24. f. 9.* — Illyria.
cardui Rossi. *Fn. Etr. I. 1790. p. 111. t. 5. f. 11.* — Gylh. *Schh. Gen. Curc. III. p. 106.* — Italia.
cynarae Herbst. *Käf. VI. p. 120. t. 68. f. 1.* — Hungaria.
mutabilis Host. *Jacquin. Collectan. III. 1789. p. 293. t. 23. f. 2. a-b. (forte.)* — Panonia.
subcostatus Brullé. *Expd. Mor. III. p. 244. t. 42. f. 10.* — Dej. *Cat. 1. ed. p. 97.* — Graecia.
triangularis Petagna. *Ins. Calab. 1787. p. 14.* — Calabria.
var. *rugosus* Kollar. *Dej. Cat. 3. ed. p. 276.* — Corfu.
„ *teretirostris* Schönh. *i. litt.* — Gylh. *l. c. p. 107.* — Caucasus.
Lethierryi Bris. *Ann. Fr. 1866. p. 402.* — Escurial.
lineatocollis Gylh. *Schh. Gen. Curc. III. p. 121.* — Falderm. *Nouv. Mém. Mosc. V. p. 235. t. 6. f. 8.* — Russia mer.
lineatus Gylh. *Schh. Gen. Curc. III. p. 143.* — Caffraria.
lineola Dufour. *Excurs. Vall. d'Ossau. 1843. p. 82.* — Pyrenaei.
longirostris Gylh. *Schh. Gen. Curc. III. p. 124.* — Europa mer.
confinis Jacq. Duv. *Cat. Curc. 1854. not. 1.* — Dej. *Cat. 3. ed. p. 297.* — Gallia mer.
longirostris Stierl. *Berl. Zeit. 1864. p. 150.* — Sicilia.
lynx Küst. *Käf. Eur. 11. 92.* — Sardinia.
maculatus Gylh. *Schh. Gen. Curc. III. p. 112.* — Falderm. *Fn. transc. II. p. 228. t. 6. f. 10.* — Italia.
var. *guttiger* Germ. *in litt.* — Syria.
„ *obesus* Chevrol. *in litt.* — Persia.
„ *onopordinis* Gylh. *l. c. p. 111.* — Caucasus.
maculosus Schönh. *Ménétr. Cat. rais. p. 222.* — Gylh. *Schh. Gen. Curc. III. p. 112.* — Besser. *Dej. Cat. 3. ed. p. 297.* — Jacq. Duv. *Gen. Col. Curc. t. 16. f. 76.* — ⚥ Chapuis et Cand. *Mém. Liége. 1853. p. 552.* — Gallia mer.
maurus Oliv. *Ent. V. 83. p. 281. t. 21. f. 283.* — Gylh. *Schh. Gen. Curc. III. p. 119.* — ⚥ Chap. et Cand. *Mém. Liége. 1853. p. 552. t. 7. f. 7. a-c.* — Sicilia.
mellificus Jekel. *Journ. Proc. Linn. Soc. III. p. 181. c. fig.* — Persia.
meridionalis Rosenh. *Thier. Andal. 1856. p. 268.* — Andalusia.
minutus Gylh. *Schh. Gen. Curc. III. p. 129.* — Podolia.
brevis Gylh. *l. c. p. 150.* — Caucasus.
modestus Gylh. *l. c. p. 119.* — Falderm. *Fn. transc. II. p. 235. t. 6. f. 8.* — Persia occ.
morio Gylh. *Schh. Gen. Curc. III. p. 132.* — Gallia mer.
nanus Luc. *Expl. Alg. p. 447. t. 37. f. 10. a-b.* — Algeria.
nubeculosus Gylh. *Schh. Gen. Curc. III. p. 117.* — Persia.

obtusus Gylh. *Schh. Gen. Curc. III. p. 128.* — Germania.
crassirostris Dej. *Cat. 3. ed. p. 297.* — Gallia mer.
maculosus Meg. *in litt.* — Banat.

onopordinis Fabr. *Mant. I. p. 98.* — Herbst. *Käf. VI. p. 125. t. 68. f. 4.* — Aegyptus.
Gerardi Buquet. *Dej. Cat. 3. ed. p. 296.* — Algeria.

pilosus Gylh. *Schh. Gen. Curc. III. p. 142.* — Caffraria.

planus Fabr. *Ent. Syst. I. 2. p. 400.* — Germ. *Ins. Spec. nov. p. 389.* — M.
teres Hellwig. *ed. Ross. 1795. p. 118.* — Herbst. *Käf. VI. p. 128. t. 68. f. 7.* — Hispania.

pollinis Laich. *Verz. Tyr. Ins. 1781. p. 229.* — Germ. *Ins. Spec. nov. p. 388.* — M.
fringilla Gylh. *Ins. Suec. IV. p. 570.* — Suecia.
hercyniae Dahl. *Sturm. Cat. 1826. p. 160.* — Germania.
jaceae Herbst. *Käf. VI. p. 122. t. 68. f. 2.* ♂. — Ziegl. *Dej. Cat. 3. ed. p. 297.* — Dalmatia.
marginicollis Parreyss. *Dej. Cat. l. c.* — Russia mer.
onopordi Besser. *Dej. Cat. l. c.* — Podolia.
sturnus Schall. *Abhandl. Hal. Ges. I. 1783. p. 280.* — Herbst. *Käf. VI. p. 126. t. 68. f. 5.* ♀. — Germ. *Ins. Spec. nov. p. 384.* — Illyria.

reconditus Bohem. *Schh. Gen. Curc. VII. 2. p. 19.* — Gallia mer.

ruber Motsch. *Bull. Mosc. 1845. I. p. 101.* — Russia.

rufipes Desbroch. *Mittheil. schwz. ent. Ges. VIII. 1870. p. 191.* — Orient.

rugicollis Bohem. *Schh. Gen. Curc. VII. 2 p. 18.* — Algeria.

rusticanus Gylh. *Schh. l. c. III. p. 123.* — Graecia.

Saintpierrei Allard. *Abeille. V. 1869. p. 473.* — Algeria.

scabrirostris Falderm. *Mém. Ac. Petr. II. 1835. p. 429.* — China bor.

scolymi Oliv. *Ent. V. 83. p. 275. t. 21. f. 274.* — Germ. *Ins. Spec. nov. p. 383.* — Hispania.
irroratus Dahl. *Dej. Cat. 3. ed. p. 297.* — Sardinia.
var. *ochreatus* Oliv. *l. c. p. 276. t. 21. f. 278.* — Gallia mer.

scrobicollis Gylh. *Schh. Gen. Curc. III. p. 127.* — Sibiria or.

sericatus Bohem. *Schh. l. c. VII. 2. p. 14.* — Persia occ.

sibiricus Gylh. *Schh. l. c. III. p. 131.* — Sibiria.

siculus Bohem. *Schh. l. c. VII. 2. p. 21.* — Sicilia.

squalidus Gylh. *Schh. l. c. III. p. 138.* — Cap bon. spei.

stellaris Gylh. *l. c. p. 120.* — Russia mer.

subrotundatus Chevrol. *Rev. Zool. 1860. p. 81.* — Algeria.

sulphuratus Gylh. *Schh. Gen. Curc. III. p. 116.* — Falderm. *Nouv. Mém. Mosc. V. p. 234. t. 6. f. 9.* — Persia.

sulphurifer Bohem. *Schh. Gen. Curc. VII. 2. p. 10.* — Barbaria.

syriacus Gylh. *Schh. l. c. III. p. 136.* — Syria.

teretirostris Gylh. *l. c. p. 108.* — Falderm. *Fn. transc. III. p. 197.* — Europa mer.

timidus Gylh. *l. c. p. 115; Nouv. Mém. Mosc. VI. p. 29.* — Russia mer.

Tournieri Stierl. *Wien. Ent. Monatschr. V. 1861. p. 223.* — Epirus.

tubicenus Bohem. *Schh. Gen. Curc. VII. 2. p. 6.* — Hispania.
buccinator Gylh. *Schh. l. c. III. p. 110.* — „

turbinatus Gylh. *l. c. p. 125.* — Dej. *Cat. 3. ed. p. 297.* — Europa mer.

ungulatus Gylh. *l. c. p. 133.* — Persia.

ursus Fabr. *Ent. Syst. I. 2. p. 399.* — Oliv. *Ent. V. 83. p. 296. t. 21. f. 279.* — Germ. *Ins. Spec. nov. p. 387.* Europa mer.
albicans Luc. *Expl. Alg. p. 445. t. 37. f. 9. a-c.* Algeria.
canaliculatus Oliv. *Encycl. méth. V. p. 447.* Gallia.
stolatus Gmel. *ed. Linn. I. 4. p. 1746.* Italia.
trivius Germ. *Dej. Cat. 1. ed. p. 98.* Dalmatia.
vittatus Fabr. *Spec. Ins. I. p. 164.* Hispania.
villosus Bohem. *Schh. Gen. Curc. VII. 2. p. 23.* Graecia.
virescens Bohem. *l. c. p. 9.* — Dej. *Cat. 3. ed. p. 297.* Dalmatia.
vitellinus Gylh. *Schh. l. c. III. p. 117.* Persia.
vulpes Oliv. *Ent. V. 83. p. 277. t. 21. f. 281.* Barbaria.

104

Lixus

Lixus.

Fabricius. *Syst. El. II. 1801. p. 498.*

Dicranthus Motschulsky. 1845 — *Phoxus* Billberg. 1820 — *Scaphomorphus* Motsch. 1860 - 1866

abdominalis Bohem. *Schh. Gen. Curc. III. p. 67.* Sicilia.
aberratus Bohem. *l. c. p. 85.* Persia.
acicularis Germ. *Ins. Spec. nov. p. 396.* Lusitania.
aciculatirostris Bohem. *Schh. Gen. Curc. VII. 1. p. 463.* Senegal.
acuminatus Bohem. *l. c. III. p. 10.* — Dej. *Cat. 3. ed. p. 295.* „
adspersus Bohem. *l. c. p. 58.* Cap bon. spei.
aethiops Herbst. *Käf. VI. p. 48. t. 62. f. 7.* — Bohem. *Schh. Gen. Curc. III. p. 55.* Bengal.
affinis Luc. *Expl. Alg. p. 439. t. 37. f. 4. a-c.* Algeria.
alboguttatus Bohem. *Schh. Gen. Curc. III. p. 59.* Cap bon. spei.
albomarginatus Bohem. *l. c. VII. 1. p. 435.* Hungaria.
algirus Linn. *Syst. nat. ed. X. p. 380.* M.
angustatus Fabr. *Syst. Ent. p. 135.* — Panz. *Fn. Germ. 42. 12.* — Bohem. *Schh. Gen. Curc. III. p. 43.* — ♀ Perris. *Ann. Fr. 1848. p. 147. t. 7. I.* Algeria.
pulvereus Oliv. *Encycl. méth. V. p. 564.* Carniolia.
pulverulentus Rossi. *Fn. Etr. I. p. 111.* Italia.
subangustatus Motsch. *Bull. Mosc. 1849. III. p. 137.* Hispania.
var. *ferrugatus* Fabr. *Ent. Syst. I. 2. p. 416.* „
amphora Fabr. *Syst. El. II. p. 502.* Algeria.
anguiculus Bohem. *Schh. Gen. Curc. III. p. 11.* Graecia.
♂ *lineatus* Bohem. *l. c. p. 12; VII. 1. p. 422.* Aegyptus.
anguinus Linn. *Syst. nat. ed. XII. p. 610.* — Panz. *Fn. Germ. 42. 11.* — Bohem. *Schh. Gen. Curc. III. p. 11.* Italia.
bufo Herbst. *Käf. VI. t. 73. f. 7.* Gallia mer.
mucronatus Fabr. *Ent. Syst. I. 2. p. 415.* Barbaria.
octolineatus Dahl. *Dej. Cat. 3. ed. p. 295.* Dalmatia.
angusticollis Bohem. *Schh. Gen. Curc. III. p. 83.* Gallia mer.
angustus Herbst. *Käf. VI. p. 45. t. 62. f. 3.* Germania.
crassipes Meg. *in litt.* „
seniculus Bohem. *Schh. Gen. Curc. III. p. 91.* Persia.

antennatus Motsch. *Etud. ent. II. 1853. p. 49.* — Peking.
appendiculatus Bohem. *Schh. Gen. Curc. VII. 1. p. 447.* — Brasilia.
arundinis Thunb. *Nov. Act. Ups. VII. p. 113.* — Incert sedis.
ascanii Linn. *Syst. nat. ed. XII. p. 610.* — Panz. *Fn. Germ. 42. 13.* — Bohem. *Schh. Gen. Curc. III. p. 25.* — M.
ascanioides Comolli. *Col. Prov. Novoc. 1837. p. 34.* — Villa. *Col. Eur. dupl. 1833. p. 25.* — Lombardia.
Jurinei Dahl *in litt.* — „
auctus Lec. *Ent. Report. 1857. p. 57.* — Oregon.
augurius Bohem. *Schh. Gen. Curc. III. p. 19.* — Algeria.
auricillatus Bohem. *l. c. VII. 1. p. 35.* — Cap bon. spei.
auriculatus Sahlb. *Spec. Ins. I. p. 40.* — Bohem. *Schh. Gen. Curc. III. p. 52.* — Dej. *Cat. 3. ed. p. 296.* — „
indistinctus Buquet. *Dej. Cat. l. c.* — Java.
auritus Bohem. *Schh. Gen. Curc. III. p. 18.* — Sierra Leona.
australis Boisd. *Voy. Astrol. II. 1835. p. 404.* — Dej. *Cat. 3. ed. p. 295.* — Nov. Guinea.
baculus Gerstäck. *Wiegm. Arch. 1871 I. p. 73.* — Kilimandsch.
bambalio Germ. *Ins. Spec. nov. p. 392.* — Brasilia.
barbarus Bohem. *Schh. Gen. Curc. VII. 1. p. 432.* — Algeria.
basilaris Bohem. *l. c. p. 425.* — Mexico.
bicolor Oliv. *Ent. V. 83. p. 244. t. 30. f. 460. a-c.* — Bohem. *Schh. Gen. Curc. III. p. 66.* — Jacq. Duv. *Gen. Col. Curc. t. 17. f. 79.* — ♀ Goureau. *Ann. Fr. 1866. p. 173; 1868. Bull. p. 113. (forte.)* — Gallia mer.
ferrugatus Sturm. *Cat. 1826. p. 163.* — Germania.
lateralis Steph. *Ill. Brit. IV. p. 159.* — Anglia.
var. *cylindricus* Ramb. *Dej. Cat. 3. ed. p. 296.* — Hispania.
„ *fumidus* Germ. *in litt.* — Bohem. *l. c. VII. 1. p. 469.* — Hungaria.
biimpressus Gylh. *Schh. Gen. Curc. III. p. 4.* — Sibiria occ.
bimaculatus Luc. *Expl. Alg. p. 441. t. 37. f. 5. a.* — Algeria.
algirus Fabr. *Syst. El. II. p. 503.* — „
binodulus Bohem. *Schh. Gen. Curc. III. p. 52.* — Illig. *Dej. Cat. 3. ed. p. 296.* — Java.
albolineatus Dej. *Cat. l. c.* — „
pica Oliv. *Ent. V. 83. p. 248. t. 30. f. 445.* — „
binotatus Bohem. *Schh. Gen. Curc. III. p. 71.* — Incert. sedis.
brachyrhinus Bohem. *l. c. VII. 1. p. 464.* — Calcutta.
brevicaudatus Luc. *Expl. Alg. p. 440. t. 37. f. 6. a-d.* — Algeria.
brevipes Bris. *Ann. Fr. 1866. p. 404.* — Escurial.
brevirostris Bohem. *Schh. Gen. Curc. III. p. 21.* — Hispania mer.
caffer Sparrm. *Act. Holm. I. 1785. p. 42. t. 2. f. 3.* — Herbst. *Käf. VI. p. 58. t. 62. f. 14.* — Gylh. *Schh. Gen. Curc. III. p. 98.* — Cap bon. spei.
aethiopicus Oliv. *Encycl. méth. V. p. 563.* — „
coriaceus Klug *in litt.* — „
rudis Klug. *Dej. Cat. 3. ed. p. 296.* — „
calandroides Randall. *Bost. Journ. II. p. 25.* — Massachussett
callosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 441.* — Port Natal.
canaliculatus Bohem. *l. c. VII. 1. p. 459.* — Cap bon. spei.
canescens Fisch. *Bull. Mosc. IX. p. 284.* — Bohem. *Schh. Gen. Curc. III. p. 8.* — Stev. *Dej. Cat. 3. ed. p. 295.* — Tauria.
niveus Parreyss. *Dej. Cat. l. c.* — „

carinaerostris Bohem. *Schh. Gen. Curc. VII. 1. p. 461.*	Cap bon. spei.
carinatus Bohem. *l. c. III. p. 34.*	Brasilia.
carinellus Bohem. *l. c. VII. 1. p. 452.*	„
carinicollis Bohem. *l. c. p. 448.*	„
castellanus Chevrol. *Rev. Zool. 1866. p. 28.*	Valladolid.
Chawneri Wollast. *Ins. Mader. 1854. p. 350.*	Madera.
cheiranthi Wollast. *l. c. p. 349.*	„
cinerascens Schönh. *Ménétr. Cat. rais. 1832. p. 221.* — Bohem. *Schh. Gen. Curc. III. p. 89.*	Tauria.
cinnabarinus Waltl. *Reis. Span. II. p. 80.*	Hispania.
circumcinctus Bohem. *Schh. Gen. Curc. III. p. 61.* — Falderm. *Fn. transc. II. p. 226. t. 6. f. 11.*	Persia occ.
circumdatus Schönh. *Gen. Curc. III. p. 66.*	Germania.
coarctatus Klug. *Abhandl. Berl. Ac. 1. 1833. p. 198.* — Gerstäck. *Wiegm. Arch. 1871. I. p. 73.*	Madagascar.
compressicollis Thoms. *Arch. ent. II. 1858. p. 131.*	Gabon.
rhomboidalis Bohem. *Schh. Gen. Curc. VII. 1. p. 462.*	Guinea.
coarcticollis Bohem. *l. c. p. 453.*	Brasilia.
concavus Say. *Descr. of Curc. of N. Am. p. 14.* — Bohem. *Schh. Gen. Curc. III. p. 57.*	Indiana.
var. *cinerarius* Dej. *Cat. 3. ed. p. 296.*	„
conicollis Bohem. *l. c. p. 90.*	Turcia.
connivens Gylh. *Schh. l. c. p. 5; Nouv. Mém. Mosc. VI. 1839. p. 27.*	Caucasus.
consenescens Bohem. *Schh. Gen. Curc. III. p. 88.*	Tauria.
constrictus Bohem. *l. c. p. 78.*	„
contractus Gemming. *Col. Heft. VIII. 1871.*	Algeria.
coarctatus Luc. *Expl. Alg. p. 442. t. 37. f. 7. a-c.*	„
costalis Bohem. *Schh. Gen. Curc. III. p. 47.*	Caffraria.
cretaceus Chevrol. *Rev. Zool. 1866. p. 28.*	Valladolid.
creteopictus Wollast. *Col. Hesperid. 1867. p. 129.*	S. Jago.
cribricollis Bohem. *Schh. Gen. Curc. III. p. 44.* — Dej. *Cat. 3. ed. p. 295.*	Gallia.
acetosellae Chevrol. *in litt.*	Sicilia.
ferrugatus Oliv. *Ent. V. 83. p. 245. t. 7. f. 79. a-b.*	„
cylindraceus Bohem. *Schh. Gen. Curc. III. p. 57.*	Cap bon. spei.
filiformis Nordm. *in litt.*	„
cylindricus Herbst. *Füssl. Arch. IV. 1784. p. 71.*	M.
bardanae Fabr. *Mant. I. p. 104.* — Herbst. *Käf. VI. p. 46. t. 62. f. 4.* — Bohem. *Schh. Gen. Curc. III. p. 81.* — ♀ Dieckhoff. *Stett. Zeit. 1844. p. 384.*	Suecia.
torquatus Towns. *Travel. Hung. 1797. p. 474. t. 12. f. 7.*	Hungaria.
var. *rufescens* Besser. *i. litt.* — Bohem. *l. c. p. 82.*	Podolia.
cylindroides Sparrm. *Act. Holm. 1785. p. 41. t. 2. f. 1.* — Schönh. *Gen. Curc. III. p. 44.*	Cap bon. spei.
cylindrus Fabr. *Spec. Ins. I. p. 172.*	Hungaria.
acupictus Villa. *Col. Eur. dupl. Suppl. 1833. p. 36.*	Lombardia.
cylindricus Fabr. *Mant. I. p. 103.* — Oliv. *Ent. V. 83. p. 246. t. 10. f. 123.* — Bohem. *Schh. Gen. Curc. III. p. 16.*	Gallia mer.
cynarae Graëlls. *Mem. Map. Geol. 1858. p. 86. t. 5. f. 2. a-b.*	Castilia.

defloratus Oliv. *Ent. V. 83. p. 178. t. 22. f. 293.*	Madagascar.
fascicularis d'Urville. *Dej. Cat. 3. ed. p. 296.*	„
depressus Bohem. *Schh. Gen. Curc. VII. 1. p. 467.*	Mexico.
desertorum Gebl. *Ledeb. Reis. II. 3. p. 171.* — Bohem. *Schh. Gen. Curc. III. p. 29.*	Sibiria.
discolor Bohem. *l. c. p. 97.*	Cap bon. spei.
pollinosus Klug *in litt.*	„
divaricatus Motsch. *Etud. ent. IX. 1860. p. 20.*	Japonia.
dorsalis Reiche. *Galin. Voy. Abyss. 1850. p. 387. t. 24. f. 4.* — Dej. *Cat. 3. ed. p. 296.*	Abyssinia.
Dregei Bohem. *Schh. Gen. Curc. VII. 1. p. 456.*	Cap bon. spei.
Duponti Schönh. *l. c. p. 478.*	Nov. Guinea.
farinosus Boisd. *Voy. Astrol. II. 1835. p. 406.*	„
elegantulus Bohem. *Schh. Gen. Curc. VII. 1. p. 441.* — Dahl. *Dej. Cat. 3. ed. p. 295.*	Banat.
elongatus Germ. *Ins. Spec. nov. p. 395.*	„
fasciculatus Bohem. *Schh. Gen. Curc. III. p. 80.* — Gebl. *Dej. Cat. 3. ed. p. 296.*	Sibiria.
Eschscholtzi Bohem. *Schh. Gen. Curc. III. p. 30.*	„
Eversmanni Hochh. *Bull. Mosc. 1847. II. p. 530.*	Armenia.
excavaticollis Bohem. *Schh. Gen. Curc. VII. 1. p. 451.*	Brasilia.
fallax Bohem. *l. c. p. 446.*	Gallia mer.
lineatus Sturm *in litt.*	„
farinosus Bohem. *Schh. Gen. Curc. III. p. 36.*	Brasilia.
favens Bohem. *l. c. p. 87.*	Persia.
filiformis Fabr. *Spec. Ins. I. p. 172.* — Oliv. *Ent. V. 83. p. 246. t. 16. f. 198. a-b.* — Bohem. *Schh. Gen. Curc. III. p. 76.* — ♀ Dieckhoff. *Stett. Zeit. 1844. p. 384.*	M.
angustus Herbst. *Käf. VI. p. 45. t. 62. f. 3. (forte.)*	Germania.
haematocerus Germ. *Reis. Dalm. p. 231.*	Dalmatia.
var. *bardanae* Panz. *Fn. Germ. 18. 3.*	Gallia.
fimbriolatus Bohem. *Schh. Gen. Curc. III. p. 42.*	Mexico.
cavicollis Chevrol. *Dej. Cat. 3. ed. p. 296.*	„
flaveolus Motsch. *Bull. Mosc. 1849. III. p. 138.*	Hispania.
flavescens Bohem. *Schh. Gen. Curc. III. p. 74.*	Hungaria.
flavicornis Bohem. *l. c. VII. 1. p. 465.*	Cap bon. spei.
furcatus Oliv. *Ent. V. 83. p. 237. t. 21. f. 286.*	Georgia russ.
geminatus Bohem. *Schh. Gen. Curc. VII. 1. p. 419.*	Corsica.
Germari Bohem. *l. c. p. 455.*	Mexico.
gracilis Bohem. *l. c. III. p. 60.*	Cap bon. spei.
tubulus Dej. *Cat. 3. ed. p. 296.*	„
guttiventris Bohem. *Schh. Gen. Curc. VII. 1. p. 469.*	Sicilia.
var. *affinis* Chevrol. *in litt.* — Bohem. *l. c.*	Algeria.
haerens Bohem. *l. c. III. p. 49.*	Cap bon. spei.
helvolus Bohem. *l. c. VII. 1. p. 454.*	Brasilia.
hirticollis Ménétr. *Mém. Ac. Petr. VI. 1849. p. 262.*	Agathma.
hottentottus Bohem. *Schh. Gen. Curc. VII. 1. p. 457.*	Cap bon. spei.
hypocritus Chevrol. *Rev. Zool. 1866. p. 27.*	Aranjuez.
ignavus Thoms. *Arch. ent. II. 1858. p. 130.*	Gabon.
immundus Bohem. *Res. Eugen. 1859. p. 128.*	Sidney.
impressicollis Bohem. *Schh. Gen. Curc. III. p. 35.* — Dej. *Cat. 3. ed. p. 295.*	Brasilia.
impressus Sahlb. *Thon. Arch. II. 1. 1829. p. 21.* — Schönh. *Gen. Curc. III. p. 37.*	„

brasiliensis Dej. *Cat. 1. ed. p. 97.*	Brasilia.
hirticaudis Germ. *Ins. Spec. nov. p. 393.*	"
incanescens Bohem. *Schh. Gen. Curc. III. p. 90; Nour. Mém. Mosc. VI. 1839. p. 28.*	Caucasus.
inops Bohem. *Schh. Gen. Curc. III. p. 15.* — Falderm. *Fn. transc. II. p. 218. t. 6. f. 12.*	Algeria.
Tatariae Stev. *Mus. Mosq. II. p. 97.*	Tataria.
var. *cachrydis* Ramb. *Dej. Cat. 3. ed. p. 295.*	Hispania mer.
" *inops* Schönh. *Ménétr. Cat. rais. p. 222.*	Caucasus.
inquinatus Bohem. *Schh. Gen. Curc. III. p. 72.*	"
iridis Oliv. *Ent. V. 83. p. 239. t. 9. f. 106.*	M.
appendiculatus Sturm. *Dej. Cat. 3. ed. p. 295.*	Germania.
{ *gemellatus* Gylh. *Schh. Gen. Curc. III. p. 6.* — ♀ Schmidt. *Stett. Zeit. 1842. p. 273. f. 3-8.*	"
{ *paraplecticus* Steph. *Ill. Brit. IV. p. 157.*	Anglia.
paraplecticus Panz. *Fn. Germ. 6. 15.*	Germania.
pulverulentus Sturm. *Cat. 1826. p. 163.*	Italia.
recurvatus Schönh. *in litt.*	Persia.
turbatus Gylh. *Ins. Suec. IV. p. 553; Schh. Gen. Curc. III. p. 5.* — Jacq. Duv. *Gen. Col. Curc. t. 16. f. 75.* — ♀ Eversm. *Bull. Mosc. 1843. III. p. 530. t. 8. f. 1—5.*	Suecia.
var. { *incarnatus* Gylh. *Schh. l. c. p. 7.*	Dalmatia.
var. { *rubidus* Sturm. *Cat. 1843. p. 207.*	"
var. { *rubiginosus* Dahl *i. litt.*	"
var. { *angustatus* Ulrich. *Dej. Cat. l. c.*	Illyria.
irresectus Bohem. *Schh. Gen. Curc. VII. 1. p. 474.*	Charkov.
junci Bohem. *l. c. III. p. 65.* — Dahl. *Dej. Cat. 3. ed. p. 296.* — ♀ Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 133.*	Sardinia.
Karelini Bohem. *Schh. Gen. Curc. III. p. 22.*	Kirgisia.
denudatus Zubkoff. *Bull. Mosc. VI. p. 336. (forte.)*	"
Kolenatii Hochh. *Bull. Mosc. 1847. II. p. 533.*	Armenia.
laesicollis Lec. *Proc. Ac. Phil. IX. 1858. p. 78.*	Texas.
lateralis Panz. *Naturf. 24. p. 20. t. 1. f. 27.* — Bohem. *Schh. Gen. Curc. III. p. 70.*	Italia.
arctii Panz. *Ent. Germ. p. 309.*	"
lateralis Bris. *Ann. Fr. 1866. p. 406.*	Aranjuez.
Lefeburei Bohem. *Schh. Gen. Curc. III. p. 17.*	Sicilia.
lepidii Motsch. *Bull. Ac. Petr. 1860. II. p. 541.*	Turcomania.— Scapho
limbatus Bohem. *Schh. Gen. Curc. VII. 1. p. 427.* — Sturm. *Cat. 1843. p. 207.*	Mexico.
linearis Oliv. *Ent. V. 83. p. 248. t. 30. f. 461.*	Graecia.
lividus Brown. *Illustr. 1776. p. 129. t. 49. f. 8.* — Fabr. *Spec. Ins. I. p. 191.* — Herbst. *Käf. VI. p. 108. t. 67. f. 1.* — Bohem. *Schh. Gen. Curc. III. p. 41.*	Cap bon. spei.
ignavus Herbst. *Käf. VII. p. 8. t. 96. f. 2.*	"
histrionicus Sparrm. *Act. Holm. I. p. 48. t. 2. f. 17.*	"
longulus Bohem. *Schh. Gen. Curc. III. p. 39.* — Dej. *Cat. 3. ed. p. 295.*	Brasilia.
communis Klug. *Dej. Cat. l. c.*	"
loratus Germ. *Ins. Spec. nov. p. 393.*	"
lateralis Dej. *Cat. 3. ed. p. 295.*	"
limbatus Sturm. *Cat. 1826. p. 163.*	"
stupor Bohem. *Schh. Gen. Curc. III. p. 37.*	"

lycophorus Bohem. *Schh. Gen. Curc. III. p. 63.*	Caucasus.
manifestus Kirsch. *Berl. Zeit. 1868. p. 198.*	Bogotá.
marginatus Say. *Descr. of Curc. of N. Am. p. 13.* — Bohem. *Schh. Gen. Curc. III. p. 70.*	Amer. bor.
impressus Say *in litt.*	„
Marqueti Desbroch. *Mittheil. schwz. ent. Ges. VIII. 1870. p. 190.*	Béziers.
meles Bohem. *Schh. Gen. Curc. III. p. 23.*	Tataria.
merula Suffrian. *Wiegm. Arch. 1871. I. p. 168.*	Cuba.
mexicanus Bohem *Schh. Gen. Curc. VII. 1. p. 426.* — Dej. *Cat. 3. ed. p. 296.*	Mexico.
modestus Mannerh. *Bull. Mosc. 1843. II. p. 291.* — Dej. *Cat. 3. ed. p. 296.*	California.
adspersus Eschsch. *in litt.*	„
♂ *californicus* Motsch. *Bull. Mosc. 1845. IV. p. 378.* — Eschsch. *Dej. Cat. l. c.*	„
motacilla Schönh. *Ménétr. Cat. rais. p. 222.* — Bohem. *Schh. Gen. Curc. III. p. 14.* — Falderm. *Fn. transc. II. p. 215. t. 6. f. 13.*	Caucasus.
mucronatus Oliv. *Encycl. méth. V. 1790. p. 492; Ent. V. 83. p. 247. t. 16. f. 199. a-b.*	Gallia mer.
{ *acutus* Bohem. *Schh. Gen. Curc. VII. 1. p. 439.* — Dej. *Cat. 3. ed. p. 295.*	„
{ *bidentatus* Dahl. *Dej. Cat. l. c.*	Sicilia.
{ *deceptor* Dufour. *Dej. Cat. l. c.*	Hispania.
appendiculatus Dahl. *Dej. Cat. l. c.*	Sicilia.
Chevrolati Bohem. *l. c. p. 420.*	„
mucropherus Herbst. *Käf. VI. p. 63. t. 63. f. 4.*	„
venustulus Bohem. *l. c. III. p. 20.* — Dej. *Cat. 1. ed. p. 97.* — ♀ Dufour. *Ann. Fr. 1854. p. 656. t. 19. IV.*	Algeria.
musculus Say. *Descr. of Curc. of N. Am. p. 14.*	Louisiana.
myagri Oliv. *Ent. V. 83. p. 249. t. 30. f. 453.* — Bohem. *Schh. Gen. Curc. III. p. 30.* — ♀ Letzn. *Jahrsb. Schles. Ges. 1868. p. 141.*	M.
arundinis Frivald. *Sturm. Cat. 1843. p. 207.*	Germania.
diloris Germ. *N. Annal. Wetterau. Ges. I. p. 134; Ins. Spec. nov. p. 395.*	Hungaria.
marginemaculatus Bach. *Käf. Fn. 1854. p. 284.*	Germania.
pisanus Schneid. *in litt.*	Italia.
sabulosus Dej. *in litt.*	Gallia.
nanus Bohem. *Schh. Gen. Curc. III. p. 22.*	Hispania.
nebulifasciatus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 263.*	Ceylon.
nigritarsis Bohem. *Schh. Gen. Curc. III. p. 68.*	Europa mer.
Nordmanni Hochh. *Bull. Mosc. 1847. II. p. 529.*	Armenia.
nubilosus Bohem. *Schh. Gen. Curc. III. p. 48.*	Senegal.
nycterophorus Reiche. *Galin. Voy. Abyss. 1850. p. 388. t. 24. f. 3.*	Abyssinia.
ochraceus Bohem. *Schh. Gen. Curc. VII. 1. p. 436.* — Sturm. *Cat. 1843. p. 207.*	Dalmatia.
octolineatus Fabr. *Ent. Syst. I. 2. p. 416.* — Oliv. *Ent. V. 83. p. 241. t. 8. f. 89.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 422.*	Cap bon. spei.

orbitalis Bohem. *Schh. Gen. Curc. III. p. 68.* — Tauria.
pallens Bohem. *l. c. VII. 1. p. 458.* — Incert. sedis.
palpebratus Bohem. *l. c. III. p. 25.* — Algeria.
parallelus Bohem. *l. c. VII. 1. p. 429.* — Dej. *Cat. 3. ed. p. 295.* — Sicilia.
paraplecticus Linn. *Fn. Suec. ed. X. p. 380.* — Herbst. *Käf. VI. p. 42. t. 62. f. 1.* — Gylh. *Schh. Gen. Curc. III. p. 2.* — ♀ Degeer. *Mém. V. 1775. p. 227. t. 7. f. 3-9.* — M.
gracilis Dej. *Cat. 1. ed. p. 97.* — Gallia.
patruelis Dej. *Cat. 3. ed. p. 294.* — Italia.
phellandrii Degeer. *Mém. V. p. 224. t. 7. f. 8.* — Germania.
productus Steph. *Ill. Brit. IV. p. 158.* — Anglia.
pardalis Bohem. *Schh. Gen. Curc. III. p. 77.* — Lusitania.
peregrinus Bohem. *l. c. p. 31.* — Sibiria.
perparvulus Desbroch. *Mittheil. Schwz. ent. Ges. 1870. p. 190.* — Toulouse.
pica Fabr. *Ent. Syst. Suppl. p. 167.* — Ile de France.
irroratus Bohem. *Schh. Gen. Curc. III. p. 53.* — Java.
pinguis Gerstäck. *Wiegm. Arch. 1871. I. p. 73.* — Aruscha.
pistrinarius Bohem. *Schh. Gen. Curc. III. p. 64.* — Russia mer.
pleuralis Lec. *Proc. Ac. Phil. IX. 1858. p. 78.* — Gila.
pollinosus Germ. *Reis. Dalm. 1817. p. 230; Ins. Spec. nov. p. 394.* — Bohem. *Schh. Gen. Curc. III. p. 75.* — ♀ Frauenf. *Verh. zool. bot. Ver. Wien. 1863. p. 1229.* — M.
cardui Oliv. *Ent. V. 83. p. 250. t. 30. f. 454. (forte.)* — Gallia.
polensis Frivald. *Dej. Cat. l. c.* — Istria.
tigrinus Meg. *Dej. Cat. 1. ed. p. 97.* — Hungaria.
trilineatus Dahl. *Sturm. Cat. 1826. p. 164.* — Styria.
porcatus Bohem. *Schh. Gen. Curc. VII. 1. p. 424.* — Mexico.
poricollis Mannerh. *Bull. Mosc. 1843. II. p. 291.* — Eschsch. *Dej. Cat. 3. ed. p. 295.* — California.
praepotens Bohem. *Schh. Gen. Curc. III. p. 62.* — Mexico.
pulvinatus Bohem. *l. c. p. 38.* — Brasilia.
pulvisculosus Bohem. *l. c. p. 56.* — Aegyptus.
punctatus Fisch. *Cat. Col. Karel. 1843. p. 24.* — Sibiria.
puncticollis Bris. *Ann. Fr. 1866. p. 403.* — Escurial.
punctirostris Bohem. *Schh. Gen. Curc. VII. 1. p. 445.* — Hungaria.
punctiventris Bohem. *l. c. III. p. 45.* — Caucasus.
pyrrhocnemis Bohem. *l. c. VII. 1. p. 473.* — Sibiria.
recurvus Oliv. *Ent. V. 83. p. 237. t. 21. f. 287.* — Georgia russ.
Rojasi Jekel. *Journ. of Ent. I. 1860. p. 13. nota.* — Venezuela.
vittatus Jekel. *Ann. Fr. 1857. p. 330.* — „
Rosenschoeldi Bohem. *Schh. Gen. Curc. VII. 1. p. 437.* — Lusitania.
rubellus Randall. *Bost. Journ. II. 1838. p. 41.* — Massachussett
rubicundus Zubkoff. *Bull. Mosc. VI. 1833. p. 335.* — Turcomania.
Zubkoffi Bohem. *Schh. Gen. Curc. III. p. 86.* — „
ruficornis Bohem. *l. c. p. 28.* — Europa mer.
rufitarsis Bohem. *l. c. p. 78.* — Gallia mer.
angustatus Dahl *in litt.* — Corfu.
filiformis Dej. *Cat. 1. ed. p. 97.* — „
minutus Parreyss. *Dej. Cat. 3. ed. p. 296.* — „
rufulus Bohem. *Schh. Gen. Curc. III. p. 92.* — Graecia.
bicolor Panz. *Fn. Germ. 18. 4.* — Germania.

rugicollis Bohem. *Schh. Gen. Curc. III. p. 99.*	Cap bon. spei.
salsolae Becker. *Bull. Mosc. 1867. I. p. 113.*	Sarepta.
sanguineus Rossi. *Fn. Etr. Mant. I. p. 36. t. 5. f. J.* — Bohem. *Schh. Gen. Curc. III. p. 26.*	Italia.
sardiniensis Bohem. *l. c. VII. 1. p. 470.*	Sardinia.
scabricollis Bohem. *l. c. p. 438.*	Barbaria.
Schönherri Redtenb. *Reis. Novar. II. p. 158. t. 4. f. 11.*	Cap bon. spei.
scolopax Bohem. *Schh. Gen. Curc. III. p. 79.* — Dej. *Cat. 3. ed. p. 296.*	Dalmatia.
scrobicollis Bohem. *l. c. p. 84.*	Amer. bor.
lateralis Say. *Descr. of Curc. of N. Am. p. 14.*	"
sericatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 439.*	Port Natal.
seriesignatus Bohem. *l. c. III. p. 96.*	Java.
siculus Bohem. *l. c. p. 9.* — Dej. *Cat. 3. ed. p. 295.*	Sicilia.
simplex Bohem. *l. c. VII. 1. p. 443.*	Mexico.
sinuatus Motsch. *Bull. Mosc. 1849. III. p. 139.*	Russia mer.
sitta Sahlb. *Thon. Arch. II. 1. 1829. p. 21. t. 2. f. 11.* — Bohem. *Schh. Gen. Curc. III. p. 15.*	Iberia.
ravicularis Boeber. *Sturm. Cat. 1826. p. 163.*	"
spartii Oliv. *Ent. V. 83. p. 251. t. 21. f. 284.* — Bohem. *Schh. Gen. Curc. III. p. 63.*	Gallia mer.
scoparii Oliv. *Dej. Cat. 1. ed. p. 97.*	Lusitania.
speciosus Mill. *Wien. ent. Monatschr. 1861. p. 208.*	Syria.
spectabilis Bohem. *Schh. Gen. Curc. III. p. 40.* — Klug. *Dej. Cat. 3. ed. p. 295.*	Cap bon. spei.
spinimanus Bohem. *l. c. p. 95.*	Sierra Leona.
striatellus Fabr. *Ent. Syst. I. 2. p. 415.* — Oliv. *Ent. V. 83. p. 240. t. 30. f. 459.*	Algeria.
Sturmi Bohem. *Schh. Gen. Curc. III. p. 94.*	Madagascar.
subacutus Bohem. *l. c. VII. 1. p. 449.*	Brasilia.
subcaudatus Bohem. *l. c. p. 428.* — Sturm. *Cat. 1843. p. 207.*	Mexico.
ligatus Klug *in litt.*	"
subfasciatus Bohem. *l. c. III. p. 50.*	Caffraria.
submaculatus Bohem. *l. c. VII. 1. p. 440.*	Tanger.
{ *brevicaudis* Küst. *Käf. Eur. 17. 79.* — Sturm. *Cat. 1843. p. 207.*	Sardinia.
{ *bidens* Dahl *in litt.*	"
subtilis Bohem. *Schh. Gen. Curc. III. p. 73.* — Sturm. *Dej. Cat. 3. ed. p. 296.*	Banat.
Dahli Dej. *Cat. l. c.*	Italia.
gracilis Dahl. *Dej. Cat. l. c.*	Tauria.
subulipennis Bohem. *Schh. Gen. Curc. III. p. 33.*	Podolia.
suetus Bohem. *l. c. VII. 1. p. 444.*	Sibiria occ.
sulcatus Kirsch. *Berl. Zeit. 1868. p. 199.*	Bogotá.
sulcirostris Gerstäck. *Wiegm. Arch. 1871. 1. p. 73.*	Lac. Jipe.
sulphuratus Bohem. *Schh. Gen. Curc. III. p. 74.* — Falderm. *Fn. trans. II. p. 219.*	Sicilia.
superciliosus Bohem. *l. c. p. 27.*	Lusitania.
sylvius Bohem. *l. c. VII. 1. p. 430.*	Carolina.
tardus Suffr. *Wiegm. Arch. 1871. I. p. 166.*	Cuba.
tasmanicus Germ. *Linn. Ent. III. 1848. p. 220.*	Adelaida.
tenuicollis Bohem. *Schh. Gen. Curc. III. p. 46.*	Cap bon. spei.
tenuirostris Bohem. *l. c. VII. 1. p. 421.*	Sicilia.

teretiusculus Bohem. *Schh. Gen. Curc. III. p. 100.*	Cap bon. spei.
tibialis Bohem. *l. c. VII. 1. p. 476.*	Italia.
torvus Bohem. *l. c. III. p. 16.*	Senegal.
tricostalis Thunb. *Act. Ups. VII. p. 113.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 434.*	Cap bon. spei.
tristis Bohem. *l. c. III. p. 82.*	Tauria.
truncatulus Fabr. *Ent. Syst. Suppl. p. 167.* — Gylh. *Schh. Gen. Curc. III. p. 54.*	India or.
umbellatarum Fabr. *Mant. I. p. 103.* — Bohem. *Schh. Gen. Curc. VII. 1. p. 442.*	Barbaria.
uniformis Bohem. *l. c. p. 475.*	Madagascar.
varicolor Bohem. *l. c. III. p. 65; VII. 1. p. 468.* — Dahl. *Dej. Cat. 3. ed. p. 296.*	Italia.
vectiformis Wollast. *Ins. Mader. 1854. p. 351.*	Madera.
vetula Fabr. *Ent. Syst. I. 2. p. 460.*	Tranquebar.
conicus de Haan *in litt.*	Java.
foveolatus Bohem. *Schh. Gen. Curc. III. p. 51.*	„
vibex Pall. *Jc. p. 32. t. B. f. 13.* — Herbst. *Käf. VI. p. 55. t. 62. f. 11.* — Gebl. *Bull. Mosc. 1841. IV. p. 624.*	Sibiria.
vitis Rossi. *Fn. Etr. I. p. 120.* — Bohem. *Schh. Gen. III. p. 69.*	Italia.
virens Bohem. *l. c. p. 85.*	Tataria.
vittatus Motsch. *Bull. Mosc. 1845. I. p. 102.*	Kirgisia.
vittiger Chevrol. *Guér. Jc. règn. anim. p. 144. t. 37. f. 10.*	Crimea.
volvulus Fabr. *Ent. Syst. Suppl. p. 167.*	India or.
vulneratus Bohem. *Schh. Gen. Curc. II. p. 201; III. p. 46.*	Sierra Leona.
Wagneri Luc. *Expl. Alg. p. 436. t. 36. f. 3. a-c.*	Algeria.
Wahlbergi Bohem. *Schh. Gen. Curc. VIII. 2. p. 440.*	Port Natal.

233

Ileomus

εἰλέω, coarcto; ὦμος, humerus.

Schönherr. *Disp. meth. 1826. p. 220.*

distinguendus Bohem. *Schh. Gen. Curc. VII. 2. p. 3.*	Mexico.
{ *distinctus* Chevrol. *Dej. Cat. 3. ed. p. 297.*	„
{ *mexicanus* Dej. *Cat. l. c.*	„
longulus Bohem. *l. c. p. 2.*	Brasilia.
mucoreus Linn. *Mus. Lud. Ulr. p. 53.* — Bohem. *l. c. p. 1.*	„
adspersus Fabr. *Mant. Ins. I. p. 106.*	Surinam.
pulverulentus Oliv. *Ent. V. 83. p. 255. t. 8. f. 98.*	Cayennae.
roreus Fabr. *Ent. Syst. I. 2. p. 427.* — Germ. *Ins. Spec. nov. p. 381.*	Brasilia.
{ *sulphuratus* Panz. *ed. Voet. IV. p. 65. t. 38. f. 36.*	„
{ *nebulosus* Voet. *Cat. Syst. II. p. 51. t. 38. f. 36.*	„
pacatus Gylh. *Schh. Gen. Curc. III. p. 146; Nouv. Mém. Mosc. VI. 1839. p. 33.* — Lacord. *Gen. Col. VI. 1863. p. 441.*	Caucasus.
peruanus Erichs. *Wiegm. Arch. 1847. I. p. 129.*	Peru.

5

Peribleptus

περίβλεπτος, conspicuus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 192.*

Dehaani Fåhrs. *Schh. Gen. Curc. VI. 2. p. 57.* Java.
scalptus Bohem. *Schh. l. c. VII. 2. p. 193.* — Lacord. *Gen. Atl. VII. t. 70. f. 3. a.* Himalaya.
2

Taractes

ταράκτης, turbulentus.

Kirsch. *Berl. Ent. Zeit. 1868. p. 196.*

chelidon Kirsch. *Berl. Zeit. 1868. p. 197.* Bogotá.
1

Paepalosomus

παιπάλη, pollen; σῶμα, corpus.

Schönherr. *Mantiss. sec. Curcul. 1847. p. 69. (emend.)*

Alcides Boisduval. — *Paipalesomus* Schönh.

dealbatus Boisd. *Voy. Astrol. II. 1835. p. 425.* — Lacord. *Gen. Col. VI. 1863. p. 445. note 2.* Nov. Guinea.
pistrinarius Schönh. *Mant. sec. p. 70. (indscrpt.)* Lacord. *Gen. Atl. VII. t. 70. f. 4. a-b.* Manilla.
Spec. duae incd. Lacord. *Gen. Col. VI. 1863. p. 445. not. 2.* India or.
3

Pacholenus

παχὺς, crassus; ὠλένη, ulna.

Schönherr. *Disp. meth. 1826. p. 216.*

pelliceus Bohem. *Schh. Gen. Curc. III. p. 101.* Brasilia.
penicillus Bohem. *l. c. p. 102.* ,,
2

Pileophorus

πίλεος, pileus; φέρω, fero.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 148.*

nictitans Bohem. *Schh. Gen. Curc. VII. 2. p. 149.* — Lacord. *Gen. Atl. VII. t. 70. f. 5. a-d.* Brasilia.
1

Sternuchus

στέρνον, sternum; ἔχω, habeo.

Schönherr. *Disp. meth. 1826. p. 251. (emend.)*

Brachysoma Dejean. — *Orobitis* Germar. — *Sternechus* Schönh.

caliginosus Bohem. *Schh. Gen. Curc. VII. 2. p. 357.* Brasilia.
candidus Guér. *Jc. règn. anim. p. 146.* „
decemmaculatus Guér. *l. c.* „
denudatus Bohem. *Schh. Gen. Curc. VII. 2. p. 361.* — Sturm. *Cat. 1843. p. 214.* Mexico.
egenus Bohem. *l. c. p. 355.* Brasilia.
extortus Chevrol. *Col. Mex. Cent. I. fasc. 1. 1833. nr. 18.* Mexico.
firmus Bohem. *Schh. Gen. Curc. VII. 2. p. 358.* Brasilia.
fuscoaeneus Bohem. *l. c. p. 354.* „
Guerini Bohem. *l. c. p. 353.* „
costatus Blanch. *Voy. d'Orb. t. 17. f. 6.* Bolivia.
hamatus Bohem. *l. c. III. p. 473.* Brasilia.
armatus Sturm. *Cat. 1826. p. 184.* „
dentatus Dej. *Cat. 3. ed. p. 306.* „
inconditus Bohem. *Schh. Gen. Curc. VII. 2. p. 360.* „
insularis Bohem. *l. c. p. 356.* — Suffr. *Wiegm. Arch. 1871. I. p. 165.* Cuba.
irroratus Bohem. *l. c. p. 359.* Brasilia.
oculatus Montrouz. *Ann. Fr. 1860. p. 886. (alt. gen.)* Lifu.
russatus Bohem. *l. c. III. p. 475.* Brasilia.
Sahlbergi Bohem. *l. c. p. 477.* Amer. mer.
subsignatus Bohem. *l. c. III. p. 476; VII. 2. p. 360.* „
trachyptomus Germ. *Ins. Spec. nov. p. 247.* — Gylh. *Schh. Gen. Curc. III. p. 473.* Brasilia.
asperatus Dej. *Cat. 3. ed. p. 306.* „
tuberculatus Bohem. *Schh. Gen. Curc. III. p. 474.* — Dej. *Cat. l. c.* Cayennae.
tuberosus Bohem. *Schh. l. c. VII. 2. p. 362.* Brasilia.
uncipennis Germ. *Ins. Spec. nov. p. 310.* „
21

Tylomus

τύλος, callus; ὦμος, humerus.

Schönherr. *Disp. meth. 1826. p. 253.*

cryptocephalus Bohem. *Schh. Gen. Curc. VII. 2. p. 367.* Brasilia.
gonopterus Germ. *Ins. Spec. nov. p. 246.* — Gylh. *Schh. Gen. Curc. III. p. 478.* „
pulverulentus Dej. *Cat. 3. ed. p. 306.* „
guttatus Germ. *Schh. Gen. Curc. VII. 2. p. 363.* „
leonculus Bohem. *l. c. p. 365.* „
pertusus Bohem. *l. c. p. 366.* „
pollinosus Bohem. *l. c. p. 364.* Mexico.
rubiginosus Erichs. *Schomb. Reis. III. 1848. p. 569.* Guyana.
7

Chrysolopus

χρύσος, aurum; λόπος, cortex.

Schönherr. *Disp. meth. 1826. p. 148.*

spectabilis Fabr. *Syst. Ent. p. 155.* — Herbst. *Käf. VI. p. 302. t. 95. f. 12.* — Bohem. *Schh. Gen. Curc. II. p. 247.* — Nov. Holland.

1

Lepyrus

λεπυρός, corticeus.

Schönherr. *Disp. meth. 1826. p. 167.*

Dirus Megerle.

arcticus Payk. *Fn. Suec. III. p. 221.* — Oliv. *Ent. V. 83. p. 288. t. 27. f. 395.* — Gylh. *Schh. Gen. Curc. II. p. 333.* — Lapponia.
lapponicus Gebl. *Dej. Cat. 3. ed. p. 285.* — „
var. *quadrinotatus* Bohem. *Schh. Gen. Curc. VI. 2. p. 295.* — Lacord. *Gen. Col. VI. 1863. p. 453. note 1.* — Irkutsk.
„ *variegatus* Schmidt.[1] *Jahresh. Krain. Landesm. 1856. p. 18.* — Lacord. *l. c.* — Carinthia.

capucinus Schall. *Abhandl. Ges. Hal. I. 1783. p. 283.* — M.
bimaculatus Oliv. *Ent. V. 83. p. 292. t. 35. f. 546.* — Gallia.
binotatus Fabr. *Ent. Syst. I. 2. p. 484.* — Rossi. *Fn. Etr. Mant. I. p. 39. t. 2. f. L.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 296.* — Jacq. Duv. *Gen. Col. Curc. t. 10. f. 46.* — Suecia.
coloniformis Schrank. *Naturf. 24. 1789. p. 73.* — Styria.
derasus Panz. *Fn. Germ. 57. 11.* — Germania.
semicolon Herbst. *Käf. VI. p. 151. t. 70. f. 5.* — Italia.

colon Linn. *Mant. plant. VI. 1771. p. 531.* — Panz. *Fn. Germ. 42. 2.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 295.* — M.
bipunctatus Fourcr. *Ent. Par. I. p. 118.* — Gallia.
palustris Scop. *Ent. Carn. p. 33.* — Carniolia.
var. *biguttatus* Dahl. *Dej. Cat. 3. ed. p. 285.* — Hungaria.
„ *canus* Sturm. *Cat. 1843. p. 200.* — Gylh. *Schh. Gen. Curc. II. p. 331.* — Germania.

gemellus Kirby. *Fn. Bor. Am. IV. 1837. p. 198. t. 5. f. 7.* — Mannerh. *Bull. Mosc. 1852. II. p. 351.* — Amer. bor.
lineatus Motsch. *in litt.* — Kadjak.

geminatus Say. *Descr. of Curc. N. Am. p. 12.* — Amer. bor.

nebulosus Motsch. *Schrenck. Reis. 1860. p. 165. t. 10. f. 18.* — Amur.

terrestris Motsch. *l. c. p. 165.* — Polonia.

7

Eudocimus

εὐδόκιμος, insignis.

Schönherr. *Gen. Curc. III. 1836. p. 240.*

Mannerheimi Bohem. *Schh. Gen. Curc. III. p. 241.* — Savannah.
inscriptus Mac Leay. *Dej. Cat. 3. ed. p. 299.* — „
1

Curculio

Nomen insecti.

Linné. *Syst. nat. ed. X. 1758. p. 377.*

Callirus Megerle. — *Hylobius* Germ. — *Pimelocerus* Dejean.

abietis Linn. *Syst. nat. ed. X. p. 383.* — Panz. *Fn. Germ. 42. 14.* — Gylh. *Schh. Gen. Curc. II. p. 334.* — Doebner. *Allgem. Forst. u. Jagdzeitg. 1863.* — ‡ Perris. *Ann. Fr. 1856. p. 431. t. 5. f. 343-48.* — M.
excavatus Schrank. *Fn. boic. I. p. 479.* — Germania.
juniperi Stroem. *Dansk. Vid. Selsk. Skrift. 1783. II. p. 56. f. 4.* — Dania.
norwegicus Petiv. *Gazoph. p. 14. t. 8. f. 9.* — Norwegia.
pini Marsh. *Ent. Brit. p. 289.* — Ratzeb. *Forstins. I. p. 106. t. 4. f. 11;* ‡ *p. 107. t. 4. f. 11. B.* — Anglia.
tigrinus Fourcr. *Ent. Par. I. p. 126.* — Gallia.
var. *pinastri* Gylh. *Ins. Suec. III. p. 168; Schh. Gen. Curc. II. p. 335.* — Germ. *Fn. Ins. Eur. 10. 10.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 373.* — Suecia.
albopunctatus Bohem. *Schh. Gen. Curc. II. p. 343; VI. 2. p. 301.* — Iberia.
albosparsus Bohem. *l. c. VIII. 2. p. 429.* — Motsch. *Schrenck. Reis. 1860. p. 164. t. 10. f. 17.* — Indega bay.
laricis Motsch. *in litt.* — Amur.
Alpheus Reiche. *Ann. Fr. 1857. p. 675; 1858. t. 1. f. 3.* — Kiesenw. *Berl. Zeit. 1864. p. 271.* — Graecia.
assimilis Bohem. *Schh. Gen. Curc. II. p. 345.* — Dej. *Cat. 3. ed. p. 285.* — Amer. bor.
capra Fabr. *Syst. El. II. p. 473.* — Bohem. *l. c. p. 341.* — Amer. mer.
capreolatus Bohem. *l. c. p. 342.* — Brasilia.
confusus Kirby. *Fn. Bor. Am. IV. 1837. p. 196.* — Canada.
fatuus Rossi. *Fn. Etr. I. p. 122.* Bohem. *Schh. Gen. Curc. II. p. 344.* — Sturm. *Cat. 1826. p. 156.* — Jacq. Duv. *Gen. Col. Curc. t. 11. f. 48.* — Germ. bor.
rugicollis Mannerh. *Humm. Ess. IV. 1825. p. 33.* — Bohem. *l. c. VI. 2. p. 299.* — Sibiria.
Gebleri Bohem. *l. c. II. p. 338.* — „
moestus Gebl. *Dej. Cat. 3. ed. p. 285.*
guttatus Bohem. *Schh. Gen. Curc. II. p. 346.* — Nov. Holland.
macilentus Bohem. *l. c. p. 338.* — Lacord. *Gen. Col. VI. 1863. p. 455. note.* — Bengal.
cinctus Dej. *Cat. 3. ed. p. 285.* — Java.

pales Herbst. *Käf. VII. p. 31. t. 99. f. 10.* — Bohem. *Schh. Gen. Curc. II. p. 340; VI. 2. p. 300.* — ♀ Harris. *Ins. of Massachus. 1841. p. 62.* — Massachussett.
americanus Dej. *Cat. 3. ed. p. 285.* — Amer. bor.
macellus Germ. *Ins. Spec. nov. p. 319.* — „
piceus Degeer. *Mém. V. 1775. p. 221.* — M.
confusus Payk. *Mon. Curc. 1792. p. 35.* — Suecia.
picatus Oliv. *Encycl. méth. V. 1790. p. 480.* — Sibiria.
pineti Fabr. *Ent. Syst. I. 2. p. 399.* — Herbst. *Käf. VI. p. 293. t. 82. f. 10.* — Gylh. *Schh. Gen. Curc. II. p. 333.* — Lapponia.
picivorus Germ. *Ins. Spec. nov. p. 311.* — Bohem. *Schh. l. c. II. p. 340.* — Kentucky.
scabrosus Sturm. *Cat. 1826. p. 119.* — „
tristis Dej. *Cat. 1. ed. p. 88.* — „
rugulosus Bohem. *Schh. Gen. Curc. II. p. 336.* — Gallia mer.
Sedakovii Hochh. *Bull. Mosc. 1851. I. p. 37.* — Sibiria.
stupidus Bohem. *Schh. Gen. Curc. II. p. 339.* — Georgia mer.
sulcipennis Bohem. *l. c. II. p. 346.* — Brasilia.
taeniatus Lec. *Entom. Report. 1857. p. 55.* — Sitkha.
torpidus Lec. *l. c. p. 55.* — Oregon.
verrucipennis Bohem. *Schh. Gen. Curc. II. p. 337.* — Falderm. *Fn. transc. II. p. 199. t. 5. f. 2.* — Persia.
22

Aclees

ἀκλεής, *ignobilis.*

Schönherr. *Gen. Curc. III. 1836. p. 238.*

cribratus Gylh. *Schh. Gen. Curc. III. p. 239.* — Dej. *Cat. 3. ed. p. 299.* — Java.
pertusus Sturm. *Cat. 1826. p. 126.* — „
Horsfieldi Chevrol. *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 456. note 1.* — „
pacca Fabr. *Syst. El. II. p. 473.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 132.* Lacord. *l. c. p. 457. note 3.* — Bengal.
porosus Jekel *in litt.* — Lacord. *l. c. p. 456. note 1.* — „
4

Paramecops

παραμήκης, *oblongus;* ὤψ, *oculus.*

Schönherr. *Disp. meth. 1826. p. 224.*

farinosa Wiedem. *Germ. Mag. IV. 1821. p. 157.* — Gylh. *Schh. Gen. Curc. III. p. 255.* — Bengal.
1

Epistrophus

ἐπίστροφος, *reversus.*

Kirsch. *Berl. Ent. Zeit. 1868. p. 200.*

tumidus Kirsch. *Berl. Zeit. 1868. p. 201.* — Bogotá.
1

Alphitopis

ἄλφιτον, farina; ὤψ, aspectus.

Pascoe. *Trans. ent. Soc. 1870. p. 191.*

nivea Pascoe. *Trans. ent. Soc. 1870. p. 191. t. 5. f. 14. a-c.* Champion bay.
1

Hilipus

εἰλίπους, flexipes.

Germar. *Ins. Spec. nov. 1824. p. 399. (emend.)*

Heilipus Germ.

acatium Bohem. *Schh. Gen. Curc. III. p. 233.* Brasilia.
acutissimus Bohem. *l. c. VII. 2. p. 113.* Cayennae.
affinis Guér. *Jc. règn. anim. p. 147.* Bolivia.
Ahrensi Bohem. *Schh. Gen. Curc. VII. 2. p. 80.* Mexico.
albosignatus Kirsch. *Berl. Zeit. 1868. p. 202.* Bogotá.
alternans Guér. *Jc. règn. anim. p. 152.* Columbia.
angulifer Bohem. *Schh. Gen. Curc. VII. 2. p. 87.* Brasilia.
annuliger Latr. *Humb. et Bonp. Voy. I. 1811. p. 227. t. 23. f. 7.* Amer. aequin.
apiatus Oliv. *Ent. V. 83. p. 171. t. 28. f. 424.* — Schönh. *Gen. Curc. VII. 2. p 40.* Cayennae.
adspersus Sturm. *Cat. 1826. p. 156.* „
farinosus Panz. *ed. Voet. IV. p. 49. t. 35. f. 1. (forte.)* Florida.
ascius Germ. *Ins. Spec. nov. p. 402. t. 2. f. 2.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 99.* — Lacord. *Gen. Col. VI. 1863. p. 457. note 4.* Brasilia.
asperulus Erichs. *Wiegm. Arch. 1847. I. p. 130.* Peru.
ater Kirsch. *Berl. Zeit. 1868. p. 204.* Bogotá.
Audouini Bohem. *Schh. Gen. Curc. III. p. 204.* Brasilia.
bajulus Erichs. *Wiegm. Arch. 1847. I. p. 130.* Peru.
balteatus Bohem. *Schh. Gen. Curc. VII. 2. p. 95.* Brasilia.
Bartelsi Bohem. *l. c. III. p. 230.* Amer. mer.
bellicosus Herbst. *Käf. VII. p. 48. t. 98. f. 6.* — Bohem. *l. c. p. 178.* Brasilia.
bidentatus Guér. *Jc. règn. anim. p. 152.* Bolivia.
bimaculatus Bohem. *Schh. Gen. Curc. VII. 2. p. 107.* Brasilia.
divisus Chevrol. *in litt.* „
bioculatus Bohem. *l. c. p. 49.* Mexico.
biplagiatus Guér. *Jc. règn. anim. p. 153.* Columbia.
biplagiatus Bohem. *Schh. Gen. Curc. VII. 2. p. 78.* Mexico.
biplagiatus Blanch. *Voy. d'Orb. p. 203. t. 18. f. 2.* Bolivia.
bipunctatus Bohem. *Schh. Gen. Curc. VII. 2. p. 34.* „
bisignatus Redtenb. *Reis. Novar. II. p. 159.* Chili.
Bohemani Guér. *Jc. règn. anim. p. 150.* Columbia.
Bohemani Bohem. *Schh. Gen. Curc. VII. 2. p. 42.* Brasilia.
Bonellii Bohem. *l. c. III. p. 169.* „
argus Sturm. *Cat. 1826. p. 184.* „
obscurus Sturm. *l. c.* „

brunneus Bohem. *Schh. Gen. Curc. III. p. 203.*	Brasilia.
Buqueti Guér. *Jc. règn. anim. p. 152.*	Bolivia.
cadivus Germ. *Ins. Spec. nov. p. 401.* — Bohem. *Schh. Gen. Curc. III. p. 227.*	Brasilia.
callosus Bohem. *l. c. VII. 2. p. 75.*	"
carinirostris Bohem. *l. c. III. p. 198.*	Surinam.
catagraphus Germ. *Ins. Spec. nov. p. 400.* — Bohem. *Schh. Gen. Curc. III. p. 155.*	Brasilia.
circumdatus Dej. *Cat. 3. ed. p. 297.*	"
cauterius Bohem. *Schh. Gen. Curc. VII. 2. p. 102.*	"
cadivus var. *β.* Bohem. *l. c. III. p. 227.*	"
celsus Bohem. *l. c. p. 177.*	Cayennae.
cestatus Bohem. *l. c. p. 218.*	Brasilia.
Chevrolati Guér. *Jc. règn. anim. p. 148.*	Columbia.
choicus Germ. *Ins. Spec. nov. p. 319.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 92.*	Brasilia.
adspersus Dej. *Cat. 3. ed. p. 297.*	"
tigrinus Klug. *Dej. Cat. l. c.*	"
clavipes Fabr. *Syst. El. II. p. 460.* — Bohem. *Schh. Gen. Curc. III. p. 176.*	Amer. mer.
commaculatus Bohem. *l. c. p. 216.*	Brasilia.
comtus Bohem. *l. c. VII. 2. p. 37.*	"
conspersus Oliv. *Ent. V. 83. p. 170. t. 14. f. 179.*	Cayennae.
roreus Herbst. *Käf. VI. p. 325. t. 85. f. 11.*	Surinam.
contaminatus Bohem. *Schh. Gen. Curc. VII. 2. p. 89.* — Dej. *Cat. 3. ed. p. 298.*	Cayennae.
coronatus Bohem. *l. c. III. p. 187.* — Dej. *Cat. l. c.*	"
femoratus Sturm. *Cat. 1826. p. 184.*	"
corruptor Bohem. *Schh. Gen. Curc. III. p. 220.*	Brasilia.
costalis Bohem. *l. c. p. 224.*	"
costirostris Bohem. *l. c. p. 223.*	"
crassirostris Guér. *Jc. règn. anim. p. 147.*	"
crispus Bohem. *Schh. Gen. Curc. VII. 2. p. 48.*	"
crocopelmus Bohem. *l. c. p. 28.*	"
cruciatus Chevrol. *Col. Mex. Cent. I. 1833. nr. 15.*	Mexico.
Schönherri Bohem. *Schh. Gen. Curc. III. 1836. p. 160.*	"
cultripes Erichs. *Wiegm. Arch. 1847. I. p. 130.*	Peru.
Cuvieri Bohem. *Schh. Gen. Curc. VII. 2. 1843. p. 82.*	Amer. mer.
Gyllenhali Guér. *Jc. règn. anim. p. 151.*	Bolivia.
cymba Bohem. *Schh. Gen. Curc. III. p. 232.*	Brasilia.
Dahlbomi Bohem. *l. c. III. p. 234.*	"
decussatus Bohem. *l. c. VII. 2. p. 93.*	Mexico.
Degeeri Bohem. *l. c. III. p. 205.*	Brasilia.
destructor Oliv. *Ent. V. 83. p. 185. t. 34. f. 516.* — Bohem. *l. c. VII. 2. p. 73.*	Cayennae.
laciniosus Buquet. *Dej. Cat. 3. ed. p. 298.*	"
miliaris Lacord. *Dej. Cat. l. c.*	"
difficilis Bohem. *Schh. Gen. Curc. VII. 2. p. 106.*	Columbia.
dimidiatus Bohem. *l. c. III. p. 167.*	Brasilia.
discoides Fabr. *Syst. El. II. p. 460.* — Bohem. *l. c. VII. 2. p. 27.*	Amer. mer.
dorsosulcatus Bohem. *l. c. p. 62.*	Brasilia.
dorsualis Bohem. *l. c. III. p. 196.*	Amer. mer.

draco Fabr. *Syst. El. II. p. 461.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 43.* — Suffrian. *Wiegm. Arch. 1871. I. p. 161.* — Amer. mer.
echinatus Bohem. *l. c. III. p. 186.* — Brasilia.
egenus Bohem. *l. c. p. 225.* — „
elegans Guér. *Jc. règn. anim. p. 148.* — Columbia.
erythrocephalus Bohem. *Schh. Gen. Curc. VII. 2. p. 32.* — Brasilia.
erythrorhynchus Germ. *Ins. Spec. nov. p. 323.* — Bohem. *l. c. p. 69.* — „
  rufirostris Dej. *Cat. 3. ed. p. 298.* — „
Esmarki Bohem. *Schh. Gen. Curc. VII. 2. p. 46.* — „
Faldermanni Bohem. *l. c. III. p. 215.* — „
  circularis Sturm. *Cat. 1826. p. 184.* — „
  oculatus Dej. *Cat. 3. ed. p. 299.* — „
fallax Bohem. *Schh. Gen. Curc. VII. 2. p. 53.* — „
famulus Bohem. *l. c. p. 47.* — „
fasciculatus Bohem. *l. c. p. 72.* — „
flammiger Germ. *Ins. Spec. nov. p. 321.* — Bohem. *l. c. p. 56.* — „
flavoplagiatus Steinheil. *Atti di Milan. 1872.* — San Luis.
fossifrons Kirsch. *Berl. Zeit. 1868. p. 203.* — Bogotá.
fossilis Thoms. *Arcan. nat. 1859. p. 129.* — Columbia.
Freyreissi Bohem. *Schh. Gen. Curc. III. p. 210; VII. 2. p. 110.* — Brasilia.
Friesi Bohem. *l. c. p. 183; l. c. p. 119.* — „
Gayi Bohem. *Schh. Gen. Curc. VII. 2. p. 112.* — „
Germari Bohem. *l. c. III. p. 199.* — „
  fasciatus Dej. *Cat. 3. ed. p. 298.* — „
  leucomelas Klug *in litt.* — Montevideo.
  potentator Germ. *in litt.* — Brasilia.
  subfasciatus Sturm. *Cat. 1826. p. 156.* — „
globulicollis Bohem. *Schh. Gen. Curc. VII. 2. p. 96.* — „
granellus Bohem. *l. c. p. 109.* — „
granicostatus Bohem. *l. c. p. 68.* — „
granulifer Bohem. *l. c. p. 94.* — „
griseus Philippi. *Stett. Zeit. 1860. p. 249.* — Chili.
guttatus Bohem. *Schh. Gen. Curc. VII. 2. p. 52.* — Sturm. *Cat. 1843. p. 209.* — Suffr. *Wiegm. Arch. 1871. I. p. 162.* — Cuba.
Hopei Bohem. *l. c. p. 40.* — Amer. mer.
Hummeli Bohem. *l. c. III. p. 228; VII. 2. p. 69.* — Brasilia.
hylobioides Bohem. *l. c. VII. 2. p. 97.* — „
Illigeri Bohem. *l. c. III. p. 174.* — „
immundus Kirsch. *Berl. Zeit. 1868. p. 205.* — Bogotá.
inaequalis Bohem *Schh. Gen. Curc. III. p. 211; VII. 2. p. 94.* — Brasilia.
ineptus Bohem. *l. c. p. 219; l. c. p. 98.* — „
integellus Bohem. *l. c. VII. 2. p. 44.* — Mexico.
interstinctus Bohem. *l. c. p. 55.* — Brasilia.
intricatus Bohem. *l. c. III. p. 193.* — „
jocosus Bohem. *l. c. p. 180.* — „
Lacordairei Bohem. *l. c. VII. 2. p. 118.* — Dej. *Cat. 3. ed. p. 268.* — Amer. mer.
lactarius Germ. *Ins. Spec. nov. p. 401. t. 2. f. 1.* — Bohem. *l. c. VII. 2. p. 27.* — Brasilia.

laesicollis Fairm. et Germ. *Col. Chil. 1860. p. 4.* Chili.
laevicollis Bohem. *Schh. Gen. Curc. VII. 2. p. 59.* Brasilia.
laqueatus Erichs. *Wiegm. Arch. 1847. I. p. 130.* Peru.
lateralis Oliv. *Ent. V. 83. p. 182. t. 5. f. 49.* — Bohem. *Schh. Gen. Curc. III. p. 182.* Brasilia.
marginalis Dej. *Cat. 3. ed. p. 298.* Cayennae.
latro Gylh. *Schh. Gen. Curc. III. p. 192.* Guadeloupe.
lauri Bohem. *Schh. l. c. VIII. 2. p. 443.* Mexico.
leoninus Bohem. *l. c. VII. 2. p. 84.* Brasilia.
leopardus Bohem. *l. c. III. p. 163.* Columbia.
letabilis Bohem. *l. c. VII. 2. p. 54.* Brasilia.
leucomelanostigma Bohem. *l. c. p. 116.* „
limus Kirsch. *Berl. Zeit. 1868. p. 202.* Bogotá.
lituratus Bohem. *Schh. Gen. Curc. VII. 2. p. 100.* Columbia.
loricatus Bohem. *l. c. p. 83.* Brasilia.
Waltli Schönh. *in litt. olim.* „
luctuosus Luc. *Casteln. Voy. 1859. p. 166.* „
maculosus Bohem. *Schh. Gen. Curc. III. p. 217.* „
margaritifer Bohem. *l. c. VII. 2. p. 70.* „
Marklini Bohem. *l. c. III. p. 179.* „
medioximus Bohem. *l. c. VII. 2. p. 31.* „
melanopus Perty. *Del. anim. 1830. p. 76. t. 15. f. 12.* „
maculatus Sturm. *Cat. 1826. p. 156.* „
meles Bohem. *Schh. Gen. Curc. III. p. 91.* „
mixtus Blanch. *Voy. d'Orb. p. 201. t. 16. f. 8.* Corrientes.
moestificus Bohem. *Schh. Gen. Curc. III. p. 168.* Brasilia.
mortuus Thoms. *Arcan. nat. 1859. p. 129.* „
multiguttatus Fabr. *Ent. Syst. I. 2. p. 428.* — Oliv. *Ent. V. 83. p. 182. t. 13. f. 163.* — Bohem. *Schh. Gen. Curc. III. p. 169.* Cayennae.
guttatus Sturm. *Cat. 1826. p. 156.* „
multisignatus Bohem. *l. c. p. 207.* — Dej. *Cat. 3. ed. p. 299.* „
muricatus Bohem. *l. c. p. 185.* Columbia.
myops Bohem. *l. c. p. 213.* Brasilia.
ocellatus Oliv. *Ent. V. 83. p. 183. t. 3. f. 31.* „
naevulus Mannerh. *Schh. Gen. Curc. III. p. 188.* „
nebulosus Dej. *Cat. 3. ed. p. 298.* „
Nisseri Bohem. *Schh. Gen. Curc. III. p. 173.* Columbia.
niveodecoratus Luc. *Casteln. Voy. 1859. p. 165.* Brasilia.
nodifer Bohem. *Schh. Gen. Curc. VII. 2. p. 74.* „
Norrisi Guér. *Ic. règn. anim. p. 148.* Columbia.
nubilosus Bohem. *Schh. Gen. Curc. III. p. 222.* Brasilia.
obliquus Bohem. *l. c. VII. 2. p. 101.* „
ocellatus Fabr. *Ent. Syst. I. 2. p. 432.* — Bohem. *Schh. Gen. Curc. III. p. 212.* Amer. mer.
bimaculatus Sturm. *Cat. 1826. p. 184.* Brasilia.
ochrifer Bohem. *Schh. Gen. Curc. VII. 2. p. 70.* „
Okeni Bohem. *l. c. III. p. 181.* „
onychinus Germ. *Ins. Spec. nov. p. 320.* — Bohem. *l. c. VII. 2. p. 69.* „
Orbignyi Guér. *Ic. règn. anim. p. 153.* Bolivia.
orientalis Motsch. *Bull. Mosc. 1866. I. p. 180.* Japonia.
Osculatii Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 593.* Amazon.

paleolifer Bohem. *Schh. Gen. Curc. VII. 2. p. 88.*	Brasilia.
Panzeri Bohem. *l. c. p. 29.*	"
parcus Bohem. *l. c. p. 104.*	"
parvulus Bohem. *l. c. p. 36.*	"
peplus Bohem. *l. c. III. p. 158.* — Guér. *Jc. règn. anim. t. 38. f. 5.*	"
perforatipennis Blanch. *Gay. Hist. Chil. V. p. 384.*	Chili.
perturbatus Bohem. *Schh. Gen. Curc. VII. 2. p. 108.*	Brasilia.
Pertyi Schönh. *Gen. Curc. VII. 2. p. 79.*	Cayennae.
rufipes Bohem. *Schh. l. c. III. p. 191.* — Dej. *Cat. 3. ed. p. 298.*	"
picturatus Germ. *Ins. Spec. nov. p. 321.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 94.*	Brasilia.
Andreae Dej. *Cat. 3. ed. p. 298.*	"
Menetriesi Bohem. *l. c. III. p. 175.*	Amer. mer.
pictus Bohem. *l. c. p. 172.*	Rio Plata.
pissodeoides Bohem. *l. c. p. 221.*	Brasilia.
plagiatus Bohem. *l. c. VII. 2. p. 35.*	"
planiusculus Perty. *Del. anim. p. 76. t. 15. f. 13.*	"
polycoccus Bohem. *Schh. Gen. Curc. III. p. 202.*	"
lugubris Dej. *Cat. 3. ed. p. 298.*	"
scrobicollis Bohem. *l. c. p. 189.*	Amer. mer.
polymitus Germ. *Ins. Spec. nov. p. 322.*	Brasilia.
nigrosignatus Dej. *Cat. 3. ed. p. 298.*	"
var. *laevigatus* Sturm. *Cat. 1826. p. 184.*	"
prodigialis Germ. *Ins. Spec. nov. p. 324.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 111.*	"
prolixus Erichs. *Wiegm. Arch. 1847. I. p. 130.*	Peru.
punctatoscabratus Bohem. *Schh. Gen. Curc. VII. 2. p. 105.*	Mexico.
punctatus Bohem. *l. c. III. p. 171.*	Brasilia.
querulus Bohem. *l. c. p. 208.*	"
variabilis Sturm. *Cat. 1826. p. 184.*	"
Reichenbachi Bohem. *Schh. Gen. Curc. VII. 2. p. 115.*	"
retusus Bohem. *l. c. III. p. 229; VII. 2. p. 75.*	"
rufescens Bohem. *l. c. III. p. 190.* — Dej. *Cat. 3. ed. p. 298.*	"
rufifrons Luc. *Casteln. Voy. 1859. p. 168.*	"
rufipes Perty. *Del. anim. p. 75. t. 15. f. 11.*	"
rugicollis Bohem. *Schh. Gen. Curc. III. p. 155.*	"
rusticanus Bohem. *l. c. p. 226.*	"
rusticus Bohem. *l. c. p. 209.* — Dej. *Cat. 3. ed. p. 299.* — Suffr. *Wiegm. Arch. 1871. I. p. 164.*	Cuba.
signatus Sturm. *Cat. 1826. p. 156.*	"
Sahlbergi Bohem. *Schh. Gen. Curc. VII. 2. p. 114.*	Brasilia.
saxosus Bohem. *l. c. p. 110.*	Amer. mer.
scabripennis Bohem. *l. c. III. p. 201.* — Dej. *Cat. 3. ed. p. 299.*	Brasilia.
carbonarius Klug. *Dej. Cat. l. c.*	"
scapha Bohem. *Schh. Gen. Curc. III. p. 231.*	"
Schmidti Bohem. *l. c. VII. 2. p. 85.*	"
scrobiculatus Mannerh. *Bull. Mosc. 1843. II. p. 292.* — Schönh. *Gen. Curc. VII. 2. p. 443.*	California.
securiger Fauvel. *Bull. Soc. Linn. Normand. 1861. p. 314.*	Cayennae.
semiamictus Bohem. *Schh. Gen. Curc. VII. 2. p. 61.*	Brasilia.

semivittatus Bohem. *Schh. Gen. Curc. VII. 2. p. 33.* Bolivia.
signatipennis Blanch. *Gay. Hist. Chil. V. p. 384.* — Lacord. *Gen. Col. VI. 1863. p. 458. note 1.* Chili.
var. *concinnus* Philippi. *Stett. Zeit. 1860. p. 249.* „
sinuatus Bohem. *Schh. Gen. Curc. VII. 2. p. 77.* Guadeloupe.
spathulatus Germ. *Ins. Spec. nov. p. 402.* Brasilia.
squamosus Lec. *Ann. Lyc. 1. p. 171.* — Bohem. *Schh. Gen. Curc. III. p. 161.* — Dej. *Cat. 3. ed. p. 297.* Amer. bor.
stellifer Bohem. *Schh. Gen. Curc. III. p. 166.* Brasilia.
stellimicans Bohem. *l. c. p. 165.* „
stigma Bohem. *l. c. p. 236.* „
strator Bohem. *l. c. p. 197.* „
subcostatus Bohem. *l. c. VII. 2. p. 66.* „
subfasciatus Blanch. *Gay. Hist. Chil. V. p. 383. t. 24. f. 8. a-d.* Chili.
submaculatus Bohem. *Schh. Gen. Curc. III. p. 194.* Demerara.
subpartitus Bohem. *l. c. VII. 2. p. 58.* Brasilia.
taciturnus Bohem. *l. c. p. 61.* — Dej. *Cat. 3. ed. p. 299.* „
tessellatus Luc. *Casteln. Voy. 1859. p. 167.* „
testudo Fabr. *Syst. El. II. p. 461.* „
lembunculus Bohem. *Schh. Gen. Curc. III. p. 235.* „
tomentosus Guér. *Jc. règn. anim. p. 150.* Montevideo.
trachypterus Germ. *Ins. Spec. nov. p. 324.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 83.* Brasilia.
bellicosus Sturm. *Cat. 1826. p. 184.* „
loricatus Perch. *Gen. Ins. IV. nr. 2. 1835. t. 13.* „
spinosus Dej. *Cat. 1. ed. p. 87.* „
var. *terribilis* Sturm. *Cat. l. c.* „
triangulifer Luc. *Voy. Casteln. 1859. p. 166. t. 10. f. 4. a-c.* „
tricarinatus Bohem. *Schh. Gen. Curc. VII. 2. p. 81.* „
tricolor Perty. *Del. anim. p. 75. t. 15. f. 10.* „
stratioticus Bohem. *Schh. Gen. Curc. III. p. 159.* „
troglodytes Bohem. *l. c. p. 195.* „
tuberculatus Bohem. *l. c. p. 184.* — Dej. *Cat. 3. ed. p. 298.* „
tuberculosus Perty. *Del. anim. p. 75. t. 15. f. 9.* „
tuberosus Fairm. et Germ. *Col. Chil. 1860. p. 4.* Chili.
tugusti Bohem. *Schh. Gen. Curc. VII. 2. p. 45.* Mexico.
undabundus Bohem. *l. c. III. p. 162.* Brasilia.
unguiculatus Guér. *Jc. règn. anim. p. 151.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 65.* Columbia.
urosus Bohem. *l. c. p. 64.* Brasilia.
ustulatus Oliv. *Ent. V. 83. p. 198. t. 34. f. 517.* Portorico.
variegatus Perty. *Del. anim. p. 76. t. 15. f. 14.* Brasilia.
velamen Bohem. *Schh. Gen. Curc. III. p. 156.* „
verrucosus Erichs. *Wiegm. Arch. 1847. I. p. 131.* Peru.
verruculatus Philippi. *Stett. Zeit. 1860. p. 249.* Chili.
viduus Guér. *Jc. règn. anim. p. 150.* Bolivia.
Westringi Bohem. *Schh. Gen. Curc. VII. 2. p. 76.* Brasilia.
Wiedemanni Bohem. *l. c. III. p. 200.* „
bonariensis Klug. *Dej. Cat. 3. ed. p. 299.* „
erythropus Dej. *Cat. l. c.* „
Zetterstedti Bohem. *Schh. Gen. Curc. VII. 2. p. 38.* „
Ziegleri Bohem. *l. c. 67.* „

zonatus Bohem. *Schh. Gen. Curc. VII. 2. p. 57.* Brasilia.
Zubkoffi Bohem. *l. c. p. 51.* „
220

Centor

κέντωρ, stimulator.

Schönherr. *Mantiss. sec. Curc. 1847. p. 63.*

porosus Schönh. *Mant. sec. p. 65. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 460.* Brasilia.
1

Laccoproctus

λακκόπρωκτος, latipodex.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 154.*

acalloides Bohem. *Schh. Gen. Curc. VII. 2. p. 155.* Mexico.
1

Pissodes

πισσώδης, piceus.

Germar. *Ins. Spec. nov. 1824. p. 316.*

affinis Randall. *Bost. Journ. II. 1838. p. 24.* Amer. bor.
cembrae Motsch. *Schrenck. Reis. II. 1860. p. 158. t. 10. f. 9.* Amur.
costatus Mannerh. *Bull. Mosc. 1852. II. p. 363.* Sitkha.
dubius Randall. *Bost. Journ. II. p. 24.* Amer. bor.
Gyllenhali Gylh. *Schh. Gen. Curc. III. p. 260.* M.
hercyniae Gylh. *Ins. Suec. III. p. 68.* — Dej. *Cat. 1. ed. p. 87.* Suecia.
Harcyniae Herbst. *Käf. VI. p. 294. t. 82. f. 11.* — Gylh. *Schh. Gen. Curc. III. p. 261.* — Ratzeb. *Forstins. I. p. 122. t. 5. f. 4; ♀ t. 5. f. 4. B; t. 6. f. 3-5.* M.
quadrinotatus Panz. *Fn. Germ. 47. 12.* Germania.
insignatus Bohem. *Schh. Gen. Curc. VII. 2. p. 133.* Irkutsk.
laricinus Motsch. *Schrenck. Reis. II. 1860. p. 159.* Dauria.
nemorensis Germ. *Ins. Spec. nov. p. 318.* Kentucky.
strobi Say. *Descr. of Curc. of N. Am. p. 14.* „
notatus Fabr. *Mant. I. p. 103.* — Gylh. *Schh. Gen. Curc. III. p. 258.* — Ratzeb. *Forstins. I. p. 117. t. 5. f. 1; t. 6. f. 1-2.* — Jacq. Duv. *Gen. Col. Curc. t. 17. f. 82.* — ♀ Perris. *Ann. Fr. 1856. p. 423. t. 5. f. 340-42.* M.
Fabricii Steph. *Ill. Brit. IV. p. 88. t. 21. f. 1.* Anglia.
pini Oliv. *Ent. V. 83. p. 116. t. 16. f. 42. b-c.* Gallia.
var. *castaneus* Degeer. *Mém. V. p. 231.* Germania.
„ *brunneus* Panz. *Fn. Germ. 26. 17.* „
„ *palmes* Herbst. *Käf. VI. p. 169. t. 71. f. 10.* „
piceae Illig. *Mag. VI. 1807. p. 309.* — Gylh. *Schh. Gen. Curc. III. p. 256.* — Ratzeb. *Forstins. I. p. 121. t. 5. f. 3; ♀ t. 5. f. 3 B; t. 6. f. 6-9.* M.

Fabricii Leach *in litt.* — Anglia.
notatus Sturm. *Cat. 1826. p. 184.* — Germania.
pini Panz. *Fn. Germ. 42. 1.* — „
piniphilus Megerle *in litt.* — Hungaria.
pini Linn. *Syst. nat. ed. X. p. 379.* — Herbst. *Käf. VI. p. 147. t. 70. f. 2.* — Gylh. *Schh. Gen. Curc. III. p. 257.* — ‡ Goureau. *Ann. Fr. 1842. p. 53.* — M.
abietis Schrank. *Fn. boic. I. p. 480.* — Ratzeb. *Forstins. I. p. 120. t. 5. f. 2; ‡ t. 5. f. 2. B.* — Germania.
piniphilus Herbst. *Käf. VII. p. 24. t. 97. f. 4. B.* — Gylh. *Schh. Gen. Curc. III. p. 262.* — M.
rotundicollis Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 191.* — Russia.
scabricollis Miller. *Wien. Ent. Monatschr. III. 1859. p. 364.* — Germania.
strobi Peck. *Massachus. Agric. Rep. 1817. IV. 3. p. 205. t. 1.* — Harris. *Ins. 1841. p. 63; ‡ ed. 2. p. 63; ed. 3. p. 72.* — Massachussett
validirostris Gylh. *Schh. Gen. Curc. III. p. 259.* — Europa.
strobili Redtenb. *Fn. Austr. ed. 1. p. 417; ed. 2. p. 756.* — Germania.

17

Orthorrhinus

ὀρθὸς, *rectus;* ῥίν, *nasus.*

Schönherr. *Disp. meth. 1826. p. 223.*

aethiops Boisd. *Voy. Astrol. II. 1835. p. 410.* — Nov. Holland.
affinis Montrouz. *Ann. Soc. Linn. Lyon. 1864. p. 162.* — Nov. Caledon.
centurio Montrouz. *Ann. Fr. 1860. p. 884.* — Fauvel. *Bull. Soc. Linn. Normand. VII. 1862. p. 156. t. 10. f. 46-47.* — „
cruciatus Montrouz. *Ann. Fr. 1860. p. 883.* — Ins. Art.
curvipes Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 160.* — Nov. Caledon.
cylindricus Montrouz. *Ann. Fr. 1860. p. 884.* — Balade.
cylindrirostris Fabr. *Syst. Ent. p. 137.* — Oliv. *Ent. V. 83. p. 180. t. 11. f. 128.* ♀; *t. 19. f. 128. b.* ♂. — Bohem. *Schh. Gen. Curc. III. p. 245.* — Nov. Holland.
affinis Hope *in litt.* — „
innubus Herbst. *Käf. VI. p. 172. t. 71. f. 15.* ♂. — „
Klugi Bohem. *Schh. Gen. Curc. III. p. 246.* — „
laetus Saund. et Jek. *Ann. Fr. 1855. p. 297. t. 15. f. 5.* — Nov. Hebridae.
lepidotus Erichs. *Wiegm. Arch. 1842. I. p. 196.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 123.* — Tasmania.
Lescleuci Saund. et Jek. *Ann. Fr. 1855. p. 298. t. 15. f. 6.* — Nov. Hebridae.
longimanus Boisd. *Voy. Astrol. II. p. 408.* — Nov. Holland.
meleagris Pascoe. *Trans. ent. Soc. 1870. p. 192.* — Queensland.
pacificus Erichs. *Wiegm. Arch. 1842. I. p. 196.* — Tasmania.
rugosus Montrouz. *Ann. Soc. Agr. Lyon. VII. 1. p. 50.* — Ins. Woodlark.
simulans Bohem. *Schh. Gen. Curc. III. p. 245.* — Nov. Holland.
spilotus Bohem. *l. c. p. 247.* — „
♂ *rugirostris* Bohem. *l. c. p. 248; VII. 2. p. 124.* — „
variegatus Saund. et Jek. *Ann. Fr. 1855. p. 300. t. 15. f. 7.* — Nov. Hebridae.

18

Eurhamphus

εὖ, bene; ῥάμφος, rostrum.

Shukard. *The entom. Mag. V. 1838. p. 506.*

fasciculatus Shuk. *The Ent. Mag. V. p. 506. t. 18.* — Australia.
1

Procas

Nomen propr.

Stephens. *Ill. Brit. IV. 1831. p. 90.*

armillatus Fabr. *Syst. El. II. p. 444.* — Bohem. *Schh. Gen. Curc. VI. 2. p. 345.* — Tanger.
Cottyi Perris. *Ann. Fr. 1864. p. 298.* — Oran.
Lethierryi Chevrol. *Rev. Zool. 1860. p. 77.* — Algeria.
picipes Marsh. *Ent. Brit. 1802. p. 272.* — Anglia.
{ *Steveni* Gylh. *Schh. Gen. Curc. III. p. 287.* — Jacq. Duv. *Gen. Col. Curc. p. 29. t. 13. f. 58.* — Russia mer.
{ *moestus* Bach. *Käf. Fn. II. 1854. p. 296.* — Germania.
granulicollis Walton. *Ann. nat. Hist.* ser. *2. II. p. 168.* — Anglia.
Saulcyi Reiche. *Ann. Fr. 1857. p. 677.* — Lacord. *Gen. Col. VI. 1863. p. 468. note 2.* — Cyprus.
5

Erirrhinoides

Erirrhinus; εἶδος, aspectus.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 385.*

unicolor Blanch. *Gay. Hist. Chil. V. p. 385. t. 24. f. 9. a-d.* — Chili.
1

Hypsomus

ὕψος, altitudo; ὦμος, humerus.

Schönherr. *Gen. Curc. III. 1836. p. 516.*

lembunculus Bohem. *Schh. Gen. Curc. III. p. 518.* — Caffraria.
scapha Bohem. *l. c. p. 517.* — „
2

Echinocnemus

ἐχῖνος, echinus; κνήμη, tibia.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 315.*

squameus Billb. *Enum. Ins. p. 42.* — Bohem. *Schh. Gen. Curc. III. p. 311.* — Canton.
1

Brachypus

βραχὺς, brevis; ποῦς, pes.

Schönherr. *Disp. meth. 1826. p. 217.*

cylindricus Hochh. *Bull. Mosc. 1847. II. p. 536.* Caucasus.
lixoides Gylh. *Schh. Gen. Curc. III. p. 103.* Asia.
2

Philernus

φίλος, amicus; ἔρνος, planta.

Schönherr. *Gen. Curc. III. 1836. p. 429.*

Halophagus Becker.

farinosus Gylh. *Schh. Gen. Curc. III. p. 430.* — Gebl. *Dej. Cat. 3. ed. p. 305.* Sibiria.
halimocnemis Becker *in litt.* Sarepta.
1

Colabus

κόλαβος, bucca.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 146.*

scalptus Bohem. *Schh. Gen. Curc. VII. 2. p. 147.* Cap bon. spei.
1

Spermologus

σπερμολόγος, semina legens.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 336.*

rufus Bohem. *Schh. Gen. Curc. VII. 2. p. 337.* Brasilia.
1

Aubeonymus

Aubé; ὄνομα, nomen.

Jaquelin Duval. *Gen. Col Eur. Curc. 1855. p. 75.*

carinicollis Luc. *Expl. Alg. 1849. p. 449. t. 38. f. 1. a-d.* Algeria.
pulchellus Jacq. Duv. *Gen. Col. Curc. p. 75. t. 30. f. 147.* Sicilia.
notatus Muls. et God. *Ann. Soc. Linn. Lyon. 1867. p. 412.* Magenta.
Picteti Tournier. *Ann. Fr. 1860. Bull. p. 81.* Sicilia.
3

Grypidius

γρυπός, curvus; εἶδος, forma.

Schönherr. *Disp. meth. 1826. p. 231.*

Aplopus Megerle. — *Arachnipes* Meg. — *Grypus* Germar.

atrirostris Fabr. *Spec. Ins. II. App. 1781. p. 499.* — Panz. *Ent. Germ. p. 301.* Suecia.

distinctus Dej. *Cat. 3. ed. p. 302.*	Gallia mer.
equiseti var. *β.* Gylh. *Schh. Gen. Curc. III. p. 315.*	Lapponia.
brunnirostris Fabr. *Ent. Syst. I. 2. p. 404.* — Gylh. *Schh. Gen. Curc. III. p. 316.*	M.
obliteratus Herbst. *Käf. VI. p. 273. t. 81. f. 2.*	Germania.
obsoletus Sturm. *Cat. 1826. p. 190.*	"
equiseti Fabr. *Syst. Ent. p. 130.* — Panz. *Fn. Germ. 42. 4.* — Jacq. Duv. *Gen. Col. Curc. t. 18. f. 87.* — Gylh. *Schh. Gen. Curc. III. p. 314.*	M.
gibbosus Oliv. *Encycl. méth. V. p. 479.*	Gallia
nigrogibbosus Degeer. *Ins. V. p. 224.*	Germania.
vittatus Couper. *The Canad. Natural. 1865. p. 63.*	Quebec.

4

Aoplocnemis

ἄοπλος, inermis; κνήμη, tibia.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 445.*

phaleratus Erichs. *Wiegm. Arch. 1842. I. p. 197.*	Tasmania.
rufipes Bohem. *Schh. Gen. Curc. VIII. 2. p. 446.*	Nov. Holland.

2

Desiantha

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 193.*

caudata Pascoe. *Trans. ent. Soc. 1870. p. 194.*	Victoria.
silacea Pascoe. *l. c. p. 193.*	Austral. mer.

2

Conorrhinus

κῶνος, conus; ῥίν, nasus.

Schönherr. *Gen. Curc. III. 1836. p. 448.*

Sidomenia Castelnau.

bovinus Thunb. *Nov. Act. Ups. VII. p. 116.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 328.*	Cap bon. spei.
nigrirostris Fåhrs. *l. c.*	"
vestitus Gylh. *Schh. l. c. III. p. 449.*	Caffraria.

3

Erirrhinus

ἐρι, part. augment.; ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 229.*

Notaris Stephens. — *Pilumnus* Megerle. — *Solenorhinus* Motschulsky.

acridulus Linn. *Syst. nat. ed. X. p. 378.* — Panz. *Fn. Germ. 42. 10.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 164.*	M.

var. *punctum* Fabr. *Ent. Syst. I. 2. p. 401.* — Suecia.
„ *resinosus* Marsh. — Germania.
„ *rigidus* Marsh. *Ent. Brit. I. p. 170.* — Anglia.
adustus Motsch. *Schrenck. Reise. II. 1860. p. 158.* — Dauria.
aethiops Fabr. *Ent. Syst. I. 2. p. 405.* — Herbst. *Käf. VI. p. 270. t. 80. f. 10.* — Gylh. *Schh. Gen. Curc. III. p. 285.* — Germania.
var. *holomelanus* Herbst. *l. c. p. 271. t. 80. f. 11.* — Suecia.
amplithorax Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 351.* — Gallia bor.
aurithorax Desbroch. *l. c.* — Bastia.
bicolor Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 164.* — Nov. Caledon.
bilunulatus Desbroch. *Mittheil. Schwz. ent. Ges. 1870. p. 192.* — Incert. sedis.
bimaculatus Fabr. *Mant. I. p. 98.* — Herbst. *Käf. VI. p. 291. t. 82. f. 8.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 163.* — M.
cinereus Mill. *Wien. ent. Monatschr. 1861. p. 209.* — Damascus.
ephippiatus Say. *Descr. of Curc. of N. Am. 1831. p. 25.* — Gylh. *Schh. Gen. Curc. III. p. 289.* — Walsh. *Proc. ent. Soc. Phil. VI. 1867. p. 268.* — Connecticut.
fasciatus Melsh. *Cat. Nr. 625.* — „
ferrugatus Bohem. *Schh. Gen. Curc. VII. 2. p. 166.* — Nov. Holland.
ferrugineus Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 162.* — Nov. Caledon.
festucae Herbst. *Käf. VI. p. 327. t. 85. f. 13.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 168.* — Jacq. Duv. *Gen. Col. Curc. t. 18. f. 85.* — ♀ Boie. *Stett. Zeit. 1850. p. 360.* — M.
carecti Hoppe. *Enum. Ins. Erlang. 1795. p. 59.* — Germania.
caricis Thunb. *Mus. Ups. Ac. App. VI. p. 111.* — Suecia.
globicollis Fairm. *Cat. Grenier. 1863. p. 112.* — Gallia.
indignus Bohem. *Schh. Gen. Curc. III. p. 721.* — Caffraria.
infirmus Herbst. *Käf. VI. p. 257. t. 78. f. 13.* — Gylh. *Schh. Gen. Curc. III. p. 300.* — M.
juniperinus Sanborn. *Proc. Bost. Soc. nat. Hist. 1868. p. 81.* — Massachusett.
leucophyllus Motsch. *Bull. Mosc. 1845. IV. p. 376. t. 7. f. 5; Schrenck. Reise. II. 1860. p. 158.* — Kamtschatka.
longirostris Bohem. *Res. Eugen. 1859. p. 129.* — Sidney.
luridus Mannerh. *Bull. Mosc. 1853. III. p. 241.* — Alaska.
lutulentus Bohem. *Schh. Gen. Curc. VII. 2. p. 165.* — Pennsylvania.
Maerkeli Bohem. *l. c. p. 164.* — Saxonia.
Mannerheimi Gemming. *Col. Heft. VIII. 1871.* — Kenai.
vestitus Mannerh. *Bull. Mosc. 1853. III. p. 242.* — „
morio Mannerh. *l. c. p. 240.* — „
Nereïs Payk. *Fn. Suec. III. p. 240.* — Gylh. *Schh. Gen. Curc. III. p. 312.* — M.
arundineti Steph. *Ill. Brit. IV. p. 80.* — Anglia.
inquisitor Herbst. *Käf. VII. p. 42. t. 97. f. 12. G.* — Germania.
typhae Ahrens. *Neue Schrft. Ges. Hal. II. 2. p. 15. t. 1. f. 6.* — Suecia.
nitidus Chevrol. *Rev. Zool. 1861. p. 155.* — Algeria.
palustris Gylh. *Schh. Gen. Curc. III. p. 313.* — Sibiria.
pertinax Gylh. *l. c. p. 309.* — Caucasus.
petax Sahlb. *Thon. Arch. II. 1. 1829. p. 22.* - Steven. — Tauria.

Mus. Mosq. II. p. 88. — Bohem. *Schh. l. c. VII. 2. p. 163.* — Tauria.
barbirostris Sturm. *Cat. 1826. p. 133.* — „
pilifer Gredler. *Käf. Tirol. II. 1866. p. 345.* — Tirolis.
pillumus Gylh. *Schh. Gen. Curc. III. p. 288.* — Germania.
Beckwithi Kirby *in litt.* — Anglia.
chamomillae Knoch *in litt.* — „
setiger Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 144.* — Gallia mer.
severopolinus Dufour *in litt.* — Fairm. *Ann. Fr. 1857. p. 741.* — „
rhamni Herbst. *Füssl. Arch. V. 1784. p. 78; Käf. VI. p. 280. t. 81. f. 10.* — M.
sirpi Fabr. *Ent. Syst. I. 2. p. 405.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 163.* — Jacq. Duv. *Gen. Col. Curc. t. 18. f. 86.* — Germania.
rotundicollis Motsch. *Schrenck. Reise. II. 1860. p. 157. t. 10. f. 7.* — Amur.
rubidus Rosenh. *Thier. Andal. 1856. p. 270. nota.* — Hispania.
rufipes Motsch. *Bull. Mosc. 1845. IV. p. 377.* — Kamtschatka.
rufulus Mannerh. *Bull. Mosc. 1853. III. p. 240.* — Kenai.
rufus Say. *Descr. of Curc. of N. Am. p. 25.* — Gylh. *Schh. Gen. Curc. III. p. 301.* — Amer. bor.
rutilus Bohem. *Schh. l. c. VII. 2. p. 167.* — Boston.
scirrhosus Gylh. *Schh. Gen. Curc. III. p. 312.* — Germania.
brunnirostris Oliv. *Ent. V. 83. p. 142. t. 34. f. 524. (forte.)* — Gallia.
♂ *Nereïs* Gylh. *Ins. Suec. IV. App. p. 556.* — Ziegl. *Dej. Cat. 3. ed. p. 301.* — Anglia.
sparganii Gylh. *Schh. Gen. Curc. III. p. 310.* — Dahl. *Dej. Cat. 3. ed. p. 301.* — Germania.
Steveni Krynick. *Bull. Mosc. V. 1832. p. 147.* — Russia mer.
subcostatus Motsch. *Bull. Mosc. 1845. IV. p. 378.* — Kamtschatka.
subsignatus Mannerh. *Bull. Mosc. 1853. III. p. 241.* — Kenai.
tessellatus Motsch. *Schrenck. Reise. II. 1860. p. 158. t. 10. f. 8.* — Kamtschatka.
vestitus Gylh. *Schh. Gen. Curc. III. 1836. p. 299.* — Caffraria.
45

Dorytomus

δόρυ, lancea; τόμος, articulus.

Stephens. *Ill. Brit. Ent. IV. 1831. p. 82.*

affinis Payk. *Fn. Suec. III. p. 190.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 171.* — M.
flavipes Oliv. *Ent. V. 83. p. 222. t. 34. f. 523.* — Gallia.
tremulae var. *β.* Payk. *Mon. Curc. p. 5.* — Suecia.
agnathus Bohem. *Schh. Gen. Curc. VII. 2. p. 174.* — Germania.
♂ *majalis* Steph. *Ill. Brit. IV. p. 86.* — Anglia.
atomarius Géné. *Mem. Ac. Torin. 1839. p. 77. t. 2. f. 16.* — Sardinia.
bituberculatus Zetterst. *Fn. Ins. Lapp. I. 1828. p. 305; Schh. Gen. Curc. III. p. 295.* — M.
costirostris Gylh. *Schh. Gen. Curc. III. p. 294; VII. 2. p. 170.* — Lapponia.

suratus Gylh. *Schh. Gen. Curc. III. p. 296.* — Meg. *Dej. Cat. 3. ed. p. 301.*	Gallia.
cinereus Hochh. *Bull. Mosc. 1851. I. p. 92.*	Sibiria.
clitellarius Bohem. *Schh. Gen. Curc. VII. 2. p. 177.*	Fennia.
decorus Gylh. *Schh. l. c. III. p. 307.*	Caffraria.
dorsalis Linn. *Syst. nat. ed. X. p. 378.* — Fabr. *Syst. Ent. p. 133.* — Herbst. *Käf. VI. p. 101. t. 66. f. 6.* — Gylh. *Schh. Gen. Curc. III. p. 306.* — Jacq. Duv. *Gen. Col. Curc. t. 18. f. 84.*	M.
interscapularis Illig. *in litt.*	Europa.
filirostris Gylh. *Schh. Gen. Curc. III. p. 306.*	Gallia.
Riehli Bach. *Käf. Fn. II. 1854. p. 298.*	Germania.
longimanus Forster. *Nov. Spec. Ins. 1771. p. 32.* — Marsh. *Ent. Brit. p. 293.*	M.
cursor Payk. *Mon. Curc. p. 3.*	Suecia.
Forsteri Gmel. *ed. Linn. I. 4. p. 1770.*	„
longipes Laich. *Verz. Tyr. Ins. 1. p. 214.*	Tirolis.
♀ *tremulae* Marsh. *l. c. p. 291.*	Anglia.
♀ *ventralis* Meg. *Dej. Cat. 1. ed. p. 86.*	Gallia.
vorax Fabr. *Ent. Syst. I. 2. p. 444.* — Panz. *Fn. Germ. 18. 13.* ♀. — Gylh. *Schh. Gen. Curc. III. p. 290.* — ⚥ Doumerc. *Ann. Fr. 1856. Bull. p. 84.*	Germania.
var. *ventralis* Steph. *Ill. Brit. IV. p. 83.* — Gylh. *l. c.*	Anglia.
macropus Redtenb. *Fn. Austr. ed. 2. p. 761.*	M.
nubeculatus Meg. *in litt.*	Germania.
vorax var. Oliv. *Ent. V. 83. p. 219. t. 3. f. 29. b.* ♀. — Gylh. *Schh. Gen. Curc. III. p. 290.* var. *β.*	Gallia.
maculatus Marsh. *Ent. Brit. p. 292.* — Walton. *Ann. nat. Hist. ser. 2. II. 1848. p. 166.* — ⚥ Brisout. *Ann. Fr. 1864. Bull. p. 19.*	Anglia.
capreae Chevrol. *in litt.*	„
fumosus Steph. *Ill. Brit. IV. p. 85.*	„
majalis Payk. *Fn. Suec. III. p. 251.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 176.*	M.
flavipes Panz. *Fn. Germ. 41. 11.* — Bohem. *l. c. p. 173.*	Germania.
ictor Herbst. *Käf. VI. p. 277. t. 81. f. 6. (forte.)*	„
minutus Gylh. *Schh. Gen. Curc. III. p. 298.* — Dej. *Cat. 3. ed. p. 302.*	M.
mucidus Say. *Descr. of Curc. of N. Am. p. 14.* — Gylh. *Schh. Gen. Curc. III. p. 291.*	Amer. bor.
nebulosus Gylh. *l. c. p. 304.*	Gallia.
occalescens Gylh. *l. c. p. 298.*	Germania.
juratus Chevrier. *Dej. Cat. 3. ed. p. 301.*	Helvetia.
pectoralis Panz. *Fn. Germ. 36. 16.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 177.*	M.
fructuum Marsh. *Ent. Brit. p. 292.*	Anglia.
rubellus Marsh. *l. c. p. 293.*	„
var. *arcuatus* Fabr. *Syst. El. II. p. 490.* — Panz. *Fn. Germ. 17. 6.*	Germania.
„ *melanophthalmus* Payk. *Fn. Suec. III. p. 193.* — Steph. *Ill. Brit. IV. p. 84.*	Suecia.

var. *plagiatus* Dahl *in litt.* — Chevrier. *Dej. Cat. 3. ed. p. 301.* — Gylh. *Schh. Gen. Curc. III. p. 302.* Gallia or.
puberulus Bohem. *Schh. l. c. VII. 2. p. 178.* Dalmatia.
punctator Herbst. *Käf. VI. p. 166. t. 71. f. 5.* Germania.
salicinus Gylh. *Ins. Suec. IV. p. 584; Schh. Gen. Curc. III. p. 297.* M.
affinis var. *pygmaeus* Payk. *Fn. Suec. III. p. 191.* Suecia.
parvulus Zetterst. *Fn. Ins. Lapp. I. p. 307.* Lapponia.
taeniatus var. c. Gylh. *Ins. Suec. III. p. 175.* Fennia.
tremulae var. γ. Payk. *Mon. Curc. p. 5.* Norwegia.
salicis Walton. *Ann. nat. Hist. ser. 2. VII. 1851. p. 314.* Anglia.
Silbermanni Wencker. *Cat. Col. Alsace. 1866. p. 129.* — Heyden. *Berl. Zeit. 1867. p. 379.* Germania.
taeniatus Fabr. *Spec. Ins. I. p. 181.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 172.* M.
tenuirostris Bohem. *l. c. p. 175.* Gallia.
tessellatus Bohem. *l. c. p. 179.* Cap bon. spei.
tomentosus Fairm. *Ann. Fr. 1859. p. 61.* Gallia mer.
incanus Muls. et Rey. *Opusc. ent. IX. p. 33.* „
tortrix Linn. *Fn. suec. 1761. p. 182.* — Oliv. *Ent. V. 83. p. 220. t. 34. f. 521.* — Gylh. *Schh. Gen. Curc. III. p. 304.* M.
arcuatus Steph. *Ill. Brit. IV. p. 84.* Anglia.
fulvus Degeer. *Mém. V. p. 214.* Germania.
pectoralis Dej. *Cat. 1. ed. p. 86.* Styria.
rubigineus Fourcr. *Ent. Par. I. p. 131.* Gallia.
tremulae Payk. *Fn. Suec. III. p. 189.* — Oliv. *Ent. V. 83. p. 221. t. 34. f. 520. a-b.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 169.* M.
fumosus Rossi. *Fn. Etr. I. p. 124.* Italia.
lateralis Sturm. *Cat. 1826. p. 133.* Gallia.
taeniatus Herbst. *Käf. VI. p. 271. t. 80. f. 12.* Germania.
vecors Gylh. *Schh. Gen. Curc. III. p. 293.* Suecia.
validirostris Gylh. *l. c. p. 294.* Germania.
Waltoni Bohem. *Schh. l. c. VII. 2. p. 171.* Anglia.
variegatus Gylh. *l. c. III. p. 292.* — Meg. *Dej. Cat. 3. ed. p. 301.* M.
villosulus Gylh. *l. c. p. 303.* — Meg. *Dej. Cat. 3. ed. p. 301.* Germania.
cervinus Dej. *Cat. l. c.* Gallia.
32

Phytotribus

φυτὸν, planta; τρίβω, frico.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 181.*

pallidus Buquet. *Dej. Cat. 3. ed. p. 301.* — Lacord. *Gen. Col. VI. 1863. p. 478. note 2.* Cayennae.
unicolor Bohem. *Schh. Gen. Curc. VII. 2. p. 182.* — Buquet. *Dej. Cat. l. c.* — Lacord. *Gen. Atl. VIII. t. 71. f. 1. a.*
2

Centemerus

κεντέω, pungo; μηρὸς, femur.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 330.*

comosus Bohem. *Schh. Gen. Curc. VII. 2. p. 330.* — Chevrol. *Dej. Cat. 3. ed. p. 301.* — Cayennae.
villosus Buq. *Dej. Cat. l. c.* — „
lineatus Buquet. *Dej. Cat. l. c.* — Lacord. *Gen. Col. VI. p. 479.* — „
2

Celetes

κηλήτης, tumidus.

Schönherr. *Gen. Curc. III. 1836. p. 634.*

binotatus Gylh. *Schh. Gen. Curc. III. p. 635.* — Klug. *Dej. Cat. 3. ed. p. 311.* — Brasilia.
1

Odontomaches

ὀδοντομάχης, mordens.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 271.*

hypocritus Bohem. *Schh. Gen. Curc. VII. 2. p. 273.* — Port Natal.
vestitus Bohem. *l. c. p. 272.* — „
2

Orthosinus

ὀρθὸς, rectus.

Motschulsky. *Bull. Mosc. 1863. II. p. 525.*

sulpticollis Motsch. *Bull. Mosc. 1863. II. p. 526.* — Ceylon.
velatus Motsch. *l. c.* — „
2

Mecinus

μῆκος, longitudo.

Germar. *Mag. Ent. IV. 1821. p. 315.*

Hexaphyllus Megerle. — *Macipus* Steven. — *Neptaphilus* Megerle.

alternans Kirsch. *Berl. Zeit. 1870. p. 173. (Beiheft.)* — Andalusia.
barbarus Gylh. *Schh. Gen. Curc. IV. p. 778.* — Algeria.
circulatus Marsh. *Ent. Brit. p. 274.* — Rosensch. *Schh. Gen. Curc. IV. p. 779.* — Germania.
fimbriatus Germ. *Mag. Ent. IV. p. 318.* — Hispania.
haemorrhoidalis Steph. *Ill. Brit. IV. p. 12.* — Anglia.
limbatus Dej. *Cat. 3. ed. p. 327.* — Gallia.
marginatus Beck. *Beitr. baier. Ins. 1817. p. 20. t. 5. f. 28.* — Germ. *l. c. p. 318.* — Germania.

collaris Germ. *Mag. Ent. IV. p. 318.* — Meg. *Dahl. Col. et Lep. p. 63.* — Rosensch. *Schh. Gen. Curc. IV. p. 779.* — ♀ Chapuis et Cand. *Mem. Liége. 1853. p. 566.* — Germania.
cinctus Rossi. *Fn. Etr. 1. p. 125. (forte.)* — Italia.
comosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 190.* — Lusitania.
dorsalis Aubé. *Ann. Fr. 1850. p. 343.* — Gallia.
Heydeni Wencker. *Cat. Col. Alsace. 1866. p. 130.* — Heyden. *Berl. Zeit. 1867. p. 379.* — Germania.
janthinus Germ. *Mag. Ent. IV. p. 319; Fn. Ins. Eur. 5. 10.* — Rosensch. *Schh. Gen. Curc. IV. p. 779.* — M.
violaceus Meg. *Dej. Cat. 3. ed. p. 327.* — Germania.
longiusculus Bohem. *Schh. Gen. Curc. VIII. 2. p. 188.* — Grenier. *Ann. Fr. 1868. Bull. p. 73.* — Corsica.
filiformis Aubé. *Ann. Fr. 1850. p. 344.* — Gallia.
♂ *teretiusculus* Bohem. *l. c. p. 189.* — Lusitania.
pyraster Herbst. *Käf. VI. p. 252. t. 78. f. 6.* — Rosensch. *Schh. Gen. Curc. IV. p. 777.* – Jacq. Duv. *Gen. Col. Curc. 1854. t. 29. f. 138.* — M.
♂ *cerasi* Payk. *Fn. Suec. III. p. 193.* — Suecia.
semicylindricus Marsh. *Ent. Brit. p. 294.* — Anglia.
var. *denigratus* Gmel. *ed. Linn. I. 4. p. 1771.* — Tauria.
„ *haemorrhoidalis* Herbst. *l. c. p. 266. t. 80. f. 4.* — Germania.
„ *pyraster* Germ. *Mag. Ent. IV. p. 317.* — Gallia.
relictus Walker. *Ann. nat. Hist. IV. 1859. p. 219.* — Ceylon.
Schneideri Kirsch. *Berl. Zeit. 1870. p. 392.* — Aegyptus.
setosus Kiesenw. *Berl. Zeit. 1864. p. 274.* — Zante.
13

Ephimerus

ἐφίμερος, jucundus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 331.*

sexguttatus Bohem. *Schh. Gen. Curc. VII. 2. p. 332.* — Jamaica.
1

Euticheus

εὐτείχεος, bene munitus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 160. (emend.)*

Eutecheus Schönh.

antiquus Bohem. *Schh. Gen. Curc. VII. 2. p. 161.* — Madagascar.
1

Omophorus

ὠμοφόρος, onerarius.

Schönherr. *Gen. Curc. III. 1836. p. 479.*

indispositus Bohem. *Schh. Gen. Curc. VIII. 2. p. 447.* — Benguela.
stomachosus Bohem. *l. c. III. p. 480.* — Caffraria.
2

Oropterus

ὄρος, mons; πτερὸν, ala.

White. *Voy. Ereb. and Terror. 1846. p. 14.*

corniger White. *Voy. Ereb. Terr. p. 14. t. 3. f. 15.* Nov. Zeeland.
1

Technites

τεχνίτης, artifex.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 381.*

trifasciatus Bohem. *Schh. Gen. Curc. VII. 2. p. 382.* Caffraria.
1

Hypoglyptus

ὑπόγλυπτος, infra sculptus.

Gerstäcker. *Stett. Ent. Zeit. 1855. p. 172.*

gracilis Kiesenw. *Berl. Zeit. 1864. p. 264.* Aetolia.
pictus Gerstäck. *Stett. Zeit. 1855. p. 173.* Corfu.
2

Hydronomus

ὕδωρ, aqua; νομὸς, sedes.

Schönherr. *Disp. meth. 1826. p. 231.*

alismatis Marsh. *Ent. Brit. p. 273.* — Gylh. *Schh. Gen. Curc. III. p. 317.* — Bohem. *Schh. l. c. VII. 2. p. 183.* — Jacq. Duv. *Gen. Col. Curc. t. 19. f. 88.* M.
cnemerythrus var. *β*. Marsh. *Ent. Brit. p. 268.* Anglia.
glabrirostris Herbst. *Käf. VI. p. 254. t. 78. f. 9.* Germania.
productus Illig. *Dej. Cat. 1. ed. p. 98.* Suecia.
tibialis Bohem. *l. c. VIII. 2. p. 87.* Germania.
argillaceus Suffrian. *Wiegm. Arch. 1871. I. p. 159.* Cuba.
brevirostris Suffr. *l. c. p. 157.* „
peregrinus Suffr. *l. c. p. 156.* „
tessullatus Suffr. *l. c. p. 160.* „
5

Bagous

βαγώας, nomen persicum: spado.

Schönherr. *Disp. meth. 1826. p. 289.*

Anactodes Brisout. — *Elmidomorphus* Cussac. — *Lyprus* Schönh. — *Macropelmus* Megerle.

Monogr. Brisout. *Ann. Fr. 1863. p. 491.*

Aubei Cussac. *Ann. Fr. 1851. p. 206. t. 4. II.* — Bris. *Mon. p. 508.* Gallia.

biimpressus Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 78.* — Bris. *Mon. p. 499.* Etruria.
frater Jacq. Duv. *Gen. Col. Curc. p. 64. not. 1.* Gallia.
binodulus Herbst. *Käf. VI. p. 247. t. 77. f. 15.* — Schönh. *Gen. Curc. VIII. 2. p. 75.* — Guér. *Jc. règn. anim. t. 38. f. 2. a-b.* — Bris. *Mon. p. 501.* Germania.
atrirostris Oliv. *Ent. V. 83. p. 141. t. 33. f. 501.* Gallia.
bisignatus Dahl. *Dej. Cat. 3. ed. p. 308.* Italia.
brevis Gylh. *Schh. Gen. Curc. III. p. 550.* Suecia.
coenosus Gylh. *l. c. p. 541.* Caffraria.
Collignensis Herbst. *Käf. VII. p. 50. t. 98. f. 7. C.* M.
binotatus Steph. *Ill. Brit. IV. p. 48.* Anglia.
lutulentus Gylh. *Ins. Suec. III. p. 86; IV. p. 565; Schh. Gen. Curc. VIII. 2. p. 85.* — Bris. *Mon. p. 512.* Suecia.
puncticollis Bohem. *Schh. Gen. Curc. VIII. 2. p. 86.* Germania.
costulatus Perris. *Abeille. VII. 1870. p. 23.* Corsica.
curtus Gylh. *Schh. Gen. Curc. VIII. 2. p. 81.* Suecia.
cylindricus Rosenh. *Thier. Andal. 1856. p. 289.* -- Bris. *Mon. p. 514.* Algesiras.
cylindrus Payk. *Fn. Suec. III. p. 241.* — Gylh. *Schh. Gen. Curc. III. p. 536.* — Jacq. Duv. *Gen. Col. Curc. t. 28. f. 133.* — Bris. *Mon. p. 497.* M.
attenuatus Ahrens. *N. Schrift. Ges. Hal. II. 2. p. 18. t. 1. f. 9.* — Germ. *Dej. Cat. 1. ed. p. 89.* Germania.
cnemerythrus Marsh. *Ent. Brit. p. 268.* -- Jacq. Duv. *Gen. Col. p. 64. t. 28. f. 133.* Anglia.
diglyptus Bohem. *Schh. Gen. Curc. VIII. 2. p. 82.* — Bris. *Mon. p. 505.* Germania.
dilatatus Thoms. *Skand. Col. X. p. 342.* Suecia.
elegans Fabr. *Syst. El. II. p. 499.* — Germ. *Fn. Ins. Eur. 4. 8; Schh. Gen. Curc. VIII. 2. p. 74.* — Lacord. *Gen. Col. VI. 1863. p. 485. note 2.* -- Bris. *Mon. p. 496.* Germania.
exilis Jacq. Duv. *Gen. Col. Curc. 1854. p. 64. nota 2.* — Bris. *Mon. p. 498.* Gallia.
frit Herbst. *Käf. VI. p. 256. t. 78. f. 12.* — Gylh. *Ins. Suec. IV. p. 567.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 79.* — Bris. *Mon. p. 503.* M.
mundanus Bohem. *l. c. p. 79.* Helvetia.
var. {*claudicans* Bohem. *l. c. p. 80.* Gallia.
var. {*fritillum* Walton *in litt.* — Bris. *Mon. p. 504.* „
haematopus Gylh. *Schh. Gen. Curc. III. p. 543.* Caucasus.
inceratus Gylh. *l. c. p. 544.* Germania.
argillaceus Gylh. *l. c. p. 542.* Tauria.
encaustus Bohem. *Schh. Gen. Curc. VIII. 2. p. 76.* Pyren. or.
halophilus Redtenb. *Fn. Austr. ed. 1. p. 393; ed. 2. p. 794.* Germania.
inquinamentus Gylh. *Schh. Gen. Curc. III. p. 545.* Sibiria.
Kraatzi Brisout. *Mon. p. 516.* Moravia.
longitarsus Thoms. *Skand. Col. X. p. 185.* Suecia.
longulus Gylh. *Schh. Gen. Curc. III. p. 537.* Caffraria.
lutosus Gylh. *Ins. Suec. III. p. 85.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 85.* — Bris. *Mon. p. 511.* Germania.
tubercularis Kirby *in litt.* Anglia.
validitarsus Bohem. *l. c. p. 87.* Gallia.

lutulosus Gylh. *Ins. Suec. IV. p. 568.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 83.* — Bris. *Mon. p. 506.* Germania.
var. *dorsalis* Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 144.* Gallia mer.
„ *formicetorum* Jacq. Duv. *Cat. Curc. 1854. not. 1.* Gallia.
mamillatus Say. *Descr. of Curc. of N. Am. p. 28.* — Gylh. *Schh. Gen. Curc. III. p. 539.* Missouri.
minutus Hochh. *Bull. Mosc. 1847. II. p. 573.* Transcaucas.
minutus Muls. et Rey. *Opusc. ent. IX. 1859. p. 35.* — Bris. *Mon. p. 500.* Gallia mer.
muticus Thoms. *Skand. Col. X. p. 184.* Suecia.
nodulosus Gylh. *Schh. Gen. Curc. III. p. 538.* — Jacq. Duv. *Gen. Col. Curc. t. 27. f. 132.* — Bris. *Mon. p. 502.* Germania.
binodulus Illig. *in litt.* Italia.
sibiricus Gebl. *in litt.* Sibiria.
perparvulus Rosenh. *Thier. Andal. 1856. p. 291.* Andalusia.
petro Herbst. *Käf. VI. p. 366. t. 89. f. 1.* Germania.
chorinaeus Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 78.* Gallia.
{*laticollis* Gylh. *Schh. l. c. III. p. 548.* „
{*atrirostris* Dej. *Cat. 1. ed. p. 89.* „
limosus Gylh. *Ins. Suec. IV. p. 566.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 77.* — Bris. *Mon. p. 509.* Germania.
pyrrhocnemis Gylh. *Schh. Gen. Curc. III. p. 540.* Calcutta.
robustus Brisout. *Ann. Fr. 1863. p. 513.* — Kiesenw. *Berl. Zeit. 1864. p. 275.* Graecia.
rotundicollis Bohem. *Schh. Gen. Curc. VIII. 2. p. 75.* — Bris. *Mon. p. 498.* Germania.
sardiniensis Bris. *Mon. p. 510.* Sardinia.
septemcostatus Chevrol. *Rev. Zool. 1860. p. 509.* — Bris. *Mon. p. 515.* Algeria.
subcarinatus Gylh. *Schh. Gen. Curc. III. p. 543.* — Bris. *Mon. p. 502.* Gallia.
tempestivus Herbst. *Käf. VI. p. 246. t. 77. f. 14.* — Gylh. *Schh. Gen. Curc. III. p. 546.* — Bris. *Mon. p. 507.* Germania.
cnemerythrus Bohem. *Schh. l. c. VIII. 2. p. 83.* Gallia.
convexicollis Bohem. *l. c. p. 84.* „
var. *adspersus* Förster. *Verhandl. Ver. Preuss. Rheinl. VI. 1849. Nachtrg. p. 34.* — Bris. *Mon. p. 504.* German. rhen.
„ *tessellatus* Först. *l. c. p. 32.* „
tophyosus Gylh. *Schh. Gen. Curc. III. p. 547.* Sibiria.
validus Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 54.* Hungaria.
39

Brexius

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 201.*

angusticollis Pascoe. *Trans. ent. Soc. 1870. p. 201.* Queensland.
diversipes Pascoe. *l. c. p. 202.* Champion bay.
murinus Pascoe. *l. c. p. 201. t. 5. f. 15. a-b.* Victoria.
3

Ephimeropus

ἐφίμερος, amoenus; πούς, pes.

Hochhuth. *Bull. Mosc. 1847. II. p. 543.*

geniculatus Hochh. *Bull. Mosc. 1847. II. p. 544.* Caucasus.
1

Geranorrhinus

γέρανος, grus; ῥίν, nasus.

Chevrolat. *Rev. Zool. 1860. p. 456.*

elegans Seidlitz. *Berl. Zeit. 1867. p. 434.* Jaen.
Brannani Schauf. *Col. Heft. II. 1867. p. 20.* „
rufirostris Seidl. *l. c. p. 188.* „
rufirostris Chevrol. *Rev. Zool. 1860. p. 456.* — Schauf. *Col. Heft. II. 1867. p. 19.* Algeria.
suturalis Lacord. *Gen. Col. VI. 1863. p. 628.* — Schauf. *l. c. p. 19.* Aegyptus.
3

Tanysphyrus

τανύω, extendo; σφυρὸν, talus.

Schönherr. *Disp. meth. 1826. p. 168.*

lemnae Fabr. *Ent. Syst. I. 2. p. 412.* — Panz. *Fn. Germ. 17. 10.* — Gylh. *Schh. Gen. Curc. II. p. 332.* — Jacq. Duv. *Gen. Col. Curc. t. 10. f. 47.* M.
inspectatus Herbst. *Käf. VI. p. 301. t. 83. f. 9.* Germania.
1

Endalus

Nomen mythol.

Castelnau. *Hist. nat. II. 1840. p. 339.*

Notiodes Schönh. — *Notionomus* Erichson. — *Notiophilus* Schönh. *olim.*

apiculatus Gylh. *Schh. Gen. Curc. III. p. 320.* Missouri.
australis Erichs. *Wiegm. Arch. 1842. I. p. 197.* Tasmania.
limatulus Gylh. *Schh. Gen. Curc. III. p. 319.* — Lacord. *Gen. Col. VI. 1863. p. 489.* Missouri.
nanus Bohem. *Res. Eugen. 1859. p. 130.* Montevideo.
nigrirostris Bohem. *Schh. Gen. Curc. VII. 2. p. 184.* Pennsylvania.
simplex Say. *Descr. of Curc. of N. Am. 1831. p. 29.* „
egenus Gylh. *Schh. Gen. Curc. III. p. 549.* — Dej. *Cat. 3. ed. p. 308.* — Lacord. *Gen. Col. VI. p. 489. note 2.* „
6

Brachybamus

βραχὺς, brevis; βᾶμα, passus.

Germar. *Schh. Gen. Curc. III. 1836. p. 330.*

electus Germ. *Schh. Gen. Curc. III. p. 331.* — Bohem. *Schh. l. c. VII. 2. p. 185.* Boston.
inceratus Bohem. *l. c. p. 187.* Amer. bor.
2

Smicronyx

σμικρός, parvus; ὄνυξ, unguis.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 313.*

Ellescus Dejean. — *Micronyx* Schönh.

albosquamosus Wollast. *Ins Mader. 1854. p. 345.* Madera.
albosignatus Suffrian. *Wiegm. Arch. 1871. I. p. 170.* Cuba.
cinereus Motsch. *Bull. Mosc. 1845. IV. p. 376.* California.
coecus Reich. *Mantiss. Ins. 1797. p. 12. t. 1. f. 8.* Germania.
corsicus Fairm. *Ann. Fr. 1861. p. 584.* Corsica.
cyaneus Gylh. *Schh. Gen. Curc. III. p. 424.* — Dej. *Cat. 3. ed. p. 305.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 21. f. 101.* Gallia mer
Erichsoni Hochh. *Bull. Mosc. 1847. II. p. 551.* Caucasus.
fallax Gylh. *Schh. Gen. Curc. III. p. 427.* Caffraria.
fulvipes Reiche. *Ann. Fr. 1858. p. 10.* — Kiesenw. *Berl. Zeit. 1864. p. 275.* Graecia.
Jungermanniae Reich. *Mantiss. Ins. 1797. p. 16. t. 1. f. 12.* — Gylh. *Schh. Gen. Curc. III. p. 425.* M.
atomarius Sturm. *Cat. 1826. p. 190.* Germania
cicur Gylh. *l. c. p. 426.* — Schüpp. *Dej. Cat. 3. ed. p. 305.* „
conspersus Vogt. *Dej. Cat. l. c.* Anglia.
funeralis Meg. *Dej. Cat. l. c.* Austria.
querceti Ocskay. *Dej. Cat. l. c.* Hungaria.
variegatus Gylh. *l. c. p. 428.* — Dej. *Cat. 1. ed. p. 87.* Gallia.
opacus Gougelet et Bris. *Ann. Fr. 1860. p. 335.* Algeria.
pauperculus Wollast. *Cat. Canar. Col. 1864. p. 317.* Canariae.
politus Bohem. *Schh. Gen. Curc. VII. 2. p. 314.* Germania.
pygmaeus Curtis. *Ann. nat. Hist. V. 1840. p. 280.* Anglia.
Reichi Gylh. *Schh. Gen. Curc. III. p. 426.* Gallia.
rufipes Kiesenw. *Berl. Zeit. 1864. p. 276.* Zante.
16

Penestes

πενέστης, pauper.

Schönherr. *Disp. meth. 1826. p. 226.*

tigris Fabr. *Syst. El. II. p. 455.* — Gylh. *Schh. Gen. Curc. III. p. 317.* Cayennae.
1

Cryptoplus

κρυπτός, occultus; ὁπλή, unguis.

Erichson. *Wiegm. Arch. 1842. 1. p. 198.*

perdix Erichs. *Wiegm. Arch. 1842. 1. p. 199.* Tasmania.

1

Emplesis

ἐμπλέω, impleo.

Pascoe. *Trans. ent. Soc. 1870. p. 194.*

lineigera Pascoe. *Trans. ent. Soc. 1870. p. 195.* New S. Wales.
scolopax Pascoe. *l. c. p. 194.* Adelaida.
simplex Pascoe. *l. c. p. 195.* Austral. mer.

3

Anoplus

ἄνοπλος, inermis.

Schönherr. *Disp. meth. 1826. p. 244.* Dej Cat ed I

plantaris Naezen. *Act. Holm. 1794. IV. p. 270.* — Gylh. *Schh. Gen. Curc. III. p. 465.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 22. f. 104.* M.
alboscutellatus Ulr. *Dej. Cat. 3. ed. p. 306.* Illyria.
armeniacae Fabr. *Ent. Syst. I. 2. p. 405.* Suecia.
atratus Steph. *Ill. Brit. IV. p. 53.* Anglia.
brevis Marsh. *Ent. Brit. p. 265.* „
nitidulus Steph. *l. c. p. 53.* „
var. *impubis* Ulr. *Dej. Cat. l. c.* Illyria.
roboris Suffr. *Stett. Zeit. 1840. p. 59.* Germania.
setulosus Kirsch. *Berl. Zeit. 1870. p. 217.* Silesia.

3

Glaridorrhinus

γλαρίς, scalprum; ῥίν, nasus.

Kolenati. *Verh. zool. bot. Ver. Wien. VIII. 1858. p. 343.*

Khuenburgi Kolenati. *Verh. zool. bot. Ver. Wien. 1858. p. 343. t. 6. f. 2. a-d.* Germania.

1

Rhachiodes

ῥαχιώδης, scopulosus.

Schönherr. *Gen. Curc. III. 1836. p. 361. (emend.)*

Myllorhinus Boisduval. — *Pteroporus* Schönh. — *Rachiodes* Schönh.

bicaudatus Boisd. *Voy. Astrol. II. 1835. p. 418.* Nov. Holland.

spinicollis Gylh. *Schh. Gen. Curc. III. p. 362.* — Lacord. *Gen. Atl. VIII. t. 71. f. 2. a-b.* Nov. Holland.
dentifer Bohem. *Schh. Gen. Curc. VII. 2. p. 126.* „
2

Storeus

στορεύς, strator.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 293.*

australis Montrouz. *Ann. Fr. 1860. p. 886.* Lifu.
signatus Bohem. *Schh. Gen. Curc. VII. 2. p. 295.* Nov. Holland.
variegatus Bohem. *l. c. p. 294.* Port Jackson.
3

Erytenna

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 195.*

consputa Pascoe. *Trans. ent. Soc. 1870. p. 196. t. 5. f. 9. a.* Austral. mer.
dispersa Pascoe. *l. c. p. 196.* Nicol bay.
2

Carteromerus

καρτερός, fortis; μηρός, femur.

Lacordaire. *Gen. Col. VI. 1863. p. 495.*

Acanthomerus Schönh.

obsoletesignatus Gylh. *Schh. Gen. Curc. VII. 2. p. 251.* Caffraria.
1

Amphibolocorynus

ἀμφίβολος, ambiguus; κορύνη, clava.

Schönherr. *Mantiss. sec. Curc. 1847. p. 71.*

varius Schönh. *Mant. sec. p. 72. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 496.* Caffraria.
1

Ctenomerus

κτείς, pecten; μηρός, femur.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 254.*

convexicollis Gylh. *Schh. Gen. Curc. III. p. 338.* Caffraria.
pallidulus Gylh. *l. c. p. 336.* „
serratorius Gylh. *l. c. VII. 2. p. 255.* Cap bon. spei.
varicolor Gylh. *l. c. III. p. 337.* Caffraria.
4

Pansmicrus

πάνςμικρος, perpusillus.

Schönherr. *Mant. sec. Curc. 1847. p. 74.*

fasciatus Schönh. *Mant. sec. p. 75. (indscrpt.)* Caffraria.
ferrugineus Schönh. *l. c. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 498.* „
rufus Schönh. *l. c. (indscrpt.)* „
3

Monius

μονιός, solitarius.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 501.*

Panscopus Schönh. *olim.* — *Stenopelmus* Schönh.

rufinasus Gylh. *Schh. Gen. Curc. III. p. 469.* Florida.
1

Eugnomus

εὐγνώμων, prudens.

Schönherr. *Mantiss. sec. Curc. 1847. p. 45.*

Durvillei Schönh. *Mant. sec. p. 47. (indscrpt.).* — Lacord. *Gen. Col. VI. 1863. p. 501.* Nov. Zeeland.
1

Hypselus

ὑψηλὸς, altus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 158.*

ater Bohem. *Schh. Gen. Curc. VII. 2. p. 159.* Buenos Aires.
1

Rhopalomerus

ῥόπαλον, clava; μηρὸς, femur.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 391.*

tenuirostris Blanch. *Gay. Hist. Chil. V. p. 391. t. 25. f. 1. a-e.* Chili.
1

Callistomorphus

κάλλιστος, pulcherrimus; μορφή, forma.

Perroud. *Ann. Soc. Linn. Lyon. XI. 1864. p. 169.*

farinosus Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 170. t. 1. f. 7.* Nov. Caledon.
1

Stephanorrhynchus

στέφανος, corona; ῥύγχος, rostrum.

White. *Voy. Ereb. and Terror. XI. 1846. p. 17.*

attelaboides Fabr. *Syst. Ent. p. 156.* — Oliv. *Ent. V. 83. p. 423. t. 14. f. 174. a-b.* — Nov. Zeeland.
curvipes White. *Voy. Ereb. Terr. p. 17. t. 3. f. 11.* — Lacord. *Gen. Col. VI. 1863. p. 503. note 1; Atl. VIII. t. 71. f. 3. a-c.* — „
1

Meriphus

μηρὸς, femur; ἶφις, fortitudo.

Erichson. *Wiegm. Arch. 1842. I. p. 199.*

fullo Erichs. *Wiegm. Arch. 1842. I. p. 200. t. 5. f. 2.* — Tasmania.
guttatus Pascoe. *Trans. ent. Soc. 1870. p. 197.* — Queensland.
longirostris Pascoe. *Ann. nat. Hist. 1871. p. 97.* — Albany.
umbrinus Pascoe. *Trans. ent. Soc. 1870. p. 196. t. 5. f. 12. a-b.* — Queensland.
4

Orpha

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 197.*

flavicornis Pascoe. *Trans. ent. Soc. 1870. p. 197. t. 5. f. 11. a-c.* — Champion bay.
1

Macropoda

μακρὸς, longus; ποῦς, pes.

Montrouzier. *Ann. Fr. 1860. p. 877.*

convexa Montrouz. *Ann. Fr. 1860. p. 878.* — Lifu.
kanalensis Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 167.* — Nov. Caledon.
setacea Montrouz. *Ann. Fr. 1860. p. 878.* — Lifu.
3

Ophthalmoborus

ὀφθαλμοβόρος, oculos appetens.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 189.*

Anthobius Schönh.

testaceus Fabr. *Syst. El. II. p. 452.* — Gylh. *Schh. Gen. Curc. III. p. 325.* — Amer. mer.
1

Phyllotrox

φύλλον, folium; τρώγω, rodo.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 189.*

abdominalis Schauf. *Rev. Zool. 1866. p. 412.*	Nov. Granada.
liturellus Suffrian. *Wiegm. Arch. 1871. I. p. 152.*	Cuba.
pallidus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 191.*	S. Vincent.
posticus Schauf. *Rev. Zool. 1866. p. 413.*	Nov. Granada.
rugirostris Schauf. *l. c.*	„
semirufus Bohem. *Schh. Gen. Curc. VII. 2. p. 190.*	Brasilia.
subopacus Schauf. *Rev. Zool. 1866. p. 413.*	Nov. Granada.
variabilis Schauf. *l. c. p. 412.*	„
var. *rufipennis* Schauf. *l. c.*	„
variegatus Suffr. *Wiegm. Arch. 1871. I. p. 154.*	Cuba.
9	

Brachonyx

βραχύς, brevis; ὄνυξ, unguis.

Schönherr. *Disp. meth. 1826. p. 232.*

Rhinodes Dejean. — *Sarapus* Schüppel.

pineti Payk. *Mon. Curc. 1792. p. 61.*	M.
indigena Herbst. *Käf. VI. p. 170. t. 71. f. 12.* — Gylh. *Schh. Gen. Curc. III. p. 330.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 19. f. 89.* — ‡ Ratzeb. *Forstins. 1837. 1. p. 126. t. 5. f. 9.*	Suecia.
malvae Herbst. *l. c. VII. p. 138.*	Germania.
1	

Myossita

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 418.*

cirrifera Pascoe. *Trans. ent. Soc. 1870. p. 198. t. 5. f. 4.*	Queensland.
melanocephala Pascoe. *l. c. p. 198.*	Austral. occ.
rufula Pascoe. *Journ. of Ent. II. p. 418. t. 17. f. 23.*	Nov. Holland.
tabida Pascoe. *Ann. nat. Hist. 1871. p. 98.*	Austral. mer.
4	

Tranes

τρανής, penetrans.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 129.*

internatus Pascoe. *Trans. ent. Soc. 1870. p. 199.*	Queensland.
monopticus Pascoe. *l. c.*	„
sparsus Bohem. *Schh. Gen. Curc. VII. 2. p. 131.*	Nov. Holland.
Vigorsi Bohem. *l. c. p. 130.* — Lacord. *Gen. Atl. VIII. t. 71. f. 4. a.*	„
4	

Iphipus

ἶφις, fortitudo; ποῦς, pes.

Schönherr. *Gen. Curc. III. 1836. p. 248.*

corticalis Montrouz. *Ann. Fr. 1860. p. 885. (gen. dub.)*	Nov. Caledon.
Roei Bohem. *Schh. Gen. Curc. VII. 2. p. 127.* — Lacord. *Gen. Col. VI. 1863. p. 509. note 1.* — Pascoe. *Trans. ent. Soc. 1870. p. 200.*	Nov. Holland.
rudis Gylh. *Schh. Gen. Curc. III. p. 250.*	Brasilia.
3	

Amalactus

α priv.; μαλακτὸς, mollitus.

Schönherr. *Gen. Curc. III. 1836. p. 251.*

aterrimus Bohem. *Schh. Gen. Curc. VII. 2. p. 128.*	Amer. mer.
nigritus Gylh. *Schh. l. c. III. p 252.*	Cayennae.
laticollis Sturm. *Cat. 1826. p. 125.*	„
2	

Ixamine

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 200.*

atomaria Pascoe. *Trans. ent. Soc. 1870. p. 200. t. 5. f. 3.*	Champion bay.
1	

Emphyastes

ἐμφύω, inflo.

Mannerheim. *Bull. Mosc. 1852. II. p. 353.*

fucicola Mannerh. *Bull. Mosc. 1852. II. p. 354.* — Lec. *Entom. Report. 1857. p. 57. t. 2. f. 8.* — Lacord. *Gen. Atl. VIII. t. 71. f. 5. a-d.*	Sitkha.
1	

Ambates

ἀμβάτες, scandens.

Schönherr. *Gen. Curc. III. 1836. p. 278.*

Baris Dejean. — *Embates* Chevrolat.

apricans Herbst. *Käf. VI. p. 201. t. 74. f. 1. a-b.* — Lacord. *Gen. Atl. VIII. t. 71. f. 6. a-c.*	Cayennae.
clathratus Lacord. *Dej. Cat. 3. ed. p. 300.*	„
lineatopennis Buquet. *Dej. Cat. l. c.*	Surinam.
aurantiacocinctus Luc. *Casteln. Voy. 1859. p. 167. t. 10. f. 6. a-b.*	Brasilia.
clitellatus Bohem. *Schh. Gen. Curc. VII. 2. p. 153.*	Columbia.
coecus Chevrol. *Col. Mex. Cent. I. fasc. I. 1833. nr. 17.*	Mexico.

eumerus Erichs. *Wiegm. Arch. 1847. I. p. 131.* Peru.
griseolus Erichs. *l. c.* „
immundus Erichs. *l. c.* „
Maerkeli Germ. *Schh. Gen. Curc. VII. 2. p. 151.* Brasilia.
perspicillum Kirsch. *Berl. Zeit. 1868. p. 207.* Bogotá.
pictus Gylh. *Schh. Gen. Curc. III. p. 279.* — Dej. *Cat. 3. ed. p. 300.* Cayennae.
posticus Kirsch. *Berl. Zeit. 1868. p. 208.* Bogotá.
pusio Bohem. *Schh. Gen. Curc. III. p. 188.* Brasilia.
quadrilineatus Fabr. *Syst. El. II. p. 460.* — Bohem. *Schh. l. c. VII. 2. p. 150.* Cayennae.
{*circumdatus* Gylh. *Schh. l. c. III. p. 280.* „
{*lineolatus* Schneid. *in litt.* „
var. *circumdatus* Dej. *Cat. 3. ed. p. 300.* — Bohem. *l. c.* „
salamandra Kirsch. *Berl. Zeit. 1868. p. 206.* Bogotá.
Schaumi Bohem. *Schh. Gen. Curc. VII. 2. p. 152.* Brasilia.
15

Pteracanthus

πτερὸν, ala; ἄκανθα, spina.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 156.*

Smidti Fabr. *Syst. El. II. p. 480.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 157.* Cayennae.
spinosus Lacord. *Dej. Cat. 3. ed. p. 301.* „
1

Phacemastix

φακή, lenticula; μάστιξ, flabellum.

Schönherr. *Mantiss. sec. Curcul. 1847. p. 72.*

baridioides Schönh. *Mant. sec. p. 74. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 515.* Port Natal.
1

Synophthalmus

σὺν, simul; ὀφθαλμός, oculus.

Lacordaire. *Gen. Col. VI. 1863. p. 516.*

Phytophilus Schönh. — *Poecilma* Eschscholtz.

crucifer Gylh. *Schh. Gen. Curc. III. p. 282.* — Eschsch. *Dej. Cat. 3. ed. p. 301.* Manilla.
1

Petalochilus

πέταλον, folium; χεῖλος, labrum.

Schönherr. *Gen. Curc. III. 1836. p. 591.*

Archarias Banon.

gemellus Gylh. *Schh. Gen. Curc. III. p. 592.* — Banon. *Dej. Cat. 3. ed. p. 309.* Cayennae.
1

Balanephagus

βαλανηφάγος, glandivorus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 341.*

expansirostris Lacord. *Gen. Atl. VIII. t. 72. f. 1. a-c.* Brasilia.
Faldermanni Bohem. *Schh. Gen. Curc. VII. 2. p. 343.* „
2

Ancylorrhynchus

ἀγκύλος, curvus; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. III. 1836. p. 450. (emend.)*

Anchylorhynchus Schönh.

aegrotus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 335.* Brasilia.
mutabilis Fåhrs. *l. c. p. 333.* „
variabilis var. *γ.* Gylh. *Schh. Gen. Curc. III. p. 451.* „
var. *variabilis* var. *β, δ, ε.* Gylh. *l. c.* „
parcus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 335.* „
variabilis Gylh. *Schh. l. c. III. p. 451.* — Fåhrs. *l. c. VII. 2. p. 333.* — Klug. *Dej. Cat. 3. ed. p. 305.* — Lacord. *Gen. Atl. VIII. t. 72. f. 2. a.* „
Spec. ined. Lacord. *Gen. Col. VI. 1863. p. 520. note 1.* „
5

Oxycorynus

ὀξύς, acutus; κορύνη, clava.

Chevrolat. *Ann. Fr. 1832. p. 212.*

armatus Buquet. *Guér. Jc. règn. anim. p. 138.* Brasilia.
cribricollis Blanch. *Gay. Hist. Chil. V. p. 311. t. 22. f. 5. a-d.* Chili.
hydnorae Pascoe. *Proc. ent. Soc. Lond. 1868. p. 14.* Catamarca.
melanocerus Chevrol. *Ann. Fr. 1832. p. 214. t. 5. f. 4. a-b.* — Fåhrs. *Schh. Gen. Curc. V. p. 582.* Brasilia.
melanops Chevrol. *Ann. Fr. 1832. p. 214. t. 5. f. 5.* „
minutus Philippi. *Stett. Zeit. 1864. p. 365.* Chili.
6

Metrioxena

μέτριος, moderatus; ξένος, hospes.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 442.*

serricollis Pascoe. *Journ. Linn. Soc. X. p. 443. t. 17. f. 10. a-c.* Macassar.
1

Dicordylus

δίς, bis; κορδύλη, clava.

Lacordaire. *Gen. Col. VI. 1863. p. 523.*

heilipioides Lacord. *Gen. Col. VI. 1863. p. 524. note 1.* Chili.
ithyceroides Lacord. *l. c. p. 523. note 1; Atl. VIII. t. 72. f. 3. a.* „
2

Agnesiotis

Etym dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 474.*

pilosula Pascoe. *Journ. Linn. Soc. X. p. 474. t. 18. f. 6. a-b.* Queensland.
1

Belus

βέλος, jaculum.

Schönherr. *Disp. meth. 1826. p. 73.*

Isacantha Hope. — *Orthorhynchus* Mac Leay. — *Pachyra* Schönh. — *Pachyura* Hope.

amplicollis Jekel. *Ins. Saund. II. 1860. p. 228.* Richmond Riv.
angustulus Germ. *Linn. ent. III. 1848. p. 206.* Adelaida.
australis Hope. *Trans. Zool. Soc. I. 2. 1833. p. 102.* — Bohem. *Schh. Gen. Curc. V. p. 352.* Nov. Holland.
bidentatus Donov. *Epitom. 1805. cum fig.* — Boisd. *Voy. Astrol. II. p. 303.* — Mac Leay. *Dej. Cat. 3. ed. p. 262.* — Bohem. *Schh. Gen. Curc. V. p. 349.* „
Roei Hope *in litt.* „
bimaculatus Pascoe. *Ann. nat. Hist. 1871. p. 99.* Tasmania.
bispinosus Perroud. *Ann. Soc. Linn. Lyon. ser. 2. I. 1853. p. 410.* Sidney.
brunneus Guér. *Voy. Coquille. 1830. p. 108.* — Boisd. *Voy. Astrol. II. p. 305.* Swan River.
melanocephalus Bohem. *Schh. Gen. Curc. V. p. 351.* — Germ. *Linn. ent. III. p. 208.* — Labr. et Imh. *Gen. Curc. II. nr. 5.* „
var. *affinis* Perroud. *Ann. Soc. Linn. Lyon. 1853. p. 414.* Sidney.
cinereus Blanch. *Voy. Pole Sud. IV. 1853. p. 200. t. 13. f. 7.* Tasmania.
congestus Pascoe. *Ann. nat. Hist. 1871. p. 98.* Wide bay.
cyaneipennis Bohem. *Res. Eugen. 1859. p. 118.* Sidney.
filiformis Germ. *Linn. ent. III. 1848. p. 207.* Adelaida.
filum Jekel. *Ins. Saund. II. p. 231.* N. S. Wales.
fumigatus Germ. *Linn. ent. III. p. 208.* Adelaida.
gracilis Bohem. *Res. Eugen. p. 118.* Sidney.
Grayi Jekel. *Ins. Saund. II. p. 234.* Tasmania.
hemistictus Germ. *Linn. ent. III. p. 204.* Adelaida.
irroratus Jekel. *Ins. Saund. II. p. 232.* Tasmania.

linearis Pascoe. *Journ. Linn. Soc. X. 1870. p. 475.* Queensland.
papulosa Pascoe. *Ann. nat. Hist. 1871. p. 99.* N. S. Wales.
phoenicopterus Germ. *Linn. ent. III. p. 207.* Adelaida.
pica Jekel. *Ins. Saund. II. p. 230.* Richmond Riv.
plagiatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 475.* Queensland.
rhinotioides Hope. *Trans. Zool. Soc. I. p. 102. t. 14. f. 6.* — Schönh. *Gen. Curc. V. p. 353.* Nov. Holland
scalaris Germ. *Linn. ent. III. p. 205.* Adelaida.
semipunctatus Fabr. *Syst. Ent. p. 135.* — Oliv. *Ent. V. 83. p. 241. t. 12. f. 141.* — Bohem. *Schh. Gen. Curc. V. p. 348.* Nov. Holland.
lineatus Donov. *Epitom. 1805. cum fig.* „
serpens Pascoe. *Journ. Linn. Soc. X. 1870. p. 475.* Champion bay.
sparsus Germ. *Linn. ent. III. p. 206.* Adelaida.
subparallelus Jekel. *Ins. Saund. II. 1860. p. 229.* Richmond Riv.
suturalis Boisd. *Voy. Astrol. II. p. 304. t. 7. f. 20-21.* — Germ. *Linn. ent. III. p. 205.* — Labr. et Imh. *Gen. Curc. II. nr. 5.* „
vetustus Pascoe. *Trans. ent. Soc. 1870. p. 203.* Champion bay
30

Cyrotyphus

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 445.*

fascicularis Pascoe. *Journ. Linn. Soc. X. p. 445. t. 17. f. 5. a-c.* Gawler.
1

Rhinotia

ῥίν, nasus; οὖς, auris.

Kirby. *Trans. Linn. Soc. XII. 1818. p. 426.*

cruenta Pascoe. *Journ. Linn. Soc. X. 1870. p. 475.* Austral. occ.
dermestiventris Boisd. *Voy. Astrol. II. p. 301.* — Blanch. *Voy. Pole Sud. IV. p. 198.* Nov. Holland.
fascicularis Hombr. et Jacq. *t. 13. f. 6.* „
haemoptera Kirby. *Trans. Linn. Soc. XII. p. 427. t. 22. f. 7. a-d.* — Gylh. *Schh. Gen. Curc. I. p. 244.* „
Kirbyi Bohem. *Schh. l. c. V. p. 357.* „
marginella Bohem. *l. c. p. 356.* „
pectoralis Erichs. *Wiegm. Arch. 1842. I. p. 185.* Tasmania.
pruinosa Pascoe. *Ann. nat. Hist. 1871. p. 98.* Austral. mer.
spinipennis Lacord. *Gen. Col. VI. 1863. p. 526. note 1.* Nov. Holland.
8

Homalocerus

ὁμαλὸς, aequalis; κέρας, cornu.

Schönherr. *Gen. Curc. V. 1839. p. 358.*

Rhinotia Schönh.

acuminatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 366.* Brasilia.

albidovarius Fairm. et Germain. *Col. Chil. 1860. p. 6.* Chili.
argus Fairm. et Germ. *l. c.* „
balteatus Fairm. et Germ. *l. c.* „
exquisitus Fairm. et Germ. *l. c. 1861. p. 7.* „
lyciformis Germ. *Schh. Gen. Curc. I. p. 244.* — Bohem. *Schh. l. c. V. p. 359.* — Labr. et Imh. *Gen. Curc. II. nr. 6.* Brasilia.
miltomerus Blanch. *Gay. Hist. Chil. V. p. 306. t. 22. f. 3. a-d.* Chili.
nigripennis Bohem. *Schh. Gen. Curc. V. p. 359.* — Dohrn. *Stett. Zeit. 1866. p. 356.* Brasilia.
Spec. ined. Lacord. *Gen. Col. VI. 1863. p. 526. not. 3.* „
9

Ctenaphides

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 476.*

porcellus Pascoe. *Journ. Linn. Soc. X. p. 477. t. 18. f. 10. a.* Champion bay.
1

Eurhynchus

εὖ, bene; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. 1. 1833. p. 247.*

Aporhina Boisduval. — *Chalcocybebus* Snell. v. Vollenh — *Eurhinus* Kirby.

acanthopterus Boisd. *Voy. Astrol. II. p. 308. t. 7. f. 17.* Nov. Holland.
tetracanthus Bohem. *Schh. Gen. Curc. V. p. 363.* — Lacord. *Gen. Atl. VIII. t. 72. f. 4. a.* „
bellicosus Bohem. *Res. Eugen. 1859. p. 119.* Sidney.
bispinosus Boisd. *Voy. Astrol. II. p. 310.* — d'Urville. *Dej. Cat. 3. ed. p. 262.* Waigiu.
alboguttatus Vollenh. *Tijdschr. IX. 1866. p. 226.* Salwatty.
splendidus Blanch. *Ann. sc. nat. 3. ser. X. p. 144.* — Lacord. *Gen. Col. VI. 1863. p. 528. note 3.* Oceania.
fulvofasciatus Blanch. *An. sc. nat. ser. 3. X. p. 143.* Nov. Holland.
laevior Kirby. *Trans. Linn. Soc. XII. p. 429.* — Gylh. *Schh. Gen. Curc. I. p. 248.* „
muricatus Kirby. *Trans. Linn. Soc. XII. p. 468.* — Boisd. *Voy. Astrol. II. p. 308.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 367.* „
nitens Vollenh. *Tijdschr. Ent. IX. 1866. p. 225. t. 12. f. 2.* Waigiu.
quadridens Erichs. *Wiegm. Arch. 1842. I. p. 186.* Tasmania.
quadrinodosus Erichs. *l. c.* „
quadrituberculatus Bohem. *Schh. Gen. Curc. V. p. 361.* Nov. Holland.
scabrior Kirby. *Trans. Linn. Soc. XII. p. 429. t. 22. f. 8. a-f.* — Boisd. *Voy. Astrol. II. p. 306.* — Labr. et Imh. *Gen. Curc. II. nr. 8.* „
scapularis Pascoe. *Trans. ent. Soc. 1870. p. 204.* Queensland.
12

Cylas

κύλω, volvo.

Latreille. *Hist. nat. Crust. et Ins. III. 1802. p. 196.*

augustatus Labr. et Imh. *Gen. Curc. I. nr. 25.* — Dej. *Cat. 3. ed. p. 267.* Senegal.
brunneus Fabr. *Ent. Syst. I. 2. p. 492.* — Herbst. *Käf. VII. p. 200. t. 108. f. 8. A.* „
cyanescens Bohem. *Schh. Gen. Curc. I. p. 371.* — Dej. *Cat. 3. ed. p. 267.* „
formicarius Fabr. *Ent. Syst. Suppl. p. 174.* — Oliv. *Ent. V. 84. bis. p. 446. t. 2. f. 19.* India or.
brentiformis Megerle *i. litt.* „
laevicollis Bohem. *Schh. Gen. Curc. I. p. 372.* Java.
longicollis Chevrol. *Guér. Jc. règn. anim. p. 139. t. 36. f. 10.* Senegal.
puncticollis Bohem. *Schh. Gen. Curc. I. p. 372.* „
turcipennis Bohem. *l. c. p. 369.* — Labr. et Imh. *Gen. Curc. I. nr. 25.* Java.
8

Myrmacicelus

μύρμαξ, formica; ἴκελος, similis.

Chevrolat. *Ann. Fr. 1833. p. 358.*

Rhinolaccus Guérin. 1831

formicarius Chevrol. *Ann. Fr. 1833. p. 359. t. 15. B.* — Guér. *Voy. Coquille. 1830. t. 6. f. 7.* Nov. Holland.
bistriatus Guér. *l. c. p. 112.* — Boisd. *Voy. Astrol. II. p. 321.* „
unicolor d'Urville. *Dej. Cat. 3. ed. p. 267.* „
1

Apion

ἄπιον, pyrus.

Herbst. *Natursyst. Käf. VII. 1797. p. 100.*

Apius Billberg. — *Oxystoma* Duméril. — *Pelamis* Megerle.

Monogr. Kirby. *Trans. Linn. Soc. IX. 1808. p. 1-80; X. 1811. p. 347.*
„ Germar. *Mag. ent. II. 1817. p. 114; III. 1818. p. 37.*
„ Wencker. *Abeille. I. 1864.*

aciculare Germ. *Mon. II. p. 245. t. 3. f. 20.* — Wenck. *Mon. p. 253.* Germania.
var. *pulchellum* Miller. *Wien. ent. Monatschr. I. 1857. p. 15.* — Wenck. *l. c.* „
aduncirostre Gerstäck. *Stett. Zeit. 1854. p. 276.* Columbia.
aegyptiacum Desbroch. *Mittheil. schwz. ent. Ges. III. 1870. p. 201.* Aegyptus.
aeneicolle Gerstäck. *Stett. Zeit. 1854. p. 278.* — Wenck. *Mon. p. 256.* Smyrna.

aeneomicans Wenck. *Mon. p. 242.* — Gallia mer.
aeneum Fabr. *Syst. Ent. p. 131.* — Germ. *Mon. II. p. 249. t. 3. f. 8. a-b.* — Wenck. *Mon. p. 163.* — ♀ Kaltenb. *Verh. nat. Ver. Preuss. Rheinl. XIX. 1862. p. 77.* — M.
craccae Panz. *Fn. Germ. 20. 10.* — Germania.
{*cupricolle* Panz. *ed. Voet. IV. p. 64. t. 38. f. 33.* — Suecia.
{*lugubre* Voet. *Cat. II. Ind. p. 17.* — „
teres Gmel. *ed. Linn. I. 4. p. 1758.* — Gallia.
chalceum Marsh. *Ent. Brit. p. 243.* — Anglia.
aethiops Herbst. *Käf. VII. p. 120. t. 103. f. 9.* — Germ. *Mon. II. p. 213. t. 4. f. 24.* ♂; *t. 3. f. 7.* ♀. — Wenck. *Mon. p. 222.* — M.
coeruleum Herbst. *l. c. p. 113. t. 102. f. 11.* — Germania.
marchicum Gylh. *Ins. Suec. III. p. 47.* — Suecia.
stenocephalum Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 135.* — Gallia.
subcoeruleum Steph. *Ill. Brit. IV. p. 183.* — Anglia.
subsulcatum Kirby. *Mon. IX. p. 48.* — Steph. *l. c. p. 193.* — „
affine Kirby. *Mon. IX. p. 68.* — Germ. *Mon. II. p. 228.* — Wenck. *Mon. p. 259.* — „
africanum Gylh. *Schh. Gen. Curc. V. p. 412.* — Africa austr.
alboirroratum Motsch. *Etud. ent. VII. 1858. p. 95.* — India or.
alcyoneum Germ. *Mon. II. p. 205. t. 3. f. 5.* — Wenck. *Mon. p. 231.* — Germania.
var. *hispanicum* Wenck. *Mon. p. 232.* — Hispania.
amethystinum Miller. *Wien. ent. Monatschr. I. 1857. p. 23.* — Wenck. *Mon. p. 212.* — Germania.
amplipenne Gylh. *Schh. Gen. Curc. I. p. 308.* — Wenck. *Mon. p. 172.* — Chalcis.
ampullula Gerstäck. *Stett. Zeit. 1854. p. 255.* — Brasilia.
angulatum Gerstäck. *l. c. p. 245.* — „
angulicolle Gylh. *Schh. Gen. Curc. V. p. 437.* — Africa austr.
angulosum Motsch. *Schrenck. Reis. 1860. p. 170.* — Sibiria or.
angustatum Philippi. *Stett. Zeit. 1864. p. 364.* — Chili.
angusticolle Gylh. *Schh. Gen. Curc. I. p. 282.* — Wenck. *Mon. p. 202.* — Russia mer.
longimanum Muls. et Rey. *Opusc. ent. IX. p. 15.* — Gallia mer.
anisorhynchum Gerstäck. *Stett. Zeit. 1854. p. 239.* — Buenos Aires.
annulatum Gerstäck. *l. c. p. 256.* — Brasilia.
annulipes Wenck. *Mon. p. 145.* — Gallia bor.
antiquum Gylh. *Schh. Gen. Curc. I. p. 263.* — Cap bon. spei.
apricans Herbst. *Käf. VII. p. 117. t. 103. f. 5.* — Germ. *Mon. II. p. 165.* — ♀ Guér. *Ann. Fr. 1843. p. 66. t. 2. II.* — M.
fagi Kirby. *Mon. IX. p. 40. t. 1. f. 8.* — Germ. *Mon. II. p. 161.* — Wenck. *Mon. p. 200.* — ♀ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 966; 1868. p. 159.* — Germania.
flavifemoratum Kirby *l. c. p. 42.* — Gallia
flavipes Müll. *Zool. Dan. Prodr. p. 90.* — Panz. *Fn. Germ. 20. 13.* — Dania.
ochropus Gmel. *ed. Linn. I. 4. p. 1757.* — Suecia.
trifolii var. Marsh. *Ent. Brit. p. 246.* — Anglia.
var. *encaustum* Wenck. *Mon. p. 201.* — Gallia mer.

aquilinum Bohem. *Schh. Gen. Curc. V. p. 440.* — Wenck. *Mon. p. 252.* — Suecia.

argentatum Gerstäck. *Stett. Zeit. 1854. p. 258.* — Wenck. *Mon. p. 157.* — Sicilia.

armatum Gerstäck. *l. c. p. 237.* — Wenck. *Mon. p. 132.* — German. bor.

armiferum Wenck. *Mon. p. 190.* — Scutari.

arrogans Wenck. *Ann. Fr. 1858. Bull. p. 105; Mon. p. 213.* — Gallia mer.

artemisiae Morawitz. *Bull. Mosc. 1861. I. p. 292.* — Wenck. *Mon. p. 167.* — Sarepta.

assimile Kirby. *Mon. IX. p. 42.* — Germ. *Mon. II. p. 164.* — Wenck. *Mon. p. 203.* — ✝ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 967.* — M.

flavipes var. b. Gylh. *Ins. Suec. III. p. 36.* — Europa.

var. *meridionale* Wenck. *Mon. p. 203.* — Algeria.

astragali Payk. *Fn. Suec. III. p. 180.* — Germ. *Mon. II. p. 200. t. 3. f. 22.* — Wenck. *Mon. p. 167.* — Germania.

aterrimum Linn. *Syst. nat. ed. X. p. 378.* — Kirby. *Mon. IX. p. 60.* — M.

laevithorax Gylh. *Schh. Gen. Curc. I. p. 288.* — Gallia.

{ *marchicum* Herbst. *Käf. VII. p. 118. t. 103. f. 7.* — Germ. *Mon. II. p. 195. t. 3. f. 15.* — Wenck. *Mon. p. 258.* — Germania.

{ *rumicis* Germ. *l. c. p. 228.* — Anglia.

{ *violaceum* Gylh. *Ins. Suec. III. p. 50.* — Suecia.

spartii Kirby. *Mon. IX. p. 56.* — Bohem. *Schh. Gen. Curc. V. p. 429.* — Gallia.

atomarium Kirby. *Mon. IX. p. 59. t. 1. f. 14.* — Germ. *Mon. II. p. 209.* — Wenck. *Mon. p. 145.* — M.

acium Gylh. *Schh. Gen. Curc. I. p. 257.* — Tauria.

pusillum Germ. *l. c. p. 209. t. 2. f. 4.* — Germania.

atrirostre Fabr. *Syst. El. II. p. 424.* — Gylh. *Schh. Gen. Curc. I. p. 271.* — Amer. mer.

atronitidum Wenck. *Ann. Fr. 1863. p. 178.* — S. Paul.

austrinum Wollast. *Cat. Canar. Col. 1864. p. 312.* — Gomera.

Barnevillei Wenck. *Mon. p. 133.* — Gallia.

basicorne Illig. *Mag. VI. 1807. p. 307.* — Bohem. *Schh. Gen. Curc. V. p. 382.* — ✝ Heeger. *Sitzgsb. Wien. Ac. XXIV. 1857. p. 317. t. 2.* — Germania.

alliariae Herbst. *Käf. VII. p. 104. t. 102. f. 3.* — „

brevicorne Meg. *Dej. Cat. 1. ed. p. 82.* — Gallia.

bicolor Gerstäck. *Stett. Zeit. 1854. p. 244.* — Columbia.

bivittatum Gerstäck. *l. c. p. 259.* — Wenck. *Mon. p. 154.* — Lusitania.

bonariense Steinheil. *Atti di Milan. 1872.* — Salvador.

boops Gylh. *Schh. Gen. Curc. V. p. 396.* — Wenck. *Mon. p. 190.* — Anatolia.

brevicorne Gerstäck. *Stett. Zeit. 1854. p. 249.* — Brasilia.

brevirostre Herbst. *Käf. VII. p. 120. t. 103. f. 10.* — Germ. *Mon. II. p. 237. t. 2. f. 6.* — Wenck. *Mon. p. 250.* — M.

breve Dej. *Cat. 1. ed. p. 81.* — Gallia.

brevinsculum Rosenh. *Thier. Andal. 1856. p. 239.* — Wenck. *Mon. p. 153.* — Andalusia.

brunnipes Bohem. *Schh. Gen. Curc. V. p. 386.*	Gallia.
laevigatum Kirby. *Mon. IX. p. 70.* — Germ. *Mon. II. p. 239.* — Wenck. *Mon. p. 141.*	Germania.
burdigalense Wencker. *Ann. Fr. 1858. Bull. p. 237; Mon. p. 256.*	Gallia.
caffrum Bohem. *Schh. Gen. Curc. V. p. 436.*	Caffraria.
calcaratum Wollast. *Cat. Canar. Col. 1864. p. 310.*	Hierro.
candidum Wenck. *Mon. p. 142.*	Gallia mer.
cantabricum Desbroch. *Berl. Zeit. 1870. p. 160. (Beiheft.)*	Leon.
Heydeni Desbroch. *olim.*	"
Capiomonti Wenck. *Ann. Fr. 1858. Bull. p. 105; Mon. p. 229.*	Gallia.
carduorum Kirby. *Mon. IX. p. 72. t. 1. f. 19.* — Germ. *Mon. II. p. 241.* — Wenck. *Mon. p. 129.* — ‡ Frauenf. *Verh. zool. bot. Ver. Wien. 1868. p. 159.*	M.
cyaneum Degeer. *Ins. V. p. 252.*	Germania.
gibbirostre Gylh. *Ins. Suec. III. p. 52.*	Suecia.
intermedium Fröhl. *Dej. Cat. 3. ed. p. 263.*	Gallia.
sorbi Marsh. *Ent. Brit. p. 244.*	Anglia.
var. *galactitis* Wenck. *Ann. Fr. 1858. Bull. p. 22; Mon. p. 130.*	Gallia.
" *meridianum* Wenck. *Mon. p. 130.*	Hyères.
" *tumidum* Steph. *Ill. Brit. V. p. 420.*	Anglia.
castaneipes Gerstäck. *Stett. Zeit. 1854. p. 254.*	Orinoco.
caucasicum Hochh. *Bull. Mosc. 1847. II. p. 463.* — Wenck. *Mon. p. 144.*	Caucasus.
Caullei Wenck. *Ann. Fr. 1858. Bull. p. 21; Mon. p. 135.* — ‡ Goureau. *Ann. Fr. 1866. p. 172.*	Gallia.
caviceps Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 201.*	Russia.
cavifrons Lec. *Entom. Report. 1857. p. 53.*	New Mexico.
cerdo Gerstäck. *Stett. Zeit. 1854. p. 235.* — Wenck. *Mon. p. 119.*	Germania.
centorhynchoides Wollast. *Cat. Canar. Col. p. 314.*	Teneriffa.
ceylonicum Gerstäck. *Stett. Zeit. 1854. p. 258.*	Ceylon.
chalceum Gerstäck. *l. c. p. 240.*	Mexico.
chalybeicolor Motsch. *Etud. ent. VII. 1858. p. 93.*	India or.
chalybeipenne Wollast. *Ins. Mader. 1854. p. 413.* — Wenck. *Mon. p. 265.*	Madera.
Chevrolati Gylh. *Schh. Gen. Curc. I. p. 260.* — Wenck. *Mon. p. 249.*	Gallia.
chrysocomum Gerstäck. *Stett. Zeit. 1854. p. 267.*	Columbia.
cineraceum Wenck. *Mon. p. 146.*	Gallia.
cinereum Gerstäck. *Stett. Zeit. 1854. p. 250.*	Carolina.
cingalense Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 263.*	Ceylon.
clavipes Gerstäck. *Stett. Zeit. 1854. p. 272.*	Hongkong.
cognatum Hochh. *Bull. Mosc. 1851. I. p. 14.* — Wenck. *Mon. p. 258.*	Tauria.
columbinum Germ. *Mon. II. p. 185. t. 4. f. 9.* — Wenck. *Mon. p. 229.*	Germania.
confluens Kirby. *Mon. IX. p. 62. t. 1. f. 15.* — Germ. *Mon. II. p. 217.* — Wenck. *Mon. p. 140.*	"
stolidum Gylh. *Ins. Suec. IV. p. 532.*	Suecia.
consanguineum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 187.*	Bavaria rhen.

conspicuum Desbroch. *Notice Ent. Bourbonnais. 1867. p. 42; Mittheil. schwz. ent. Ges. II. 1867. p. 218.* — Gallia.
contractum Gerstäck. *Stett. Zeit. 1854. p. 279.* — Columbia.
craccae Linn. *Syst. nat. ed. 12. p. 606.* — Germ. *Mon. II. p. 147. t. 2. f. 2. a-b.* — Wenck. *Mon. p. 118.* — ♀ Degeer. *Mém. V. 1775. p. 254. t. 6. f. 35-36.* — M.
viciae Degeer. *l. c. p. 253. t. 6. f. 31-36.* — Germania.
♂ *ruficorne* Herbst. *Käf. VII. p. 110. t. 102. f. 8.* — Germ. *l. c. p. 149. t. 4. f. 20. a-b.* — Anglia.
crassicolle Motsch. *Etud. ent. VII. 1858. p. 91.* — India or.
crassinasum Lec. *Entom. Report. 1857. p. 53.* — California.
crassirostre Gylh. *Schh. Gen. Curc. V. p. 446.* — Caffraria.
cretaceum Rosenh. *Thier. Andal. 1856. p. 240.* — Wenck. *Mon. p. 161.* — Cadix.
retamae Dufour *in litt.* — „
crotalariae Fabr. *Syst. El. II. p. 424.* — Gylh. *Schh. Gen. Curc. I. p. 251.* — Amer. mer.
cruentatum Walton. *Ann. nat. Hist. XIII. 1844. p. 452.* — Wenck. *Mon. p. 244.* — Anglia.
cuneatum Hochh. *Bull. Mosc. 1847. II. p. 464.* — Wenck. *Mon. p. 188.* — Lenkoran.
cuprescens Mannerh. *Bull. Mosc. 1843. II. p. 289.* — Sitkha.
curtipenne Desbroch. *Mittheil. schwz. ent. Ges. VIII. 1870. p. 179.* — Incert. sedis.
Curtisi Curtis. *Ann. nat. Hist. V. 1840. p. 281.* — Walton. *Ann. nat. Hist. XIII. 1844. p. 450.* — Wenck. *Mon. p. 178.* — Anglia.
curtulum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 203.* — Gallia mer
curvirostre Gylh. *Schh. Gen. Curc. I. p. 264.* — Wenck. *Mon. p. 170.* — ♀ Heeger. *Sitzgb. Wien. Ac. XIV. 1854. p. 281. t. 4.* — M.
cyanescens Gylh. *l. c. p. 306.* — Dej. *Cat. 3. ed. p. 264.* — Wenck. *Mon. p. 233.* — Gallia mer.
cyanipenne Gylh. *l. c. p. 307.* — Wenck. *Mon. p. 223.* — Thracia.
cylindricolle Gylh. *l. c. V. p. 380.* — Wenck. *Mon. p. 178.* — Tauria.
decorum Wenck. *Mon. p. 238.* — Gallia mer.
delicatulum Wollast. *Cat. Col. Mader. 1857. p. 120.* — Wenck. *Mon. p. 263.* — Madera.
denominandum Jacq. Duv. *Cat. Col. Curc. 1854. not. 2.* — Germania.
trifolii Gylh. *Schh. Gen. Curc. I. p. 285.* — Linz. *Sturm. Cat. 1826. p. 97.* — „
dentipes Gerstäck. *Stett. Zeit. 1854. p. 260.* — Wenck. *Mon. p. 191.* — Sicilia.
♀ *tubicen* Wenck. *Mon. p. 200.* — Stierl. *Mittheil. schwz. ent. Ges. II. p. 32.* — „
dentirostre Gerstäck. *Stett. Zeit. 1854. p. 236.* — Wenck. *Mon. p. 128.* — Andalusia.
detritum Muls. et Rey. *Opusc. ent. IX. 1859. p. 3.* — Wenck. *Mon. p. 139.* — Gallia mer.
difficile Herbst. *Käf. VII. p. 114. t. 103. f. 1.* — Germ. *Mon. II. p. 128. t. 2. f. 9. a-b.* — Wenck. *Mon. p. 152.* — M.

ruficorne Meg. *in litt.*	Germania.
corniculatum Germ. *l. c. p. 129. t. 4. f. 22. a-c.*	Gallia.
difforme Germ. *Mon. III. p. 46; Fn. Ins. Eur. 4. 7.*	Anglia.
compressicorne Dej. *Cat. 1. ed. p. 80.*	Gallia.
tibiale Desbroch. *Notice Ent. Bourbonnais. 1867. p. 40; Mittheil. schwz. ent. Ges. 1867. p. 218; 1871. p. 374.*	Helvetia.
dilaticolle Motsch. *Etud. ent. VII. 1858. p. 92.*	India or.
dispar Germ. *Mon. II. p. 181. t. 3. f. 10. a-b.* — Gylh. *Schh. Gen. Curc. V. p. 439.* — Wenck. *Mon. p. 170.*	Germania.
dissimile Germ. *Mon. II. p. 171. t. 4. f. 18. a-d.* — Wenck. *Mon. p. 194.*	M.
distincticolle Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 197.*	Hispania.
ebeninum Kirby. *Mon. IX. p. 55. t. 1. f. 11.* — Germ. *Mon. II. p. 197. t. 4. f. 3. a-b.* — Wenck. *Mon. p. 208.*	M.
Kunzei Bohem. *Schh. Gen. Curc. V. p. 419.*	Germania.
nigrinum Ulr. *Dej. Cat. 1. ed. p. 81.*	Illyria.
elegantulum Germ. *Mon. III. p. 48.* — Wenck. *Mon. p. 168.*	M.
♂ *coracinum* Gylh. *Schh. Gen. Curc. I. p. 299.*	Gallia.
laticolle Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 135.*	„
pineae Rosenh. *Thier. Andal. p. 244.*	Andalusia.
elongatissimum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 198.*	Madrid.
elongatum Germ. *Mon. II. p. 214. t. 4. f. 7.* — Wenck. *Mon. p. 182.* — ♀ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 964.*	Germania.
incanum Bohem. *Schh. Gen. Curc. V. p. 414.*	Gallia.
millum Gylh. *Schh. l. c. I. p. 277.*	Thracia.
salviae Fröhl. *in litt.*	Russia mer.
ensirostre Gerstäck. *Stett. Zeit. 1854. p. 251.*	Columbia.
ervi Kirby. *Mon. IX. p. 23.* — Germ. *Mon. II. p. 133. t. 3. f. 13. a-b.* — Wenck. *Mon. p. 217.*	M.
♂ *lathyri* Kirby. *Mon. IX. p. 24.* — Germ. *Mon. p. 135.*	Anglia.
exophthalmum Wenck. *Ann. Fr. 1863. p. 179.*	Brasilia.
facetum Gylh. *Schh. Gen. Curc. V. p. 431.* — Wenck. *Mon. p. 169.*	Tauria.
Fairmairei Wenck. *Mon. p. 241.*	Tanger.
Faldermanni Gylh. *Schh. Gen. Curc. V. p. 370.*	Brasilia.
fallax Wenck. *Mon. 1864. p. 242.*	Gallia mer.
fallax Wollast. *Cat. Canar. Col. 1864. p. 313.*	Canariae.
fasciculatum Bohem. *Schh. Gen. Curc. VIII. 2. p. 370.*	Port Natal.
femorale Fabr. *Syst. El. II. p. 423.* — Bohem. *Schh. Gen. Curc. V. p. 410.*	Amer. mer.
filicorne Wenck. *Mon. p. 235.*	Gallia mer.
filirostre Kirby. *Mon. IX. p. 46.* — Germ. *Mon. II. p. 177.* — Wenck. *Mon. p. 219.*	Anglia.
morio Germ. *l. c. p. 178. t. 4. f. 5. a-b.*	Germania.

flavicorne Fabr. *Syst. El. II. p. 427.* — Bohem. *Schh. Gen. Curc. V. p. 403.* Amer. mer.
flavimanum Gylh. *Schh. l. c. 1. p. 276.* — Wenck. *Mon. p. 147.* Gallia.
picicorne Steph. *Man. 1839. p. 257.* Anglia.
rufomanum Dej. *Cat. 1. ed. p. 81.* Gallia.
var. *torquatum* Wenck. *Mon. p. 148.* „
flavipes Fabr. *Syst. Ent. p. 133.* — Germ. *Mon. II. p. 158. t. 4. f. 13. a-b.* — Wenck. *Mon. p. 206.* — ⚥ Westwood. *Introd. 1839. I. p. 337.* M.
flavofemoratum Herbst. *Käf. VII. p. 115. t. 103. f. 2.* — Germ. *Mon. II. p. 163. t. 4. f. 10. a-b.* — Wenck. *Mon. p. 160.* — ⚥ Westwood. *Introd. 1839. I. p. 337.* „
eupus Germ. *in litt.* Germania.
femoratum Dej. *Cat. 1. ed. p. 81.* Gallia
var. *croceifemoratum* Gylh. *Schh. Gen. Curc. V. p. 396.* — Kiesenw. *Berl. Zeit. 1864. p. 288.* Graecia.
frater Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 200.* Sarepta.
frumentarium Linn. *Syst. nat. ed. X. p. 378.* — Payk. *Fn. Suec. III. p. 177.* — Wenck. *Mon. p. 245.* M.
coccineum Gmel. *ed. Linn. I. 4. p. 1742.* Gallia.
haematodes Kirby. *Mon. IX. p. 76.* — Germ. *Mon. II. p. 251. t. 4. f. 25.* — ⚥ Laboulb. *Ann. Fr. 1862. p. 567. t. 13. f. 23-24.* Suecia.
purpureum Latr. *Hist. nat. XI. p. 90.* Anglia.
fulvirostre Gylh. *Schh. Gen. Curc. I. p. 274.* — Wenck. *Mon. p. 184.* Tauria.
♀ *atritarse* Gylh. *l. c. p. 277.* „
funiculare Muls. et Rey. *Opusc. ent. IX. p. 11.* Gallia.
furvum Sahlb. *Diss. Ins. Fenn. II. 1834. p. 17.* — Schönh. *Gen. Curc. V. p. 420.* — Wenck. *Mon. p. 228.* Fennia.
fuscirostre Fabr. *Syst. Ent. p. 131.* — Germ. *Mon. II. p. 125. t. 2. f. 8. a-b.* — Wenck. *Mon. p. 155.* M.
albovittatum Herbst. *Füssl. Arch. V. p. 74.* Germania.
melanopum Marsh. *Ent. Brit. p. 248.* Anglia.
venustum Herbst. *Käf. VI. p. 163. (nec fig.)* Gallia.
gagatinum Motsch. *Etud. ent. VII. 1858. p. 92.* India or.
gallinula Gerstäck. *Wiegm. Arch. 1871. I. p. 74.* Mombas.
genistae Kirby. *Mon. X. p. 347.* — Germ. *Mon. II. p. 127.* — Wenck. *Mon. p. 156.* M.
astragali Herbst. *Käf. VI. p. 98. t. 66. f. 2; VII. p. 4.* Anglia.
vittula Illig. *in litt.* Gallia.
gibbosum Herbst. *Käf. VII. p. 105. t. 102. f. 4.* — Germ. *Mon. II. p. 182.* India or.
gilvipes Gemming. *Col. Heft. VIII. 1871.* „
flavimanum Motsch. *Etud. ent. VII. 1858. p. 94.* „
glabratum Gerstäck. *Stett. Zeit. 1854. p. 275.* Columbia.
glabrum Gemming. *Col. Heft. VIII. 1871.* Graecia.
glabratum Kiesenw. *Berl. Zeit. 1864. p. 289.* „
gracile Gerstäck. *Stett. Zeit. 1854. p. 268.* Ceylon.
gracilicorne Gylh. *Schh. Gen. Curc. V. p. 428.* — Wenck. *Mon. p. 223.* Lusitania.
leptocephalum Aubé. *Ann. Fr. 1850. p. 339.* Gallia.

gracilipes Dietrich. *Stett. Zeit. 1857. p. 134.* — Wenck. *Mon. p. 206.* Helvetia.
elegans Dietr. *in litt.* „
granulum Gerstäck. *Stett. Zeit. 1854. p. 247.* Orinoco.
Grimmi Hochh. *Bull. Mosc. 1847. II. p. 462. nota.* — Wenck. *Mon. p. 205.* Volhynia.
Gyllenhali Kirby. *Mon. IX. p. 63.* — Germ. *Mon. II. p. 219.* — Wenck. *Mon. p. 216.* M.
aethiops Gylh. *Ins. Suec. III. p. 54.* Suecia.
punctigerum Thunb. *Nov. Act. Ups. VII. p. 118.* „
unicolor Kirby. *Mon. IX. p. 58; X. App. p. 356.* — Germ. *Mon. II. p. 206.* Anglia.
herbarum Aubé. *Ann. Fr. 1850. p. 338.* — Wenck. *Mon. p. 248.* Batum.
Heydeni Wenck. *Ann. Fr. 1863. p. 181.* Paraguay.
hirsutum Villa. *Col. Eur. dupl. Suppl. 1835. p. 49.* Genua.
Zanellae Chevrier *in litt.* „
holosericeum Gylh. *Schh. Gen. Curc. I. p. 268.* — Dej. *Cat. 3. ed. p. 263.* — Wenck. *Mon. p. 142.* Dalmatia.
carpini Stev. *Dej. Cat. l. c.* Tauria.
hiemale Hampe. *Wien. ent. Monatschr. V. p. 67.* Croatia.
Hookeri Kirby. *Mon. p. 69. t. 1. f. 18.* — Germ. *Mon. II. p. 238.* — Wenck. *Mon. p. 150.* Germania.
rotundicolle Meg. *Dej. Cat. 1. ed. p. 81.* Anglia.
humerale Philippi. *Stett. Zeit. 1864. p. 364.* Chili.
humile Germ. *Mon. II. p. 232. t. 3. f. 1. a-b.* — Wenck. *Mon. p. 260.* M.
brevirostre Gylh. *Ins. Suec. III. p. 52.* Suecia.
curtirostre Germ. *l. c. p. 230.* — Steph. *Ill. Brit. IV. p. 170.* Anglia.
plebejum Steph. *l. c. p. 172.* „
var. *tenellum* Sahlb. *Diss. Ins. Fenn. II. p. 18.* Fennia.
hydrolapathi Marsh. *Ent. Brit. p. 249.* — Kirby. *Mon. IX. p. 66. t. 1. f. 17.* — Germ. *Mon. II. p. 226. t. 3. f. 14.* — Wenck. *Mon. p. 255.* Germania.
coeruleipenne Steph. *Ill. Brit. IV. p. 173.* Anglia.
hydropicum Wenck. *Mon. p. 174.* Gallia
immune Kirby. *Mon. IX. p. 52.* — Germ. *Mon. II. p. 191.* — Wenck. *Mon. p. 173.* Germania.
betulae Gylh. *Schh. Gen. Curc. I. p. 260.* Gallia.
cribricolle Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 135.* „
inaequale Gylh. *Schh. Gen. Curc. I. p. 256.* Brasilia.
incisum Bohem. *l. c. p. 428.* Helvetia.
indicum Motsch. *Etud. ent. VII. 1858. p. 93.* India or.
indistinctum Motsch. *Bull. Mosc. 1849. III. p. 144.* — Wenck. *Mon. p. 131.* Hispania.
inflatum Motsch. *Etud. ent. VII. 1858. p. 91.* India or.
insolitum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 196.* Gallia bor.
interruptostriatum Desbroch. *l. c. p. 180.* Sarepta.
juniperi Bohem. *Schh. Gen. Curc. V. p. 443.* — Wenck. *Mon. p. 237.* Helvetia.
kasbekianum Gerstäck. *Stett. Zeit. 1854. p. 238.* — Wenck. *Mon. p. 189.* Caucasus.

Kiesenwetteri Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 204.* Hungaria.
Kirschi Desbroch. *l. c. p. 202.* Aegyptus.
Kolenatii Kolen. *Bull. Mosc. 1858. I. p. 151. t. 1. f. 6.* — Wenck. *Mon. p. 151.* Caucasus.
Kraatzi Wenck. *Berl. Zeit. III. 1859. p. 273; Mon. p. 174.* Gallia.
laevicolle Kirby. *Mon. X. p. 348.* — Germ. *Mon. II. p. 174.* — Wenck. *Mon. p. 195.* Anglia.
laevigatum Payk. *Mon. Curc. p. 141.* M.
♂ *aterrimum* Gylh. *Ins. Suec. III. p. 41.* Suecia.
♂ *carbonarium* Germ. *Mon. II. p. 176. t. 3. f. 17. a-b.* Germania.
♂ *Sahlbergi* Gylh. *Humm. Essai. IV. 1825. p. 61.* Fennia.
sorbi Herbst. *Käf. VII. p. 111. t. 102. f. 9.* — Germ. *Mon. II. p. 179. t. 4. f. 23. a-b.* — Wenck. *Mon. p. 224.* — ⚥ Letzn. *Arb. schles. Ges. 1851. p. 94.* Gallia.
viridescens Marsh. *Ent. Brit. p. 249.* Anglia.
laevirostre Gerstäck. *Stett. Zeit. 1854. p. 252.* Columbia.
lancirostre Chevrol. *Rev. Zool. 1859. p. 385.* — Wenck. *Mon. p. 133.* Algeria.
lanigerum Gemming. *Col. Heft VIII. 1871.* Gallia.
lanuginosum Wenck. *Mon. p. 236.* „
lanuginosum Gerstäck. *Stett. Zeit. 1854. p. 245.* Columbia.
lanuginosum Walsh. *Proc. ent Soc. Phil. VI. 1867. p. 269.* Illinois.
laticeps Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 205.* Perm.
laticolle Gerstäck. *Stett. Zeit. 1854. p. 242.* Orinoco.
latifrons Gerstäck. *l. c. p. 246.* Brasilia.
Lebasi Gylh. *Schh. Gen. Curc. V. p. 377.* — Dej. *Cat. 3. ed. p. 263.* Columbia.
Leprieuri Wenck. *Mon. p. 214.* Bona.
leptorhynchum Gerstäck. *Stett. Zeit. 1854. p. 274.* Columbia.
Lethierryi Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 188.* Batna.
leucophaeatum Wenck. *Mon. p. 183.* Gallia.
limonii Kirby. *Mon. IX. p. 78; App. nr. 61. t. 1. f. 20.* — Germ. *Mon. II. p. 229.* — Wenck. *Mon. p. 248.* Anglia.
Linderi Wenck. *Ann. Fr. 1858. Bull. p. 23; Mon. p. 205.* Alsatia.
litigiosum Wenck. *Mon. p. 189.* Scutari.
livescerum Gylh. *Schh. Gen. Curc. I. p. 298.* — Wenck. *Mon. p. 239.* Germania.
hedysari Walton *in litt.* Anglia.
reflexum Gylh. *l. c. p. 290.* Gallia.
translaticium Gylh. *l. c. V. p. 427.* German. bor.
lividipes Wenck. *Ann. Fr. 1863. p. 180.* Brasilia.
longipes Wollast. *Cat. Canar. Col. p. 315.* Canariae.
longirostre Oliv. *Ent. V. 81. p. 35. t. 3. f. 51. a-b.* — Gylh. *Schh. Gen. Curc. I. p. 268.* — Wenck. *Mon. p. 186.* Dalmatia.
longulum Gerstäck. *Stett. Zeit. 1854. p. 239.* Brasilia.
loti Kirby. *Mon. IX. p. 58.* — Germ. *Mon. II. p. 206; III. p. 41.* M.

angustatum Kirby. *Mon. X. p. 352.* — Germ. *Mon. II. p. 221.* — Wenck. *Mon. p. 227.*	Germania.
flavipes var. β. Payk. *Mon. Curc. p. 144.*	Suecia.
meliloti var. β. Kirby. *Mon. IX. p. 64.*	Germania.
modestum Germ. *Mon. II. p. 234. t. 4. f. 6.*	"
glabratum Germ. *Mon. III. p. 47.*	"
♂ *languidum* Gylh. *Schh. Gen. Curc. I. p. 292.*	"
luteirostre Gerstäck. *Stett. Zeit. 1854. p. 254.*	Orinoco.
macilentum Blanch. *Gay. Hist. Chil. V. p. 309.*	Chili.
macrophthalmum Gerstäck. *Stett. Zeit. 1854. p. 257.*	Orinoco.
macula alba Suffr. *Wiegm. Arch. 1870. I. p. 232.*	Cuba.
malvae Fabr. *Syst. Ent. p. 132.* — Kirby. *Mon. IX. p. 20. t. 1. f. 2.* — Germ. *Mon. II. p. 130. t. 3. f. 19. a-b.* — Wenck. *Mon. p. 247.*	M.
flavescens Villa. *Col. Eur. dupl. Suppl. 1835. p. 49.*	Pedemont.
minutum Fourcr. *Ent. Par. I. p. 115.*	Gallia.
pulex Gmel. *ed. Linn. I. 4. p. 1758.*	Suecia.
Mandoni Wenck. *Ann. Fr. 1863. p. 178.*	Bolivia.
Marqueti Wenck. *Ann. Fr. 1858. Bull. p. 237; Mon. p. 240.*	Gallia mer.
Marseuli Wenck. *Mon. p. 261.*	Algeria.
medianum Thoms. *Skand. Col. VII. p. 48.*	Suecia.
sedi Gylh. *Schh. Gen. Curc. V. p. 443.*	"
melanarium Gerstäck. *Stett. Zeit. 1854. p. 261.*	Amer. bor.
melancholicum Wenck. *Mon. p. 217.*	Gallia mer.
meliloti Kirby. *Mon. IX. p. 64; X. App. nr. 46.* — Germ. *Mon. II. p. 222.* — Wenck. *Mon. p. 226.* — ⚘ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 963.*	M.
angustatum Gylh. *Ins. suec. III. p. 56.*	Suecia.
bifoveolatum Steph. *Ill. Brit. IV. p. 176.*	Anglia.
meorrhynchum Philippi. *Stett. Zeit. 1864. p. 364.*	Chili.
metallicum Gerstäck. *Stett. Zeit. 1854. p. 243.*	Florida.
millum Bach. *Käferfn. II. 1854. p. 198.*	Thuringia.
miniatum Germ. *Schh. Gen. Curc. I. p. 282.* — Wenck. *Mon. p. 243.* — ⚘ Frauenf. *Verh. zool. bot. Ver. Wien. 1868. p. 160.*	M.
frumentarium Germ. *Mon. II. p. 252.*	Europa.
minimum Herbst. *Käf. VII. p. 115. t. 103. f. 3.* — Germ. *Mon. II. p. 236. t. 3. f. 9. a-b.* — Wenck. *Mon. p. 220.*	M.
crenatum Dej. *Cat. 1. ed. p. 81.*	Gallia.
foraminosum Gylh. *Schh. Gen. Curc. I. p. 289.*	Germania.
velox Kirby. *Mon. X. p. 349.* — Germ. *Mon. II. p. 199.*	Anglia.
minutissimum Rosenh. *Thier. Andal. 1856. p. 242.* — Wenck. *Mon. p. 150.*	Andalusia.
montanum Miller. *Wien. ent. Monatschr. 1862. p. 348.* — Wenck. *Mon. p. 234.*	Cephalonia.
Motschulskyi Hochh. *Bull. Mosc. 1847. II. p. 461.* — Wenck. *Mon. p. 205.*	Caucasus.
fallax Schönh. *in litt.*	"
murinum Gerstäck. *Stett. Zeit. 1854. p. 241.*	Mexico.
mutatum Gemming. *Col. Heft. VIII. 1871.*	India or.
amplipenne Motsch. *Etud. ent. VII. 1858. p. 94.*	"
nasua Gerstäck. *Wiegm. Arch. 1871. I. p. 74.*	Mombas.

neapolitanum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 200.*	Neapolis.
neglectum Gylh. *Schh. Gen. Curc. I. p. 253.* — Wenck. *Mon. p. 122.*	Tauria.
nigricorne Motsch. *Schrenck. Reise. 1860. p. 169. t. 10. f. 24.*	Amur.
nigritarse Kirby. *Mon. IX. p. 36. t. 1. f. 6.* ♂; *X. App. p. 355.* ♀. — Germ. *Mon. II. p. 156. t. 4. f. 12. a-c.* — Wenck. *Mon. p. 207.*	M.
Waterhousei Bohem. *Schh. Gen. Curc. V. p. 408.*	Anglia.
nigroaeneum Gerstäck. *Stett. Zeit. 1854. p. 255.*	Brasilia.
nigrosparsum Suffr. *Wiegm. Arch. 1870. I. p. 230.*	Cuba.
nigrum Herbst. *Käf. VII. p. 122. t. 103. f. 11.* — Germ. *Mon. II. p. 239.* — Gylh. *Schh. Gen. Curc. I. p. 254.*	Amer. bor.
nitidulum Gerstäck. *Stett. Zeit. 1854. p. 268.*	Ceylon.
nodirostre Gerstäck. *l. c. p. 241.*	Florida.
oblongum Gylh. *Schh. Gen. Curc. V. p. 421.* — Wenck. *Mon. p. 228.*	Tauria.
obscurum Marsh. *Ent. Brit. p. 244.* — Germ. *Mon. II. p. 152.* — Wenck. *Mon. p. 186.*	Anglia.
obtusum Desbroch. *Bull. Ac. Hippon. IX. 1866. p. 47; Mittheil. schwz. ent. Ges. II. 1867. p. 217.*	Mont. Cenis.
ochropus Germ. *Mon. III. p. 46.* — Wenck. *Mon. p. 122.*	Germania.
rufitarse Dej. *Cat. 1. ed. p. 81.*	Gallia.
oculare Gylh. *Schh. Gen. Curc. I. p. 257.* — Wenck. *Mon. p. 144.*	Iberia.
oedorhynchum Lec. *Proc. Ac. Phil. IX. 1858. p. 78.*	S. Diego.
ononidis Gylh. *Ins. Suec. IV. p. 539.* — Wenck. *Mon. p. 198.* — ⚘ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 966.*	German bor.
ononicola Bach. *Käferfn. II. 1854. p. 195.*	Thuringia.
ononis Kirby. *Mon. IX. p. 25.* — Germ. *Mon. II. p. 137. t. 3. f. 24. a-b.* — Wenck. *Mon. p. 218.*	M.
♂ *cinerascens* Germ. *l. c. p. 138. t. 3. f. 4. a-b.*	Germania.
glaucinum Gylh. *Schh. Gen. Curc. I. p. 255.*	Gallia.
mecops Bohem. *Schh. l. c. V. p. 413.*	Scania.
nigrum Oliv. *Ent. V. 81. p. 37. t. 2. f. 55. (forte.)*	Gallia.
♂ *perplexum* Gylh. *l. c. p. 293.*	Germania.
onopordi Kirby. *Mon. IX. p. 71.* — Germ. *Mon. II. p. 240. t. 2. f. 14. a-b.* — Wenck. *Mon. p. 138.*	M.
penetrans Steph. *Ill. Brit. IV. p. 175.*	Anglia.
var. *rugicolle* Steph. *l. c. p. 175.*	„
opeticum Bach. *Käferfn. II. 1854. p. 188.* — Wenck. *Mon. p. 118.*	Saxonia.
Dietrichi Dietr. *Stett. Zeit. 1857. p. 133.* — Bremi. *Cat. Schwz. Col. 1856. p. 41.*	Helvetia.
♂ *Marshami* Bohem. *Schh. Gen. Curc. V. p. 372.*	Anglia.
orientale Gerstäck. *Stett. Zeit. 1854. p. 237.* — Wenck. *Mon. p. 128.*	Smyrna.
ovipenne Hochh. *Bull. Mosc. 1851. I. p. 9.* — Wenck. *Mon. p. 137.*	Tauria.
pachymerum Philippi. *Stett. Zeit. 1864. p. 364.*	Chili.
pachyrrhynchum Gemming. *Col. Heft. VIII. 1871.*	Amur.
crassirostre Motsch. *Schrenck. Reise. 1860. p. 169. t. 10. f. 23.*	„

pallipes Kirby. *Mon. IX. p. 38. t. 1. f. 7.* — Germ. *Mon. II. p. 160; III. p. 253.* — Wenck. *Mon. p. 159.* — M.
{*atomus* Voet. *Cat. II. Index. p. 17.* — Suecia.
{*flavipes* Panz. *ed. Voet. IV. p. 52. t. 36. f. 13.* — „
geniculatum Germ. *Mon. II. p. 175. t. 3. f. 25. a-b.* — Saxonia.
rufipes Dej. *Cat. 1. ed. p. 81.* — Gallia.
palpebratum Gylh. *Schh. Gen. Curc. I. p. 258.* — Wenck. *Mon. p. 177.* — Tauria.
paradoxum Gerstäck. *Stett. Zeit. 1854. p. 274.* — Mexico.
parens Desbroch. *Berl. Zeit. 1870. p. 161. (Beiheft.)* — Cintra.
parvulum Gerstäck. *Stett. Zeit. 1854. p. 248.* — Columbia.
pavidum Germ. *Mon. II. p. 203. t. 4. f. 4.* — Wenck. *Mon. p. 236.* — M.
orbitale Bohem. *Schh. Gen. Curc. V. p. 434.* — Algeria.
plumbeum Gylh. *Schh. l. c. I. p. 301.* — Gallia.
pedale Muls. et Rey. *Opusc. ent. IX. p. 13.* — Wenck. *Mon. p. 197.* — Gallia mer.
pedemontanum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 197.* — Pedemont.
penetrans Germ. *Mon. II. p. 244. t. 2. f. 11.* ♀; *12.* ♂. — Wenck. *Mon. p. 134.* — ⚥ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 965.* — M.
pennsylvanicum Bohem. *Schh. Gen. Curc. V. p. 417.* — Pennsylvania.
florilegum Knoch *in litt.* — „
periscelis Gylh. *Schh. Gen. Curc. V. p. 391.* — Wenck. *Mon. p. 158.* — Persia occ.
geniculatum Schönh. *in litt. olim.* — „
Perrisi Wenck. *Ann. Fr. 1858. Bull. p. 238; Mon. p. 123.* — Pyrenaei.
insculpticolle Perris *in litt.* — „
rugicolle Germ. *Stett. Zeit. 1845. p. 143.* — „
perspicax Wenck. *Mon. p. 221.* — Germania.
picipes Gerstäck. *Stett. Zeit. 1854. p. 276.* — Columbia.
piceirostre Gerstäck. *l. c. p. 253.* — Orinoco.
piliferum Gylh. *Schh. Gen. Curc. V. p. 395.* — Caffraria.
pilosum Gylh. *l. c. I. p. 258.* — Ins. S. Eustach.
piscidiae Montrouz. *Ann. Fr. 1860. p. 874.* — Ins. Lifu.
pisi Fabr. *Syst. El. II. p. 425.* — Germ. *Schh. Gen. Curc. I. p. 304.* — Wenck. *Mon. p. 221.* — M.
aeratum Steph. *Ill. Brit. IV. p. 185.* — Anglia.
gravidum Oliv. *Ent. V. 81. p. 31. t. 3. f. 44.* — Gallia.
pasticum Germ. *Mon. II. p. 187.* — Germania.
punctifrons Kirby. *Mon. IX. p. 50. t. 1. f. 9.* — Germ. *l. c. p. 186. t. 3. f. 6.* ♂. — Anglia.
platalea Germ. *Mon. II. p. 143. t. 3. f. 23. a-b.* — Gylh. *Schh. Gen. Curc. I. p. 297.* — Wenck. *Mon. p. 216.* — Germania.
♂ *afrum* Gylh. *l. c. p. 291.* — Gallia.
puncticolle Waterh. *in litt.* — Steph. *Manual. p. 259.* — Anglia.
♀ *validirostre* Gylh. *l. c. p. 301.* — Germania.
plumbeomicans Rosenh. *Thier. Andal. 1856. p. 243.* — Wenck. *Mon. 228.* — Andalusia.
pomonae Fabr. *Ent. Syst. Suppl. p. 164.* — Germ. *Mon. II. p. 143. t. 2. f. 1. a-c.* — Wenck. *Mon. p. 117.* — M.

coerulescens Marsh. *Ent. Brit. p. 245.* — Kirby. *Mon. IX. p. 27. t. 1. f. 4.*	Anglia.
cyaneum Panz. *Fn. Germ. 20. 12.*	Germania.
glabrum Marsh. *Ent. Brit. p. 245.*	Anglia.
porcatum Bohem. *Schh. Gen. Curc. V. p. 374.*	Amer. bor.
porosicolle Gemming. *Col. Heft. VIII. 1871.*	California.
cribricolle Lec. *Entom. Report. 1857. p. 53.*	"
portoricanum Gerstäck. *Stett. Zeit. 1854. p. 278.*	Portorico.
Poupillieri Wenck. *Mon. p. 127.*	Gallia mer.
proclive Lec. *Entom. Report. 1857. p. 53.*	California.
protensum Lec. *l. c.*	"
pruinosum Motsch. *Etud. ent. VII. 1858. p. 93.*	India or.
pubescens Kirby. *Mon. X. p. 350.* — Germ. *Mon. II. p. 210; III. p. 43.* — Wenck. *Mon. p. 176.*	Germania.
civicum Germ. *l. c. p. 234. t. 3. f. 12.*	Anglia.
rutae Stev. *Dej. Cat. 3. ed. p. 263.*	Russia mer.
salicis Gylh. *Schh. Gen. Curc. I. p. 286.*	Gallia.
pullum Gylh. *l. c. p. 299.* — Wenck. *Mon. p. 169.*	Tauria.
pulverulentum Wenck. *Ann. Fr. 1863. p. 177.*	Brasilia.
punctigerum Payk. *Fn. Suec. III. p. 179.* — Germ. *Mon. II. p. 188; III. p. 40.* — Wenck. *Mon. p. 210.*	M.
cyanellum Dej. *Cat. 3. ed. p. 264.*	Gallia.
sulcifrons Kirby. *Mon. IX. p. 50.*	Anglia.
punctirostre Gylh. *Schh Gen. Curc. V. p. 425.* — Wenck. *Mon. p. 211.*	Tauria.
Putoni Bris. *Ann. Fr. 1866. p. 386.*	Escurial.
quadrispinosum Wollast. *Col. Hesperid. 1867. p. 127.*	Fogo.
radiolus Kirby. *Mon. IX. p. 73; App. X. p. 357. nr. 56-57.* — Germ. *Mon. II. p. 246. t. 2. f. 13. a-b.* — Wenck. *Mon. p. 165.* — ⚲ Bouché. *Stett. Zeit. 1847. p. 164.*	M.
albescens Wollast.	Anglia.
aterrimum Marsh. *Ent. Brit. p. 244.*	"
compressum Illig.	Germania.
moestum Germ. *in litt.*	"
♀ *nigrescens* Steph. *Ill. Brit. IV. p. 176.*	Anglia.
oxurum Kirby. *Mon. IX. p. 73.* — Germ. *Mon. II. p. 247. t. 4. f. 1. a-b.*	"
sericatum Reiche et Saulc. *Cat. nr. 519.*	Graecia.
var. *ferruginipes* Wenck. *Mon. p. 166.*	Gallia.
" *Rougeti* Wenck. *Ann. Fr. 1858. Bull. p. 106.*	"
rapulum Wenck. *Mon. p. 175.*	"
reconditum Gylh. *Schh. Gen. Curc. V. p. 432.*	Pennsylvania.
restricticolle Motsch. *Etud. ent. VII. 1858. p. 94.*	India or.
Revelieri Perris. *Abeille. VII. 1870. p. 24.*	Corsica.
diversum Desbroch. *Mittheil. schwz. ent. Ges. VIII. 1870. p. 186.*	"
rhomboidale Desbroch. *l. c. p. 182.*	Austria.
rhomboideum Gerstäck. *Stett. Zeit. 1854. p. 246.*	Columbia.
robusticorne Desbroch. *Bull. Ac. Hippon. IX. 1866. p. 44; Mittheil. schwz. ent. Ges. II. 1867. p. 217.*	Algeria.
robustirostre Desbroch. *Mittheil. schwz. ent. Ges. VIII. 1870. p. 184.*	"
rostrum Say. *Journ. Ac. Phil. V. 2. 1827. p. 253; Descr. of Curc. of N. Am. 1831. p. 6.*	Indiana.

Sayi Gylh. *Schh. Gen. Curc. I. p. 252.* — ♀ Harris. *Ins. of Massachus. 1841. p. 59.* — Indiana.
rotundipenne Wollast. *Ins. Mader. 1854. p. 415. t. 8. f. 6.* — Wenck. *Mon. p. 266.* — Madera.
rubens Steph. *Ill. Brit. IV. p. 174.* — Walton. *Ann. nat. Hist. 1844. p. 452.* — Wenck. *Mon. p. 246.* — Anglia.
rubicundum Gylh. *Schh. Gen. Curc. V. p. 400.* — Caffraria.
rudicolle Hochh. *Bull. Mosc. 1851. 1. p. 12.* — Wenck. *Mon. p. 230.* — Tauria.
rufescens Gylh. *Schh. Gen. Curc. I. p. 273.* — Wenck. *Mon. p. 163.* — Lusitania.
pallidulum Gylh. *l. c. V. p. 400.* — Sicilia.
rufipenne Gylh. *l. c. p. 397.* — Dej. *Cat. 3. ed. p. 263.* — Carthagena.
rufipes Gylh. *l. c. p. 389.* — Caffraria.
rufirostre Fabr. *Syst. Ent. p. 132.* — Germ. *Mon. II. p. 154.* — Wenck. *Mon. p. 185.* — M.
♀ *malvarum* Kirby. *Mon. IX. p. 33.* — Germ. *l. c. p. 153.* — Anglia.
trifolii Marsh. *Ent. Brit. p. 246.* — Gallia.
rufulum Wenck. *Mon. p. 162.* — S. Raphaël.
rugicolle Germ. *Mon. II. p. 201. t. 3. f. 18. a-b.* — Wenck. *Mon. p. 126.* — Germania.
setiferum Gylh. *Schh. Gen. Curc. I. p. 266.* — Gallia.
rugifrons Bohem. *Schh. l. c. V. p. 373.* — Brasilia.
rugipenne Hochh. *Bull. Mosc. 1851. 1. p. 11.* — Wenck. *Mon. p. 137.* — Tauria.
russeolum Gylh. *Schh. Gen. Curc. V. p. 398.* — Africa austr.
russicum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 179.* — Sarepta.
sagittiferum Wollast. *Ins. Mader. 1854. p. 410.* — Wenck. *Mon. p. 264.* — Madera.
sanguineum Degeer. *Mém. V. 1775. p. 251.* — Redtenb. *Fn. Austr. ed. 2. p. 688.* — Wenck. *Mon p. 246.* — M.
rubiginosum Dej. *Cat. 1. ed. p. 80.* — Gallia.
sareptanum Desbroch. *Mittheil. schwz. ent. Ges. II. 1867. p. 216.* — Sarepta.
scalptum Muls. et Rey. *Opusc. ent. IX. 1859. p. 9.* — Wenck. *Mon. p. 131.* — Gallia mer.
Schmidti Bach. *Käferfn. II. 1854. p. 206.* — Miller. *Wien. ent. Monatschr. I. 1857. p. 24.* — Wenck. *Mon. p. 212.* — Germania.
Schönherri Bohem. *Schh. Gen. Curc. V. p. 406.* — Wenck. *Mon. p. 196.* — Anglia.
scolopax Gerstäck. *Stett. Zeit. 1854. p. 248.* — Columbia.
scrobicolle Gylh. *Schh. Gen. Curc. V. p. 374.* — Wenck. *Mon. p. 121.* — Anglia.
scutellare Kirby. *Mon. X. p. 353.* — Germ. *Mon. II. p. 223.* — Wenck. *Mon. p. 225.* — „
Kirbyi Germ. *Mon. III. p. 50.* — Gallia.
ulicicola Perris. *Ann. Fr. 1840. p. 90. t. 6. 1. f. 2-6. cum* ♀. — „
sedi Germ. *Mon. III. p. 49.* — Wenck. *Mon. p. 251.* — Germania.
interstitiale Bohem. *Schh. Gen. Curc. V. p. 443.* — Gallia.
tumidicolle Bach. *Käferfn. II. 1854. p. 201.* — Germania.
segnipes Say. *Descr. of Curc. of N. Am. 1831. p. 6.* — Amer. bor.

semicyaneum Muls. et Rey. *Opusc. ent. IX. p. 7.* — Wenck. *Mon. p. 257.* — Gallia mer
semivittatum Gylh. *Schh. Gen. Curc. I. p. 271.* — Kiesenw. *Berl. Zeit. 1864. p. 287.* — Wenck. *Mon. p. 158.* — Tauria.
albopilosum Luc. *Expl. Alg. p. 408. t. 35. f. 5. a-d.* — Algeria.
{*centrimacula* Betta. *Cat. Col. Lomb. 1844. p. 52.* — Lombardia.
{*centromaculatum* Villa *in litt.* — „
Germari Walton. *Ann. nat. Hist. XIII. 1844. p. 456.* — Anglia.
pallidactylum Gylh. *Schh. l. c. V. p. 394.* — Sicilia.
senex Wollast. *Cat. Canar. Col. 1864. p. 306.* — Canariae.
seniculus Kirby. *Mon. IX. p. 61.* — Germ. *Mon. II. p. 216.* — Wenck. *Mon. p. 181.* — † Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 963.* — M.
plebejum Germ. *l. c. p. 215. t. 3. f. 11. a-b.* — Germania.
pubescens Bohem. *Schh. Gen. Curc. V. p. 383.* — Anglia.
pusillum Steph. *Ill. Brit. IV. p. 179.* — „
tenuius Gylh. *Ins. Suec. IV. p. 543.* — Germ. *l. c. p. 258.* — Suecia.
separandum Aubé. *Ann. Fr. 1866. p. 163.* — Béziers.
seriatosetosulum Wenck. *Mon. p. 179.* — Nizza.
serpyllicola Wencker *in litt.* — Gallia.
parvulum Muls. et Rey. *Opusc. ent. IX. 1859. p. 5.* — Wenck. *p. 149.* — „
setosum Wenck. *Mon. p. 180.* — Tarsus.
sibiricum Bohem. *Schh. Gen. Curc. V. p. 442.* — Wenck. *Mon. p. 261.* — Sibiria occ.
simile Kirby. *Mon. X. p. 351.* — Germ. *Mon. II. p. 208.* — Wenck. *Mon. p. 181.* — M.
superciliosum Gylh. *Ins. Suec. III. p. 58.* — Germ. *l. c. p. 259.* — Suecia.
triste Germ. *l. c. p. 233. t. 3. f. 2. a-b.* — Anglia.
simum Germ. *l. c. p. 235. t. 4. f. 8. a-b.* — Wenck. *Mon. p. 262.* — † Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 965.* — Germania.
lineare Dej. *Cat. 1. ed. p. 81.* — Syria.
singulare Wenck. *Ann. Fr. 1863. p. 180.* — Nov. Caledon.
Spencei Kirby. *Mon. IX. p. 57. t. 1. f. 13; X. App. p. 356.* — Germ. *Mon. II. p. 204; III. p. 41.* — Wenck. *Mon. p. 232.* — M.
columbinum Steph. *Ill. Brit. IV. p. 194.* — Anglia.
{*cyaneum* Gylh. *Ins. Suec. III. p. 45.* — Tauria.
{*foveolatum* Kirby. *Mon. IX. p. 48.* — Germ. *l. c. p. 183.* — Suecia.
intrusum Gylh. *l. c. IV. p. 550.* — Steph. *l. c. p. 194.* — Gallia.
squamigerum Jacq. Duv. *Gen. Col. Curc. 1854. p. 9. not.* — Wenck. *Mon. p. 156.* — Gallia mer.
squamulatum Gylh. *Schh. Gen. Curc. I. p. 275.* — Cap bon. spei.
Steveni Gylh. *l. c. V. p. 393.* — Kraatz. *Berl. Zeit. 1866. p. 303.* — Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 186.* — Russia mer.
Stierlini Desbroch. *l. c. p. 181.* — Incert. sedis.
stolidum Germ. *Mon. II. p. 218. t. 2. f. 5. a-b.* — Wenck. *Mon. p. 139.* — Germania.
confluens Gylh. *Ins. Suec. IV. p. 531.* — Suecia.

striatum Marsh. *Ent. Brit. p. 249.* — Kirby. *Mon. IX. p. 22. t. 1. f. 10.* — Wenck. *Mon. p. 171.* — M.
atratulum Germ. *Mon. II. p. 192. t. 3. f. 16.* — Germania.
pisi Steph. *Ill. Brit. IV. p. 180.* — Anglia.
subaeneum Gerstäck. *Stett. Zeit. 1854. p. 252.* — Portorico.
subconicicolle Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 199.* — Sarepta.
subcostatum Motsch. *Etud. ent. VII. 1858. p. 92.* — India or.
subglabrum Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 183.* — Carniolia.
subglobosum Gerstäck. *Stett. Zeit. 1854. p. 243.* — Amer. bor.
submetallicum Bohem. *Schh. Gen. Curc. V. p. 376.* — Mexico.
subpubescens Wenck. *Mon. p. 176.* — Bona.
subulatum Kirby. *Mon. IX. p. 28. t. 1. f. 5.* — Germ. *Mon. II. p. 146. t. 4. f. 21. a-b.* — Wenck. *Mon. p. 120.* — M.
♂ *Marshami* Steph. *Ill. Brit. IV. p. 168.* — Bohem. *Schh. Gen. Curc. V. p. 372.* — Anglia.
♂ *platalea* Steph. *l. c.* — „
subulirostre Gylh. *Schh. Gen. Curc. I. p. 266.* — Brasilia.
sulcifrons Herbst. *Käf. VII. p. 122. t. 103. f. 12.* — Germ. *Mon. II. p. 189. t. 2. f. 10. a-b.* — Wenck. *Mon. p. 209.* — ⚘ Reinhard. *Stett. Zeit. 1856. p. 109.* — M.
sulcipenne Gylh. *Schh. Gen. Curc. V. p. 401.* — Brasilia.
Sundevalli Bohem. *Schh. Gen. Curc. V. p. 435.* — Wenck. *Mon. p. 173.* — Suecia.
superbum Tourn. *Abeille. V. 1868. p. 147.* — Aegyptus.
talpa Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 185.* — Sarepta.
tamaricis Gylh. *Schh. Gen. Curc. V. p. 388.* — Dej. *Cat. 3. ed. p. 262.* — Wenck. *Mon. p. 126.* — Gallia mer
Gaudarti Tourn. *Abeille. V. 1868. p. 146.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 375.* — Messina.
tenebricosum Gemming. *Col. Heft. VIII. 1871.* — Chili.
obscurum Blanch. *Gay. Hist. Chil. V. p. 309. t. 22. f. 4. a-c.* — „
tenue Kirby. *Mon. IX. p. 61.* — Germ. *Mon. II. p. 213.* — Wenck. *Mon. p. 209.* — M.
triangulicolle Motsch. *Etud. ent. VII. 1858. p. 92.* — India or.
tricarinatum Waltl. *Reis. Span. II. 1835. p. 76.* — Wenck. *Mon. p. 167.* — Hispania.
trifolii Linn. *Syst. nat. ed. XII. 3. App. p. 224.* — Wenck. *Mon. p. 204.* — M.
aestivum Germ. *Mon. II. p. 169. t. 4. f. 16. a-b.* — ⚘ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 967.* — Germania.
flavifemoratum var. *β.* Kirby. *Mon. IX. p. 43.* — Anglia.
flavipes Laich. *Verz. Tyr. Ins. I. p. 232.* — Tirolis.
Leachi Steph. *Ill. Brit. IV. p. 189.* — Anglia.
var. *ruficrus* Germ. *Mon. II. p. 171. t. 4. f. 17. a-b.* — Gylh. *Schh. Gen. Curc. V. p. 407.* — Wenck. *Mon. p. 262.* — Algeria.
troglodytes Mannerh. *Bull. Mosc. 1843. II. p. 289.* — California.
Truquii Reiche. *Ann. Fr. 1857. p. 651; 1858. t. 1. f. 1.* — Wenck. *Mon. p. 193.* — Damascus.
tuberculiferum Motsch. *Etud. ent. VII. 1858. p. 94.* — India or.

tubiferum Gylh. *Schh. Gen. Curc. 1. p. 284.* — Dej. *Cat. 3. ed. p. 263.* — Wenck. *Mon. p. 125.* — ⚘ Frauenf. *Verh. zool. bot. Ver. Wien. V. 1855. p. 20.*	Gallia mer.
scolopax Hoffmsgg. *Dej. Cat. l. c.*	Lusitania.
var. *sicanum* Wencker *l. c.*	Algeria.
tumidum Gerstäck. *Stett. Zeit. 1854. p. 271.*	Java.
Uhagoni Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 195.*	Bilbao.
uliciperda Pandellé. *Cat. Col. Gren. 1867. p. 184.*	Gallia.
ulicis Forster. *Nov. Spec. Ins. 1771. p. 31.* — Wenck. *Mon. p. 151.* — ⚘ Goureau. *Ann. Fr. 1847. p. 250. t. 3. II. f. 10.*	Germania.
ilicis Kirby. *Mon. IX. p. 18. t. 1. f. 1.* — Germ. *Mon. II. p. 124.* — Dej. *Cat. 1. ed. p. 82.*	Anglia.
{ *nigrirostre* Fabr. *Ent. Syst. Suppl. p. 163.*	Gallia.
{ *carpini* Gylh. *Schh. Gen. Curc. I. p. 269.*	„
umbrinum Wollast. *Cat. Canar. Col. p. 314.*	Canariae.
urticarium Herbst. *Füssl. Arch. V. 1784. p. 74.*	M.
concinnum Marsh. *Ent. Brit. p. 248.*	Anglia.
fasciatum Oliv. *Ent. V. 81. p. 39. t. 3. f. 57.*	Gallia.
lythri Panz. *Fn. Germ. 17. 8.*	Germania.
scalptor Herbst. *Käf. VI. p. 105. t. 66. f. 10.*	„
vernale Payk. *Mon. Curc. 1792. p. 138.* — Fabr. *Ent. Syst. I. 2. p. 392.* — Germ. *Mon. II. p. 131. t. 2. f. 7. a-b.* — Wenck. *Mon. p. 162.* — ⚘ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 964.*	Suecia.
validum Germ. *Mon. II. p. 246. t. 3. f. 21. a-b.* — Gylh. *Schh. Gen. Curc. V. p. 416.* — Wenck. *Mon. p. 164.*	M.
variegatum Wenck. *Mon. p. 188.*	Gallia.
bicolor Gredler. *Käf. v. Passeier. II. 1857. p. 69; Käf. Tirol. II. 1866. p. 308. not.*	Tirolis.
varipes Germ. *Mon. II. p. 173. t. 4. f. 19. a-b.* — Wenck. *Mon. p. 199.*	M.
Bohemani Bohem. *Schh. Gen. Curc. V. p. 405.* — Schönh. *i. litt.*	Gothland.
flavifemoratum var. γ. Kirby. *Mon. IX. p. 43.*	Anglia.
flavipes var. c. Gylh. *Ins. Suec. III. p. 37.*	Suecia.
velatum Gerstäck. *Stett. Zeit. 1854. p. 278.* — Wenck. *Mon. p. 252.*	Smyrna.
ventricosum Lec. *Proc. Ac. Phil. IX. 1858. p. 78.*	Fort Yuma.
venustulum Wenck. *Mon. p. 148.*	Graecia.
vestitum Gylh. *Schh. Gen. Curc. I. p. 267.*	St. Domingo.
vestitum Philippi. *Stett. Zeit. 1864. p. 364.*	Chili.
viciae Payk. *Fn Suec. III. p. 181.* — Germ. *Mon. II. p. 150. t. 4. f. 15. a-b.* — Wenck. *Mon. p. 187.*	M.
pallidicorne Ziegl. *Dej. Cat. 3. ed. p. 263.*	Styria.
var. *Griesbachi* Steph. *Ill. Brit. IV. p. 179.*	Anglia.
vicinum Kirby. *Mon. IX. p. 25. t. 1. f. 3.* — Germ. *Mon. II. p. 139.* — Wenck. *Mon. p. 143.*	M.
incrassatum Germ. *l. c. p. 140. t. 2. f. 3. a-b.*	Germania.
loti Gylh. *Ins. Suec. III. p. 60.*	Suecia.
vile Gerstäck. *Stett. Zeit. 1854. p. 249.*	Baltimore.
violaceum Kirby. *Mon. IX. p. 65. t. 1. f. 16.* — Wenck. *Mon. p. 254.* — ⚘ Laboulb. *Ann. Fr. 1862. p. 565. t. 13. f. 16-22.*	M.

cyaneum Oliv. *Ent. V. 81. p. 32. t. 3. f. 46.*	Gallia.
hydrolapathi Dej. *Cat. 1. ed. p. 81.*	Germania.
var. *alpinum* Wencker *l. c.*	Alpes.
„ *cyaneum* Herbst. *Käf. VII. p. 108. t. 102. f. 7.*	Anglia.
virens Herbst. *l. c. p. 118. t. 103. f. 6.* — Germ. *Mon. II. p. 193.* — Wenck. *Mon. p. 215.* — ♀ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 963.*	M.
aeneocephalum Gylh. *Ins. Suec. III. p. 49.*	Suecia.
cyaneum Dej. *Cat. 2. ed. p. 242.*	Gallia.
♂ *marchicum* Kirby. *Mon. IX. p. 54.* — Germ. *l. c. p. 195.*	Anglia.
vorax Herbst. *Käf. VII. p. 119. t. 103. f. 8.* — Germ. *Mon. II. p. 141. t. 3. f. 3. a-b.* ♂. — Jacq. Duv. *Gen. Curc. 1854. t. 4. f. 17.* — Wenck. *Mon. p. 233.*	M.
♂ *fuscicorne* Marsh. *Ent. Brit. p. 244.*	Anglia.
♂ *pallicorne* Gylh. *Schh. Gen. Curc. I. p. 302.*	Gallia.
♀ *villosulum* Marsh. *l. c. p. 250.*	Anglia.
Waltoni Steph. *Manual. 1839. p. 259.* — Wenck. *Mon. p. 240.*	„
Curtisi Bohem. *Schh. Gen. Curc. V. p. 430.*	„
Wenckeri Brisout. *Cat. Grenier. 1863. p. 96.* — Wenck. *Mon. p. 124.*	Gallia.
Westwoodi Wollast. *Cat. Canar. Col. p. 311.*	Canariae.
Wollastoni Chevrol. *Rev. Zool. 1852. p. 579.* — Wollast. *Ins. Mader. 1854. p. 414. t. 8. f. 4.* — Wenck. *Mon. p. 266.*	Madera.
xanthopus Gylh. *Schh. Gen. Curc. V. p. 375.*	Brasilia.
Zuberi Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 199.*	Sarepta.

377

Piezotrachelus

πιέζω, comprimo; τράχηλος, cervix.

Schönherr. *Gen. Curc. V. 1839. p. 365.*

angusticollis Gerstäck. *Stett. Zeit. 1854. p. 269.*	Caffraria.
asphaltinus Bohem. *Schh. Gen. Curc. VIII. 2. p. 369.*	Port Natal.
longicollis Gerstäck. *Stett. Zeit. 1854. p. 270.*	Cap bon. spei.
conicicollis Gerstäck. *l. c.*	„
fallax Bohem. *Schh. Gen. Curc. VIII. 2. p. 370.*	Port Natal.
Germari Gylh. *Schh. l. c. V. p. 367.*	Caffraria.
Herbsti Gylh. *l. c.*	„
languidus Bohem. *Schh. l. c. V. p. 368.*	Sierra Leona.
natalensis Gerstäck. *Stett. Zeit. 1854. p. 273.*	Port Natal.
pullus Bohem. *Schh. Gen. Curc. VIII. 2. p. 368.*	Guinea.

9

Aplemonus

ἀπλήμων, inexplebilis.

Schönherr. *Mantiss. sec. Curc. 1847. p. 5.*

gibbipennis Bohem. *Schh. Mant. sec. p. 7. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 540.*	Port Natal.

1

Cybebus

κύβηβος, pronus.

Schönherr. *Gen. Curc. V. 1839. p. 447.*

castaneus Klug. *Abhandl. Berl. Ac. I. 1833. p. 194.* Madagascar.
bistigma Schönh. *Gen. Curc. V. p. 449.* „
dimidiatus Fabr. *Ent. Syst. I. 2. p. 403.* — Herbst. *Käf. VI. p. 443. t. 94. f. 6.* „
rufipennis Bohem. *Schh. Gen. Curc. V. p. 448.* — Labr. et Imh. *Gen. Curc. I. nr. 71.* „
2

Mecolenus

μῆκος, longitudo; ὠλένη, ulna.

Schönherr. *Mantiss. sec. Curc. 1847. p. 7.*

Wahlbergi Schönh. *Mant. sec. p. 8. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 628.* Port Natal.
1

Tanaos

ταναός, extensus.

Schönherr. *Disp. meth. 1826. p. 63.*

bicolor Gylh. *Schh. Gen. Curc. V. p. 453.* Africa austr.
fallax Gylh. *l. c. p. 452.* „
sanguineus Thunb. *Nov. Act. Ups. VII. p. 118.* — Dalm. *Schh. Gen. Curc. II. p. 170.* — Gylh. *Schh. l. c. V. p. 451.* — Labr. et Imh. *Gen. Curc. II. nr. 1.* „
3

Apoderus

ἀποδέρω, excorio.

Olivier. *Ent. V. 81. 1807. p. 12.*

Centrocòrynus Jekel. — *Cycnotrachelus* Jek. — *Hoplapoderus* Jek. — *Involvulus* Schrank. *(pars.)* — *Leptapoderus* Jekel. — *Metriotrachelus* Jek. — *Physapoderus* Jek. — *Strigapoderus* Jek. — *Trachelophorus* Jek.

Monogr. Marseul. *Abeille. V. 1868. p. 296.*

abdominalis Gylh. *Schh. Gen. Curc. V. p. 291.* Madagascar.
ardea Gylh. *l. c. p. 295.* „
assamensis Bohem. *Schh. Gen. Curc. VIII. 2. p. 354.* Assam.
basalis Jekel. *Ins. Saund. II. 1860. p. 170. not.* Java.
bicolor Redtenb. *Reis. Novar. II. p. 161.* Shanghai.
biguttatus Fabr. *Syst. El. II. p. 418.* — Gylh. *Schh. Gen. Curc. V. p. 283.* Sumatra.
bihumeratus Jekel. *Ins. Saund. II. p. 180. t. 3. f. 6.* India or.
bistrimaculatus Jekel. *l. c. p. 178.* „

camelus Oliv. *Ent. V. 81. p. 15. t. 1. f. 19.* — Gylh. *Schh. Gen. Curc. V. p. 291.*	Madagascar.
dromas Klug. *Abhandl. Berl. Ac. I. 1833. p. 193.*	„
carbonicolor Motsch. *Schrenck. Reis. 1860. p. 171. t. 10. f. 26.*	Amur.
castaneus Jekel. *Ins. Saund. II. p. 240.* — Klug. *i. litt.*	Madagascar.
camelus Labr. et Imh. *Gen. Curc. I. nr. 77.*	„
chinensis Jekel. *Ins. Saund. II. p. 164. t. 3. f. 4.*	Shangai.
cinctipennis Jekel. *l. c. p. 177.*	Port Natal.
collaris Jekel. *l. c. p. 166.*	Java.
coryli Linn. *Syst. nat. ed. X. p. 387.* — Panz. *Fn. Germ. 100. 8.* — Jacq. Duv. *Gen. Col. I. 1854. t. 3. f. 11.* — Mars. *Mon. p. 301.* — ‡ Ratzeb. *Forstins. 1837. I. p. 96. t. 4. f. 5. B.*	M.
var. *avellanae* Linn. *Syst. nat. ed. XII. p. 619.*	Suecia.
„ *collaris* Scop. *Ent. Carn. p. 25.*	Carniolia.
„ *denigratus* Gmel. *ed. Linn. I. 4. p. 1809.*	Germania.
„ { *morio* Bon. *Mem. Ac. Soc. Agr. Torin. IX. p. 175.*	Italia.
„ { *obscurus* Dej. *Cat. 3. ed. p. 259.*	„
crenatus Jekel. *Ins. Saund. II. p. 173.*	Sylhet.
cyaneovirens Jekel. *l. c. p. 162.*	Senegal.
cyanopterus Motsch. *Etud. ent. IX. 1860. p. 22.*	Japonia.
cyaneus Gylh. *Schh. Gen. Curc. V. p. 286.* — Dej. *Cat. 3. ed. p. 259.*	Africa austr.
cygneus Fabr. *Syst. El. II. p. 417.* — Gylh. *Schh. Gen. Curc. V. p. 294.*	Sumatra.
dauricus Laxm. *Nov. Comment. Ac. Petr. XIV. 1. 1770. p. 595. t. 24. f. 3.*	Dauria.
dauricus Motsch. *Bull. Mosc. 1859. IV. p. 497; Schrenck. Reis. 1860. p. 173.*	„
Dohrni Jekel. *Ins. Saund. II. p. 168. t. 3. f. 5. b.*	Ceylon.
dromas Oliv. *Ent. V. 81. p. 14. t. 1. f. 17.* — Gylh. *Schh. Gen. Curc. V. p. 293.*	Madagascar.
dumosus Gylh. *l. c. p. 290.*	Sierra Leona.
spinosus Gylh. *l. c. I. p. 197.*	„
echinatus Gylh. *l. c. p. 195.*	India or.
erythropterus Gmel. *ed. Linn. I. 4. 1788. p. 1809.* — Zschach. *Mus. Lesk. p. 23. nr. 506.*	Curonia.
intermedius Hellw. *Schneid. Mag. V. 1794. p. 615.* — Panz. *Fn. Germ. 25. 22.* — Mars. *Mon. p. 302.*	Germania.
var. *politus* Gebl. *Humm. Essai. IV. 1825. p. 50.*	Sibiria.
fallax Gylh. *Schh. Gen. Curc. V. p. 287.* — Mars. *Mon. p. 305.*	Sibiria or.
femoralis Jekel. *Ins. Saund. II. p. 160. t. 3. f. 1. b.*	Madagascar.
festivus Klug. *Abhandl. Berl. Ac. I. 1833. p. 193.*	„
flavicornis Gylh. *Schh. Gen. Curc. V. p. 285.*	„
flavoebeneus Thoms. *Arch. II. 1858. p. 115.*	Gabon.
flavotuberosus Jekel. *Ins. Saund. II. p. 163. t. 3. f. 3.*	India or.
fuscicornis Fabr. *Ent. Syst. I. 2. p. 386.* — Gylh. *Schh. Gen. Curc. V. p. 279.*	Senegal.
gemmatus Thunb. *Nov. Ins. Spec. III. 1784. p. 68. f. 80.* — Fabr. *Mant. I. p. 124.* — Oliv. *Ent. V. 81. p. 14. t. 1. f. 16.*	Cap bon. spei.
gemmosus Jekel. *Ins. Saund. II. p. 182.*	China.

geniculatus Jekel. *l. c. p. 174.* — Dej. *Cat. 3. ed. p. 259.* China.
giraffa Jekel. *l. c. p. 161. t. 3. f. 2. b.* Madagascar.
haemorrhoidalis Oliv. *Ent. V. 81. p. 16. t. 1. f. 21.* Africa.
horridus Bohem. *Schh. Gen. Curc. VIII. 2. p. 357.* Port Natal.
humeralis Oliv. *Ent. V. 81. p. 17. t. 1. f. 22.* — Gylh. *Schh. Gen. Curc. V. p. 298.* Madagascar.
humerosus Motsch. *Schrenck. Reis. 1860. p. 171. t. 10. f. 27.* Amur.
hystrix Fabr. *Syst. El. II. p. 419.* — Gylh. *Schh. Gen. Curc. V. p. 288.* — Labr. et Imh. *Gen. Curc. I. nr. 76.* Sumatra.
javanicus Jekel. *Ins. Saund. II. p. 172.* Java.
inaequalis Gylh. *Schh. Gen. Curc. V. p. 297.* Madagascar.
kamtschaticus Motsch. *Bull. Mosc. 1845. IV. p. 380; Schrenck. Reis. 1860. p. 172. t. 10. f. 28.* Kamtschatka.
languidus Gylh. *Schh. Gen. Curc. V. p. 280.* — Labr. et Imh. *Gen. Curc. I. nr. 76.* Guinea.
latipennis Jekel. *Ins. Saund. II. p. 179.* China.
longiceps Motsch. *Schrenck. Reise. 1860. p. 173. t. 10. f. 29.* Amur.
longicollis Fabr. *Syst. El. II. p. 417.* — Oliv. *Ent. V. 81. p. 18. t. 1. f. 25.* – Boisd. *Voy. Astrol. II. p. 300.* India or.
maurus Motsch. *Schrenck. Reise. 1860. p. 171.* Amur.
melanopterus Wiedem. *Zool. Mag. I. 3. 1819. p. 174.* — Gylh. *Schh. Gen. Curc. V. p. 284.* Java.
montanus Jekel. *Ins. Saund. II. p. 165.* Sylhet.
Nietneri Jekel. *l. c.* Ceylon.
nigripennis Fabr. *Ent. Syst. I. 2. p. 386.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 355.* Port Natal.
nigripes Gerstäck. *Monatsb. Berl. Ac. 1855. p. 83; Peters Reise. 1862. p. 303. t. 18. f. 5.* Mozambique.
nigroapicatus Jekel. *Ins. Saund. II. p. 175.* China.
notatus Fabr. *Ent. Syst. I. 2. p. 385.* — Oliv. *Ent. V. 81. p. 19. t. 1. f. 26.* India or.
pallidulus Jekel. *Ins. Saund. II. p. 176.* „
pectoralis Thunb. *Nov. Act. Ups. VII. p. 124.* Cap bon. spei.
pullus Jekel. *Ins. Saund. II. p. 176.* Ceylon.
quadrimaculatus Falderm. *Mém. Ac. Petr. II. 1835. p. 419. t. 3. f. 10.* China bor.
quadripunctatus Gylh. *Schh. Gen. Curc. I. p. 193.* Java.
rubidus Motsch. *Schrenck. Reis. 1860. p. 172.* Dauria.
ruficollis Fabr. *Spec. Ins. I. p. 200.* — Oliv. *Ent. V. 81. p. 13. t. 1. f. 15.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 356.* — Mars. *Mon. p. 304.* Sibiria.
rufus Fabr. *Syst. El. II. p. 418.* — Oliv. *Ent. V. 81. p. 18. t. 1. f. 24.* — Gylh. *Schh. Gen. Curc. I. p. 192.* Java.
sanguineus Oliv. *Ent. V. 81. p. 16. t. 1. f. 20.* Africa.
scitulus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 262.* Ceylon.
scutellaris Gylh. *Schh. Gen. Curc. I. p. 191.* India or.
semiannulatus Jekel. *Ins. Saund. II. p. 181.* China.
spiculosus Jekel. *l. c. p. 185.* Port Natal.
spinosus Fabr. *Ent. Syst. I. 2. p. 386.* — Gylh. *Schh. Gen. Curc. V. p. 289.* Cap bon. spei.
submarginatus Gylh. *l. c. p. 282.* — Gerstäck. *Wiegm. Arch. 1871. 1. p. 74.* Wanga.
sulcicollis Jekel. *Ins. Saund. II. p. 174. not.* Shangai.

tranquebaricus Fabr. *Ent. Syst. Suppl. p. 162.* — Oliv. *Ent. V. 81. p. 15. t. 1. f. 18.* — Gylh. *Schh. Gen. Curc. V. p. 281.* — Tranquebar.
unicolor Oliv. *Ent. V. 81. p. 17. t. 1. f. 23.* — Blanch. *Voy. Pole Sud. IV. p. 197.* — India or.
cygneus Blanch. *l. c. t. 13. f. 5.* — Borneo.
uniformis Gylh. *Schh. Gen. Curc. V. p. 293.* — Madagascar.
vitticeps Jekel. *Ins. Saund. II. p. 184.* — China.
Westermanni Bohem. *Schh. Gen. Curc. VIII. 2. p. 354.* — Borneo.
78

Lagenoderus

λάγηνος, lagena; δέρη, collum.

White. *Newm. Entomol. 1841. p. 182.*

gnomoides White. *The Entomol. 1841. p. 183. c. fig.* — Madagascar.
1

Attelabus

ἀττέλαβος, attelabus.

Linné. *Syst. nat. ed. XII. 1767. p. 619.*

Chyphus Thunberg. — *Clinolabus* Jekel. — *Coryneuscelus* Jek. — *Coscineuscelus* Jek. — *Euscelus* Germar. — *Heterolabus* Jekel. — *Himatolabus* Jek. — *Homoeolabus* Jek. — *Hybolabus* Jek. — *Lamprolabus* Jek. — *Omolabus* Jek. — *Paramecolabus* Jek. — *Pheleuscelus* Jek. — *Phymatolabus* Jek. — *Pilolabus* Jek. — *Pleurolabus* Jek. — *Sternolabus* Jek. — *Synolabus* Jek. — *Thyreolabus* Jek. — *Thyreuscelus* Jek. — *Xestolabus* Jek.

Monogr. Marseul. *Abeille. V. 1868. p. 306.*

amplectens Mannerh. *Schh. Gen. Curc. I. p. 207.* — Brasilia.
analis Illig. *Schneid. Mag. V. 1794. p. 616.* — Gylh. *Schh. Gen. Curc. I. p. 199.* — Amer. bor.
similis Kirby. *Fn. Bor. Am. IV. p. 204.* — „
angulatus Fabr. *Mant. I. p. 124.* — Oliv. *Encycl. méth. IV. 1789. p. 279.* — Cayennae.
dorsalis Dej. *Cat. 1. ed. p. 80.* — „
angulosus Gylh. *Schh. Gen. Curc. I. p. 208.* — Cuba.
armatus Gylh. *l. c. p. 208.* — Mannerh. *Dej. Cat. 3. ed. p. 260.* — St. Domingo.
Dejardini Guér. *in litt.* — „
spinifex Oliv. *Ent. V. 81. p. 9. t. 1. f. 7. (forte.)* — „
ater Oliv. *Encycl. méth. IV. 1789. p. 278; Ent. V. 81. p. 8. t. 1. f. 6.* — Cayennae.
atratus Fabr. *Syst. El. II. p. 419.* — „
var. *chrysopterus* Dej. *Cat. 3. ed. p. 260.* — Brasilia.
„ *cupripennis* Perty. *Del. anim. 1830. p. 68. t. 14. f. 4.* — „
„ *ignitus* Schönh. *Disp. meth. p. 44.* — „
„ *nitidipennis* Dej. *Cat. l. c.* — „
„ *variabilis* Gylh. *Schh. Gen. Curc. I. p. 201.* — Labr. et Imh. *Gen. Curc. I. nr. 74.* — „

atricornis Muls. et Guilleb. *Ann. Soc. Linn. Lyon. 1855. p. 159.* — Reiche. *Ann. Fr. 1862. p. 297.* — Stierl. *Berl. Zeit. 1865. p. 117.* — Mars. *Mon. p. 314.* Corsica.
aureolus Gylh. *Schh. Gen. Curc. 1. p. 209.* Cuba.
axillaris Gylh. *l. c. V. p. 308.* Mexico.
bifoveatus Jekel. *Ins. Saund. II. 1860. p. 203.* Pará.
binotatus Gylh. *Schh. Gen. Curc. V. p. 316.* Mexico.
bipustulatus Fabr. *Gen. Ins. Mant. p. 229* — Herbst. *Käf. VII. p. 147. t. 105. f. 7.* — Gylh. *Schh. Gen. Curc. I. p. 202.* Amer. bor.
bipustulosus Jekel. *Ins. Saund. II. p. 214. t. 3. f. 9.* Jamaica.
bispinosus Gylh. *Schh. Gen. Curc. I. p. 204.* — Labr. et Imh. *Gen. Curc. I. nr. 72.* Java.
bituberculatus Buquet. *Dej. Cat. 3. ed. p. 260.* „.
brachiatus Klug. *Nov. Act. Ac. Leop. XII. 2. 1825. p. 453.* Pará.
brachiatus Bohem. *Nouv. Mém. Mosc. I. 1829. p. 121.* — Fåhrs. *Schh. Gen. Curc. V. p. 314.* Cayennae.
brunnescens Jekel. *Ins. Saund. II. p. 193. not.* Columbia.
brunneus Jekel. *l. c. p. 194. not.* Brasilia.
Buqueti Jekel. *l. c. p. 210.* — Dej. *Cat. 3. ed. p. 260.* „
testaceus Buquet. *Dej. Cat. l. c.* „
canaliculatus Oliv. *Ent. V. p. 81. p. 7. t. 1. f. 3.* St. Domingo.
carneolus Erichs. *Schomb. Reis. III. 1848. p. 567.* — Jekel. *Ins. Saund. II. p. 215.* Guyana.
castaneicolor Jekel. *l. c. p. 190. not.* China.
cicatricosus Motsch. *Schrenck. Reise. 1860. p. 173. t. 10. f. 30.* Amur.
coeruleus Jekel. *Ins. Saund. II. p. 202.* China.
columbinus Erichs. *Schomb. Reise. III. p. 567.* Guyana.
Coquereli Fairm. *Ann. Fr. 1871. p. 44.* Madagascar.
corallinus Gylh. *Schh. Gen. Curc. V. p. 317.* Mexico.
corniculatus Gylh. *l. c. p. 306.* Brasilia.
corvinus Gylh. *l. c. p. 304.* Mexico.
costulatus Jekel. *Ins. Saund. II. p. 210.* Port Natal.
cribrarius Oliv. *Ent. V. 81. p. 8. t. 1. f. 5.* St. Domingo.
cribricollis Jekel. *Ins. Saund. II. p. 209.* Pará.
curculionoides Linn. *Syst. nat. ed. 12. p. 619.* — Panz. *Fn. Germ. 100. 9.* — Gylh. *Schh. Gen. Curc. V. p. 299.* — Jacq. Duv. *Gen. Col. I. 1854. t. 3. f. 12.* — Mars. *Mon. p. 311.* — ‡ Hubert. *Mém. Soc. phys. et hist. nat. Genève. 1839. VIII. 2. p. 445.* M.
coccineus Fourcr. *Ent. Par. I. p. 115.* Gallia.
coryli Müll. *Zool. Dan. Prodr. p. 91.* Dania.
curculioniformis Schrank. *Fn. boic. I. p. 475.* Germania.
nitens Payk. *Mon. Curc. p. 130.* Suecia.
var. *hispanicus* Jekel. *Ins. Saund. II. p. 199.* — Mars. *Mon. p. 313.* Hispania.
„ *maculipes* Küst. *Käf. Eur. 3. 64.* — Rondani. *Dej. Cat. 3. ed. p. 260.* Lombardia.
„ *pulvinicollis* Jekel. *l. c. p. 199.* — Mars. *Mon. p. 312.* Sicilia.
cyaneus Klug. *Nov. Act. Ac. Leop. XII. 2. 1825. p. 453.* Bahia.
cyaneus Bohem. *Schh. Gen. Curc. VIII. 2. p. 358.* — Mars. *Mon. p. 216.* Dauria.

cyanipennis Fabr. *Syst. El. II. p. 420.* — Gylh. *Schh. Gen. Curc. V. p. 311.*	Amer. mer.
deceptor Jekel. *Ins. Saund. II. p. 207.*	Brasilia.
dentipennis Gylh. *Schh. Gen. Curc. V. p. 315.*	Madagascar.
dentipes Fabr. *Ent. Syst. Suppl. p. 163.* — Gylh. *Schh. Gen. Curc. I. p. 207.*	Amer. ins.
var. *anserinus* Germ. *in litt.* — Gylh. *l. c.*	„
discolor Fåhrs. *Schh. Gen. Curc. V. p. 301; VIII. 2. p. 360.*	Bombay.
sanguinipennis Hope *in litt.*	„
exaratus Bohem. *Nouv. Mém. Mosc. 1. 1829. p. 123; Schh. Gen. Curc. I. p. 203.*	Cap bon. spei.
striatus Klug. *Dej. Cat. 3. ed. p. 260.*	„
falcipes Klug. *Nov. Act. Ac. Leop. XII. 2. 1825. p. 451.*	Pará.
fornicatus Oliv. *Ent. V. 81. p. 9. t. 1. f. 9.*	St. Domingo.
foveipennis Suffr. *Wiegm. Arch. 1870. I. p. 228.*	Cuba.
foveolatus Gylh. *Schh. Gen. Curc. I. p. 200; V. p. 213.*	Brasilia.
fulvitarsis Jekel. *Ins. Saund. II. p. 193. not.*	Pará.
hamatus Oliv. *Ent. V. 81. p. 9. t. 1. f. 8.*	Surinam.
humeralis Klug. *Nov. Act. Ac. Leop. XII. 2. 1825. p. 452.*	Pará.
Jekeli Kirsch. *Berl. Zeit. 1870. p. 371.*	Bogotá.
Klugi Gylh. *Schh. Gen. Curc. V. p. 302.*	Mexico.
laesicollis Gylh. *l. c. p. 305.*	„
longimanus Oliv. *Encycl. méth. IV. 1789. p. 278; Ent. V. 81. p. 7. t. 1. f. 4. a-b.* — Fabr. *Ent. Syst. I. 2. p. 385.* — Gylh. *Schh. Gen. Curc. V. p. 313.*	Cayennae.
longirostris Jekel. *Ins. Saund. II. p. 207.*	Columbia.
melanocoryphus Germ. *Ins. Spec. nov. p. 185.* — Gylh. *Schh. Gen. Curc. I. p. 203.* — Labr. et Imh. *Gen. Curc. I. nr. 73. var.*	Brasilia.
melanocephalus Dej. *Cat. 1. ed. p. 80.*	„
melanurus Oliv. *Ent. V. 81. p. 10. t. 1. f. 10.*	Java.
mutabilis Jekel. *Ins. Saund. II. p. 206.*	St. Paul.
nigricornis Klug. *Nov. Act. Ac. Leop. XII. 2. p. 452.*	Pará.
nigricornis Jekel. *Ins. Saund. II. p. 216. t. 3. f. 12.*	Brasilia.
nigripes Lec. *Ann. Lyc. I. 1824. p. 171.* — Gylh. *Schh. Gen. Curc. I. p. 199.* — Dej. *Cat. 3. ed. p. 260.*	Amer. bor.
nitidus Fabr. *Syst. El. II. p. 420.* — Fåhrs. *Schh. Gen. Curc. V. p. 309.*	Amer. mer.
octomaculatus Jekel. *Ins. Saund. II. p. 190. not.*	Pondichery.
octospilotus Jekel. *l. c. II. p. 201.*	Ceylon.
piceovirens Jekel. *l. c. II. p. 193. not.*	Brasilia.
placidus Jekel. *l. c. p. 192. not.* — Dej. *Cat. 3. ed. p. 260.*	Cayennae.
pulchellus Suffr. *Wiegm. Arch. 1870. 1. p. 224.* — Dej. *Cat. 3. ed. p. 260.*	Cuba.
punctatostriatus Motsch. *Etud. ent. IX. 1860. p. 22.*	Japonia.
rhois Bohem. *Nouv. Mém. Mosc. I. 1829. p. 121.* — Knoch. *Dej. Cat. 3. ed. p. 260.* — Gylh. *Schh. Gen. Curc. I. p. 202.*	Amer. bor.
badius Say *in litt.*	„
holosericeus Dej. *Cat. l. c.*	„
pubescens Say. *Journ. Ac. Phil. V. 2. p. 252.*	„
serripes Germ. *in litt.*	„

rudis Bohem. *Schh. Gen. Curc. VIII. 2. p. 360.* Mexico.
ruficollis Fabr. *Syst. El. II. p. 419.* — Gylh. *Schh. Gen. Curc. I. p. 203.* Cayennae.
rugicollis Jekel. *Ins. Saund. II. p. 192. not.* — Dej. *Cat. 3. ed. p. 260.* „
Sallei Jekel. *l. c. p. 208.* Mexico.
scutellaris Say. *Journ. Ac. Phil. V. 2. 1827. p. 252.* Amer. bor.
scutellatus Gylh. *Schh. Gen. Curc. I. p. 205.* — Jacq. Duv. *Hist. Cub. 1857. p. 171. t. 8. f. 21.* — Labr. et Imh. *Gen. Curc. I. nr. 75.* ♂ ♀. Cuba.
prehensilis Klug. *Dej. Cat. 3. ed. p. 260.* „
scutellaris Dej. *Cat. l. c.* „
spiculatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 359.* Assam.
splendens Gylh. *Schh. Gen. Curc. V. p. 304.* Mexico.
sumptuosus Gory. *Guér. Mag. Zool. 1834. Cl. IX. t. 119.* Amer. mer.
suturalis Jekel. *Ins. Saund. II. p. 200.* — Mars. *Mon. p. 315.* Orient.
troglodytes Jekel. *l. c. p. 205.* Amazon.
tuberifer Jekel. *l. c. p. 211. t. 3. f. 7.* Port Natal.
variolosus Fabr. *Syst. El. II. p. 420.* — Oliv. *Ent. V. 81. p. 6. t. 1. f. 2.* — Mars. *Mon. p. 309.* Barbaria.
var. *foveipennis* Jekel. *Ins. Saund. II. p. 201.* Cadix.
verrucifer Jekel. *l. c. p. 198. not.* Port Natal.
vestitus Gylh. *Schh. Gen. Curc. V. p. 307.* Mexico.
violaceus Jekel. *Ins. Saund. II. p. 204.* Brasilia.
viridans Gylh. *Schh. Gen. Curc. V. p. 303.* Mexico.
84

Euops

εὖ, bene; ὤψ, oculus.

Schönherr. *Gen. Curc. V. 1839. p. 318.*

Ophthalmolabus Jekel. — *Parablops* Schönh. — *Synaptops* Jekel.

Bakewelli Jekel. *Ins. Saund. II. p. 221. not.* Melbourne.
Bowringi Jekel. *l. c.* India or.
falcata Guér. *Ic. règn. anim. p. 137. t. 6. f. 4.* Nov. Holland.
Australasiae Fåhrs. *Schh. Gen. Curc. V. p. 319.* „
Goudoti Jekel. *Ins. Saund. II. p. 222. not.* Madagascar.
Howitti Jekel. *l. c. p. 220. not.* Victoria.
morio Bohem. *Schh. Gen. Curc. VIII. 2. p. 361.* Port Natal.
Nietneri Jekel. *Ins. Saund. II. p. 222. t. 3. f. 10.* Ceylon.
ceylonica Jekel *in litt.* „
Jekeli Dohrn *in litt.* „
puncticollis Bohem. *Res. Eugen. 1859. p. 117.* Sidney.
8

Trachelolabus

Vox absurda.

Jekel. *Ins. Saund. II. 1860. p. 217.*

Whitei Jekel. *Ins. Saund. II. p. 218. t. 1. f. 8.* Bengal.
1

Rhynchites

ῥύγχος, rostrum.

Herbst. *Natursyst. Käf. VII. 1797. p. 123.*

Byctiscus Thomson. — *Coenorhinus* Thoms. — *Deporaus* Stephens. — *Involvulus* Schrank. *(pars.)* — *Lasiorhynchites* Jekel. — *Mechoris* Billberg.

Monogr. Desbrochers des Loges. *Abeille. V. 1868. p. 317.*

Abeillei Desbroch. *Mon. p. 420.* — Marseille.
aeneovirens Marsh. *Ent. Brit. p. 239.* — Steph. *Ill. Brit. IV. p. 203.* — Desbroch. *Mon. p. 365.* — M.
arquatus Sturm *Dej. Cat. 1. ed. p. 80.* — Anglia.
smeraldinus Costa. *Ins. d'Otranto. 1827. p. 11. t. 2. f. 4.* — Italia.
virescens Ziegl. *Dej. Cat. 3. ed. p. 261.* — Styria.
var. *fragariae* Gylh. *Schh. Gen. Curc. I. p. 233.* — Sturm. *Cat. 1826. p. 191.* — Germania.
„ *longirostris* Bach. *Käferfn. II. 1854. p. 175.* — „
„ *obscurus* Gylh. *l. c. p. 215.* — Meg. *Dej. Cat. 3. ed. p. 261.* — Gallia.
„ *punctatus* Oliv. *Ent. V. 81. p. 29. t. 2. f. 2.* — „
aeneus Bohem. *Mus. Mosq. VI. p. 22.* — Fåhrs. *Schh. Gen. Curc. V. p. 323.* — Amer. bor.
opacus Sturm. *Cat. 1826. p. 191.* — „
aequatus Linn. *Syst. nat. ed. XII. p. 607.* — Panz. *Fn. Germ. 20. 8.* — Redtenb. *Fn. Austr. ed. 2. p. 680.* — Desbroch. *Mon. p. 352.* — M.
bicolor Rossi. *Fn. Etr. Mant. 1. p. 44.* — Italia.
purpureus Oliv. *Encycl. méth. IV. p. 281.* — Gallia.
ruber Foucr. *Ent. Par. p. 113.* — „
rufipes Sturm. *Cat. 1826. p. 191.* — Gallia mer.
semiruber Stierl. *Bull. Mosc. 1863. IV. p. 492; Abeille. IV. 1867. p. 188.* — Sarepta.
aeratus Say. *Descr. of Curc. of N. Am. 1831. p. 5.* — Gylh. *Schh. Gen. Curc. I. p. 216.* — Amer. bor.
cuprinus Dej. *Cat. 3. ed. p. 261.* — „
aethiops Bach. *Käferfn. II. p. 172.* — Desbroch. *Mon. p. 358.* — Germania.
niger Meg. *Dej. Cat. 1. ed. p. 80.* — „
planirostris Gylh. *Schh. Gen. Curc. V. p. 216.* — Tauria.
alni Müll. *Zool. Dan. Prodr. 1776. p. 91.* — M.
aurulentus Besser. *Dej. Cat. 3. ed. p. 261.* — Volhynia.
betulae Linn. *Fn. Suec. 1761. p. 179.* — Steph. *Ill. Brit. IV. p. 203.* — Suecia.
betuleti Fabr. *Ent. Syst. 1. 2. p. 387.* — Panz. *Fn. Germ. 20. 6.* — Schönh. *Gen. Curc. I. p. 222.* — Desbroch. *Mon. p. 335.* — ♀ Kollar. *Naturg. d. schädl. Ins. 1837. p. 171.* — Germania.
muticus Kunze *in litt.* — „
viridis Fourcr. *Ent. Par. I. p. 113.* — Gallia.

var. *nitens* Marsh. *Ent. Brit. p. 242.* — Anglia.
„ *bispinus* Müll. *l. c. p. 91.* — Dania.
„ *inermis* Müll. *l. c.* — „
„ *unispinus* Müll. *l. c.* — „
„ *violaceus* Scop. *Ent. Carn. p. 26.* — Carniolia.

auratus Scop. *Ent. Carn. 1763. p. 26.* — Gylh. *Schh. Gen. Curc. I. p. 219.* — Jacq. Duv. *Gen. Col. I. 1854. t. 3. f. 13.* — Desbroch. *Mon. p. 340.* — ♆ Goureau. *Ann. Fr. 1860. Bull. p. 5.* — M.
aurifer Oliv. *Encycl. méth. V. p. 563.* — Gallia
Bacchus Oliv. *Ent. V. 81. p. 20. t. 2. f. 27. a-c.* — Steph. *Ill. Brit. IV. p. 204.* — Anglia.
irideus Ziegl. *Dej. Cat. 3. ed. p. 261.* — Germania.
rectirostris Gylh. *l. c. p. 220.* — Tauria.
rubens Meg. *Dej. Cat. 1. ed. p. 80.* — Germania.
tridens Ziegl. *in litt.* — „

Bacchus Linn. *Syst. nat. ed. XII. p. 611.* — Sulz. *Abgek. Gesch. Ins. p. 38. t. 4. f. 4.* — Gylh. *Schh. Gen. Curc. V. p. 326.* — Desbroch. *Mon. p. 350.* — ♆ Hubert. *Mém. Soc. phys. et hist. nat. Genève. 1839. VIII.* — M.
auratus Steph. *Ill. Brit. IV. p. 204.* — Anglia.
laetus Germ. *Ins. Spec. nov. p. 186.* — Germania.
opalizans Ziegl. *Dej. Cat. 3. ed. p. 261.* — Dalmatia.
purpureus Degeer. *Mém. V. p. 200.* — Gallia.
splendidus Stev. *Dej. Cat. l. c.* — Russia mer.

betulae Linn. *Syst. nat. ed. X. p. 387.* — Panz. *Fn. Germ. 20. 15.* — Desbroch. *Mon. p. 378.* — ♆ Ratzeb. *Forstins. I. p. 100. t. 4. f. B.* — M.
excoriato-niger Degeer. *Mém. V. p. 259.* — Germania.
fagi Scop. *Ent. Carn. p. 25.* — Carniolia.
femoratus Oliv. *Encycl. méth. IV. p. 280; Ent. V. 81. p. 11. t. 1. f. 12.* — Gallia.
{*populi* Scop. *l. c. p. 25.* — Carniolia.
{*populneus* Gmel. *ed. Linn. I. 4. p. 1801.* — Suecia.

bicolor Fabr. *Syst. Ent. p. 131.* — Herbst. *Käf. VII. p. 131. t. 104. f. 6.* — Gylh. *Schh. Gen. Curc. I. p. 212.* — Amer. bor.

castaneus Jekel. *Ins. Saund. II. 1860. p. 241.* — Guinea.

coelestinus Gylh. *Schh. Gen. Curc. I. p. 211.* — Sumatra.
azureus Billb. *Enum. Ins. p. 39.* — „
grandis Labr. et Imh. *Gen. Curc. I. nr. 78.* — „
philippensis Chevrol. *Rev. Zool. 1841. p. 224.* — Philippinae.

coeruleocephalus Schall. *Neu. Schrft. Ges. Hal. I. p. 282.* — Panz. *Fn. Germ. 94. 6.* — Gylh. *Schh. Gen. Curc. 1. p. 212.* — Desbroch. *Mon. p. 389.* — Germania.
cyanocephalus Herbst. *Füssl. Arch. V. p. 72. t. 24. f. 11.* — „

congener Jekel. *Ins. Saund. II. p. 224.* — Shangai.

congruus Walker. *Natural. Vancouv. 1866. II. p. 331.* — Vancouv. ins.

cribripennis Desbroch. *Mon. p. 355.* ♂. — Tarsus.
testaceus Dej. *Cat. 3. ed. p. 260.* — Dalmatia.

cupreus Linn. *Fn. Suec. p. 176.* — Panz. *Fn. Germ. 20. 9.* — Schönh. *Gen. Curc. I. p. 214.* — Desbroch. — M.

Mon. p. 372. — ♀ Kollar. *Naturg. d. schädl. Ins. 1837. p. 243.*	M.
aeneus Latr. *Hist. nat. Crust. et Ins. XI. p. 89.*	Gallia.
metallicus Schrank. *Fn. boic. I. p. 477.*	Germania.
purpureus Linn. *l. c. p. 175.*	Suecia.
cuprinus Chevrol. *Rev. Zool. 1860. p. 128.* — Desbroch. *Mon. p. 367.*	Algeria.
exaratus Bohem. *Nouv. Mém. Mosc. I. 1829. p. 123.*	Incert. sedis.
Faldermanni Schönh. *Gen. Curc. V. p. 326.*	China bor.
fulgidus Falderm. *Mém. Ac. Petr. II. 1835. p. 420.*	„
fulgidus Fourc. *Ent. Par. I. p. 116.*	Gallia.
fulvescens Blanch. *Gay. Hist. Chil. V. p. 308. t. 23. f. 4. a-d.*	Chili.
gelastinus Lec. *Entom. Report. 1857. p. 52.*	California.
germanicus Herbst. *Käf. VII. p. 134. t. 104. f. 10.* — Ziegl. *Dej. Cat. 1. ed. p. 80.* — Bach. *Käferfn. II. p. 175.* — Desbroch. *Mon. p. 363.*	M.
minutus Gylh. *Ins. Suec. III. p. 27; Schh. Gen. Curc. I. p. 233.*	Suecia.
nanus Marsh. *Ent. Brit. p. 238.*	Anglia.
rugipennis Steph. *Ill. Brit. IV. p. 202.*	„
var. { *aenovirens* Kirby *in litt.*	„
var. { *viridis* Meg. *in litt.*	Germania.
giganteus Krynick. *Bull. Mosc. V. 1832. p. 144.* — Schönh. *Ménétr. Cat. rais. 1832. p. 214.* — Gylh. *Schh. Gen. Curc. I. p. 218.* — Desbroch. *Mon. p. 343.*	Charkov.
pyri Motsch. *Etud. ent. I. 1852. p. 80.*	„
rectirostris Gylh. *l. c. p. 220.* ♀.	„
var. { *maximus* Desbroch. *Mon. p. 338.*	Smyrna.
var. { *trojanus* Gylh. *l. c. V. p. 324.* — Chevrol. *in litt.*	Troja.
hirtus Fabr. *Syst. El. II. p. 421.* — Oliv. *Ent. V. 81. p. 26. t. 2. f. 36.*	Carolina.
americanus Melsh. *Cat. nr. 680.*	„
humeralis Bohem. *Res. Eugen. 1859. p. 117.*	California.
hungaricus Herbst. *Füssl. Arch. V. 1784. p. 71. t. 24. f. 10; Käf. VII. p. 129. t. 104. f. 4.* — Fabr. *Ent. Syst. I. 2. p. 388.* — Gylh. *Schh. Gen. Curc. I. p. 212.* — Desbroch. *Mon. p. 357.*	Hungaria.
marginatus Schrank. *Fn. boic. I. p. 476.*	German. mer.
var. *ursus* Gebl. *Ledeb. Reis. 1830. p. 145; Bull. Mosc. VI. 1833. p. 292.* — Gylh. *l. c. V. p. 321.* — Desbroch. *Abeille. VII. 1870. p. 60.*	Sibiria occ.
icosandriae Scopoli. *Ent. Carn. 1763. p. 28.*	M.
alliariae Fabr. *Syst. ent. p. 132.* — Steph. *Ill. Brit. IV. p. 200.*	Suecia.
coeruleus Degeer. *Mém. V. p. 251.*	Germania.
confinis Steph. *l. c.*	Anglia.
conicus Illig. *Mag. VI. p. 306.* — Germ. *Fn. Ins. Eur. 13. 13.* — Gylh. *Schh. Gen. Curc. I. p. 231.* — Desbroch. *Mon. p. 370.*	Carniolia.
pubescens Rossi. *Fn. Etr. I. p. 137.*	Italia.
Jekeli Desbroch. *Mon. p. 348.*	Russia mer.

interpunctatus Steph. *Ill. Brit. IV. 1831. p. 201.* — Desbroch. *Mon. p. 361.* — Anglia.
alliariae Payk. *Fn. Suec. III. p. 175.* — ♀ Kollar. *Naturg. d. schädl. Ins. 1837. p. 254.* — Suecia.
longirostris Steph. *l. c.* — Gallia.
megacephalus Schönh. *Gen. Curc. V. p. 328.* — Kirsch. *Berl. Zeit. 1870. p. 218.* — Germania.
var. *confusus* Desbroch. *Mon. p. 363.* — Algeria.
kanalensis Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 174.* — Nov. Caledon.
lacunipennis Jekel. *Ins. Saund. II. p. 225. t. 3. f. 11.* — Shangai.
longicollis Gylh. *Schh. Gen. Curc. V. p. 332.* — Caffraria.
longimanus Gebl. *Ledeb. Reis. II. 3. 1830. p. 145.* — Sibiria occ.
hungaricus var. Desbroch. *Abeille. VII. 1870. p. 61.* — "
longipes Gylh. *Schh. Gen. Curc. V. p. 321.* — "
longulus Gylh. *Schh. Gen. Curc. I. p. 234.* — Java.
Luceus Gylh. *Schh. Gen. Curc. V. p. 322.* — Brasilia.
atropurpureus Schönh. *in litt. olim.* — "
manillensis Westw. *Proc. Zool. Soc. 1837. p. 128.* — Manilla.
megacephalus Germ. *Ins. Spec. nov. p. 187.* — Desbroch. *Mon. p. 376.* — M.
angustatus Dej. *Cat. 1. ed. p. 80.* — Gallia.
constrictus Gylh. *Schh. Gen. Curc. V. p. 335.* — Panz. *Fn. Germ. 172. 14. c.* — Bavaria.
cyaneopennis Steph. *Ill. Brit. IV. p. 199.* — Anglia.
laevicollis Steph. *l. c.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 364.* — "
Mannerheimi Humm. *Essai. III. p. 45. t. 1. f. 4. a-b; IV. p. 4.* — Russia.
melas Herbst. *Füssl. Arch. VII. 1786. p. 166.* — Germania.
mexicanus Gylh. *Schh. Gen. Curc. I. 1833. p. 227.* — Chevrol. *Col. Mex. Cent. II. 1835. nr. 108.* — Mexico.
nanus Payk. *Mon. Curc. p. 136.* — Panz. *Fn. Germ. 172. 15. c.* — Desbroch. *Mon. p. 375.* — M.
{*atrocyaneus* Ahrens *in litt.* — Germania.
{*cyaneus* Sturm. *Cat. 1826. p. 191.* — "
coeruleus Fabr. *Ent. Syst. Suppl. p. 163.* — Suecia.
♀ *cylindricus* Steph. *Ill. Brit. IV. p. 199.* — Anglia.
minutus Herbst. *Käf. VII. p. 135. t. 104. f. 11.* — Germania.
nebulosus Thunb. *Nov. Act. Ups. VII. p. 123.* — Cap bon. spei.
olivaceus Gylh. *Schh. Gen. Curc. I. p. 228.* — Gallia mer.
♂ *comatus* Gylh. *l. c. p. 229.* — Dej. *Cat. 3. ed. p. 261.* — Desbroch. *Mon. p. 383.* — "
parellinus Gylh. *Schh. Gen. Curc. I. p. 224.* — Desbroch. *Mon. p. 360.* — Russia mer.
multipunctatus Bach. *Berl. Zeit. 1858. p. 372.* — Kirsch. *Berl. Zeit. 1870. p. 217.* — Thuringia.
pauxillus Germ. *Ins. Spec. nov. p. 186.* — Desbroch. *Mon. p. 368.* — M.
atrocoeruleus Steph. *Ill. Brit. IV. p. 201.* — Anglia.
persicus Gylh. *Schh. Gen. Curc. V. p. 330; Nouv. Mém. Mosc. VI. p. 14.* — Batum.
piceus Germ. *Ins. Spec. nov. p. 187.* — Brasilia.

planirostris Fabr. *Syst. El. II. p. 425.* — Desbroch. *Mon. p. 373.* Europa.
tomentosus Gylh. *Schh. Gen. Curc. V. p. 335.* Gallia.
uncinatus Thoms. *Skand. Col. 1866. p. 36.* Suecia.
populi Linn. *Syst. nat. ed. X. p. 381.* — Panz. *Fn. Germ. 20. 7.* — Desbroch. *Mon. p. 337.* — ♀ Hubert. *Mém. Soc. phys. et hist. nat. Genève. 1839. VIII.* M.
praeustus Bohem. *Schh. Gen. Curc. VIII. 2. p. 362.* — Peiroleri. *Dej. Cat. 3. ed. p. 260.* — Desbroch. *Mon. p. 386.* Dalmatia.
var. *lividus* Dej. *Cat. 1. ed. p. 80.* Algeria.
„ *luridus* Bohem. *l. c. p. 363.* Croatia.
„ *semiruber* Dej. *in litt.* — Bohem. *l. c.* Italia.
puberulus Motsch. *Schrenck. Reise. 1860. p. 170. t. 10. f. 25.* Amur.
pubescens Fabr. *Syst. Ent. p. 131.* — Herbst. *Käf. VII. p. 139. t. 105. f. 3.* — Gylh. *Schh. Gen. Curc. I. p. 225.* — Desbroch. *Mon. p. 381.* M.
♂ *cavifrons* Gylh. *l. c. p. 226.* — Chevrol. *Dej. Cat. 3. ed. p. 261.* Gallia.
♀ *cyanicolor* Gylh. *l. c. p. 229.* „
restituens Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 263.* Ceylon.
rhedi Schrank. *Enum. Ins. 1781. p. 106.* Germania.
ruber Fairm. *Ann. Fr. 1859. Bull. p. 104.* — Desbroch. *Mon. p. 354.* Turcia.
rufescens Philippi. *Stett. Zeit. 1864. p. 363.* Chili.
rufiventris Jekel. *Ins. Saund. II. p. 226.* Mexico.
rugosus Gebl. *Nouv. Mém. Mosc. II. 1830. p. 59; Schh. Gen. Curc. I. p. 217.* — Desbroch. *Mon. p. 333.* Sibiria or.
scalptus Gylh. *Schh. Gen. Curc. V. p. 323.* Africa austr.
scrobicollis Gylh. *l. c. p. 331.* Caffraria.
semiruber Stierl. *Bull. Mosc. 1863. IV. p. 492.* Sarepta.
seniculus Philippi. *Stett. Zeit. 1864. p. 363.* Chili.
sericeus Herbst. *Käf. VII. p. 135. t. 104. f. 12.* — Gylh. *Schh. Gen. Curc. I. p. 226.* — Desbroch. *Mon. p. 384.* Germania.
azureus Dej. *Cat. 1. ed. p. 80.* Dalmatia.
ophthalmicus Steph. *Ill. Brit. IV. p. 200.* Anglia.
pilosus Ziegl. *Dej. Cat. 3. ed. p. 261.* Dalmatia.
♂ *similis* Curtis. *Ill. Brit. XIV. t. 642.* Anglia.
splendidulus Kiesenw. *Ann. Fr. 1851. p. 626.* Mont Serrat.
versicolor Dahl. *Dej. Cat. 3. ed. p. 261.* Hungaria.
smyrnensis Desbroch. *Mon. p. 342.* ♂. Smyrna.
splendidus Krynick. *Bull. Mosc. V. 1832. p. 144.* Tauria.
suffundens Walk. *Ann. nat. Hist. ser. 3. III. 1859. p. 263.* Ceylon.
syriacus Desbroch. *Mon. p. 388.* Syria.
trifasciatus Suffr. *Wiegm. Arch. 1870. I. p. 229.* Cuba.
tristis Fabr. *Ent. Syst. IV. App. p. 454.* — Germ. *Fn. Ins. Eur. 12. 5.* — Desbroch. *Mon. p. 379.* Germania.
brevicornis Waltl *in litt.* „
rotundicollis Ziegl. *Dej. Cat. 3. ed. p. 261.* Hungaria.
thoracocircularis Knoch *in litt.* „

ultramarinus Gylh. *Schh. Gen. Curc. V. p. 329.*	Brasilia.
versicolor Costa. *Rapporto Escurs. Vesuv. 1827. p. 10.*	Italia.
villosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 365.*	Port Natal.
violaceipennis Fairm. et Germain. *Col. Chil. 1860. p. 6.*	Chili.
violaceus Luc. *Casteln. Voy. 1859. p. 150*	Brasilia.

75

Eugnamptus

εὔγναμπτος, flexibilis.

Schönherr. *Gen. Curc. V. 1839. p. 339.*

angustatus Herbst. *Käf. VII. p. 140. t. 105. f. 4.* — Gylh. *Schh. Gen. Curc. V. p. 342.*	Amer. bor.
var. *collaris* Fabr. *Syst. El. II. p. 410.* — Oliv. *Ent. V. 81. p. 28. t. 2. f. 40.* — Labr. et Imh. *Gen. Curc. II. nr. 2.*	„
„ *nigripennis* Fabr. *l. c.* — Oliv. *l. c. p. 87. t. 2. f. 39.*	Carolina.
„ *rubricollis* Say. *Long's Expd. II. p. 288.*	Pennsylvania.
„ *ruficollis* Germ. *Ins. Spec. nov. p. 188.*	„
flavinasus Bohem. *Schh. Gen. Curc. VIII. 2. p. 365.* — Lacord. *Gen. Atl. VIII. t. 72. f. 5. a.*	India or.
sulcifrons Gylh. *Schh. Gen. Curc. V. p. 343.*	Carolina.

3

Minurus

μινυρός, pusillus.

Waterhouse. *Proc. ent. Soc. 1842. p. 62; Trans. ent. Soc. IV. 1845. p. 69.*

testaceus Waterh. *Proc. ent. Soc. 1842. p. 62; Trans. ent. Soc. IV. p. 70. t. 5. f. 2. a.*	Chiloë.

1

Auletes

αὐλητής, tibicen.

Schönherr. *Disp. meth. 1826. p. 46.*

Auletobius Desbrochers. — *Metopon* Waterhouse. — *Tubicenus* Latreille.

Monogr. Desbrochers des Loges. *Abeille V. 1868. p. 394.*

anceps Wollast. *Cat. Canar. Col. 1864. p. 305.*	Hierro.
convexifrons Wollast. *l. c.*	Canariae.
cylindricollis Wollast. *l. c. p. 304.*	Teneriffa.
euphorbiae Wollast. *Col. Hesperid. 1867. p. 126.*	Hesperidae.
maculipennis Jacq. Duv. *Gen. Col. Curc. 1854. p. 8. not. 1. t. 3. f. 14. a.* — Desbroch. *Mon. p. 405.*	Sardinia.
tamarisci Géné *in litt.*	„
maderensis Wollast. *Ins. Mader. 1854. p. 416. t. 8. f. 7.* — Desbroch. *Mon. p. 399.*	Madera.

melanocephalus Erichs. *Wiegm. Arch. 1842. I. p. 185.* — Tasmania.
nigrocyaneus Waltl. *Isis. 1839. p. 222.* — Germania.
basilaris Gylh. *Schh. Gen. Curc. V. 1839. p. 346.* — Desbroch. *Mon. p. 400.* — Hungaria.
politus Bohem. *Nouv. Mém. Mosc. I. 1829. p. 124.* — Stev. *Dej. Cat. 3. ed. p. 261.* — Fåhrs. *Schh. Gen. Curc. V. p. 347.* — Desbroch. *Mon. p. 402.* — Tauria.
ater Dahl *in litt.* — Sicilia.
ilicis Géné. *Mem. Ac. Torin. 1839. p. 76. t. 2. f. 15.* — Sardinia.
Tessoni Muls. et God. *Ann. Soc. Linn. Lyon. 1867. p. 407.* — Desbroch. *Abeille. VII. 1870. p. 61.* — Lyon.
pubescens Kiesenw. *Ann. Fr. 1851. p. 627.* — Desbroch. *Mon. p. 404.* — Mont Serrat.
cisticola Fairm. *Ann. Fr. 1859. Bull. p. 163.* — Hyères.
subplumbeus Chevrol. *Rev. Zool. 1860. p. 129.* — Algeria.
Reichei Desbroch. *Mon. p. 407.* — Arabia.
suturalis Waterh. *Proc. ent. Soc. 1842. p. 62; Trans. ent. Soc. IV. 1845. p. 69. t. 5. f. 1. a.* — Tasmania.
tubicen Bohem. *Nouv. Mém. Mosc. I. 1829. p. 125.* — Germ. *Fn. Ins. Eur. 14. 7.* — Desbroch. *Mon. p. 395.* — Dalmatia.
meridionalis Jacq. Duv. *Gen. Col. Curc. p. 8. not. 2.* — Sicilia.
rhynchitoides Dej. *Cat. 1. ed. p. 79.* — Dalmatia.

13

Diodyrrhynchus

διοδεύω, perlustro; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. V. 1839. p. 240.*

Dacdycorhynchus Labram et Imhoff. — *Doidyrhynchus* Megerle. — *Doydirhynchus* Dejean *olim.*

austriacus Oliv. *Ent. V. 81. p. 27. t. 2. f. 38.* — Meg. *Dej. Cat. 3. ed. p. 261.* — Germ. *Schh. Gen. Curc. I. p. 241.* — Labr. et Imh. *Gen. Curc. II. nr. 4.* — Desbroch. *Mon. p. 413.* — M.
var. *castaneus* Dahl *in litt.* — Germ. *l. c. p. 242.* — Germania.
„ *malvae* Sturm. *Dej. Cat. l. c.* — Gallia.

1

Rhinomacer

ῥίν, nasus; μακρός, longus.

Fabricius. *Mantiss. Ins. I. 1787. p. 123.*

attelaboides Fabr. *Mant. I. p. 123.* — Oliv. *Ent. V. 87. p. 459. t. 1. f. 2.* — Jacq. Duv. *Gen. Col. I. 1854. t. 4. f. 16.* ♂. — Desbroch. *Mon. p. 416.* — ♀ Perris. *Ann. Fr. 1856. p. 434. t. 5. f. 349-50; 1862. p. 219.* — M.
necydaloides Ziegl. *Dej. Cat. 3. ed. p. 262.* — Styria.
rhinomacer Gylh. *Ins. Suec. III. p. 30.* — Suecia.

1

Nemonyx

νέμω, possideo; ὄνυξ, unguis.

Redtenbacher. *Gatt. d. deutsch. Käf. 1845. p. 96.*

lepturoides Fabr. *Syst. El. II. p. 429.* — Oliv. *Ent. V. 87. p. 459. t. 1. f. 1. a-c.* — Bohem. *Schh. Gen. Curc. I. p. 243.* — Jacq. Duv. *Gen. Col. I. 1854. t. 3. f. 15.* — Desbroch. *Mon. p. 419.* Germania.
1

Dicranognathus

δίκρανος, furca; γνάθος, mandibula.

Redtenbacher. *Hügel's Kaschmir. IV. 2. 1848. p. 538.*

nebulosus Redtenb. *Hüg. Kaschm. IV. 2. p. 538. t. 26. f. 1.* Kaschmir.
1

Ectemnorrhinus

ἐκτέμνω, excido; ῥίν, nasus.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 184.*

viridis Waterh. *Trans. ent. Soc. ser. 2. II. p. 185.* Kerguellen.
1

Mesoptilius

μέσος, medius; πτίλον, lanugo.

Labram et Imhoff. *Gen. Curc. II. fasc. 13. 1845. nr. 24.*

apicalis Labr. et Imh. *Gen. Curc. II. nr. 24.* — Lacord. *Gen. Atl. VIII. t. 72. f. 6. a-b.* Nov. Granada.
1

Nyxetes

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 456.*

bidens Fabr. *Ent. Syst. I. 2. p. 420.* — White. *Voy. Ereb. Terr. p. 15. t. 3. f. 12.* — Lacord. *Gen. Col. VI. 1863. p. 565. not. 1.* — Pascoe. *Journ. Linn. Soc. X. p. 456.* Nov. Zeeland.
1

Scolopterus

σκόλοψ, acumen; πτερὸν, ala.

White. *Voy. Ereb. and Terror. Ent. 1846. p. 14.*

penicillatus White. *Voy. Ereb. Terr. p. 15. t. 3. f. 10.* Nov. Zeeland.
penicillatus Montrouz. *Ann. Fr. 1860. p. 888. (alt. gen.)* Balade.

tetracanthus White. *Voy. Ereb. Terr. p. 15.* Nov. Zeeland.
tristis Montrouz. *Ann. Fr. 1860. p. 889. (alt. gen.)* Balade.
4

Ancistropterus

ἄγκιστρον, hamus; πτερὸν, ala.

White. *Voy. Ereb. and Terror. Ent. 1846. p. 15.*

Hochstetteri Redtenb. *Reis. Novar. II. p. 147.* Nov. Zeeland.
quadrispinosus White. *Voy. Ereb. Terr. p. 15. t. 3. f. 14.* „
2

Erodiscus

ἐρωδιός, ardeola.

Schönherr. *Disp. meth. Curc. 1826. p. 237.*

analis Pascoe. *Journ. Linn. Soc. X. 1870. p. 465.* Brasilia.
antilope Fabr. *Syst. El. II. p. 506.* — Rosensch. *Schh. Gen. Curc. VII. 2. p. 208.* Amer. mer.
ciconia Gylh. *Schh. l. c. III. p. 369.* Brasilia.
grallator Gylh. *l. c. p. 370.* Java.
gryphus Bohem. *Schh. l. c. VII. 2. p. 209.* Brasilia.
motacilla Bohem. *l. c. p. 210.* „
picus Gylh. *Schh. l. c. III. p. 369.* „
7

Ludovix

Ludovix.

Castelnau. *Hist. nat. II. 1840. p. 342.*

Atenistes Pascoe. — *Toxeutes* Schönh. = *Toxophorus* Schönh.

argala Erichs. *Wiegm. Arch. 1847. I. p. 131.* Peru.
attenuatus Fabr. *Syst. El. II. p. 506.* — Gylh. *Schh. Gen. Curc. III. p. 373.* Brasilia.
brenthoides Buquet. *Guér. Ic. règn. anim. p. 146.* Cayennae.
denticollis Pascoe. *Journ. Linn. Soc. X. 1870. p. 465. t. 19. f. 6.* Brasilia.
fasciatus Gylh. *Schh. Gen. Curc. III. p. 373.* — Casteln. *Hist. nat. II. p. 342.* Cayennae.
longirostris Pascoe. *Journ. Linn. Soc. X. 1870. p. 464.* Brasilia.
morio Suffrian. *Wiegm. Arch. 1871. I. p. 151.* Cuba.
Tantalus Rosensch. *Schh. Gen. Curc. VII. 2. p. 211.* Cayennae.
8

Otidocephalus

ὠτὶς, otis; κεφαλή, caput.

Chevrolat. *Ann. Fr. 1832. p. 98. (Monogr.)*

Leiopterus Schönh. — *Myrmex* Sturm. — *Rhinolaccus* Schönh.

albopilosus Rosensch. *Schh. Gen. Curc. VII. 2. p. 199.* — Chevrol. *Dej. Cat. 3. ed. p. 303.* Mexico.

americanus Chevrol. *Mon. p. 105. t. 3. f. 3. a-b.* — Gylh. *Schh. Gen. Curc. III. p. 366.* — Rosensch. *Schh. l. c. VII. 2. p. 205.* — Dej. *Cat. 3. ed. p. 303.* — Amer. bor.
myrmex Herbst. *Käf. VII. p. 56. t. 99. f. 7. (forte.)* — „
apioniformis Rosensch. *Schh. Gen. Curc. VII. 2. p. 195.* — Mexico.
mexicanus Gylh. *Schh. l. c. III. p. 364.* — „
bicolor Rosensch. *Schh. l. c. VII. 2. p. 206.* — Sturm. *Cat. 1843. p. 212.* — Brasilia.
boops Rosensch. *l. c. p. 204.* — Mexico.
flavipennis Chevrol. *Mon. p. 106. t. 3. f. 4. a.* — „
formicarius Oliv. *Ent. V. 83. p. 236. t. 33. f. 514.* — Chevrol. *Mon. p. 108. t. 3. f. 6. a-b.* — St. Domingo
gazella Fabr. *Syst. El. II. p. 506.* — Rosensch. *Schh. Gen. Curc. VII. 2. p. 200.* — Amer. mer.
gibbus Bohem. *Schh. l. c. p. 203.* — Brasilia.
inquisitus Kirsch. *Berl. Zeit. 1868. p. 208.* — Bogotá.
mexicanus Chevrol. *Mon. p. 102. t. 3. f. 1. a-b.* — Rosensch. *Schh. Gen. Curc. VII. 2. p. 197.* — Mexico.
myrmecodes Say. *Descr. of Curc. of N. Am. 1831. p. 15.* — Chevrol. *Ann. Fr. 1832. p. 445.* — Amer. bor.
Herbsti Sturm. *Cat. 1826. p. 172.* — „
oculatus Rosensch. *Schh. Gen. Curc. VII. 2. p. 195.* — Mexico.
parvulus Bohem. *Schh. l. c. p. 202.* — Brasilia.
pelliceus Rosensch. *Schh. l. c. p. 196.* — Mexico.
pilosus Chevrol. *Mon. p. 104. t. 3. f. 2. a-b.* — Gylh. *Schh. Gen. Curc. III. p. 365.* — Rosensch. *Schh. l. c. VII. 2. p. 202.* — Brasilia.
coarctatus Dej. *Cat. 3. ed. p. 303.* — „
Poeyi Chevrol. *Mon. p. 107. t. 2. f. 5. a-c.* — Gylh. *Schh. Gen. Curc. III. p. 367.* — Jacq. Duv. *Hist. Cub. 1857. p. 198. t. 9. f. 28.* — Suffr. *Wiegm. Arch. 1871. I. p. 149.* — Cuba.
dimidiatus Dej. *Cat. 3. ed. p. 303.* — „
pubescens Rosensch. *Schh. Gen. Curc. VII. 2. p. 198.* — Mexico.
pulicarius Bohem. *Schh. l. c. p. 207.* — Portorico.
scrobicollis Bohem. *l. c. p. 205.* — Carolina.
setulosus Rosensch. *Schh. l. c. p. 201.* — Brasilia.
simplex Suffrian. *Wiegm. Arch. 1871. I. p. 150.* — Cuba.
Spec. ined. Lacord. *Gen. Col. VI. 1863. p. 570. note 1.* — Mexico.

23

myrmecodes Kby Chevr. mon. p. 445

Cnemidophorus

κνημιδοφόρος, ocreatus.

Schönherr. *Gen. Curc. III. 1836. p. 276.*

fasciculatus Bohem. *Schh. Gen. Curc. III. p. 277.* — Brasilia.

1

Magdalis

Magdalis.

Germar. *Neu. Annal. d. Wetterau. Ges. 1818. p. 130.*

Edo Germar. — *Magdalinus* Schönh. — *Panus* Stephens. — *Rhinodes* Steph. — *Thamnophilus* Schönh.

Monogr. Desbrochers. *Abeille. VII. 1870. p. 1.*

angulicollis Bohem. *Schh. Gen. Curc. VII. 2. p. 144.* — Dauria.
armicollis Say. *Journ. Ac. Phil. III. 1823. p. 312.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 141.* — Missouri.
aterrima Linn. *Syst. nat. ed. X. p. 378.* — Fabr. *Syst. Ent. p. 141.* — Walton. *Ann. nat. Hist. 1845. p. 226.* — Jacq. Duv. *Gen. Col. Curc. t. 18. f. 83.* — Desbroch. *Mon. p. 39.* — M.
♂ *asphaltina* Steph. *Ill. Brit. IV. p. 163.* — Anglia.
atramentaria Marsh. *Ent. Brit. p. 293.* — „
carbonaria Steph. *l. c. p. 163.* — „
cerasi Herbst. *Käf. VI. p. 68. t. 64. f. 2.* ♂. — Germania.
stygia Gylh. *Ins. Suec. III. p. 184; IV. p. 562.* — Schönh. *Gen. Curc. VII. 2. p 139.* — Suecia.
var. {*asphaltina* Bohem. *Schh. l. c. p. 139.* — Gallia.
var. {*cerasi* Panz. *Fn. Germ. 42. 19.* — Germania.
barbicornis Latr. *Hist. nat. Crust. et Ins. XI. 1804. p. 103.* — Germ. *Fn. Ins. Eur. 15. 7.* — Desbroch. *Mon. p. 47.* — Wollast. *Col. Atlant. App. p. 49.* — M.
bipunctata Meg. *in litt.* — Germania.
♂ *clavigera* Küst. *Käf. Eur. 23. 89.* — Sardinia.
erythrocera Ziegl. *Dej. Cat. 3. ed. p. 300.* — Dalmatia.
rhina var. b. Gylh. *Ins. Suec. III. p. 83.* — Suecia.
♀ *trifoveolata* Gylh. *l. c. IV. p. 564.* — Gallia.
barbita Say. *Descr. of Curc. of N. Am. 1831. p. 6.* — Gylh. *Schh. Gen. Curc. III. p. 271.* — Pennsylvania.
brunnipes Gylh. *Schh. Gen. Curc. III. p. 270.* — Amer. bor.
carbonaria Linn. *Fn. Suec. 1761. p. 180.* — Gylh. *Ins. Suec. III. p. 185.* — Walton. *Ann. nat. Hist. 1845. p. 224.* — Desbroch. *Mon. p. 37.* — M.
♂ {*aterrima* Herbst. *Käf. VI. p. 72. t. 64. f. 5.* — Gallia.
♂ {*atrata* Gylh. *l. c. p. 187.* — Suecia.
atramentaria Germ. *Ins. Spec. nov. p. 193.* — Germania.
♀ *cerasi* Payk. *Fn. Suec. III. p. 193.* — Suecia.
var. *atrocyanea* Bohem. *Schh. Gen. Curc. VII. 2. p. 140.* — „
carnifex Gylh. *Schh. l. c. III. p. 272.* — Brasilia.
cerasi Linn. *Syst. nat. ed. X. p. 378.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 137.* — Walton. *Ann. nat. Hist. 1845. p. 226.* — Desbroch. *Mon. p. 41.* — M.
armeniacae Fabr. *Ent. Syst. I. 2. p. 405.* — Suecia.
nassata Germ. *Neu. Annal. Wetterau. Ges. I. 1. p. 131.* — Germania.
nigrita Meg. *Dej. Cat. 3. ed. p. 300.* — „
♂ *rhina* Gylh. *l. c. III. p. 83; IV. p. 563.* — Gallia.
coeruleipennis Desbroch. *Mon. p. 24.* — German. mer.

duplicata Germ. *Neu. Annal. Wetterau. Ges. I. 1. 1818. p. 131; Ins. Spec. nov. p. 194; Fn. Ins. Eur. 11. 14.* — Bach. *Käferfn. II. 1854. p. 290.* — Desbroch. *Mon. p. 29.* — M.

punctipennis Küst. *Käf. Eur. 1851. 23. 84.* — Transsylvania.

exarata Brisout. *Rev. Zool. 1862. p. 24.* — Desbroch. *Mon. p. 43.* — Gallia.

flavicornis Gylh. *Schh. Gen. Curc. III. p. 275.* — Desbroch. *Mon. p. 53.* — „

gracilis Lec. *Entom. Report. 1857. p. 57.* — California.

Heydeni Desbroch. *Mon. p. 21.* — Germania.

imbellis Lec. *Entom. Report. 1857. p. 57.* — California.

languida Bohem. *Schh. Gen. Curc. VII. 2. p. 143.* — Brasilia.

linearis Gylh. *Ins. Suec. IV. p. 560; Schh. Gen. Curc. III. p. 266.* — Bach. *Käf. Fn. II. 1854. p. 291.* — Desbroch. *Mon. p. 14.* — M.

virescens Germ. *Ins. Spec. nov. p. 195.* — Germania.

longicornis Kiesenw. *Berl. Zeit. 1864. p. 276. t. 4. f. 2. a.* — Desbroch. *Mon. p. 45.* — Aetolia.

melanocephala Bohem. *Schh. Gen. Curc. VII. 2. p. 142.* — Nov. Holland.

memnonia Gylh. *Falderm. Fn. Transc. II. p. 165; III. p. 202.* — Desbroch. *Mon. p. 12.* — M.

carbonaria Fabr. *Ent. Syst. I. 2. p. 439;* Bohem. *Schh. Gen. Curc. VII. 2. p. 137.* — ♀ Perris. *Ann. Fr. 1856. p. 253. t. 5. f. 334-39.* — Europa.

heros Küst. *Käf. Eur. 23. 82.* — Turcia.

mixta Desbroch. *Mon. p. 51.* — Bavaria.

nitida Gylh. *Ins. Suec. IV. p. 561; Schh. Gen. Curc. III. p. 266.* — Redtenb. *Fn. Austr. ed. 2. p. 758.* — Desbroch. *Mon. p. 17.* — Germania.

biseriata Germ. *in litt.* — Suecia.

nitidipennis Bohem. *Schh. Gen. Curc. VII. 2. p. 145.* — Desbroch. *Mon. p. 57.* — Germania.

♀ *brevirostris* Chevrol. *in litt.* — Bohem. *l. c. p. 146.* — Gallia.

olyra Herbst. *Käf. VII. p. 7. t. 99. f. 1.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 140.* — Amer. bor

pandura Say. *Descr. of Curc. of N. Am. p. 7.* — Gylh. *Schh. l. c. III. p. 268.* — „

pallida Say. *Descr. of Curc. of N. Am. p. 7.* — Indiana.

phlegmatica Herbst. *Käf. VII. p. 6. t. 96. f. 1.* — Gylh. *Ins. Suec. IV. p. 560; Schh. Gen. Curc. III. p. 266.* — Walton. *Ann. nat. Hist. 1845. p. 224.* — Desbroch. *Mon. p. 19.* — M.

pinastri Dahl. *Sturm. Cat. 1826. p. 190.* — Germania.

pruni Linn. *Syst. nat. ed. XII. p. 607.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 144.* — Walton. *Ann. nat. Hist. 1845. p. 227.* — Desbroch. *Mon. p. 55.* — M.

erythroceros Herbst. *Käf. VI. p. 73. t. 64. f. 6.* — Germania.

incognita Herbst. *l. c. p. 97. t. 65. f. 13.* — Suecia.

ruficornis Linn. *Fn. Suec. 1761. p. 184.* — Schrank. *Fn. boic. I. p. 501.* — Gallia.

punctulata Muls. et Rey. *Opusc. ent. IX. 1859. p. 30.* — Desbroch. *Mon. p. 34.* — Gallia or.

rufa Germ. *Ins. Spec. nov. p. 193.* — Meg. *Dej. Cat. 3. ed. p. 300.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 141.* — Desbroch. *Mon. p. 36.* — Germania.
striatula Desbroch. *Mon. p. 32.* — German. bor.
turcica Desbroch. *Mon. p. 52.* — Turcia.
violacea Linn. *Syst. nat. ed. X. p. 378.* — Panz. *Fn. Germ. 42. 20.* — Gylh. *Ins. Suec. IV. p. 558; Schh. Gen. Curc. III. p. 264.* — Desbroch. *Mon. p. 26.* — ♰ Ratzeb. *Forstins. 1837. I. p. 102. t. 4. f. 3. B. G.* — M.
affinis Gmel. *ed. Linn. I. 4. p. 1771.* — Suecia.
assimilis Herbst. *Füssl. Arch. V. p. 77.* — Germania.
var. ♀ *frontalis* Gylh. *Ins. Suec. IV. p. 558; Schh. Gen. Curc. III. p. 265.* — Suecia.
„ ♂ {*punctirostris* Gylh. *Schh. l. c.* — Caucasus.
„ ♂ {*quercus* Parreyss. *Dej. Cat. 3. ed. p. 300.* — „

33

Aporotaxus

ἄπορος, dubius; τάξις, positio.

Perroud. *Ann. Soc. Linn. Lyon. XI. 1864. p. 175.*

kanalensis Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 177.* — Nov. Caledon.

1

Balaninus

βάλανος, glans.

Germar. *Mag. Ent. IV. 1817. p. 291.*

Archarius Megerle. — *Balanobius* Jekel.

Monogr. Desbrochers des Loges. *Ann. Fr. 1868. p. 331.*

albovarius Fåhrs. *Schh. Gen. Curc. VII. 2. p. 286.* — Cap bon. spei.
amoenus Fabr. *Syst. Ent. p. 142.* — Oliv. *Ent. V. 83. p. 225. t. 12. f. 143. a-b.* — Boisd. *Voy. Astrol. II. p. 455.* — Nov. Holland.
apicalis Fåhrs. *Schh. Gen. Curc. VII. 2. p. 285.* — Caffraria.
brassicae Fabr. *Ent. Syst. I. 2. p. 437.* — Gylh. *Schh. Gen. Curc. III. p. 389.* — Desbroch. *Mon. p. 364.* — M.
arcuatus Marsh. *Ent. Brit. p. 288.* — Anglia.
cinerascens Gmel. *ed. Linn. I. 4. p. 1773.* — Suecia.
clavatus Marsh. *l. c. p. 285.* — Steph. *Ill. Brit. IV. p. 76.* — Anglia.
macropus Oliv. *Ent. V. 83. p. 231. t. 34. f. 526.* — Gallia.
napo-brassicae Bjerkand. *Act. Holm. III. 1780. p. 195.* — Suecia.
pedemontanus Fuchs. *Berl. Zeit. 1862. p. 425.* — Desbroch. *Mon. p. 467.* — Pedemont.
salicivorus Payk. *Fn. Suec. III. p. 214.* — Herbst. *Käf. VI. p. 200. t. 73. f. 12.* — ♰ Bouché. *Naturg. d. Ins. 1834. p. 200.* — Germania.
scolopax Ziegl. *Dej. Cat. 3. ed. p. 304.* — „
scutellaris Steph. *l. c. p. 72.* — Anglia.

C-album Fabr. *Ent. Syst. Suppl. p. 170.* — Oliv. *Ent. V. 83. p. 226. t. 23. f. 329.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 280.* — Bengal.
melaleucus Wiedem. *Germ. Mag. IV. p. 166.* — „
carinirostris Gylh. *Schh. Gen. Curc. III. p. 388.* — Caffraria.
caryatrypes Bohem. *Schh. l. c. VII. 2. p. 276.* — Amer. bor
cerasorum Fabr. *Syst. Ent. p. 142.* — Oliv. *Ent. V. 83. p. 224. t. 4. f. 35. a-b.* — M.
cordifer Fourcr. *Ent. Par. I. p. 132.* — Gallia.
esuriens Fabr. *Ent. Syst. I. 2. p. 441.* — Clairv. *Ent. helv. I. p. 102. t. 11. f. 3-4.* — Suecia.
tenuirostris Fabr. *l. c. p. 443.* — Steph. *Ill. Brit. IV. p. 70.* — Anglia.
villosus Fabr. *Spec. Ins. I. p. 178.* — Herbst. *Füssl. Arch. V. p. 76. t. 24. f. 19.* — Gylh. *Schh. Gen. Curc. III. p. 385.* — Desbroch. *Mon. p. 357.* — ⚘ Goureau. *Ann. Fr 1856. Bull. p. 104.* — Germania.
constrictus Say. *Journ. Ac. Phil. III. 1823. p. 313.* — Gylh. *Schh. Gen. Curc. III. p. 286.* — Missouri.
crux Fabr. *Gen. Ins. Mant. p. 225.* — Oliv. *Ent. V. 83. p. 154. t. 29. f. 440.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 288.* — Desbroch. *Mon. p. 361.* — M.
iota Panz. *Fn. Germ. 18. 16.* — Gallia.
salicis Panz. *l. c. 15.* — Germania.
var. *crucifer* Fuchs. *Berl. Zeit. 1862. p. 424.* — Tirolis.
elephas Gylh. *Schh. Gen. Curc. III. p. 378.* — Desbroch. *Mon. p. 344.* — Germania.
nucum var. Oliv. *Ent. V. 83. p. 215. t. 5. f. 47. b.* — Gallia.
glandium Marsh. *Ent. Brit. p. 284.* — Steph. *Ill. Brit. IV. p. 69.* — Jacq. Duv. *Gen. Col. Curc. t. 20. f. 94.* — Desbroch. *Mon. p. 352.* — ⚘ Ratzb. *Forstins. 1. p. 123. t. 5. f. 5. B. G.* — M.
ferrugineus Ziegl. *Dej. Cat. 3. ed. p. 304.* — Germania.
{*gulosus* Sturm. *Cat. 1826. p. 99.* — Anglia.
{*rufipes* Dahl. *Sturm. Cat. l. c.* — „
nubifer Stev. *Mus. Mosq. p. 98.* — Tauria.
pustulosus Sturm *in litt.* — Gallia.
venosus Grav. *Vergleich. Uebers. Zool. Syst. 1807. p. 204.* — Germ. *Mag. Ent. IV. p. 294.* — Gylh. *Schh. Gen. Curc. III. p. 381.* — Sicilia.
var. {*cinereus* Desbroch. *Mon. p. 353.* — Gallia.
var. {*sulcirostris* Kraatz *in litt.* — Germania.
Herbsti Gemming. *Col. Heft. VIII. 1871.* — M.
cerasorum Herbst. *Käf. VI. p. 196. t. 73. f. 9.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 279.* — Desbroch. *Mon. p. 358.* — ⚘ Godart. *Ann. Fr. 1850. Bull. p. 55.* — Europa.
hispidus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 283.* — Cap bon. spei.
mastodon Jekel. *Journ. of Ent. I. 1861. p. 268.* — Desbroch. *Mon. p. 346.* — Hispania.
melaleucus Bohem. *Schh. Gen. Curc. VII. 2. p. 281.* — Madagascar.
murinus Fåhrs. *Schh. l. c. p. 290.* — Cap bon. spei.
nasicus Say. *Descr. of Curc. of N. Am. p. 16.* — Gylh. *Schh. Gen. Curc. III. p. 377.* — Pennsylvania.

nasutus Fabr. *Ent. Syst. I. 2. p. 441.* — Oliv. *Ent. V. 83. p. 216. t. 11. f. 138.* — Incert. sedis.
nucum Linn. *Syst. nat. ed. X. p. 383.* — Panz. *Fn. Germ. 42. 21.* — Gylh. *Schh. Gen. Curc. III. p. 381.* — Desbroch. *Mon. p. 356.* — ♀ Degeer. *Mém. V. p. 206. t. 6. f. 14-16.* — M.
gulosus Fabr. *Ent. Syst. I. 2. p. 441.* — Germ. *Mag. IV. p. 294.* — Ziegl. *Dej. Cat. 3. ed. p. 304.* — Germania.
ochreatus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 288.* — Dej. *Cat. 3. ed. p. 304.* — Desbroch. *Mon. p. 363.* — Gallia mer.
rufosignatus Fairm. *Rev. Zool. 1855. p. 108; Ann. Fr. 1855. p. 318.* — "
pellitus Bohem. *Schh. Gen. Curc. VII. 2. p. 278.* — Desbroch. *Mon. p. 348.* — Gallia.
hispanus Dej. *Cat. 3. ed. p. 304.* — Hispania.
picus Bohem. *Schh. Gen. Curc. VII. 2. p. 277.* — Brasilia.
porrectus Bohem. *Schh. l. c. p. 292.* — Missouri.
propinquus Desbroch. *Mon. p. 345.* — Turcia.
pyrrhoceras Marsh. *Ent. Brit. p. 288.* — Gylh. *Schh. Gen. Curc. III. p. 390.* — Desbroch. *Mon. p. 366.* — M.
brunneus Marsh. *l. c. p. 248.* — Anglia.
curvatus Marsh. *l. c. p. 287.* — "
intermedius Marsh. *l. c. p. 288.* — "
{*nigrita* Ziegl. *Dej. Cat. 3. ed. p. 304.* — Dalmatia.
{*flavicornis* Ulr. *Dej. Cat. l. c.* — Illyria.
rufirostris Knoch *in litt.* — Ulr. *Sturm. Cat. 1826. p. 99.* — "
♀ *salicivorus var.* b. Gylh. *Ins. Suec. III. p. 206.* — Suecia.
rectus Say. *Descr. of Curc. of N. Am. p. 16.* — Amer. bor.
rectirostris Gylh. *Schh. Gen. Curc. III. p. 376.* — "
Reichei Desbroch. *Mon. p. 350.* — Europa mer.
rhaeticus Fuchs. *Berl. Zeit. 1862. p. 423.* — Helvetia.
rostratus Gylh. *Schh. Gen. Curc. III. p. 374.* — Amer. bor.
nasutus Say. *Descr. of Curc. of N. Am. p. 16.* — "
rubidus Gylh. *Schh. Gen. Curc. III. p. 384.* — Dej. *Cat. 3. ed. p. 304.* — Desbroch. *Mon. p. 360.* — Germania.
betulae Steph. *Ill. Brit. IV. p. 70. t. 20. f. 4.* — Anglia.
sanguinirostris Fabr. *Syst. El. II. p. 482.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 284.* — Amer. mer.
vacca Thunb. *Nov. Act. Ups. VII. p. 115.* — "
Sayi Gylh. *Schh. Gen. Curc. III. p. 375.* — Amer. bor.
proboscideus Fabr. *Syst. Ent. p. 142. (forte.)* — Say. *Descr. of Curc. of N. Am. p. 16.* — "
sericeus Desbroch. *Mon. p. 349.* — Gallia.
sparsus Gylh. *Schh. Gen. Curc. III. p. 379.* — Amer. bor.
strigirostris Fåhrs. *Schh. l. c. VII. 2. p. 289.* — Cap bon. spei.
suturalis Gylh. *Schh. l. c. p. 386.* — Bohem. *Schh. l. c. VII. 2. p. 283.* — Caffraria.
suturifer Fåhrs. *Schh. l. c. p. 282.* — Cap bon. spei.
tessellatus Fourcr. *Ent. Par. 1785. p. 129.* — Desbroch. *Mon. p. 354.* — M.
elephas Steph. *Manual. p. 231.* — Anglia.
{*longirostris* Kirby *in litt.* ♀. — "
{*rufogriseus* Kirby *in litt.* ♂. — "

nucum Germ. *Mag. IV. p. 294.* Germania.
pusillus Dahl. *Sturm. Cat. 1826. p. 99.* „
turbatus Gylh. *Schh. Gen. Curc. III. p. 383.* Gallia.
tomentosus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 291.* Cap bon. spei.
troglodytes Jekel. *Journ. of Ent. 1. p. 268.* — Kiesenw. *Berl. Zeit. 1864. p. 277.* — Desbroch. *Mon. p. 368.* Anatolia.
uniformis Lec. *Entom. Report. 1857. p. 57.* California.
variegatus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 287.* Cap bon. spei.
vestitus Gylh. *Schh. l. c. III. p. 387.* Caffraria.
44

Lonchophorus

λογχοφόρος, hastatus.

Chevrolat. *Ann. Fr. 1832. p. 215.*

Chevrolati Gylh. *Schh. Gen. Curc. III. p. 393.* Brasilia.
humeralis Chevrol. *Ann. Fr. 1832. p. 442.* Cuba.
obliquus Chevrol. *Ann. Fr. 1832. p. 218. t. 5. f. 1. a-b.* — Gylh. *Schh. Gen. Curc. III. p 392.* Brasilia.
Andreae Dej. *Cat. 3. ed. p. 304.* „
triangularis Hope *in litt.* „
petiminosus Germ. *Schh. Gen. Curc. III. p. 395.* — Suffrian. *Wiegm. Arch. 1871. I. p. 147.* Cuba.
Daviesi Swederus. *Act. Holm. 1787. III. p. 194. t. 8. f. 5. (forte.)* „
varius Fabr. *Syst. Ent. p. 142.* — Oliv. *Encycl. méth. V. p. 515.* Cayennae.
parasita Fabr. *Ent. Syst. I. 2. p. 441.* — Herbst. *Käf. VI. p. 204. t. 74. f. 4.* — Chevrol. *Ann. Fr. 1832. p. 218. t. 5. f. 2-3. a-c.* „
var. { *flavomaculatus* Voet. *Cat. II. p. 48. t. 35. f. 6.* „
proboscideus Panz. *ed. Voet. IV. p. 50. t. 35. f. 6.* ♀. „ }
„ { *nigromaculatus* Voet. *l. c. f. 5.* „
thoracicus Panz. *l. c. f. 5.* „ }
„ *tessellatus* Dej. *Cat. 3. ed. p. 304.* „
„ *varians* Gmel. *ed. Linn. I. 4. p. 1767.* „
5

Cnemopachus

κνημοπάχος, femoribus crassis.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 296.*

castaneus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 297.* Madagascar.
1

Botanobius

βοτάνη, herba; βιόω, vivo.

Schönherr. *Gen. Curc. III. 1836. p. 358. (emend.)*

Botanebius Schönh.

tuberculatus Gylh. *Schh. Gen. Curc. III. p. 359.* — Suffr. *Wiegm. Arch. 1871. I. p. 125.* Cuba.
1

Omoides

ὦμος, humerus.

Boheman. *Res. Eugen. 1859. p. 132.*

humeralis Bohem. *Res. Eugen. p. 132. t. 2. f. 5.*	Chili.

1

Anthonomus

ἄνθος, flos; νέμω, pascor.

Germar. *Mag. Ent. IV. 1821. p. 320.*

Pallene Megerle.

Monogr. Desbrochers des Loges. *Ann. Fr. 1868. p. 411.*

alboannulatus Bohem. *Schh. Gen. Curc. VII. 2. p. 218.*	Guadeloupe.
anthracinus Bohem. *l. c. p. 227.*	Brasilia.
argentatus Gylh. *Schh. l. c. III. p. 343.* — Bohem. *l. c. VII. 2. p. 219.*	Barthelemy.
australis Boisd. *Voy. Astrol. II. 1835. p. 417.* — Dej. *Cat. 3. ed. p. 303.*	Nov. Holland.
australis Philippi. *Stett. Zeit. 1865. p. 365.*	Chili.
bidentatus Bohem. *Schh. Gen. Curc. VII. 2. p. 238.*	St. Vincent.
biplagiatus Redtenb. *Reis. Novar. II. p. 161.*	Incert. sedis.
bituberculatus Thoms. *Skand. Col. X. p. 212.*	Suecia.
Bonvouloiri Desbroch. *Mon. p. 421.*	Roma.
britannus Desbroch. *Mon. p. 429.*	Anglia.
brunnipennis Mannerh. *Bull. Mosc. 1843. II. p. 292.*	California.
capensis Bohem. *Schh. Gen. Curc. VII. 2. p. 234.*	Cap bon. spei.
Chevrolati Desbroch. *Mon. p. 430.*	Gallia.
conspersus Desbroch. *Mon. p. 445.* — Rey *in litt.*	Germania.
var. *Javeti* Desbroch. *Mon. p. 446.*	Moravia.
contaminatus Bohem. *Schh. Gen. Curc. VII. 2. p. 219.*	Brasilia.
costulatus Suffrian. *Wiegm. Arch. 1871. I. p. 137.*	Cuba.
crataegi Walsh. *Proc. ent. Soc. Phil. VI. 1867. p. 266.*	Illinois.
cyanicolor Gylh. *Schh. Gen. Curc. III. p. 335.*	Columbia.
distinguendus Desbroch. *Mon. p. 444.*	Gallia bor.
druparum Linn. *Fn. Suec. p. 181.* — Herbst. *Käf. VI. p. 156. t. 70. f. 9.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 235.*	M.
rectirostris Linn. *Syst. nat. ed. X. p. 383.* — Desbroch. *Mon. p. 416.*	Suecia.
flavescens Bohem. *Schh. Gen. Curc. VII. 2. p. 239.*	Guadeloupe.
flavicornis Bohem. *l. c. p. 231.*	Carolina.
flavus Bohem. *l. c. p. 237.*	Guadeloupe.
formosus Kirsch. *Berl. Zeit. 1868. p. 209.*	Bogotá.
fulvus Lec. *Proc. Ac. Phil 1858. p. 79.*	Texas.
gigas Bohem. *Schh. Gen. Curc. VII. 2. p. 213.*	Amer. mer.
gracilipes Bohem. *Res. Eugen. 1859. p. 132.*	Taïti.
grandis Bohem. *Schh. Gen. Curc. VII. 2. p. 232.*	Mexico.
haematopus Bohem. *l. c. p. 222.*	Boston.
helopioides Kolenati. *Bull. Mosc. 1859. II. p. 340.*	Persia occ.

helvolus Bohem. *Schh. Gen. Curc. VII. 2. p. 224.* Nov. Carolina.
homunculus Gylh. *Schh. l. c. III. p. 356.* — Bohem. *l. c. VII. 2. p. 226.* Guadeloupe.
humeralis Kirsch. *Berl. Zeit. 1868. p. 210.* Bogotá.
incurvus Panz. *Fn. Germ. 36. 17.* — Gylh. *Schh. Gen. Curc. III. p. 341.* — Bohem. *Schh. l. c. VII. 2. p. 218.* — Desbroch. *Mon. p. 451.* Germania.
avarus Dej. *Cat. 1. ed. p. 87.* Gallia.
humeralis Panz. *Ent. Germ. p. 312.* Fennia.
pomorum var. b. Gylh. *Ins. Suec. III. p. 188.* Suecia.
inermis Bohem. *Res. Eugen. 1859. p. 131.* California.
infirmus Gylh. *Schh. Gen. Curc. III. p. 353.* Barthelemy.
Kirschi Desbroch. *Mon. p. 446.* Austria.
languidus Gylh. *Schh. Gen. Curc. III. p. 348.* — Desbroches. *Mon. p. 437.* Tauria.
Lethierryi Desbroch. *Ann. Fr. 1869. p. 397.* Gallia.
longulus Bohem. *Schh. Gen. Curc. VII 2. p. 214.* Brasilia.
luteus Suffr. *Wiegm. Arch. 1871. I. p. 131.* Cuba.
macromalus Gylh. *Schh. Gen. Curc. III. p. 352.* — Bohem. *Schh. l. c. VII. 2. p. 236.* Barthelemy.
mexicanus Bohem. *l. c. p. 228.* Mexico.
mirus Kirsch. *Berl. Zeit. 1868. p. 209.* Bogotá.
modicellus Gylh. *Schh. Gen. Curc. III. p. 355.* — Bohem. *Schh. l. c. VII. 2. p. 226.* — Suffr. *Wiegm. Arch. 1871. I. p. 145.* Martinique.
morbillosus Suffr. *l. c. p. 128.* Cuba.
musculus Say. *Descr. of Curc. of N. Am. 1831. p. 15.* — Gylh. *Schh. Gen. Curc. III. p. 350.* Pennsylvania.
varians Melsh. *Cat. nr. 629.* „
nanus Gylh. *Schh. Gen. Curc. III. p. 351.* St. Domingo.
nigrinus Bohem. *Schh. l. c. VII. 2. p. 230.* Carolina.
ornatus Blanch. *Gay Hist. Chil. V. 1851. p. 387. t. 24. f. 10. a-c.* Chili.
ornatus Reiche. *Ann. Fr. 1860. p. 732.* — Kiesenw. *Berl. Zeit. 1864. p. 278.* — Desbroch. *Mon. p. 440.* Sicilia.
partiarius Bohem. *Schh. Gen. Curc. VII. 2. p. 236.* Brasilia.
pedicularius Linn. *Syst. nat. ed. X. p. 383.* — Marsh. *Ent. Brit. p. 286.* — Walton. *Ann. nat. Hist. 1848. p. 417.* — ⚕ Westw. *Garden. Mag. 1838. p. 469.* M.
maculosus Kirby *in litt.* Anglia.
melanocephalus Oliv. *Encycl. méth. V. p. 521.* Gallia.
oxyacanthae Bohem. *Kongl. Vet. Ac. Handl. 1849. p. 227.* Gothland.
pomonae Germ. *Mag. IV. p. 323.* Germania.
rubrescens Kirby *in litt.* Anglia.
Schönherri Desbroch. *olim.* Germania.
ulmi var. c. Gylh. *Ins. Suec. III. p. 190; IV. p. 586.* Suecia.
pomorum Linn. *Syst. nat. ed. X. p. 381.* — Herbst. *Käf. VI. p. 157. t. 70. f. 11.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 217.* — Jacq. Duv. *Gen. Col. Curc. t. 20. f. 93.* — Desbroch. *Mon. p. 449.* — ⚕ Ratzeb. *Forstins. 1837. I. p. 125. t. 5. f. 8. B. G.* M.

clavatus Ziegl. *Sturm. Cat. 1826. p. 93.* Germania.
incurvus Steph. *Ill. Brit. IV. p. 73.* Anglia.
var. *pyri* Kollar. *Naturg. d. schädl. Ins. 1837. p. 257; ♀ p. 258.* — Redtenb. *Fn. Austr. ed. 2. p. 769.* Germania.

posthumus Suffr. *Wiegm. Arch. 1871. I. p. 146.* Cuba.
pruni Desbroch. *Mon. p. 439.* Gallia
prunicidus Walsh. *Proc. Bost. Soc. nat. Hist. IX. 1863. p. 309.* Illinois.
pubescens Payk. *Fn. Suec. III. p. 198.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 220.* — Desbroch. *Mon. p. 424.* M.
pulchellus Suffr. *Wiegm. Arch. 1871. I. p. 138.* Cuba.
pulicarius Bohem. *Schh. Gen. Curc. VII. 2. p. 219.* Portorico.
pumilus Montrouz. *Ann. Fr. 1860. p. 885. (gen. dub.)* Lifu.
punctipennis Gylh. *Schh. Gen. Curc. III. p. 334.* — Klug. *Dej. Cat. 3. ed. p. 302.* — Suffr. *Wiegm. Arch. 1871. I. p. 132.* Cuba.
ferrugineus Sturm. *Cat. 1826. p. 93.* „
aristus Suffr. *l. c. p. 134.* — Chevrol. *in litt.* „
divisus Suffr. *l. c. p. 133.* — Chevrol. *in litt.* „

pusio Gylh. *Schh. Gen. Curc. III. p. 355.* Barthelemy.
pyrenaeus Desbroch. *Mon. p. 428.* Pyrenaei or.
pyri Bohem. *Schh. Gen. Curc. VII. 2. p. 215.* — Chevrol. *Rev. Zool. 1844. p. 135.* Gallia.
cinctus Redtenb. *Fn. Austr. ed. 2. p. 768.* Germania.

quadrigibbus Say. *Descr. of Curc. of N. Am. p. 15.* — Gylh. *Schh. Gen. Curc. III. p. 334.* Pennsylvania.
rhamphoides Suffr. *Wiegm. Arch. 1871. I. p. 142.* Cuba.
rubi Herbst. *Käf. VI. p. 167. t. 71. f. 8.* — Germ. *Mag. IV. p. 324.* — Schönh. *Gen. Curc. VII. 2. p. 232.* — Desbroch. *Mon. p. 418.* M.
ater Marsh. *Ent. Brit. p. 285.* Anglia.
brunnipennis Curtis. *Ann. nat. Hist. V. p. 280.* Ins. Arran.
clavatus Marsh. *l. c. p. 285.* Gallia.
melanopterus Marsh. *l. c. p. 289.* Anglia.
obscurus Steph. *Ill. Brit. IV. p. 75.* „
perforator Herbst. *l. c. p. 143. t. 69. f. 8.* Germania.
var. *rostrum* Herbst. *Käf. VII. p. 32. t. 97. f. 7. (forte.)* „

rubricosus Bohem. *Res. Eugen. 1859. p. 130.* Rio Janeiro.
rubripes Gylh. *Schh. Gen. Curc. III. p. 351.* — Desbroch. *Mon. p. 419.* Tauria.
rufipes Parreyss. *Dej. Cat. 3. ed. p. 303.* „

rufirostris Gylh. *Schh. Gen. Curc. III. p. 354.* — Bohem. *Schh. l. c. VII. 2. p. 225.* Martinique.
rufus Gylh. *Schh. Gen. Curc. III. p. 347.* — Desbroch. *Mon. p. 436.* Chersonesus.
nitidirostris Rey *in litt.* — Desbroch. *Mon. p. 437.* Gallia.
var. *opacirostris* Desbroch. *l. c.* Fennia.

scutellaris Lec. *Proc. Ac. Phil. 1858. p. 79.* Texas.
scutellatus Gylh. *Schh. Gen. Curc. III. p. 342.* — Walsh. *Proc. ent. Soc. Phil. VI. 1867. p. 266. not.* Missouri.
sibiricus Desbroch. *Mon. p. 423.* Altai.
signatipennis Blanch. *Gay. Hist. Chil. V. p. 387.* Chili.

signatus Say. *Descr. of Curc. of N. Am. p. 25.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 221.*	Amer. bor.
ceanothi Harris *in litt.*	„
var. *bisignatus* Gylh. *Schh. Gen. Curc. III. p. 344.* — Dej. *Cat. 3. ed. p. 303.*	„
„ *bipustulatus* Melsh. *in litt.*	„
„ {*signatus* Gylh. *l. c. p. 348.*	„
„ {*sanguinipennis* Say *in litt.*	„
sorbi Germ. *Mag. IV. p. 325; Fn. Ins. Eur. 12. 6.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 223.* — Desbroch. *Mon. p. 420.*	Germania.
sparsus Bohem. *Res. Eugen. 1859. p. 130.*	Montevideo.
spilotus Redtenb. *Fn. Austr. ed. 1. p. 406; ed. 2. p. 768.* — Desbroch. *Mon. p. 448.*	Germania.
Roberti Wencker. *Ann. Fr. 1858. Bull. p. 236.*	Gallia.
Spinolae Bohem. *Schh. Gen. Curc. VII. 2. p. 233.*	Brasilia.
Stierlini Desbroch. *Mittheil. schwz. ent. Ges. VIII. 1870. p. 189.*	Athenae.
suturalis Lec. *Ann. Lyc. I. 1824. p. 174.* – Gylh. *Schh. Gen. Curc. III. p. 346.* — Bohem. *Schh. l. c. VII. 2. p. 223.* — Dej. *Cat. 3. ed. p. 303.*	Amer. bor.
erythropterus Say. *Descr. of Curc. of N. Am. 1831. p. 25.*	„
suturellus Gylh. *Schh. Gen. Curc. III. p. 357.* — Suffr. *Wiegm. Arch. 1871. I. p. 143.*	Martinique.
sycophanta Walsh. *Proc. ent. Soc. Phil. VI. 1867. p. 265. cum* ♀.	Illinois.
tenebrosus Bohem. *Schh. Gen. Curc. VII. 2. p. 228.*	Brasilia.
terreus Gylh. *Schh. Gen. Curc. III. p. 346.* — Gebl. *Bull. Mosc. 1841. IV. p. 607.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 224.*	Sibiria.
tessellatus Walsh. *Proc. ent. Soc. Phil. VI. 1867. p. 267. cum* ♀.	Illinois.
testaceus Bohem. *Schh. Gen. Curc. VII. 2. p. 225.* — Suffr. *Wiegm. Arch. 1871. I. p. 144.*	St. Vincent.
tigrinus Suffr. *l. c. p. 135.*	Cuba.
tuberosus Gylh. *Schh. Gen. Curc. III. p. 333.*	Brasilia.
ulmi Degeer. *Mém. V. 1775. p. 215. t. 6. f. 26-30. cum* ♀. — Gylh. *Schh. Gen. Curc. III. p. 338.* — Bohem. *Schh. l. c. VII. 2. p. 215.* — Desbroch. *Mon. p. 434.*	M.
avarus Fabr. *Ent. Syst. Suppl. p. 170.*	Suecia.
bavarus Schrank. *Fn. boic. I. p. 483.*	Bavaria.
clavatus Ziegl. *Dej. Cat. 1. ed. p. 87.*	Gallia.
pedicularius Germ. *Mag. IV. p. 322.*	Germania.
var. *avarus* Oliv. *Ent. V. 83. p. 230. t. 22. f. 310.*	Gallia.
„ *fasciatus* Marsh. *Ent. Brit. p. 286.*	Anglia.
undulatus Gylh. *Schh. Gen. Curc. III. p. 340.* — Desbroch. *Mon. p. 452.*	Europa.
♀ *ruber* Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. p. 141.*	Gallia.
variabilis Philippi. *Stett. Zeit. 1864. p. 365.*	Chili.
varians Payk. *Fn. Suec. III. p. 202.* — Herbst. *Käf. VI. p. 268. t. 80. f. 8.* — Gylh. *Schh. Gen. Curc. III.*	M.

p. 345. — Bohem. *Schh. l. c. VII. 2. p. 221.* — Desbroch. *Mon. p. 425.*
beccabungae Fabr. *Mant. I. p. 108.* — Suecia.
var. *melanocephalus* Fabr. *Ent. Syst. I. 2. p. 444.* — Panz. *Fn. Germ. 18. 12.* — Gylh. *l. c. p. 344.* — Germania.
„ *nigrocapitatus* Latr. *Hist. nat. XI. p. 150.* — Gallia.
„ *phyllocola* Herbst. *l. c. p. 161. t. 70. f. 14.* — Germania.
variegatus Suffr. *Wiegm. Arch. 1871. I. p. 139.* — Cuba.
varipes Jacq. Duv. *Hist. Cub. 1857. p. 200.* — Suffr. *Wiegm. Arch. 1871. I. p. 141.* — „
verrucosus Suffr. *l. c. p. 126.* — „
vestitus Bohem. *Res. Eugen. 1859. p. 130.* — Dej. *Cat. 3. ed. p. 303.* — Ins. Puna.
xanthopus Bohem. *Schh. Gen. Curc. VII. 2. p. 239.* — Columbia.
100

Nothops

νόθος, spurius; ὤψ, vultus.

Marseul. *Abeille. V. 1868. p. 266.*

Pseudomorphus Desbrochers.

elongatulus Bohem. *Schh. Gen. Curc. VII. 2. p. 216.* — Desbroch. *Ann. Fr. 1868. p. 458.* — Helvetia.
aceris Chevrol. *Rev. Zool. 1866. p. 29.* — Escurial.
fallax Gerstäck. *Stett. Zeit. 1860. p. 397.* — Thuringia.
1

Bradybatus

βραδύς, tardus; βάω, vado.

Germar. *Ins. Spec. nov. 1824. p. 305.*

Porrothus Megerle.

Monogr. Gerstäcker. *Stett. Ent. Zeit. 1855. p. 167.*
„ Desbrochers. *Ann. Fr. 1868. p. 459.*

Creutzeri Germ. *Fn. Ins. Eur. 8. 13; Ins. Spec. nov. p. 306.* — Meg. Dej. *Cat. 1. ed. p. 98.* — Gerstäck. *Mon. p. 168.* — Desbroch. *Mon. p. 461.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 19. f. 90.* — Germania.
{ *Creutzeri* var. γ. Bohem. *Schh. Gen. Curc. III. p. 332.* — Italia.
{ *elongatus* Chevrol. *in litt.* — Gallia.
Kellneri Bach. *Käferfn. II. 1854. p. 306.* — Desbroch. *Mon. p. 464.* — Thuringia.
subfasciatus Gerstäk. *Mon. p. 169.* — Desbroch. *Mon. p. 463.* — Germania.
Creutzeri Bohem. *Schh. Gen. Curc. III. p. 332.* — „
var. *robustirostris* Desbroch. *Mon. p. 464.* — Gallia.
„ *striatopunctatus* Chevrol. *in litt.* — Sabaudia.
3

Thamnobius

θάμνος, virgultus; βιόω, vivo.

Schönherr. *Gen. Curc. III. 1836. p. 465.*

Dregei Fåhrs. *Schh. Gen. Curc. VII. 2. p. 349.* Cap bon. spei.
Eckloni Bohem. *Schh. l. c. III. p. 466.* Caffraria.
Thoreyi Fåhrs. *Schh. l. c. VII. 2. p. 350.* Africa austr.
Zeyheri Bohem. *Schh. l. c. III. p. 467.* Caffraria.
4

Minyrus

μινυρὸς, pusillus.

Schönherr. *Gen. Curc. III. 1836. p. 326.*

exaratus Bohem. *Schh. Gen. Curc. III. p. 327.* Manilla.
1

Phacellopterus

φάκελλος, fasciculus; πτερὸν, ala.

Schönherr. *Mantiss. sec. Curcul. 1847. p. 66.*

rufulus Schönh. *Mant. sec. p. 67. (indscrpt.)* — Lacord. *Gen. Col. VI. 1863. p. 584.* Caffraria.
1

Lathiphronus

λαθίφρων, obliviosus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 192.*

Adeloides Blanchard. — *Adelus* Schönh. *olim.*

cupreus Gylh. *Schh. Gen. Curc. III. p. 329.* Java.
1

Lexithia

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 192.*

rufipennis Pascoe. *Trans. ent. Soc. 1870. p. 192.* Nov. Holland.
1

Acalyptus

ἀκάλυπτος, non occultus.

Schönherr. *Gen. Curc. III. 1836. p. 446.*

Ellescus Dejean.

araliae Montrouz. *Ann. Fr. 1860. p. 886. (gen. dub.)* Lifu.

carpini Herbst. *Käf. VI. p. 204. t. 74. f. 3. a-b.* — Gylh. *Ins. Suec. III. p. 120.* M.
var. *sericeus* Gylh. *Schh. Gen. Curc. III. p. 447.* — Meg. *Dej. Cat. 1. ed. p. 87.* Germania.
rufipennis Gylh. *Schh. Gen. Curc. III. p. 448.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 21. f. 102.* „
var. *alpinus* Villa. *Col. Eur. dupl. Suppl. 1833. p. 35.* Italia.
3

Amorphoidea

ὄμορφος, deformis; εἶδος, aspectus.

Motschulsky. *Etud. ent. VII. 1858. p. 78.*

angusticollis Motsch. *Etud. ent. VII. p. 80.* India or.
arcuata Motsch. *l. c. p. 78.* Birma.
basalis Motsch. *l. c. p. 79.* India or.
flavipennis Motsch. *l. c. p. 81.* „
flavipes Motsch. *l. c. p. 83.* „
fuscirostris Motsch. *l. c. p. 80.* „
lata Motsch. *l. c. p. 79.* „
nigra Motsch. *l. c. p. 82.* „
rufescens Motsch. *l. c. p. 82.* „
rufipes Motsch. *l. c. p. 81.* „
rugosa Motsch. *l. c. p. 81.* „
seriata Motsch. *l. c. p. 80.* „
testacea Motsch. *l. c. p. 81.* „
13

Diapelmus

διά, inter; πέλμα, pelma.

Erichson. *Wiegm. Arch. 1842. 1. p. 201.*

Erichsoni Pascoe. *Trans. ent. Soc. 1870. p. 205.* Austral. mer.
mendax Erichs. *Wiegm. Arch. 1842. 1. p. 201.* Tasmania.
ventralis Pascoe. *Trans. ent. Soc. 1870. p. 205.* Austral. occ.
3

Orchestes

ὀρχηστής, saltator.

Illiger. *Magaz. III. 1804. p. 105.*

Alyctus Thomson. — *Euthoron* Thoms. — *Isochnus* Thoms. — *Rhynchaenus* Clairville. — *Salius* Schrank. — *Tachyerges* Schönh. — *Threcticus* Thoms.

Monogr. Brisout. *Ann. Fr. 1865. p. 253.*

alni Linn. *Syst. nat. ed. X. p. 381.* — Oliv. *Ent. V. 83. p. 99. t. 32. f. 482.* — Gylh. *Ins. Suec. III. p. 238; Schh. Gen. Curc. III. p. 493.* — Bris. *Mon. p. 267.* — Jacq. Duv. *Gen. Col. Curc. t. 22. f. 105.* — ♀ Degeer. *Mém. V. p. 262. t. 8. f. 7-11.* M.

inquinatus Panz. *ed. Voet. IV. p. 71. t. 40. f. 51.*	Germania.
saltator alni Degeer. *Ins. V. p. 262.*	Gallia.
atratus Preller. *Käf. Hamb. ed. 2. 1867. p. 211.*	Hamburg.
avellanae Donov. *Brit. Ins. VI. 1797. t. 205. f. 3.* — Steph. *Ill. Brit. IV. p. 64.* — Bris. *Mon. p. 287.*	M.
bifasciatus var. β. Payk. *Fn. Suec. III. p. 270.*	Suecia.
hortorum Oliv. *Ent. V. 83. p. 103. t. 32. f. 489.*	Gallia.
salicis Germ. *Mag. IV. p. 332.*	Germania.
scapularis Beck. *Beitr. baier. Ins. Fn. p. 23. t. 7. f. 35.*	„
{*signatus* Creutz. *Dej. Cat. 3. ed. p. 307.*	„
{*signifer* Creutz. *Ent. Verz. 1799. p. 125. t. 3. f. 29.*	„
X-album Steph. *l. c. p. 64.*	Anglia.
var. *confusus* Desbroch. *Berl. Zeit. 1870. p. 158. (Beiheft.)*	Lusitania.
carnifex Germ. *Mag. IV. p. 329.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 371.*	M.
viminalis Schrank. *Fn. boic. I. p 510.*	Germania.
cinereus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 377.* — Bris. *Mon. p. 285.*	Dalmatia.
crassus Fabr. *Syst. El. II. p. 492.*	Amer. mer.
decoratus Germ. *Mag. IV. p. 333.* — Gylh. *Ins. Suec. IV. p. 601; Schh. Gen. Curc. III. p. 503.* — Schüpp. *Dej. Cat. 3. ed. p. 307.* — Bris. *Mon. p. 291.*	M.
confinis Meg. *Dej. Cat. 1. ed. p. 83.*	Gallia.
salicis Bechst. u. Scharfenb. *Forstins. I. 1805. p. 159.*	Germania.
ephippiatus Say. *Descr. of Curc. of N. Am. 1831. p. 16.*	Indiana.
salicola Melsh. *Cat. nr. 693.*	„
erythropus Germ. *Mag. IV. p. 331.* — Bris. *Mon. p. 281.*	Germania.
var. *foedatus* Gylh. *Schh. Gen. Curc. III. p. 501.*	Gallia
fagi Linn. *Syst. nat. ed. X. p. 381.* — Gylh. *Ins. Suec. III. p. 243; Schh. Gen. Curc. III. p. 495.* — Bris. *Mon. p. 276.* — ⚘ Ratzeb. *Forstins. I. p. 153. t. 4. f. 14. B. et C.*	M.
calcar Fabr. *Mant. I. p. 110.* — Oliv. *Ent. V. 83. p. 103. t. 32. f. 488.*	Gallia.
fragariae Fabr. *Ent. Syst. I. 2. p. 448.* — Herbst. *Käf. VI. p. 423. t. 93. f. 3.*	Suecia.
rhododactylus Marsh. *Ent. Brit. p. 262.*	Anglia.
rhodopus Marsh. *l. c. p. 263.* — Steph. *Ill. Brit. IV. p. 63.*	„
subater Müll. *Zool. Dan. Prodr. p. 90.*	Dania.
ferrugineus Marsh. *Ent. Brit. 1802. p. 260.* — Bris. *Mon. p. 269.*	Germania.
var. *atricapillus* Marsh. *l. c.*	Anglia.
„ *nigricollis* Marsh. *l. c. p. 261.* — Steph. *Ill. Brit. IV. p. 61.*	„
„ *melanocephalus* Oliv. *Ent. V. 1807. 83. p. 100. t. 32. f. 483.* — Gylh. *Schh. Gen. Curc. III. p. 492.*	Gallia.
flavidus Bris. *Mon. p. 280.*	Algeria.
foliorum Müll. *Zool. Dan. Prodr. 1776. p. 90.*	M.
saliceti Payk. *Mon. Curc. 1792. p. 66.* — Fabr. *Ent. Syst. I. 2. p. 446.* — Gylh. *Ins. Suec. III. p. 250; Schh. Gen. Curc. III. p. 504.* — Bris. *Mon. p. 290.*	
scutellatus Swammerd. *Bibl. Nat. II. p. 743. t. 44. f. 8-13.* — Steph. *Ill. Brit. IV. p. 69.*	Anglia.

hirtellus Miller. *Wien. ent. Monatschr. 1862. p. 353.* — Bris. *Mon. p. 264.*	Cephalonia.
ilicis Fabr. *Mant. I. p. 110.* — Oliv. *Ent. V. 83. p. 101. t. 32. f. 486.* — Gylh. *Ins. Suec. III. p. 241; Schh. Gen. Curc. III. p. 494.* — Bris *Mon. p. 271.*	M.
pilosus Fabr. *Spec. Ins. I. p. 183.* — Herbst. *Käf. VI. p. 426. t. 93. f. 8.* — Marsh. *Ent. Brit. p. 262.*	Suecia.
pubescens Steph. *Manual. p. 230.*	Anglia.
roboris Ocskay. *Dej. Cat. 3. ed. p. 307.*	Hungaria.
saltator segetis Degeer. *Ins. V. p. 264.*	Gallia.
incanus Rosenh. *Thier. Andal. 1856. p. 283.*	Andalusia.
jota Fabr. *Mant. I. p. 110.* — Oliv. *Ent. V. 83. p. 105. t. 32. f. 491.* — Gylh. *Ins. Suec. IV. p. 598; Schh. Gen. Curc. III. p. 498.* — Bris. *Mon. p. 275.*	M.
rosae Herbst. *Käf. VI. p. 428. t. 93. f. 10.*	Europa.
irroratus Kiesenw. *Ann. Fr. 1851. p. 643.* — Bris. *Mon. p. 272.*	Mont Serrat.
var. *distinguendus* Jacq. Duv. *Gen. Col. Curc. 1854. p. 51. note 1.*	Gallia mer.
longulus Schauf. *Ann. Fr. 1862. p. 311.*	Graecia.
lonicerae Herbst. *Käf. VI. 1795. p. 427. t. 93. f. 9.* — Fabr. *Syst. El. II. p. 495.* — Gylh. *Ins. Suec. IV. p. 599; Schh. Gen. Curc. III. p. 499.* — Bris. *Mon. p. 283.*	M.
xylostei Clairv. *Ent. helv. I. p. 70. t. 4. f. 1. 2.*	Helvetia.
luteicornis Chevrol. *Ann. Fr. 1871. Bull. p. 42.*	Gallia occ.
melancholicus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 378.*	Cap bon. spei.
monedula Herbst. *Käf. VI. p. 424. t. 93. f. 5.*	Germania.
mutabilis Bohem. *Schh. Gen. Curc. VII. 2. p. 372.* — Bris. *Mon. p. 268.*	Dauria.
oenipontanus Gredler. *Käf. Tirol. II. 1866. p. 353.*	Tirolis.
pallicornis Say. *Descr. of Curc. of N. Am. p. 16.*	Indiana.
peregrinus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 370.*	Incert. sedis.
plinthotrichus Kolenati. *Bull. Mosc. 1859. II. p. 362.*	Caucasus.
populi Fabr. *Ent. Syst. I. 2. p. 448.* — Panz. *Fn. Germ. 18. 17.* — Gylh. *Ins. Suec. III. p. 249; Schh. Gen. Curc. III. p. 499.* — Bris. *Mon. p. 284.* — Jacq. Duv. *Gen. Col. Curc. t. 22. f. 106.* — ‡ Heeger. *Sitzgsb. Wien. Ac. XI. 1853. p. 42. t. 6. f. 1-11.*	M.
fagi Payk. *Mon. Curc. p. 64.*	Suecia.
pratensis Germ. *Mag. IV. p. 331.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 374.* — Bris. *Mon. p. 278.* — ‡ Letzner. *Verh. schles. Ges. 1851. p. 93.* — Heeger. *Sitzb. Wien. Ac. 34. p. 212. t. 1.*	M.
var. *tomentosus* Gylh. *Schh. Gen. Curc. III. p. 497.* — Vogt. *Dej. Cat. 3. ed. p. 264.*	Germania.
„ *Waltoni* Curtis. *Brit. Ent. Curc. XV. t. 678.*	Anglia.
puberulus Bohem. *Res. Eugen. 1859. p. 133.*	California.
pubescens Stev. *Mus. Mosq. II. p. 101.* — Gylh. *Schh. Gen. Curc. III. p. 495.* — Fåhrs. *Schh. l. c. VII. 2. p. 374.* — Bris. *Mon. p. 277.*	M.
calcar var. Payk. *Mon. Curc. p. 18.*	Suecia.
calceatus Germ. *Mag. IV. p. 334.*	Germania.
pilosus Gylh. *Ins. Suec. III. p. 242.*	Gallia.

pubescens Motsch. *Bull. Mosc. 1845. IV. p. 379.* — Kamtschatka.
Quedenfeldti Gerhardt. *Stett. Zeit. 1865. p. 214.* — Bris. *Ann. Fr. 1867. p. 63.* — Silesia.
quercus Linn. *Syst. nat. ed. X. p. 379.* — Germ. *Mag. IV. p. 329.* — Bris. *Mon. p. 262.* — ‡ Noerdling. *Stett. Zeit. 1848. p. 233. t. 1. f. 6-7.* — M.
alni Herbst. *Käf. VI. p. 425.* — Germania.
multidentatus Gmel. *ed. Linn. 1. 4. p. 1760.* — Suecia.
saltator Fourcr. *Ent. Par. I. p. 121.* — Gallia.
saltator ulmi Degeer. *Ins. V. p. 260. t. 8. f. 5-11.* — ‡ Reaumur. *Mém. III. p. 31. t. 3. f. 17.* — Frauenf. *Verh. zool. bot. Ver. Wien. 1863. p. 1225.* — „
setosus Müll. *Zool. Dan. Prodr. p. 90.* — Dania.
viminalis Fabr. *Syst. Ent. p. 145.* — Herbst. *Käf. VI. p. 420. t. 93. f. 1.* — Suecia.
var. *depressus* Marsh. *Ent. Brit. p. 262.* — Steph. *Ill. Brit. IV. p. 61.* — Anglia.
„ *rufus* Donov. *Brit. Ins. XI. t. 389. f. 3.* — „
rhamphoides Jacq. Duv. *Gen. Col. Curc. 1854. p. 52. not.* — Bris. *Mon. p. 279.* — Gallia.
rufescens Fabr. *Syst. El. II. p. 493.* — Amer. mer.
rufitarsis Germ. *Mag. IV. p. 333.* — Dej. *Cat. 1. ed. p. 82.* — Jacq. Duv. *Gen. Col. Curc. t. 23. f. 109.* — Bris. *Mon. p. 293.* — M.
confundatus Steph. *Manual. p. 231.* — Anglia.
fulvitarsis Brullé. *Expd. Mor. p. 247. t. 52. f. 4.* — Gallia.
rufus Oliv. *Ent. V. 83. p. 101. t. 32. f. 485.* — Gylh. *Schh. Gen. Curc. III. p. 492.* — Bris. *Mon. p. 265.* — ‡ Laboulb. *Ann. Fr. 1858. p. 286. t. 7. III. f. 1-11.* — M.
betuleti Panz. *Ent. Germ. p. 318. (forte.)* — Germania.
{ *haematitius* Germ. *Mag. IV. p. 329.* — „
{ *mollis* Germ. *Sturm. Cat. 1826. p. 180.* — „
{ *nigriventris* Schüpp. *Dej. Cat. 3. ed. p. 307.* — „
rufus var. *β.* Gylh. *l. c.* — Gallia.
rusci Herbst. *Käf. VI. p. 424. t. 93. f. 6.* — Germ. *Mag. IV. p. 333.* — Bris. *Mon. p. 286.* — M.
affinis Steph. *Ill. Brit. IV. p. 65.* — Rye. *Ent. Monthl. Mag. II. p. 227.* — Anglia.
bifasciatus Gylh. *Ins. Suec. III. p. 247.* — Suecia.
confusus Kirby *in litt.* — Anglia.
salicis Schrank. *Fn. boic. I. p. 510.* — Germania.
salicis Linn. *Syst. nat. ed. X. p. 381.* — Oliv. *Ent. V. 83. p. 104. t. 31. f. 490.* — Steph. *Ill. Brit. IV. p. 66.* — Bris. *Mon. p. 292.* — M.
bifasciatus Fabr. *Gen. Ins. Mant. p. 225.* — Germ. *Mag. IV. p. 332; Schh. Gen. Curc. III. p. 502.* — Suecia.
capreae Fabr. *Spec. Ins. I. p. 168.* — Gallia.
saltator salicis Degeer. *Ins. V. p. 264.* — Anglia.
scrutator Herbst. *Käf. VI. p. 191. t. 73. f. 4; VII. p. 4.* — Germania.
semirufus Gylh. *Ins. Suec. IV. p. 597; Schh. Gen. Curc. III. p. 492.* — Bris. *Mon. p. 270.* — „
rufipennis Sturm. *Cat. 1826. p. 180.* — „
quinquemaculatus Chevrol. *Abeille IV. 1867. p. LXVI.* — Bris. *Ann. Fr. 1868. Bull. p. 6.* — Marseul. *Ann. Fr. 1868. Bull. p. 76.* — „

sparsus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 375.* — Bris. *Mon. p. 273.* Helvetia.
crinitus Bohem. *Schh. l. c. p. 380.* Gallia.
melanarius Kiesenw. *Ann. Fr. 1851. p. 645.* Mont Serrat.
stigma Germ. *Mag. IV. p. 334.* — Steph. *Ill. Brit. IV. p. 67.* — Bris. *Mon. p. 289.* M.
alboscutellatus Dej. *Cat. 1. ed. p. 82.* Gallia.
aterrimus Meg. *Sturm. Cat. 1826. p. 179.* Germania.
jota Payk. *Fn. Suec. III. p. 271.* — Gylh. *Ins. Suec. III. p. 248.* Suecia.
populi Steph. *l. c. p. 67.* Anglia.
rufitarsis Steph. *l. c. p. 67.* „
subfasciatus Gylh. *Schh. Gen. Curc. III. p. 498.* — Bris. *Mon. p. 274.* Tauria.
testaceus Müll. *Zool. Dan. Prodr. 1776. p. 90.* M.
alni var. γ. Payk. *Fn. Suec. III. p. 221.* Suecia.
rufus Schrank. *Enum. Ins. 1781. p. 116.* Germania.
scutellaris Fabr. *Syst. El. II. p. 495.* — Oliv. *Ent. V. 83. p. 98. t. 32. f. 481.* — Gylh. *Ins. Suec. III. p. 240; Schh. Gen. Curc. III. p. 491.* — Bris. *Mon. p. 266.* — ♀ Frauenf. *Verh. zool. bot. Ver. Wien. 1864. p. 684.* „
viminalis Bechst. et Scharfenb. *Forstins. I. p. 159.* „
var. *albopilosus* Reiche. *Ann. Fr. 1864. p. 248.* Gallia.
„ *flavus* Andersch. *Sturm. Cat. 1826. p. 180.* Styria.
„ *scutellaris* var. b. Gylh. *Ins. Suec. III. p. 240.* Dania.
„ *suturalis* Zetterst. *Ins. Lapp. I. p. 184.* Lapponia.
tricolor Kiesenw. *Ann. Fr. 1851. p. 644.* — Bris. *Mon. p. 282.* Mont Serrat.
47

Hoplocneme

ὅπλον, arma; κνήμη, femur.

White. *Voy. Ereb. and Terror. 1846. p. 14.*

cinnamomea White. *Voy. Ereb. Terr. p. 14.* Nov. Zeeland.
Hookeri White. *l. c.* „
2

Chelotonyx

χηλωτός, textus; ὄνυξ, unguis.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 189.*

Batesi Waterh. *Trans. ent. Soc. 1853. p. 189.* Amazon.
1

Ceratopus

κερατόπους, cornipes.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 120.*

bisignatus Bohem. *Schh. Gen. Curc. VII. 2. p. 121.* Mexico.
1

Acanthobrachium

ἄκανθα, spina; βραχίων, brachium.

Boheman. *Res. Eugen. 1859. p. 128.*

crassipes Bohem. *Res. Eugen. 1859. p. 129. t. 2. f. 4.* Brasilia.
1

Megarrhinus

μέγας, magnus; ῥίν, nasus.

Schönherr. *Gen. Curc. III. 1836. p. 397.*

Brachypterus Dejean. — *Trigonocolus* Lacordaire.

costalis Fåhrs. *Schh. Gen. Curc. VII. 2. p. 275.* Cap bon. spei.
firmus Gylh. *Schh. l. c. III. p. 398.* Senegal.
exaratus Buquet. *Dej. Cat. 3. ed. p. 313.* „
minutus Dej. *Cat. l. c.* „
hospes Bohem. *Schh. Gen. Curc. VII. 2. p. 274.* Incert. sedis.
3

Lamyrus

λαμυρός, vorator.

Schönherr. *Mantiss. sec. Curc. 1847. p. 68.*

Bohemani Schönh. *Mant. sec. p. 69. (indscrpt.)* Port Natal.
cervinus Bohem. *Schh. Gen. Curc. VII. 2, p. 270.* Guinea.
lepidus Fåhrs. *Schh. l. c. p. 268.* Cap bon. spei.
3

Coryssomerus

κορύσσω, armo; μηρός, femur.

Schönherr. *Disp. meth. 1826. p. 241.*

Poecilma Germar.

ardea Germ. *Mag. IV. p. 299.* — Schönh. *Gen. Curc. VII. 2. p. 270.* Germania.
capucinus Beck. *Beitr. baier. Ins. Fn. 1817. p. 21. t. 6. f. 31.* — Germ. *Mag. IV. p. 299.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 21. f. 100.* Europa.
2

Aocnus

α priv.; ὀκνός, piger.

Kolenati. *Bull. Mosc. 1859. II. p. 342.*

Kolenatii Kolen. *Bull. Mosc. 1859. II. p. 343.* — Schönh. *in litt.* Transcaucas.
1

Hypogymnius

ὑπὸ, sub; γυμνὸς, nudus.

Kirsch. *Berl. Ent. Zeit. 1868. p. 211.*

smaragdinus Kirsch. *Berl. Zeit. 1868. p. 212.* Bogotá.
1

Prodotes

προδότης, proditor.

Kirsch. *Berl. Ent. Zeit. 1868. p. 212.*

cionoides Kirsch. *Berl. Zeit. 1868. p. 213.* Bogotá.
1

Euryommatus

εὐρὺς, latus; ὄμμα, oculus.

Roger. *Stett. Ent. Zeit. 1857. p. 60.*

Mariae Roger. *Stett. Zeit. 1857. p. 61.* Germania.
1

Camptochirus

καμπτὸς, flexibilis; χεὶρ, manus.

Lacordaire. *Gen. Col. VI. 1863. p. 599.*

bipes Jekel *in litt.* — Lacord. *Gen. Col. VI. 1863. p. 599. note 2.* Amer. mer.
chiragra Fabr. *Syst. El. II. p. 481.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 247.* — Lacord. *Gen. Col. VI. 1863. p. 599. note 2.* America.
hispoides Dej. *Cat. 3. ed. p. 303.* — Lacord. *Gen. Col. VI. 1863. p. 599. note 2.* Brasilia.
3

Prionomerus

πρίων, serra; μηρὸς, femur.

Schönherr. *Gen. Curc. III. 1836. p. 359.*

Odontopus Say.

abdominalis Bohem. *Schh. Gen. Curc. VII. 2. p. 249.* Brasilia.
scutellaris Chevrol. *in litt.* „
Aesopus Fabr. *Syst. El. II. p. 481.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 248.* Amer. mer.
bifasciculatus Bohem. *l. c. p. 244.* Brasilia.
bigibbosus Bohem. *l. c. p. 243.* Mexico.
calceatus Say. *Descr. of Curc. of N. Am. 1831. p. 15.* Amer. bor.
carbonarius Gylh. *Schh. Gen. Curc. III. p. 360.* — Dej. *Cat. 3. ed. p. 303.* „

fasciculifer Bohem. *Schh. Gen. Curc. VII. 2. p. 244.* Amer. mer.
flavicornis Fabr. *Syst. El. II. p. 472.* — Bohem. *l. c. p. 241.* „
Leprieuri Buquet. *Guér. Jc. règn. anim. p. 145.* Cayennae.
mucidus Bohem. *Schh. Gen. Curc. VII. 2. p. 246.* Mexico.
nigrispinis Lacord. *Gen. Col. VI. 1863. p. 600. not. 2.* Amer. mer.
nubiculosus Bohem. *Schh. Gen. Curc. VII. 2. p. 242.* „
rufirostris Fabr. *Syst. El. II. p. 483.* — Bohem. *l. c. p. 245.* „
12

Piazorrhinus

πιάζω, premo; ῥίν, nasus.

Schönherr. *Gen. Curc. III. 1836. p. 471.*

Momonus Say.

myops Fåhrs. *Schh. Gen. Curc. VII. 2. p. 352.* Brasilia.
scutellaris Say. *New Harmony. 1832.* — Gylh. *Schh. Gen. Curc. III. p. 472.* Amer. bor.
Species tres ined. Lacord. *Gen. Col. VI. 1863. p. 602.* America.
5

Endeus

ἐνδεής, egens.

Schönherr. *Dispos. Curc. meth. 1826. p. 250. (emend.)*

Endaeus Schönh.

castus Bohem. *Schh. Gen. Curc. III. p. 470.* Sierra Leona.
1

Dorasomus

δορά, pellis; σῶμα, corpus.

Schönherr. *Gen. Curc. III. 1836. p. 444.*

candidulus Gylh. *Schh. Gen. Curc. III. p. 445.* Caffraria.
1

Lignyodes

λιγνυώδης, fumosus.

Schönherr. *Gen. Curc. III. 1836. p. 323.*

enucleator Panz. *Fn. Germ. 57. 14.* — Gylh. *Schh. Gen. Curc. III. p. 324.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 19. f. 91.* M.
bicolor Germ. *Fn. Ins. Eur. 18. 14.* — Duftschm. *Dej. Cat. 1. ed. p. 87.* Europa.
Muerlei Ferrari. *Verh. zool. bot. Ver. Wien. 1866. p. 368.* Austria.
rudesquamosus Fairm. *Ann. Fr. 1857. p. 740.* Gallia mer.
suturatus Fairm. *l. c. 1859. Bull. p. 237.* Moravia.
triophori Gylh. *Schh. Gen. Curc. VII. 2. p. 188.* Brasilia.
5

Elleschus

ἔλλεσχος, notus.

Stephens. *Ill. Brit. IV. 1831. p. 103.*

Ellescus Megerle.

bipunctatus Linn. *Syst. nat. ed. X. p. 380.* — Panz. *Fn. Germ. 62. 7.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 187.* — Jacq. Duv. *Gen. Col. Curc. t. 19. f. 92.* — M.
ruficornis Zetterst. *Ins. Lapp. 1. p. 185.* — Lapponia.
unipunctatus Oliv. *Encycl. méth. V. p. 495.* — Gallia.
orbitalis Bohem. *Schh. Gen. Curc. VII. 2. p. 187.* — Nov. Holland.
scanicus Payk. *Fn. Suec. III. p. 251.* — Panz. *Fn. Germ. 99. 9.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 186.* — M
placidus Herbst. *Käf. VII. p. 16. t. 96. f. 9.* — Germania.
rubicundus Herbst. *l. c. VI. p. 267. t. 80. f. 6.* — Styria.
undatus Ulr. *Dej. Cat. 3. ed. p. 302.* — Illyria.
var. *pallidesignatus* Gylh. *Schh. Gen. Curc. III. p. 303.* — Suecia.

3

Orichora

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 486.*

trivirgata Pascoe. *Journ. Linn. Soc. X. 1870. p. 486. t. 19. f. 3. a-b.* — K. Georg. S.

1

Tychius

Τύχιος, nomen propr.

Schönherr. *Disp. meth. 1826. p. 245.*

Barytychius Jekel. — *Eurylophus* Schüppel. — *Heptaphilus* Megerle. — *Miccotrogus* Schönh. — *Pachytychius* Jekel. — *Styphlotychius* Jekel.

Monogr. Brisout de Barneville. *Ann. Fr. 1862. p. 765.*

acuminirostris Bris. *Ann. Fr. 1866. p. 415.* — Madrid.
albilaterus Stierl. *Bull. Mosc. 1863. IV. p. 497.* — Sarepta.
albolineatus Motsch. *Bull. Mosc. 1859. IV. p. 495.* — Amur.
albovittatus Blanch. *Gay. Hist. Chil. V. 1851. p. 388. t. 24. f. 11. a-e.* — Chili.
albovittis Gemming. *Col. Heft. VIII. 1871.* — Gallia.
albovittatus Brisout. *Mon. p. 768.* — „
albulus Gylh. *Schh. Gen. Curc. III. p. 408.* — Caffraria.
amoenus Say. *Descr. of Curc. of N. Am. 1831. p. 26.* — Gylh. *Schh. Gen. Curc. III. p. 419.* — Missouri.
amplicollis Aubé. *Ann. Fr. 1850. p. 342.* — Sicilia.
ancora Gylh. *Schh. Gen. Curc. III. p. 418.* — Falderm. *Fn. Transc. II. p. 294; III. p. 204.* — Caucasus.

aratus Say. *Descr. of Curc. of N. Am. p. 26.* Missouri.
arator Gylh. *Schh. Gen. Curc. VII. 2. p. 414.* „
argentatus Chevrol. *Rev. Zool. 1859. p. 302.* Algeria.
aridicola Wollast. *Cat. Canar. Col. 1864. p. 302.* Canariae.
astragali Becker. *Bull. Mosc. 1862. IV. p. 346.* — Stierl. *Bull. Mosc. 1863. IV. p. 498.* Sarepta.
aurarius Bohem. *Schh. Gen. Curc. VII. 2. p. 300.* Anatolia.
aureolus Kiesenw. *Ann. Fr. 1851. p. 640.* Mont Serrat.
auricapillus Suffr. *Wiegm. Arch. 1871. I. p. 124.* Cuba.
aurichalceus Gylh. *Schh. Gen. Curc. VII. 2. p. 410.* Lusitania.
auricollis Gylh. *l. c. III. p. 420.* Tauria.
baeticus Kirsch. *Berl. Zeit. 1870. p. 175. (Beiheft.)* Andalusia.
bellus Kirsch. *l. c. p. 174.* „
bicolor Brisout. *Mon. p. 772.* Gallia mer.
bivittatus Perris. *Ann. Fr. 1866. p. 191.* Corsica.
capucinus Bohem. *Schh. Gen. Curc. VII. 2. p. 412.* Sicilia.
ciliatus Gylh. *Schh. l. c. III. p. 405.* Tauria.
cinnamomeus Kiesenw. *Ann. Fr. 1851. p. 639.* Mont Serrat.
cretaceus Kiesenw. *l. c. p. 638.* „
suturalis Brisout. *Ann. Fr. 1861. p. 605; Mon. p. 769.* Gallia mer.
conspersus Rosenh. *Thier. Andal. 1856. p. 273.* Cadix.
consputus Kiesenw. *Berl. Zeit. 1864. p. 281.* Graecia.
corniculatus Fåhrs. *Schh. Gen. Curc. VII. 2. p. 309.* Pennsylvania.
crassirostris Kirsch. *Berl. Zeit. 1871. p. 48.* Silesia.
cuprifer Panz. *Fn. Germ. 61. 10.* — Gylh. *Schh. Gen. Curc. III. p. 422.* — Jacq. Duv. *Gen. Col. Curc. t. 20. f. 96.* Germania.
procerulus Kiesenw. *Ann. Fr. 1851. p. 641.* Mont Serrat.
sericeus Ulr. *Dej. Cat. 3. ed. p. 305.* Illyria.
ulmi Chevrol. *Dej. Cat. 3. ed. p. 327.* Gallia.
cuprinus Rosenh. *Thier. Andal. 1856. p. 271.* Andalusia.
curtus Brisout. *Mon. p. 770.* Gallia.
curvirostris Brisout. *Mon. p. 777.* Gallia mer.
decoratus Rosenh. *Thier. Andal. 1856. p. 275.* Granada.
deliciosus Perris. *Abeille. VII. 1870. p. 26.* Sardinia.
depauperatus Wollast. *Cat. Canar. Col. p. 303.* Fuerteventur.
discoloma Suffr. *Wiegm. Arch. 1871. I. p. 122.* Cuba.
elegans Brullé. *Expd. Mor. III. 1832. p. 245. t. 42. f. 11.* Graecia.
elegantulus Brisout. *Mon. p. 774.* Gallia.
elongatus Gylh. *Schh. Gen. Curc. III. p. 414.* — Chevrol. *Dej. Cat. 3. ed. p. 305.* — Jekel. *Journ. of Ent. 1861. p. 272.* Senegal.
nefastus Buquet. *Dej. Cat. l. c.* „
obscurus Dej. *Cat. l. c.* „
ephippiatus Fairm. *Ann. Fr. 1870. p. 401.* Tiaret.
farinosus Rosenh. *Thier. Andal. 1856. p. 274.* Cadix.
fasciatus Motsch. *Etud. ent. VII. 1858. p. 77.* Birma.
femoralis Brisout. *Mon. p. 771.* Gallia mer.
filirostris Wollast. *Ins. Mader. 1854. p. 346.* Madera.
flavicollis Steph. *Ill. Brit. IV. p. 56.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 304.* — Bris. *Mon. p. 770.* Anglia.
{*Kirbyi* Waterh. *Proc. ent. Soc. 1862. p. 79.* „
{*flavicollis* var. *β.* Bohem. *l. c.* „
squamulatus Gylh. *Schh. Gen. Curc. III. p. 404.* Germania.

flavipes Blanch. *Gay Hist. Chil. V. 1851. p. 389.* Chili.
funicularis Brisout. *Mon. p. 775.* Gallia mer.
fuscipes Chevrol. *Rev. Zool. 1859. p. 303.* Algeria.
fuscolineatus Luc. *Expl. Alg. 1849. p. 448. t. 37. f. 11. a-d.* „
genistae Bohem. *Schh. Gen. Curc. VII. 2. p. 301.* Helvetia.
graecus Kiesenw. *Berl. Zeit. 1864. p. 279.* Graecia.
Grenieri Brisout. *Ann. Fr. 1861. p. 605.* Gallia mer.
haematocephalus Gylh. *Schh. Gen. Curc. III. p. 415.* Helvetia.
thoracicus Kirby *in litt.* Anglia.
haematopus Gylh. *Schh. Gen. Curc. III. p. 409.* Tauria.
hordei Brullé. *Expd. Mor. III. 1832. p. 246.* — Jekel. *Journ. of Ent. I. p. 273-74.* Graecia.
alboguttatus Redtenb. *Russeg. Reis. I. 1843. p. 988.* Syria.
intramarginalis Hochh. *Bull. Mosc. 1847. I. p. 549.* Caucasus.
squamosus Gylh. *Schh. Gen. Curc. III. p. 418.* — Dej. *Cat. 3. ed. p. 305.* Gallia mer.
var. *caucasicus* Hochh. *Bull. Mosc. 1851. 1. p. 94.* Caucasus.
junceus Reich. *Mantiss. Ins. 1797. p. 15 t. 1. f. 11.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 303.* M.
canescens Marsh. *Ent. Brit. p. 259.* Gallia.
suturalis Megerle *in litt.* Germania.
laticollis Perris. *Ann. Fr. 1864. p. 298.* Escurial.
latus Jekel. *Journ. of Ent. I. p. 273.* Corfu.
lautus Gylh. *Schh. Gen. Curc. III. p. 403.* Tauria.
leucoloma Jekel. *Journ. of Ent. I. p. 272.* — Dej. *Cat. 3. ed. p. 305.* Algeria.
longicollis Brisout. *Mon. p. 778.* Gallia mer.
Lucasi Jekel. *Journ. of Ent. I. 1861. p. 272.* Algeria.
elongatus Luc. *Expl. Alg. 1849. p. 450.* „
maculatus Gylh. *Schh. Gen. Curc. III. p. 308.* Caffraria.
medicaginis Brisout. *Mon. p. 767.* Gallia mer.
melarhynchus Chevrol. *Rev. Zool. 1859. p. 304.* Algeria.
meliloti Steph. *Ill. Brit. IV. p. 55.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 304.* Anglia.
raptorius Germ. *in litt. olim.* Germania.
metallescens Kolenati. *Bull. Mosc. 1859. II. p. 350.* Caucasus.
minutissimus Bohem. *Res. Eugen. 1859. p. 133.* Sidney.
mitratus Costa. *Annuar. mus. zool. II. p. 128. t. 1. f. 1.* Italia.
molitor Chevrol. *Rev. Zool. 1859. p. 302.* Algeria.
monachus Chevrol. *l. c. p. 300.* „
nigricollis Chevrol. *l. c.* „
obductus Hochh. *Bull. Mosc. 1851. I. p. 94.* Armenia.
obesus Bohem. *Schh. Gen. Curc. VII. 2. p. 308.* Helvetia.
pachyderus Fairm. *Ann. Fr. 1870. p. 401.* Tanger.
pernix Gylh. *Schh. Gen. Curc. III. p. 417.* Hungaria.
picirostris Fabr. *Mant. I. p. 101.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 313.* M.
cinerascens Marsh. *Ent. Brit. p. 248.* Anglia.
fuscirostris Payk. *Mon. Curc. p. 62.* Suecia.
var. *cinerascens* var. β. Gylh. *Ins. Suec. IV. p. 573.* Germania.
„ *posticus* Gylh. *Schh. Gen. Curc. III. p. 423.* — Brisout. *Mon. p. 780.* Gallia.

polylineatus Germ. *Ins. Spec. nov. p. 294.* — Gylh. *Schh. Gen. Curc. Curc. III. p. 403.* — M.
lineolatus Meg. *Sturm. Cat. 1826. p. 195.* — Ziegl. *Dej. Cat. 3. ed. p. 304.* — Germania.
pumilus Brisout. *Mon. p. 779.* — Hyères.
pygmaeus Brisout. *Rev. Zool. 1860. p. 167.* — Gallia.
brevicornis Waterh. *Proc. ent. Soc. 1862. p. 80.* — Rye. *Ent. Monthl. Mag. I. p. 168 et 237.* — Anglia.
pyrenaeus Bris. *Mon. p. 780.* — Pyrenaei.
quinquemaculatus Linn. *Syst. nat. ed. X. p. 380.* — Panz. *Fn. Germ. 84. 8.* — Gylh. *Schh. Gen. Curc. III. p. 401.* — M.
quinquepunctatus Linn. *l. c. p. 383.* — Suecia.
quinquenotatus Mannerh. *Humm. Ess. IV. 1825. p. 32.* — Gebl. *Dej. Cat. 3. ed. p. 304.* — Sibiria.
var. *quadrimaculatus* Müll. *Zool. Dan. Prod. p. 89.* — Dania.
„ *quinquepunctatus* var. β. Gylh. *Ins. Suec. III. p. 198.* — Germania.
robustus Wollast. *Ins. Mader. 1854. p. 344.* — Madera.
rubriceps Rosenh. *Thier. Andal. 1856. p. 277.* — Andalusia.
rufipennis Brisout. *Mon. p. 775.* — Gallia.
rufirostris Schönh. *Ménétr. Cat. rais. p. 223.* — Gylh. *Schh. Gen. Curc. III. p. 407.* — Caucasus.
scabricollis Rosenh. *Thier. Andal. 1856. p. 280.* — Jekel. *Journ. of Ent. I. 1861. p. 274.* — Algesiras.
{*asperatus* Dej *Cat. 1. ed. p. 87.* — Gallia mer.
{*nitidirostris* Dufour. *Dej. Cat. 3. ed. p. 305.* — Hispania.
Schaumi Stierl. *Mittheil. schwz. ent. Ges. II. 1866. p. 32.* — Sicilia.
bicolor Stierl. *Berl. Zeit. 1864. p. 151.* — „
Schneideri Herbst. *Käf. VI. p. 268. t. 80. f. 7.* — Gylh. *Schh. Gen. Curc. III. p. 406.* — Germania.
{*lineatellus* Schönh. *l. c. p. 422.* — Anglia.
{*lineatulus* Steph. *Ill. Brit. IV. p. 57.* — Bohem. *Schh. l. c. VII. 2. p. 311.* — Germ. *Stett. Zeit. 1842. p. 106.* — „
scrobiculatus Rosenh. *Thier. Andal. 1856. p. 281.* — Malaga.
siculus Bohem. *Schh. Gen. Curc. VII. 2. p. 299.* — Sicilia.
signaticollis Chevrol. *Rev. Zool. 1859. p. 301.* — Algeria.
sorex Gylh. *Schh. Gen. Curc. III. p. 411.* — Russia.
sparsutus Oliv. *Ent. V. 83. p. 127. t. 27. f. 393.* — Gylh. *Schh. Gen. Curc. III. p. 417.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 20. f. 95.* — Germania.
squalidus Gylh. *Schh. Gen. Curc. III. p. 421.* — Fåhrs. *Schh. l. c. VII. 2. p. 309.* — Caffraria.
var. *inquinatus* Gylh. *l. c. III. p. 308.* — „
squamifer Bohem. *Schh. l. c. VII. 2. p. 307.* — Brasilia.
striatulus Gylh. *Schh. l. c. III. p. 405.* — Dej. *Cat. 3. ed. p. 305.* — Gallia mer.
strigosus Reiche. *Ann. Fr. 1858. p. 8.* — Graecia.
strumarius Gylh. *Schh. Gen. Curc. III. p. 413.* — Lusitania.
elephas Kraatz. *Berl. Zeit. 1862. p. 271.* — Andalusia.
suavis Bris. *Ann. Fr. 1866. p. 414.* — Aranjuez.
subasper Fairm. *Ann. Fr. 1870. p. 401.* — Tanger.
sublineatus Gylh. *Schh. Gen. Curc. III. p. 416.* — Maldonado.
suturatus Perris. *Ann. Fr. 1866. p. 192.* — Corsica.

suturellus Gylh. *Schh. Gen. Curc. III. p. 409.* Caffraria.
suturellus Motsch. *Etud. ent. 1858. p. 78.* Aegyptus.
thoracicus Bohem. *Schh. Gen. Curc. VII. 2. p. 302.* Sicilia.
tibialis Bohem. *l. c. p. 310.* Gallia.
nigirostris Waterh. *Proc. ent. Soc. 1862. p. 80.* Anglia.
tomentosus Herbst. *Käf. VI. p. 278. t. 81. f. 7.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 303.* M.
picirostris Gylh. *Ins. Suec. III. p. 121; IV. p. 573.* Suecia.
Stephensi Schönh. *Gen. Curc. III. p. 412.* Anglia.
villosus Marsh. *Ent. Brit. p. 260. (pars.)* „
trimacula Rosenh. *Thier. Andal. 1856. p. 278.* Granada.
trivialis Bohem. *Schh. Gen. Curc. VII. 2. p. 306.* Sibiria occ.
venustus Fabr. *Mant. I. p. 148; Spec. Ins. I. p. 170.* — Gylh. *Schh. Gen. Curc. III. p. 402.* M.
albolineatus Ziegl. *Dej. Cat. 3. ed. p. 304.* Styria.
bivittatus Marsh. *Ent. Brit. p. 281.* Anglia.
genistaecola Chevrol. *Rev. Zool. 1866. p. 29.* Escurial.
nervosus Marsh. *l. c. p. 282.* Anglia.
parallelus Oliv. *Ent. V. 83. p. 209. t. 34. f. 527.* — Panz. *Fn. Germ. 18. 5.* Gallia.
pegaso Herbst. *Käf. VI. p. 103. t. 66. f. 7.* Germania.
vernalis Reich. *Mantiss. Ins. 1797. p. 8. t. 1. f. 4.* — Marsh. *l. c. p. 272.* „
vittatus Germ. *Ins. Spec. nov. p. 291; Fn. Ins. Eur. 8. 12.* — Dahl. *Dej. Cat. 3. ed. p. 304.* „
vitticollis Blanch. *Gay. Hist. Chil. V. 1851. p. 389.* Chili.
113

Sibinia

Sibina.

Germar. *Ins. Spec. nov. 1824. p. 289.*

Camptipterus Motschulsky. — *Sibynes* Schönh. — *Parallelon* Megerle.

amylacea Thunb. *Nov. Act. Ups. VII. p. 116.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 317.* Cap bon. spei.
multiguttata Gylh. *Schh. l. c. III. p. 433.* „
arenariae Steph. *Ill. Brit. IV. 1831. p. 58.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 323.* Anglia.
attalica Gylh. *Schh. l. c. III. p. 436.* Europa mer.
bilineata Fåhrs. *Schh. l. c. VII. 2. p. 319.* Cap bon. spei.
bipunctata Kirsch. *Berl. Zeit. 1870. p. 393.* Aegyptus.
cervina Fåhrs. *Schh. Gen. Curc. VII. 2. p. 422.* Cap bon. spei.
concinna Fåhrs. *l. c. p. 424.* „
cretacea Brisout. *Rev. Zool. 1860. p. 168.* Gallia.
dorsalis Fåhrs. *Schh. Gen. Curc. VII. 2. p. 320.* Cap bon. spei.
femoralis Germ. *Ins. Spec. nov. p. 292.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 321.* Germania.
formosa Aubé. *Ann. Fr. 1866. p. 163.* Gallia.
fugax Germ. *Ins. Spec. nov. p. 293.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 317.* Germania.
fulviventris Fåhrs. *l. c. p. 325.* Cap bon. spei.
gallicola Giraud. *Verh. zool. bot. Ver. Wien. 1861. p. 491. t. 17. f. 7. cum ♀.* Germania.

grandicollis Waltl. *Reis. Span. 1835. II. p. 77.* Andalusia.
harmonica Chevrol. *Rev. Zool. 1860. p. 458.* Algeria.
irrorata Fåhrs. *Schh. Gen. Curc. VII. 2. p. 317.* Cap bon. spei.
jucunda Gylh. *Schh. l. c. III. p. 437.* Caffraria.
lepidota Gylh. *l. c. p. 433.* „
luteoviridis Gylh. *l. c. p. 443.* „
meridionalis Bris. *Cat. Col. Gren. II. 1867. p. 192.* Gallia mer.
parallela Kiesenw. *Ann. Fr. 1851. p. 642. note.* Sicilia.
pellucens Scop. *Annus hist. Nat. V. 1772. p. 90.* M.
cana Herbst. *Füssl. Arch. V. 1784. p. 73. t. 24. f. 14.* — Gylh. *Schh. Gen. Curc. III. p. 431.* Volhynia.
phalerata Stev. *Mus. Mosq. II. p. 101.* — Gylh. *Schh. Gen. Curc. III. p. 440.* Tauria.
centromaculata Villa. *Col. Eur. dupl. Suppl. 1833. p. 35; Atti Soc. Ital. XI. p. 67.* Lombardia.
dorsalis Sturm. *Cat. 1826. p. 195.* Germania.
potentillae Germ. *Ins. Spec. nov. p. 292.* — Koch. *Dej. Cat. 3. ed. p. 305.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 321.* „
pyrrhodactyla Marsh. Anglia.
villosa Marsh. *Ent. Brit. p. 260. (pars.)* „
viscariae Steph. *Ill. Brit. IV. p. 58.* „
primita Herbst. *Käf. VI. p. 104. t. 66. f. 8.* — Gylh. *Schh. Gen. Curc. III. p. 441.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 20. f. 97.* Germania.
parvula Steph. *Ill. Brit. IV. p. 57.* Anglia.
signata Panz. *Fn. Germ. 99. 10. (forte.)* Germania.
signata Gylh. *Ins. Suec. III. p. 133.* Suecia.
punctirostris Gylh. *Schh. Gen. Curc. III. p. 434.* Caffraria.
rufirostris Gylh. *l. c. p. 437.* „
sellata Luc. *Expl. Alg. 1849. p. 450. t. 38. f. 2. a-d.* Algeria.
sericea Wollast. *Cat. Canar. Col. 1864. p. 301.* Canariae.
silenes Perris. *Ann. Fr. 1855. Bull. p. 78.* Gallia.
sodalis Germ. *Ins. Spec. nov. p. 294.* — Schönh. *Gen. Curc. VII. 2. p. 327.* — Schüpp. *Dej. Cat. 3. ed. p. 305.* Germania.
statices Moncreaff. *The Entomologist. IV. 1869. p. 218.* Anglia.
sublineata Fåhrs. *Schh. Gen. Curc. VII. 2. p. 318.* Caffraria.
sublineata Chevrol. *Rev. Zool. 1860. p. 457.* Algeria.
suturella Fåhrs. *Schh. Gen. Curc. VII. 2. p. 322.* Cap bon. spei.
tibialis Gylh. *Schh. l. c. III. p. 439.* Russia.
tibiella Gylh. *l. c. p. 440.* Europa mer.
unicolor Fåhrs *Schh. l. c. VII. 2. p. 326.* Hungaria.
urbana Gylh. *Schh. l. c. III. p. 442.* Nepal.
variata Gylh. *l. c. p. 442.* — Bach. *Käferfn. II. 1854. p. 318.* Gallia.
versicolor Motsch. *Bull. Mosc. 1845. I. p. 101.* Georgia russ.
viscariae Linn. *Fn. Suec. p. 177.* — Gylh. *Schh. Gen. Curc. III. p. 432.* M.
ajugae Herbst. *Käf. VI. p. 172.* Europa.
zebra Gylh. *Schh. Gen. Curc. III. p. 435.* Russia

Cionus

κιονὶς, uvula.

Clairville. *Ent. helv. I. 1798. p. 64.*

Cleopus Stephens. — *Stereonychus* Suffrian.

albidus Rosensch. *Schh. Gen. Curc. IV. p. 736.* Africa austr.
angulicollis Rosensch. *l. c. p. 737.* Cap bon. spei.
blattariae Fabr. *Ent. Syst. I. 2. p. 435.* — Clairv. *Ent. helv. I. p. 66. t. 3. f. 1.* — Rosensch. *Schh. Gen. Curc. IV. p. 732.* — ⸸ Peragallo. *Ann. Fr. 1866. Bull. p. 47.* M.
bipustulatus Marsh. *Ent. Brit. p. 278.* Anglia.
Clairvillei Bohem. *Schh. Gen. Curc. IV. p. 730.* Germania.
decorus Bohem. *l. c. VIII. 2. p. 180.* Port Natal.
distinctus Desbroch. *Mittheil. schwz. ent. Ges. 1870. p. 194.* Corsica.
ferrugatus Blanch. *Voy. Pole Sud. IV. p. 255. t. 14. f. 13.* Tasmania.
fraxini Degeer. *Mém. V. 1775. p. 212.* — Oliv. *Ent. V. 83. p. 110. t. 23. f. 315.* — Rosensch. *Schh. Gen. Curc. IV. p. 740.* — ⸸ Snell. v. Vollenh. *Tijdschr. Nederl. ent. Ver. II. 1858. p. 156. fig.* M.
foetidus Fabr. *Syst. El. II. p. 480.* Gallia.
Geeri Gmel. *ed. Linn. I. 4. p. 1772.* Suecia.
var. *rectangulus* Herbst. *Käf. VI. p. 193. t. 73. f. 6.* Germania.
Gebleri Gylh. *Schh. Gen. Curc. IV. p. 729.* Sibiria.
gibbifrons Kiesenw. *Ann. Fr. 1851. p. 647; Berl. Zeit. 1864. p. 283. t. 4. f. 5.* Mont Serrat.
phyllireae Chevrol. *Rev. Zool. 1859. p. 388.* Algeria.
globulariae Kiesenw. *Berl. Zeit. 1864. p. 283. t. 4. f. 3. a-b.* Graecia.
histrio Rosensch. *Schh. Gen. Curc. IV. p. 739.* Caffraria.
longicollis Brisout. *Cat. Gren. 1863. p. 114.* Gallia mer.
luctuosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 179.* Teneriffa.
meticulosus Sparrm. *Act. Holm. 1785. I. p. 44. t. 2. f. 8.* — Rosensch. *Schh. Gen. Curc. IV. p. 734.* Caffraria.
notatus Rosensch. *l. c. p. 735.* „
nubilosus Rosensch. *l. c. p. 739.* Cap bon. spei.
olens Fabr. *Ent. Syst. Suppl. p. 169.* — Oliv. *Ent. V. 83. p. 109. t. 23. f. 311.* — Rosensch. *Schh. Gen. Curc. IV. p. 732.* — ⸸ Goedart. *Métam. Nat. 1740. II. p. 20. Exp. 10.* M.
Olivieri Rosensch. *Schh. Gen. Curc. IV. p. 725.* — Chevrol. *Dej. Cat. 3. ed. p. 326.* — Jacq. Duv. *Gen. Col. Curc. t. 28. f. 134.* „
thapsus Oliv. *Ent. V. 83. p. 108. t. 2. f. 21. a-b.* Gallia.
pulchellus Herbst. *Käf. VI. 1795. p. 356. t. 88. f. 1.* — Steph. *Ill. Brit. IV. p. 19.* — Rosensch. *Schh. Gen. Curc. IV. p. 741.* M.
immunis Marsh. *Ent. Brit. p. 278.* Anglia.
solani Gylh. *Ins. Suec. III. p. 216; IV. p. 591.* Suecia.

pulverosus Gylh. *Schh. Gen. Curc. IV. p. 733.* — Guér. *Jc. règn. anim. t. 38. f. 8.* — Parreyss. *Dej. Cat. 3. ed. p. 326.*	Europa mer.
pulvereus Schönh. *Gen. Curc. VIII. 2. p. 179.*	Corfu.
var. *impunctatus* Chevrol. *in litt.*	Dalmatia.
Schönherri Brisout. *Cat. Gren. 1863. p. 115.* — ‡ Peragallo. *Ann. Fr. 1866. Bull. p. 47.*	Pyren. or.
scrophulariae Linn. *Syst. nat. ed. X. p. 380.* — Oliv. *Ent. V. 83. p. 106. t. 23. f. 314.* — Rosensch. *Schh. Gen. Curc. IV. p. 723.* — ‡ Perris. *Ann. Soc. Linn. Lyon. 1849. p. 291.*	M.
{*blattariae* Panz. *ed. Voet. IV. p. 64. t. 38. f. 32.*	Germania.
{*punctulatus* Voet. *Cat. II. Index. p. 17. t. 38. f. 32.*	Gallia.
var. *intermedius* Ocskay. *Dej. Cat. 3. ed. p. 326.*	Hungaria.
similis Müll. *Zool. Dan. Prodr. 1776. p. 89.*	M.
assimilis Harrer. *Beschr. 1784. p. 184.* — Schaeff. *Jc. t. 232. f. 8. a-b.*	Germania.
hortulanus Fourcr. *Ent. Par. I. p. 129.*	Gallia.
olens Falderm. *Dej. Cat. 3. ed. p. 326.*	Persia occ.
scrophulariae Latr. *Gen. Crust. et Ins. II. p. 265.*	Gallia.
thapsi Germ. *Mag. IV. p. 303.*	Germania.
thapsus Fabr. *Ent. Syst. I. 2. p. 434.* — Herbst. *Käf. VI. p. 187. t. 73. f. 2.* — Rosensch. *Schh. Gen. Curc. IV. p. 726.* — ‡ Perris. *Ann. Soc. Linn. Lyon. 1849. p. 291.*	Suecia.
var. *hortulanus* Marsh. *Ent. Brit. p. 278.* — Rosensch. *l. c. p. 729.*	Anglia.
simplex Rosensch. *Schh. Gen. Curc. IV. p. 731.*	Podolia.
solani Fabr. *Ent. Syst. I. 2. p. 435.* — Oliv. *Ent. V. 83. p. 110. t. 23. f. 316.* — Rosensch. *Schh. Gen. Curc. IV. p. 742.*	M.
perpensus Rossi. *Fn. Etr. Mant. I. p. 38.*	Italia.
{*setiger* Germ. *Mag. IV. p. 305.*	Germania.
{*spinosulus* Meg. *Dej. Cat. 3. ed. p. 326.*	„
setosus Hellw. *ed. Rossi. I. p. 130.*	Gallia.
teloneusis Grenier. *Ann. Fr. 1864. p. 133.*	Gallia mer.
tristis Bohem. *Schh. Gen. Curc. IV. p. 734.*	Caffraria.
tuberculosus Scop. *Ent. Carn. 1763. p. 27.*	M.
scrophulariae var. d. Latr. *Gen. Crust. et Ins. II. p. 266.*	Gallia.
verbasci Fabr. *Mant. I. p. 107.* — Oliv. *Ent. V. 83. p. 107. t. 23. f. 312.* — Rosensch. *Schh. Gen. Curc. IV. p. 724.* — ‡ Bouché. *Nat. Ins. 1834. p. 198.*	Suecia.
ungulatus Germ. *Mag. IV. p. 302.* — Rosensch. *Schh. Gen. Curc. IV. p. 728.* — ‡ Perris. *Ann. Soc. Linn. Lyon. 1849. p. 291.*	Dalmatia.
ocellatus Illig. *Dej. Cat. 3. ed. p. 326.*	Lusitania.
pictus Dahl. *Sturm. Cat. 1843. p. 225.*	Croatia.
Villae Comolli. *De Coleopt. nov. Novocom. 1837. p. 30.* — Knörlein. *Villa Cat. 1833. p. 22.*	Lombardia.
virgatus Rosensch. *Schh. Gen. Curc. IV. p. 738.*	Cap bon. spei.

Nanophyes

νανοφυής, nano similis.

Schönherr. *Gen. Curc. IV. 1845. p. 780.*

Nanodes Schönh. — *Nanodiscus* Kiesenw. – *Sphaerula* Steph.

Monogr. Brisout, Henri. *Abeille. VI. 1869. p. 305.*

annulatus Aragona. *De quibusd. Col. 1830. p. 24.* — Gylh. *Schh. Gen. Curc. IV. p. 782.* — Bris. *Mon. p. 320.*	Italia.
armatus Bohem. *Schh. Gen. Curc. IV. p. 781.*	Cap bon. spei.
bilineatus Tourn. *Ann. Fr. 1867. p. 568.* — Bris. *Mon. p. 338.*	Algeria.
biskrensis Bris. *Mon. p. 347.*	Biskra.
brevis Bohem. *Schh. Gen. Curc. VIII 2. p. 195.* -- Bris. *Mon. p. 325.*	Helvetia.
centromaculatus Costa. *Nuov. Stud. d. Calabr. ult. 1863. p. 24. t. 1. f. 3.* — Bris. *Mon. p. 341.*	Calabria.
Oliveri Desbroch. *Bull. Ac. Hippon. 1866. p. 49.* — Fairm. *Ann. Fr. 1867. p. 411.*	Bona.
var. *caesifrons* Chevrol. *in litt.*	Oran.
Chevrieri Bohem. *Schh. Gen. Curc. VIII. 2. p. 193.* — Kiesenw. *Berl. Zeit. 1864. p. 286.* — Bris. *Mon. p. 332.*	Helvetia.
var. *difficilis* Tourn. *Ann. Fr. 1867. p. 567.*	Sicilia.
„ *gracilis* Redtenb. *Fn. Austr. I. p. 370; II. p. 819.*	Germania.
„ *helveticus* Tourn. *l. c. t. 13. f. 8.*	Helvetia.
„ *longulus* Wollast. *Cat. Canar. Col p. 299.*	Canariae.
„ *nitidulus* Gylh. *Schh. Gen. Curc. IV. p. 785.* — Hoffmsg. *Dej. Cat. 3. ed. p. 327.*	Lusitania.
„ *spretus* Jacq. Duv. *Gen. Col. Curc. p. 66. not. 1.*	Gallia.
circumscriptus Aubé. *Ann. Fr. 1864. p. 326.* — Bris. *Mon. p. 323.*	„
Durieui Luc. *Expl. Alg. 1849. p. 460. t. 38. f. 10. a-e.* — Bris. *Mon. p. 329.*	Algeria.
flavidus Aubé. *Ann. Fr. 1850. p. 345.* — Bris. *Mon. p. 330.*	Gallia.
geniculatus Aubé. *Ann. Fr. 1864. p. 327.* — Bris. *Mon. p. 324.*	„
var. *geniculatus* Kiesenw. *Berl. Zeit. 1864. p. 285.*	Creta.
globulus Germ. *Mag. IV. p. 315; Fn. Ins. Eur. 12. 7.* — Gylh. *Schh. Gen. Curc. IV. p. 784.* — Bris. *Mon. p. 323.*	M.
pygmaeus Herbst. *Käf. VI. p. 142. t. 69. f. 7.*	Suecia.
stramineus Bach. *Käferfn. II. 1854. p. 386.*	Silesia.
hemisphaericus Oliv. *Ent. V. 83. p. 113. t. 29. f. 434.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 192.* — Bris. *Mon. p. 321.* -- ‡ Dufour. *Ann. Fr. 1854. p. 651. t. 19. III.*	Europa mer.
var. *ulmi* Germ. *Mag. IV. p. 314.* — Rosensch. *Schh. Gen. Curc. IV. p. 784.*	Germania.
inconspicuus Bris. *Mon. p. 345.*	Biskra.

languidus Bohem. *Schh. Gen. Curc. VIII. 2. p. 195.* — Bris. *Mon. p. 337.* — Sicilia.
tamarisci Helfer *in litt.* — Mesopotamia.

longipes Wollast. *Col. Hesperid. 1867. p. 125.* — S. Jago.

lunulatus Wollast. *Ann. nat. Hist. 3. ser. XI. 1863. p. 218.* — Bris. *Mon. p. 342.* — Canariae.

lythri Fabr. *Mant. I. p. 102.* — Clairv. *Ent. helv. I. p. 68. t. 3. f. 3. 4.* — Gylh. *Schh. Gen. Curc. IV. p. 782.* — Bris. *Mon. p. 335.* — M.
fasciatus Villers. *Ent. I. p. 191; IV. p. 271.* — Germania.
leucozonius Gmel. *ed. Linn. I. 4. p. 1805.* — Suecia.
salicariae Oliv. *Ent. V. 83. p. 112. t. 29. f. 432.* — Gallia.
transversus Oliv. *Encycl. méth. V. p. 497.* — „
vittatus Fourcr. *Ent. Par. I. p. 124.* — „
var. *angustipennis* Bach. *Käferfn. II. 1854. p. 386.* — Silesia.
„ *rufipes* Tourn. *Ann. Fr. 1867. p. 566.* — Helvetia.
„ *salicariae* Fabr. *Spec. Ins. I. p. 167.* — Panz. *Fn. Germ. 17. 4.* — Suecia.
„ *ventralis* Schönh. *in litt. (olim)* — Gallia.

maculatus Tourn. *Ann. Fr. 1867. p. 569.* — Bris. *Mon. p. 348.* — Algeria.

minutissimus Tourn. *l. c. p. 570.* — Bris *Mon. p. 347.* — „
flavipes Becker *in litt.* — Astrachan.
testaceus Becker *in litt.* — „

niger Waltl. *Reis. Span. II. 1835. p. 77.* — Andalusia.

nigriceps Bohem. *Res. Eugen. 1859. p. 147.* — Hongkong.

nigritarsis Aubé. *Ann. Fr. 1862. p. 72.* — Bris. *Mon. p. 331.* — Sicilia.

nigritius Gredler. *Käf. Tirol. II. 1866. p. 365.* — Tirolis.

nigritulus Bohem. *Res. Eugen. 1859. p. 147.* — Malacca.

pallidulus Grav. *Vergl. Uebers. Zool. Syst. 1807. p. 203.* — Germ. *Mag. IV. p. 315; Fn. Ins. Eur. 12. 8.* — Rosensch. *Schh. Gen. Curc. IV. p. 787.* — Jacq. Duv. *Gen. Col. Curc. t. 28. f. 135.* — Bris. *Mon. p. 348.* — Hispania.
bimaculatus Dej. *Cat. 3. ed. p. 327.* — Gallia mer.
liliputanus Kraatz *in litt.* — Bris. *l. c. p. 349.* — Jaen.

pallidus Oliv. *Ent. V. 83. p. 113. t. 29. f. 444.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 196.* — Bris. *Mon. p. 340.* — Hispania.
stigmaticus Kiesenw. *Ann. Fr. 1851. p. 649.* — Gallia mer.

poecilopterus Bris. *Mon. p. 334.* — Algeria.

posticus Gylh. *Schh. Gen. Curc. IV. p. 787.* — Dej. *Cat. 3. ed. p. 327.* — Bris. *Mon. p. 342.* — Hispania.

pusio Bohem. *Res. Eugen. 1859. p. 147.* — Cap bon. spei.

quadrivirgatus Costa. *Nuov. Stud. Calabr. ult. 1863. p. 23. t. 1. f. 4.* — Bris. *Mon. p. 345.* — Calabria.
var. *setulosus* Tourn. *Ann. Fr. 1867. p. 569.* — Algeria.
„ *sexpunctatus* Kiesenw. *Berl. Zeit. 1864. p. 286. t. 3. f. 3. a-c.* — Creta.
„ *trilineatus* Brisout. *l. c. p. 347.* — Damascus.

rubens Aubé. *Ann. Fr. 1864. p. 327.* — Bris. *Mon. p. 344.* — Gallia.

rubricus Rosenh. *Thier. Andal. 1856. p. 298.* — Bris. *Mon. p. 327.*	Andalusia.
var. *globiformis* Kiesenw. *Berl. Zeit. 1864. p. 284. t. 3. f. 2. a-c.*	Graecia.
Sahlbergi Sahlb. *Diss. Ins. Fenn. II. 1834. p. 51.* — Gylh. *Schh. Gen. Curc. IV. p. 788.* — Bris. *Mon. p. 328.*	Fennia.
var. *brevicollis* Bris., Ch. *Cat. Gren. 1863. p. 112.*	Gallia.
„ *lateralis* Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 57.*	Germania.
siculus Bohem. *Schh. Gen. Curc. VIII. 2. p. 191.* — Bris. *Mon. p. 319.*	Sicilia.
ericetorum Dufour. *Exc. Vall. d'Ossau. p. 87.*	Gallia mer.
globulus Desjardins *in litt.*	„
syriacus Bris. *Mon. p. 337.*	Beyruth.
tamaricis Gylh. *Schh. Gen. Curc. IV. p. 786.* — Dej. *Cat. 3. ed. p. 327.* — Bris. *Mon. p. 339.* — ‡ Gervais. *Ann. Fr. 1847. Bull. p. 94.* — Luc. *Ann. Fr. 1849. Bull. p. 64.*	Gallia mer.
palliatus Hellwig *in litt.*	Lusitania.
tetrastigma Aubé. *Cat. Gren. 1863. p. 113.* — Bris. *Mon. p. 343.*	Gallia.
transversus Aubé. *Ann. Fr. 1850. p. 346.* — Kiesenw. *Berl. Zeit. 1864. p. 284. t. 3. f. 1. a-c.* — Bris. *Mon. p. 317.*	„
aureolus Perris. *Ann. Fr. 1864. p. 299.*	Corsica
juniperi Chevrol. *Rev. Zool. 1860. p. 210.*	Algeria.
var. *cuneatus* Kiesenw. *Ann. Fr. 1851. p. 650.*	Mont Serrat.
Wahlbergi Bohem. *Schh. Gen. Curc. VIII. 2. p. 194.*	Port Natal.

40

Gymnetron

γυμνός, nudus; ἦτρον, venter.

Schönherr. *Disp. meth. 1826. p. 319.*

Rhinusa Stephens.

Monogr. Brisout. *Ann. Fr. 1862. p. 625.*

algiricum Bris. *Mon. p. 635; Ann. Fr. 1867. p. 64.*	Algeria.
variabile Bris. *Mon. p. 634.*	„
antirrhini Payk. *Fn. Suec. III. p. 257.* — Germ. *Mag. IV. p. 312.* — Rosensch. *Schh. Gen. Curc. IV. p. 760.* — Bris. *Mon. p. 655.* — ‡ Cornelius. *Stett. Zeit. 1863. p. 117.*	M.
osyridis Germ. *Dej. Cat. 3. ed. p. 326.*	Gallia.
var. *flavocalcaratum* Meg. *in litt.*	Germania.
asellus Grav. *Vergl. Uebers. Zool. Syst. p. 203.* — Germ. *Mag. IV. p. 311.* — Jacq. Duv. *Gen. Col. Curc. t. 28. f. 137.* — Bris. *Mon. p. 645.*	„
♀ *cylindrirostre* Gylh. *Schh. Gen. Curc. IV. p. 766.*	Gallia.
nasutum Rosensch. *Schh. Gen. Curc. IV. p. 757.*	Anatolia.
plagiatum Gylh. *l. c. p. 758.*	Volhynia.
polonicum Rosensch. *l. c.*	Polonia.

beccabungae Linn. *Fn. Suec. p. 179.* — Rosensch. *Schh. Gen. Curc. IV. p. 749.* — Bris. *Mon. p. 633.* M.
concinnum Gylh. *Schh. Gen. Curc. IV. p. 749.* — Bris. *Mon. p. 642.* Tauria.
var. *nigrum* Germ. *in litt.* Anglia.
var. *veronicae* Germ. *Mag. IV. p. 306.* — Rosensch. *l. c. p. 748.* Germania.
biarcuatum Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 350.* Bastia.
bipartitum Gylh. *Schh. Gen. Curc. IV. p. 751.* Caffraria.
bisignatum Gylh. *l. c. p. 754.* „
caffrum Gylh. *l. c. p. 752.* „
collinum Gylh. *Ins. Suec. III. p. 209.* — Rosensch. *Schh. Gen. Curc. IV. p. 761.* — Bris. *Mon. p. 651.* Germania.
comosum Rosensch. *l. c. p. 756.* — Bris. *Mon. p. 655.* Asia minor.
consuetum Ménétr. *Mém. Ac. Petr. VI. 1849. p. 264.* Bokhara.
elongatum Bris. *Mon. p. 638.* Gallia mer.
eoum Rosensch. *Schh. Gen. Curc. IV. p. 755.* Nepal.
Eversmanni Rosensch. *l. c. p. 763.* Bokhara.
fuliginosum Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 56.* — Bris. *Mon. p. 648.* Hungaria.
fuscescens Rosensch. *Schh. Gen. Curc. IV. p. 760.* — Bris. *Mon. p. 660.* Tauria.
griseohirtellum Desbroch. *Berl. Zeit. 1870. p. 159. (Beiheft.)* Corsica.
haemorrhoidale Bris. *Mon. p. 639.* Italia.
haemorrhoum Rosenh. *Beitr. Ins. Fn. Eur. 1847. p. 55.* — Bris. *Mon. p. 662.* Hungaria.
herbarum Bris. *Mon. p. 658.* — Dej. *Cat. 3. ed. p. 326.* Gallia.
scutellare Dahl. *Dej. Cat. l. c.* Hungaria.
Heydeni Desbroch. *Berl. Zeit. 1870. p. 158. (Beiheft.)* Granada.
hirsutum Rosensch. *Schh. Gen. Curc. IV. p. 768.* Cap bon. spei.
hispidum Brullé. *Expd. Mor. III. 1832. p. 247.* Graecia.
ictericum Gylh. *Schh. Gen. Curc. IV. p. 750.* — Bris. *Mon. p. 630.* Germania.
Kerhaleti Buquet. *Rev. Zool. 1842. p. 242.* Pará.
labile Herbst. *Käf. VI. p. 244. t. 77. f. 12.* — Gylh. *Schh. Gen. Curc. IV. p. 751.* — Bris. *Mon. p. 636.* M.
marmoratum Fourcr. *Ent. Par. I. p. 125.* Gallia
obliquum Sturm. *Cat. 1826. p. 120.* Germania.
tricolor Marsh. *Ent. Brit. p. 259.* — Gylh. *Ins. Suec. III. p. 126.* Suecia.
lanigerum Bris. *Mon. p. 657.* Algeria.
latiusculum Jacq. Duv. *Gen. Col. Curc. p. 68. nota 1.* — Bris. *Mon. p. 631.* Gallia mer.
linariae Panz. *Fn. Germ. ed. 1. 26. 18.* — Rosensch. *Schh. Gen. Curc. IV. p. 769.* — Bris. *Mon. p. 651.* — ⚘ Kaltenb. *Verh. nat. Ver. Preuss. Rheinl. 1862. p. 84.* M.
curvirostre Rossi. *Fn. Etr. 1. p. 117.* — Dej. *Cat. 3. ed. p. 327.* Italia.
orontii Hellw. *in litt.* Gallia.
tetrum Panz. *Fn. Germ. ed. 2. 26. 18.* Germania.
littoreum Bris. *Mon. p. 656.* Gallia.

melanarium Germ. *Mag. IV. p. 307.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 183.* — Bris. *Mon. p. 640.* Germania.
intaminatum Steph. *Ill. Brit. IV. p. 14.* Anglia.
perparvulum Bohem. *l. c.* — Bris. *Mon. p. 642.* Germania.
melas Bohem. *l. c. IV. p. 746.* Gallia.
netum Germ. *Mag. IV. p. 312.* ♀. — Rosensch. *Schh. Gen. Curc. IV. p. 762.* — Bris. *Mon. p. 647.* Germania.
ellipticum var. ♀. Herbst. *Käf. VI. p. 171. t. 71. f. 14.* Gallia.
pelliceum Gylh. *Falderm. Fn. transc. II. p. 249; III. p 206.* Persia.
noctis Herbst. *Käf. VI. p. 269. t. 80. f. 9.* — Rosensch. *Schh. Gen. Curc. IV. p. 761.* — Bris. *Mon. p. 657.* — ‡ Frauenf. *Verh. zool. bot. Ver. Wien. 1863. p. 1227.* M.
antirrhini Marsh. *Ent. Brit. p. 269.* — Gylh. *Ins. Suec. III. p. 207.* Anglia.
pascuorum Gylh. *Ins. Suec. III. p. 124; IV. p. 574; Schh. Gen. Curc. IV. p. 744.* — Bris. *Mon. p. 629.* M.
collinum Steph. *Manual. p. 218.* Anglia.
nanum Dej. *Cat. 3. ed. p. 327.* Gallia.
var. *bicolor* Gylh. *Schh. Gen. Curc. IV. p. 745.* Tauria.
pilosum Gylh. *l. c. p. 763.* — Besser. *Dej. Cat. 3. ed. p. 327.* Bris. *Mon. p. 659.* Europa.
var. *Brondeli* Poupillier *in litt.* Algeria.
„ *vulpes* Luc. *Expl. Alg. p. 459. t. 38. f. 9. a-e.* „
Pirazzolii Stierl. *Mittheil. schwz. ent. Ges. II. 1867. p. 225.* Domodossola.
pyrenaeum Bris. *Mon. p. 641.* Pyrenaei.
rotundicolle Gylh. *Schh. Gen. Curc. IV. p. 753.* — Bris. *Mon. p. 643.* Tauria.
rostellum Herbst. *Käf. VI. p. 108. t. 66. f. 13.* — Gylh. *Schh. Gen. Curc. IV. p. 752.* — Bris. *Mon. p. 640.* M.
simum Muls. et Rey. *Opusc. ent. IX. 1859. p. 40.* — Bris. *Mon. p. 637.* Gallia mer.
spilotum Germ. *Mag. IV. p. 307.* — Gylh. *Schh. Gen. Curc. IV. p. 768.* — Jacq. Duv. *Gen. Col. Curc. t. 28. f. 136.* — Bris. *Mon. p. 649.* Germania.
bimaculatum Sturm. *Cat. 1826. p. 119.* Gallia.
bipustulatum Rossi. *En. Etr. Mant. I. p. 39. t. 2. f. 1.* Italia.
melaraphum Ulr. *Dej. Cat. 3. ed. p. 326.* Sicilia.
stimulosum Germ. *Mag. IV. p. 307.* — Gylh. *Schh. Gen. Curc. IV. p. 753.* — Bris. *Mon. p. 639.* Germania.
tetrum Fabr. *Ent. Syst. I. 2. p. 406.* — Gylh. *Schh. Gen. Curc. IV. p. 755.* — Bris. *Mon. p. 653.* — ‡ Heeger. *Sitzgsb. Wien. Ac. 34. p. 218. t. 3.* M.
var. *amictum* Germ. *Mag. IV. p. 310.* — Bris. *l. c.* Lusitania.
„ *crassirostre* Luc. *Expl. Alg. p. 458. t. 38. f. 8. a-d.* Algeria.
„ ♀ *plagiellum* Gylh. *l. c. p. 759.* Tauria.
„ *trigonale* Gylh. *l. c. p. 767.* — Bris. *Mon. p. 661.* „
„ *verbasci* Rosensch. *Schh. Gen. Curc. IV. p. 765.* Caucasus.
thapsicola Germ. *Mag. IV. p. 313.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 186.* — Bris. *Mon. p. 646.* M.
tychioides Bris. *Mon. p. 632.* Andalusia.

variabile Rosenh. *Thier. Andal. 1856. p. 296.* — Andalusia.
sanguinipes Chevrol. *Rev. Zool. 1859. p. 389.* — Algeria.
vestitum Germ. *Mag. IV. p. 311.* — Bris. *Mon. p. 646.* — Lusitania.
verbasci Dufour. *Exc. Val. d'Ossau. p. 86.* — Gallia mer.
villosulum Gylh. *Schh. Gen. Curc. IV. p. 747.* — Bris. *Mon. p. 632.* — ‡ Bouché. *Naturg. Ins. 1. 1834. p. 202. t. 10. f. 22-23.* — Loew. *Allg. deutsch. nat. hist. Zeitg. II. 1847. p. 290.* — Germania.
var. *dorsale* Oliv. *in litt.* — Gallia.
Zuberi Desbroch. *Ann. Fr. 1869. p. 399.* — Sarepta.
50

Miarus

μιαρός, maculatus.

Stephens. *Ill. Brit. IV. 1831. p. 15.*

Cleopus Suffrian.

campanulae Linn. *Syst. nat. ed. XII. p. 607.* — Gylh. *Schh. Gen. Curc. IV. p. 773.* — Bris. *Mon. p. 666.* — ‡ Laboulb *Ann. Fr. 1858. p. 900. t. 17. I.* — M.
acephalus Marsh. *(pars.)* — Anglia.
fossarum Meg. *Dej. Cat. 3. ed. p. 326.* — Germania.
linariae Ziegl. *Dej. Cat. l. c.* — „
ranunculi Müll. *Dej. Cat. l. c.* — Gallia.
distinctus Bohem. *Schh. Gen. Curc. VIII. 2. p. 187.* — Bris. *Mon. p. 664.* — Helvetia.
graminis Gylh. *Ins. Suec. III. p. 210.* — Rosensch. *Schh. Gen. Curc. IV. p. 772.* — Bris. *Mon. p. 665.* — M.
ellipticus Herbst. *Käf. VI. p. 171. t. 71. f. 13.* — Germania.
longirostris Gylh. *Schh. Gen. Curc. IV. p. 770.* — Dej. *Cat. 3. ed. p. 326.* — Bris. *Mon. p. 663.* — Gallia mer.
scolopax Dej. *in litt.* — „
meridionalis Bris. *Mon. p. 668.* — „
micros Germ. *Mag. IV. p. 309.* — Gylh. *Schh. Gen. Curc. IV. p. 776.* — Bris. *Mon. p. 667.* — Germania.
plantarum Germ. *Ins. Spec. nov. p. 288.* — Gylh. *Schh. Gen. Curc. IV. p. 773.* — Dej. *Cat. 3. ed. p. 326.* — „
acephalus Marsh. *(pars.)* — Anglia.
somnulentus Villa. *Col. Eur. dupl. Suppl. 1835. p. 49.* — Italia.
plebejus Rosensch. *Schh. Gen. Curc. IV. p. 772.* — Cap bon. spei.
salsolae Bris. *Mon. p. 664.* — Persia.
scutellaris Bris. *Ann. Fr. 1865. p. 622.* — Gallia.
seriepilosus Gylh. *Schh. Gen. Curc. IV. p. 775.* — Caffraria.
capicola Chevrol. *in litt.* — „
suturalis Gylh. *Schh. Gen. Curc. IV. p. 771.* — „
trivialis Gylh. *l. c. p. 775.* — „
13

Derelomus

δέρη, collum; λῶμα, fimbria.

Schönherr. *Disp. meth. 1826. p. 235.*

avicularis Bohem. *Schh. Gen. Curc. VIII. 1. p. 96.* — Brasilia.

chamaeropis Fabr. *Ent. Syst. Suppl. p. 167.* — Gylh. *Schh. Gen. Curc. III. p. 629.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 24. f. 113.* — Hispania.
costalis Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 93.* — Cap bon. spei.
ephippiger Gylh. *Schh. l. c. III. p. 629.* — „
languidus Fåhrs. *Schh. l. c. VIII. 1. p. 93.* — „
pallidus Fåhrs. *l. c. p. 95.* — „
plagiatus Fåhrs. *l. c. p. 94.* — Guinea.
signatus Gylh. *Schh. l. c. III. p. 630.* — Caffraria.
subcostatus Bohem. *Schh. l. c. VIII. 1. p. 92.* — Sardinia.
suturalis Bohem. *l. c. p. 96.* — Mexico.
10

Everges

εὐεργής, bene fabricatus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 99.*

Faldermanni Bohem. *Schh. Gen. Curc. VIII. 1. p. 100.* — Brasilia.
1

Psilorrhinus

ψιλός, tenuis; ῥίν, nasus.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 392.*

collaris Blanch. *Gay. Hist. Chil. V. p. 393.* — Chili.
elegans Philippi. *Stett. Zeit. 1864. p. 367.* — „
modestus Blanch. *Gay. Hist. Chil. V. p. 394.* — „
plagiatus Blanch. *l. c.* — „
rufulus Philippi. *Stett. Zeit. 1864. p. 368.* — „
tuberculosus Philippi. *l. c. p. 366.* — „
valdivianus Philippi. *l. c. p. 367.* — „
variegatus Blanch. *Gay. Hist. Chil. V. p. 393. t. 25. f. 2. a-e.* — „
8

Laemosaccus

λαιμός, faux; σάκκος, saccus.

Schönherr. *Disp. meth. 1826. p. 50.*

Magdalis Germar. *(pars.)* — *Rhina* Olivier. *(pars.)* — *Thamnophilus* Schönh. *(pars.)*

affaber Bohem. *Schh. Gen. Curc. VIII. 1. p. 68.* — Amer. mer.
australis Boisd. *Voy. Astrol. II. 1835. p. 426.* — Tasmania.
brevipennis Pascoe. *Journ. Linn. Soc. X. 1870. p. 439.* — Queensland.
castaneus Philippi. *Stett. Zeit. 1864. p. 369.* — Chili.
Chevrolati Guér. *Jc. règn. anim. p. 145. t. 38. f. 1. a.* — Brasilia.
crassirostris Blanch. *Gay. Hist. Chil. V. 1851. p. 397.* — Chili.
cristaticollis Blanch. *l. c.* — „
Germari Bohem. *Schh. Gen. Curc. VIII. 1. p. 70.* — Brasilia.
obsoletus Blanch. *Gay. Hist. Chil. V. p. 397.* — Chili.

plagiatus Fabr. *Ent. Syst. Suppl. p. 170.* — Oliv. *Ent. V. 83. p. 234. t. 33. f. 512.* — Gylh. *Schh. Gen. Curc. III. p. 626.* — Carolina.
var. *Nephele* Herbst. *Käf. VII. p. 54. t. 99. f. 4.* — „
pruinosus Blanch. *Gay. Hist. Chil. V. p. 396.* — Chili.
pustulatus Gylh. *Schh. Gen. Curc. III. p. 626.* — Brasilia.
quadripustulatus Bohem. *Schh. l. c. VIII. 1. p. 73.* — Amer. mer.
rufus Bohem. *l. c. p. 72.* — „
Silbermanni Chevrol. *Guér. Jc. règn. anim. p. 145.* — Buenos Aires.
subsignatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 70.* — Lacord. *Gen. Col. VII. 1866. p. 14. note 2.* — Tasmania.
synopticus Pascoe. *Journ. Linn. Soc. X. 1870. p. 440.* — Queensland.
tantulus Pascoe. *l. c. p. 439.* — Champion bay.
trucidatus Germ. *Ins. Spec. nov. 1824. p. 196.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 69.* — Brasilia.
unicolor Blanch. *Gay. Hist. Chil. V. p. 395. t. 25. f. 3. a-e.* — Chili.
variegatus Blanch. *l. c. p. 396.* — „
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 14. not. 2.* — Tasmania.
22

Alcides

ἀλκή, robur.

Schönherr. *Disp. meth. Curc. 1826. p. 270.*

Eugnostus Hagenbach.

adspersus Bohem. *Res. Eugen. 1859. p. 134.* — Cap bon. spei.
albocinctus Blanch. *Voy. Pole Sud. 1853. p. 246. t. 14. f. 20.* — Ternate.
albolineatus Bohem. *Schh. Gen. Curc. III. p. 612.* — Galam.
alboliturratus Blanch. *Voy. Pole Sud. p. 245. t. 14. f. 19.* — Ins. Aru.
angulus Fabr. *Syst. El. II. p. 464.* — Oliv. *Ent. V. 83. p. 181. t. 29. f. 292.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 46.* — Sumatra.
arcuatus Bohem. *l. c. p. 56.* — Cap bon. spei.
armiger Thunb. *Nov. Act. Ups. VII. p. 114.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 49.* — „
asphaltinus Pascoe. *Journ. Linn. Soc. X. 1870. p. 461.* — Batchian.
australis Boisd. *Voy. Astrol. II. 1835. p. 423. t. 7. f. 78.* — Dej. *Cat. 3. ed. p. 310.* — Blanch. *Voy. Pole Sud. p. 244. t. 14. f. 18.* — Nov. Guinea.
brevirostris Bohem. *Schh. Gen. Curc. III. p. 621.* — Dej. *Cat. 3. ed. p. 310.* — Cap bon. spei.
bubo Fabr. *Syst. El. II. p. 474.* — Bohem. *Schh. Gen. Curc. III. p. 612.* — Bengal.
ferox Oliv. *Ent. V. 83. p. 189. t. 22. f. 297.* — „
rubicundus Dej. *Cat. 1. ed. p. 97.* — „
tricolor Meg. *Sturm. Cat. 1826. p. 163.* — „
Burmeisteri Bohem. *Schh. Gen. Curc. VIII. 2. p. 448.* — Manilla.
Chaudoiri Chevrol. *Guér. Jc. règn. anim. p. 154.* — Solsky. *Hor. Soc. Ent. Ross. VIII. p. 147. t. 5 f. 3.* — Persia bor.
chiliarchus Bohem. *Schh. Gen. Curc. III. p. 609.* — Java.
clathratus Bertolon. *Nov. Comm. Ac. Bonon. X. 1849. p. 426.* — Dej. *Cat. 3. ed. p. 310.* — Mozambique.
clausus Walker. *Ann. nat. Hist. 3. ser. III. 1859. p. 264.* — Ceylon.

convexus Oliv. *Encycl. méth. V. 1790. p. 507; Ent. V. 83. p. 176. t. 8. f. 88.* — Cap bon. spei.
excavatus Oliv. *l. c. p. 149. t. 8. f. 94.* — Comores.
gibbus Fabr. *Ent. Syst. I. 2. p. 431.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 55.* — Madagascar.
Coquereli Fairm. *Ann. Fr. 1871. p. 48.* — „
costipennis Fairm. *l. c. p. 49.* — Ins. Mayotte.
crassirostris Thoms. *Arch. ent. II. 1858. p. 133.* — Gabon.
cultrirostris Thoms. *l. c.* — „
curtirostris Fairm. *Ann. Fr. 1871. p. 50.* — Madagascar.
delta Pascoe. *Journ. Linn. Soc. X. 1870. p. 460.* — Dej. *Cat. 3. ed. p. 310.* — Ceylon.
dentipes Oliv. *Encycl. méth. V. p. 504; Ent. V. 83. p. 202. t. 8. f. 90. a-b.* — Fabr. *Ent. Syst. I. 2. p. 428.* — Bohem. *Schh. Gen. Curc. III. p. 616.* — Senegal.
vittatus Dej. *Cat. 1. ed. p. 97.* — „
discedens Pascoe. *Journ. Linn. Soc. X. 1870. p. 461.* — Singapur.
elegans Guér. *Voy. Coquille. 1830. II. p. 124. t. 6. f. 6. a-c.* — Boisd. *Voy. Astrol. II. p. 421.* — Nov. Guinea.
luctuosus d'Urville. *Dej. Cat. 3. ed. p. 310.* — „
erroneus Thoms. *Arch. ent. II. 1858. p. 132.* — Gabon.
exilis Bohem. *Schh. Gen. Curc. III. p. 613.* — Gerstäck. *Wiegm. Arch. 1871. I. p. 74.* — Cap bon. spei.
lineatus Klug *in litt.* — Endara.
Fabricii Fabr. *Ent. Syst. Suppl. p. 169.* — Bohem. *Schh. Gen. Curc. III. p. 623; VIII. 1. p. 63.* — Daldorff *in litt.* — Tranquebar.
fenestratus Oliv. *Ent. V. 83. p. 204. t. 34. f. 515.* — Pondichery.
Fairmairei Gemming. *Col. Heft. VIII. 1871.* — Madagascar.
olivaceus Fairm. *Ann. Fr. 1871. p. 50.* — „
fallax Bohem. *Schh. Gen. Curc. VIII. 1. p. 62.* — Fairm. *Ann. Fr. 1871. p. 51.* — „
fasciatus Redtenb. *Hüg. Kaschm. IV. 2. p. 548. t. 26. f. 6.* — Lacord. *Gen. Col. 1866. VII. p. 16. note 2.* — Kaschmir.
fasciculatus Bohem. *Schh. Gen. Curc. III. p. 614.* — Caffraria.
guttulatus Thoms. *Arch. ent. II. 1858. p. 134.* — Gabon.
haemopterus Bohem. *Schh. Gen. Curc. III. p. 624; VIII. 1. p. 65.* — Sturm. *Dej. Cat. 3. ed. p. 310.* — Cap bon. spei.
notatus Klug *in litt.* — „
heilipoides Pascoe. *Trans. ent. Soc. 1870. p. 211.* — Victoria.
hypocritus Bohem. *Schh. Gen. Curc. VIII. 1. p. 47.* — Bengal.
imbellis Thoms. *Arch. ent. II. 1858. p. 134.* — Gabon.
interruptus Bohem. *Schh. Gen. Curc. III. p. 622.* — Dupont. *Dej. Cat. 3. ed. p. 310.* — Senegal.
senex var. Dej. *Cat. l. c.* — „
Karelini Bohem. *Schh. Gen. Curc. VIII. 1. p. 65.* — Persia.
lacunosus Bohem. *l. c. p. 48.* — Java.
laniger Sparrm. *Act. Holm. 1785. I. p. 43. t. 2. f. 6.* — Bohem. *Schh. Gen. Curc. III. p. 611.* — Cap bon. spei.
leucogrammus Erichs. *Wiegm. Arch. 1843. I. p. 260.* — Angola.
leucospilus Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 264. t. 39. f. 2.* — Luzon.
leopardus Oliv. *Ent. V. 83. p. 190. t. 22. f. 296.* — Bengal.
alboguttatus Wiedem. *Germ. Mag. IV. p. 158.* — Bohem. *Schh. Gen. Curc. III. p. 612.* — „

ligatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 461.* — Java.
magicus Pascoe. *l. c. p. 460.* — Cambodja.
notatus Blanch. *Voy. Pole. Sud. IV. 1853. p. 243. t. 14. f. 17.* — Aru.
obliquatus Thoms. *Arch. ent. II. 1858. p. 131.* — Gabon.
obliquus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 264.* — Ceylon.
obsoletus Gerstäck. *Wiegm. Arch. 1871. I. p. 74.* — Mombas.
octoguttatus Redtenb. *Hüg. Kaschm. IV. 2. p 547. t. 26. f. 3.* — Lacord. *Gen. Col. VII. 1866. p. 16. note 2.* — Kaschmir.
olivaceus Gerstäck. *Monatsb. Berl. Ac. 1855. p. 85; Peters Reise. 1862. p. 313. t. 18. f. 13.* — Mozambique.
pauper Bohem. *Schh. Gen. Curc. VIII. 1. p. 61.* — India or.
Paykulli Bohem. *l. c. III. p. 620.* — Sierra Leona.
pectoralis Bohem. *l. c. p. 618.* — Java.
  sulcatulus Oliv. *Ent. V. 83. p. 203. t. 22. f. 304. a.* — „
pictus Fabr. *Ent. Syst. Suppl. p. 168.* Bohem. *Schh. Gen. Curc. VIII. 1. p. 59.* — Tranquebar.
praeustus Guér. *Voy. Coquille. 1830. II. p. 123; Jc. règn. anim. t. 38. f. 6.* — Boisd. *Voy. Astrol. II. p. 420.* — Nov. Guinea.
reticulatus Fabr. *Syst. Ent. p. 138.* — Java.
  Nero Fabr. *Syst. El. II. p. 466.* — „
  raptorius Bohem. *Schh. Gen. Curc. III. p. 610.* — „
rufipennis Montrouz. *Ann. soc. agr. Lyon. 1857. VII. p. 49.* — Lacord. *Gen. Col. VII. 1866. p. 16. note 1.* — Ins. Woodlark.
rufus Bohem. *Schh. Gen. Curc. III. p. 615.* — Cap bon. spei.
Saundersi Pascoe. *Journ. Linn. Soc. X. 1870. p. 459. t. 19. f. 4. b.* — Siam.
Semperi Pascoe. *l. c. p. 462.* — Plilippinae.
senex Sahlb. *Thon. Arch. II. 1. 1829. p. 23.* — Schönh. *Gen. Curc. VIII. 1. p. 63.* — Sierra Leona.
signatus Bohem. *Schh. l. c. III. p. 617.* — Bengal.
signifer Bohem. *l. c. VIII. 1. p. 52.* — Guinea.
similatus Bohem. *l. c. III. p. 619.* — Java.
sparsus Bohem. *l. c. VIII. 1. p. 53.* — Cap bon. spei.
subfasciatus Bohem. *l. c. p. 67.* — Fairm. *Ann. Fr. 1871. p. 49.* — Madagascar.
sulcatulus Fabr. *Syst. El. II. p. 474.* — Bohem. *Schh. Gen. Curc. III. p. 616.* — Amboina.
sycophanta Thoms. *Arch. ent. II. 1858. p. 132.* — Gabon
transversus Walker. *Ann. nat. Hist. 3. ser. III. 1859. p. 264.* — Ceylon.
trilobus Fabr. *Syst. El. II. p. 505.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 60.* — Guinea.
trifidus Pascoe. *Journ. Linn. Soc. X. 1870. p. 460.* — China bor.
trinotatus Fischer. *Lettre à Pander. 1821. p. 14.* — Motsch. *Bull. Mosc. 1845. 1. p. 100.* — Bucharia.
Waltoni Bohem. *Schh. Gen. Curc. VIII. 1. p. 58.* — Philippinae.
Westermanni Bohem. *l. c. p. 51.* — Himalaya.

Platyurus

πλατύς, latus; οὐρά, cauda.

Blanchard. *Voy. Pole Sud. IV. 1853. p. 241.*

brevicornis Blanch. *Voy. Pole Sud. IV. p. 242. t. 14. f. 12.* Tasmania.
1

Aolles

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 450.*

nuceus Pascoe. *Journ. Linn. Soc. X. 1870. p. 451.* Austral. occ.
rubiginosus Pascoe. *l. c.* „
2

Haplonyx

ἁπλοῦς, simplex; ὄνυξ, unguis.

Schönherr. *Gen. Curc. III. 1836. p. 606.*

centralis Pascoe. *Journ. Linn. Soc. X. 1870. p. 491.* Gawler.
cionoides Pascoe. *l. c.* „
dotatus Pascoe. *l. c. p. 488.* Austral. mer.
ericeus Pascoe. *l. c. p. 490.* Adelaida.
fallaciosus Pascoe. *l. c. p. 489.* Queensland.
fasciculatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 41.* Nov. Holland.
Hopei Bohem. *l. c. p. 42.* „
lucius Pascoe. *Journ. Linn. Soc. X. p. 489* Champion bay.
Kirbyi Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 43.* Nov. Holland.
maialis Pascoe. *Journ. Linn. Soc. X. 1870. p. 490.* Queensland.
maleficus Lacord. *Gen. Atl. VIII. t. 73. f. 1. a-b. (indscrpt.)* Nov. Holland.
myrrhatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 488.* Gawler.
scolopax Pascoe. *l. c. p. 490.* Queensland.
Schönherri Bohem. *Res. Eugen. 1859. p. 134.* Sidney.
Spencei Gylh. *Schh. Gen. Curc. III. p. 607.* Nov. Holland.
turtur Pascoe. *Journ. Linn. Soc. X. 1870. p. 492.* Gawler.
ustipennis Pascoe. *l. c. p. 488.* Sidney.
venosus Pascoe. *l. c. p. 491.* Gawler.
vestigialis Pascoe. *l. c. p. 489.* Queensland.
19

Sigastus

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 423.*

fascicularis Pascoe. *Journ. of Ent. II. p. 423. t. 17. f. 6* N. S. Wales.
1

Metatyges

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 424.*

cupreus Pascoe. *Journ. Linn. Soc. X. 1870. p. 443.* Congo.
turritus Pascoe. *Journ. of Ent. II. p. 424. t. 17. f. 11.* Caffraria.
2

Physarchus

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 425.*

pyramidalis Pascoe. *Journ. of Ent. II. p. 425. t. 17. f. 10.* Ins. Fidji.
1

Euderes

εὖ, bene; δέρις, collum.

Schönherr. *Disp. meth. 1826. p. 227.*

lineicollis Wiedem. *Zool. Mag. II. 1. 1823. p. 128.* — Gylh. *Schh. Gen. Curc. III. p. 555.* — Lacord. *Gen. Atl. VIII. t. 73. f. 2. a.* Cap bon. spei.
1

Microstylus

μικρός, parvus; στύλος, stylus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 15.*

rufus Schönh. *Mant. sec. p. 15. (indscrpt.)* — Lacord. *Gen. Col. VII. 1866. p. 21.* Port Natal.
1

Nerthops

νέρθε, infra; ὤψ, oculus.

Schönherr. *Disp. meth. 1826. p. 60.*

Rhinobatus Dejean.

guttata Oliv. *Ent. V. 83. p. 279. t. 35. f. 539.* — Bohem. *Schh. Gen. Curc. III. p. 153.* Cap bon. spei.
multiguttata Bohem. *Nouv. Mém. Mosc. I. 1829. p. 126.* — Wiedem. *in litt.* „
punctata Fabr. *Syst. El. II. p. 397. (forte.)* „
1

Acallopistus

ἀκαλλώπιστος, neglectus.

Schönherr. *Disp. meth. 1826. p. 249.*

Hoploparochus Schönh.

curvirostris Bohem. *Schh. Gen. Curc. III. p. 455.* Caffraria.
fallax Bohem. *l. c.* "
guttatus Bohem. *l. c. p. 454.* "
malvae Bohem. *l. c. VII. 2. p. 259.* "
pardalis Gylh. *Schh. l. c. III. p. 152.* "
vellicosus Bohem. *l. c. p. 453.* Tranquebar.
6

Peloropus

πέλωρ, monstrum; πούς, pes.

Schönherr. *Gen. Curc. III. 1836. p. 456.*

Echinopus Chevrolat.

apicalis Fåhrs. *Schh. Gen. Curc. VII. 2. p. 263.* Cap bon. spei.
fallax Bohem. *Schh. l. c. p. 265.* Port Natal.
melancholicus Bohem. *l. c. p. 264.* Cap bon. spei.
mixtus Bohem. *l. c.* Senegal.
ulula Gylh. *Schh. l. c. III. p. 457.* "
cognatus Dej. *Cat. 3. ed. p. 306.* "
5

Pristimerus

πρίστις, serra; μηρός, femur.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 256.*

Nerthops Schönh. *(pars.)*

calcaratus Bohem. *Schh. Gen. Curc. III. p. 153.* — Chevrol. *Dej. Cat. 3. ed. p. 297.* Brasilia.
curtus Dej. *Cat. l. c.* "
pardalinus Bohem. *l. c. VII. 2. p. 258.* "
1

Camarotus

καμαρωτός, concamarotus.

Schönherr. *Gen. Curc. I. 1833. p. 185.*

cassidoides Gylh. *Schh. Gen. Curc. I. p. 186.* Brasilia.
rotundipennis Dej. *Cat. 3. ed. p. 259.* Cayennae.
coccinelloides Germ. *Schh. Gen. Curc. I. p. 186.* — Labr. et Imh. *Gen. Curc. I. nr. 69.* "
marginalis Labr. et Imh. *Gen. Curc. I. nr. 68.* Amer. mer.
3

Menemachus

μενεμάχος, bellicosus.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 266.*

naevus Bohem. *Schh. Gen. Curc. VII. 2. p. 267.* Port Natal.
1

Hoplitopales

ὁπλιτοπάλης, miles.

Schönherr. *Gen. Curc. VII. 2. 1843. p. 260.*

lineatus Bohem. *Schh. Gen. Curc. VII. 2. p. 261.* Caffraria.
obliquatus Bohem. *l. c. p. 262.* Cap bon. spei.
2

Pylarus

πυλαρός, janitor.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 44.*

designatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 45.* Cap bon. spei.
1

Acicnemis

ἀκίς, acies; κνημίς, ocrea.

Lacordaire. *Gen. Col. VII. 1866. p. 31.*

Oplocnemus Dejean.

mucronatus Buquet. *Dej. Cat. 3. ed. p. 300. (ined.)* Java.
variegatus Fairm. *Rev. Zool. 1849. p. 511.* — Lacord. *Gen. Atl. VIII. t. 73. f. 3. a-b.* Taïti.
2

Rhinastus

ῥίν, nasus.

Schönherr. *Disp. meth. 1826. p. 261.*

Cholus Germar. *(pars.)*

latisternus Chevrol. *Guér. Jc. règn. anim. p. 159.* Bolivia.
pertusus Dalm. *Schh. Gen. Curc. III. p. 557.* Brasilia.
elephas Dupont. *Dej. Cat. 3. ed. p. 308.* „
sternicornis Germ. *Ins. Spec. nov. 1824. p. 214. t. 1. f. 4.* „
scolopax Dej. *Cat. 1. ed. p. 86.* „
3

Aphyorrhamphus

ἀφύω, fundo; ῥάμφος, rostrum.

Guérin. *Ic. règn. anim. 1843. p. 158.*

rugosus Guér. *Jc. règn. anim. p. 158.* Brasilia.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 36. not. 2.* „
2

Cholus

χωλὸς, claudus.

Germar. *Ins. Spec. nov. 1824. p. 212.*

albicinctus Germ. *Ins. Spec. nov. p. 214.* — Bohem. *Schh. Gen. Curc. III. p. 562.* Brasilia.
triangularis Dej. *Cat. 3. ed. p. 309.* „
annulatus Linn. *Mus. Lud. Ulr. p. 51.* — Oliv. *Ent. V. 83. p. 173. t. 6. f. 62. a-b.* — Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 8.* Cayennae.
basalis Bohem. *Schh. l. c. III. p. 559.* „
sparsus Gylh. *Schh. l. c. p. 582.* Brasilia.
carinatus Chevrol. *Guér. Jc. règn. anim. p. 157.* — Lacord. *Gen. Col. VII. 1866. p. 38. note 2.* — Dej. *Cat. 3. ed. p. 309.* Cayennae.
cinctus Oliv. *Ent. V. 83. p. 172. t. 28. f. 421.* — Bohem. *Schh. Gen. Curc. III. p. 562.* „
albocinctus Lacord. *Dej. Cat. 3. ed. p. 308.* „
dealbatus Bohem. *Schh. Gen. Curc. III. p. 562.* — Klug. *Dej. Cat. 3. ed. p. 309.* „
farinosus Dej. *Cat. l. c.* „
Faldermanni Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 9.* Brasilia.
var. *annulatus* Bohem. *Schh. l. c. III. p. 566.* „
flavescens Fåhrs. *Schh. l. c. VIII. 1. p. 11.* „
flavofasciatus Bohem. *Schh. l. c. III. p. 564.* — Chevrol. *Guér. Jc. règn. anim. t. 39. f 1.* — Dej. *Cat. 2. ed. p. 285.* „
callizonus Germ. *in litt.* „
zebra Sturm. *Cat. 1826. p. 131.* „
geniculatus Kirsch. *Berl. Zeit. 1869. p. 187.* Bogotá.
geometricus Germ. *Ins. Spec. nov. p. 215.* — Bohem. *Schh. Gen. Curc. III. p. 562.* Brasilia.
gladiator Oliv. *Ent. V. 83. p. 174. t. 28. f. 422.* „
Kunzei Bohem. *Schh. Gen. Curc. III. p. 565.* „
lemniscatus Erichs. *Wiegm. Arch. 1847. I. p. 131.* Peru.
lepidotus Bohem. *Schh. Gen. Curc. III. p. 571.* — Klug. *Dej. Cat. 3. ed. p. 309.* Brasilia.
merus Germ. *Dej. Cat. l. c.* „
Nyblaei Bohem. *Schh. Gen. Curc. III. p. 566.* „
pistor Bohem. *l. c. p. 561.* Amer. mer.
rana Fabr. *Syst. El. II. p. 459.* — Oliv. *Ent. V. 83. p. 172. t. 17. f. 217.* — Bohem. *Schh. Gen. Curc. III. p. 575.* Surinam.

subcinctus Dej. *Cat. 3. ed. p. 308.* Cayennae.
tener Kirsch. *Berl. Zeit. 1869. p. 188.* Bogotá.
19

Archarias

ἀρχή, principium.

Lacordaire. *Gen. Col. VII. 1866. p. 38.*

atropunctellus Bohem. *Schh. Gen. Curc. III. p. 570.* Amer. mer.
Besckei Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 13.* Brasilia.
Boisduvali Bohem. *Schh. l. c. III. p. 568.* „
ellipsifer Kirsch. *Berl. Zeit. 1869. p. 189.* Bogotá.
Guerini Bohem. *Schh. Gen. Curc. III. p. 567.* Brasilia.
inornatus Fåhrs. *Schh. l. c. VIII. 1. p. 4.* — Dej. *Cat. 3. ed. p. 308.* Cayennae.
irroratus Chevrol. *Guér. Jc. règn. anim. p. 157.* — Lacord. *Gen. Col. VII. p. 38. note 2.* „
languidus Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 10.* Brasilia.
laticollis Oliv. *Ent. V. 83. p. 169. t. 7. f. 85.* — Bohem. *Schh. Gen. Curc. III. p. 559.* — Lacord. *Gen. Col. VII. p. 39. note 1.* Cayennae.
lituratus Chevrol. *Guér. Jc. règn. anim. p. 157.* Bolivia.
miliaris Oliv. *Encycl. méth. V. 1790. p. 499; Ent. V. 83. p. 159. t. 3. f. 33.* — Fabr. *Ent. Syst. I. 2. p. 421.* — Gylh. *Schh. Gen. Curc. III. p. 580.* Cayennae.
niveopunctatus Gylh. *l. c. p. 582.* Brasilia.
parcus Fåhrs. *Schh. l. c. VIII. 1. p. 3.* „
rhomboidalis Fåhrs. *Schh. l. c. VIII. 1. p. 2.* – Lacord. *Dej. Cat. 3. ed. p. 308.* Cayennae.
squamosus Bohem. *Schh. Gen. Curc. III. p. 572.* Brasilia.
sulphuratus Fåhrs. *Schh. l. c. VIII. 1. p. 12.* „
trifasciatus Chevrol. *Guér. Jc. règn. anim. p. 156.* „
undulatus Gylh. *Schh. Gen. Curc. III. p. 581.* — Dej. *Cat. 3. ed. p. 309.* „
zonarius Schönh. *Disp. meth. p. 265.* „
urbanus Drury. *Ill. III. p. 70. t. 48. f. 2.* — Oliv. *Encycl. méth. V. p. 503.* Honduras.
19

Polyderces

πολυδερκής, multo intuens.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 15.*

adspersus Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 16.* Ins. S. Vincent.
dilatatus Taschenb. *Zeitschr. ges. Naturw. I. 1870. p. 189.* Columbia.
zonatus Swederus. *Act. Holm. 1787. III. p. 194.* — Oliv. *Ent. V. 83. p. 173. t. 6. f. 61. a-b.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 16.* Guadeloupe.
tricinctus Fabr. *Ent. Syst. I. 2. p. 430.* — Herbst. *Käf. VI. p. 112. t. 67. f. 5.* „
3

Abebaeus

ἀβέβαιος, versatilis.

Kirsch. *Berl. Ent. Zeit. 1869 p. 190.*

cristatus Kirsch. *Berl. Zeit. 1869. p. 191. not. 1.* Peru.
dorsalis Kirsch. *l. c. p. 191.* Bogotá.
2

Homalonotus

ὁμαλὸς, planus; νῶτος, dorsum.

Schönherr. *Gen. Curc. III. 1836. p. 584.*

Homalinotus Schönh. *olim.*

colossus Perty. *Del. anim. art. 1830. p. 81. t. 16. f. 9.* — Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 32.* Brasilia.
conspergatus Fåhrs. *l. c. p. 31.* „
coriaceus Gylh. *Schh. l. c. III. p. 588.* — Klug. *Dej. Cat. 3. ed. p. 309.* „
tristis Dej. *Cat. 1. ed. p. 86.* „
cyanicollis Oliv. *Encycl. méth. V. 1790. p. 499; Ent. V. 83. p. 156. t. 10. f. 121.* — Fabr. *Ent. Syst. I. 2. p. 421.* Amer. mer.
deplanatus Sahlb. *Peric. ent. I. 3. 1823. p. 43. t. 2. f. 1; Thon. Arch. II. 1. 1829. p. 22. t. 2. f. 1.* — Schönh. *Gen. Curc. III. p. 589.* Brasilia.
circumdatus Germ. *Ins. Spec. nov. p. 313.* „
compressus Dej. *Cat. 1. ed. p. 86.* „
depressus Linn. *Mus. Lud. Ulr. p. 49.* ♂. Cayennae.
angulatus Dej. *Cat. 1. ed. p. 86.* „
jamaicensis Fabr. *Spec. Ins. I. p. 173.* — Oliv. *Ent. V. 83. p. 158. t. 4. f. 44.* — Gylh. *Schh. Gen. Curc. III. p. 585.* „
indus Degeer. *Mém. V. p. 265. t. 15. f. 22.* „
humeralis Gylh. *Schh. Gen. Curc. III. p. 586.* — Dej. *Cat. 3. ed. p. 309.* — Lacord. *Gen. Col. VII. p. 40. nota.* „
depressus ♀ Linn. *Mus. Lud. Ulr. p. 49.* — Oliv. *Encycl. méth. V. p. 519.* — Herbst. *Käf. VI. p. 475.* „
hystrix Oliv. *Encycl. méth. V. p. 503; Ent. V. 83. p. 167. t. 15. f. 182.* — Fabr. *Ent. Syst. I. 2. p. 425.* — Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 33.* „
platynotus Germ. *Ins. Spec. nov. 1824. p. 313.* — Gylh. *Schh. Gen. Curc. III. p. 587.* Brasilia.
lugubris Dej. *Cat. 1. ed. p. 86.* „
porosus Gylh. *Schh. Gen. Curc. III. p. 590.* „
validus Oliv. *Encycl. méth. V. p. 499; Ent. V. 83. p. 157. t. 15. f. 186.* — Fabr. *Ent. Syst. I. 2. p. 422.* — Gylh. *Schh. Gen. Curc. III. p. 585.* Cayennae.
calcaratus Fabr. *l. c. p. 420.* — Herbst. *Käf. VI. p. 454. t. 94. f. 7.* „
giganteus Dej. *Cat. 1. ed. p. 86.* „
11

Dionychus

δὶς, *bis*; ὄνυξ, *unguis*.

Germar. *Ins. Spec. nov. 1824. p. 311.*

alboguttatus Germ. *Ins. Spec. nov. p. 314.* — Perty. *Del. anim. p. 81. t. 16. f. 10.* — Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 19.* Brasilia.
margaritifer Redtenb. *Reis. Novar. II. p. 164.* Rio Janeiro.
margineguttatus Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 19.* Brasilia.
mutabilis Fåhrs. *l. c. p. 21.* „
parallelogrammus Germ. *Ins. Spec. nov. p. 314. t. 1. f. 9.* „
sulcatus Stev. *Mus. Mosq. II. p. 99.* — Dej. *Cat. 1. ed. p. 86.* „
squamulosus Gylh. *Schh. Gen. Curc. III. p. 589.* „
variabilis Fåhrs. *Schh. l. c. VIII. 1. p. 20.* „
7

Amerrhinus

ἄμη, *falx*; ῥὶν, *nasus*.

Schönherr. *Disp. meth. 1826. p. 266.*

Amerhis Billberg. — *Ameris* Germar.

Bohemani Mannerh. *Schh. Gen. Curc. III. p. 601.* Brasilia.
albofasciatus Dej. *Cat. 3. ed. p. 310.* „
fasciatus Sturm. *Cat. 1826. p. 131.* „
Dufresnei Kirby. *Trans. Linn. Soc. XII. 1818. p. 433. t. 22. f. 10. a.* „
pardalis Dalm. *Analect. ent. 1823. p. 85.* „
Fahraei Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 26.* — Germ. *in litt.* „
figuratus Bohem. *Schh. l. c. p. 28.* „
Olivieri Bohem. *l. c. III. p. 600.* „
concinnatus Dej. *Cat. 3. ed. p. 310.* „
variegatus Sturm. *Cat. 1826. p. 91.* „
pantherinus Oliv. *Encycl. méth. V. 1790. p. 506; Ent. V. 83. p. 177. t. 13. f. 153.* Cayennae.
marmoratus Fabr. *Ent. Syst. I. 2. p. 425.* „
marmoreus Fabr. *Syst. El. II. p. 462.* „
pardus Germ. *Ins. Spec. nov. p. 287.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 41.* Brasilia.
var. *Fahraei* Bohem. *Schh. Gen. Curc. III. p. 164.* „
pavo Germ. *Ins. Spec. nov. p. 286. t. 1. f. 7.* „
maculosus Dej. *Cat. 3. ed. p. 310.* „
sarcinatus Germ. *Schh. Gen. Curc. III. p. 602.* „
Schönherri Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 27.* „
Ynca Sahlb. *Peric. ent. I. 3. 1823. p. 44. t. 2. f. 2; Thon. Arch. II. 1. 1829. p. 22. t. 2. f. 2.* „
morbillosus Drury. *Ill. III. p. 74. sin. tab.* „
var. *morbillator* Herbst. *Käf. VI. p. 441. (forte.)* „
„ *ruidus* Germ. *Ins. Spec. nov. p. 316.* „
11

Brachycnemis

βραχύς, brevis; κνήμη, tibia.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 17.*

Litomerus Schönh. *olim.*

quadrisignatus Bohem. *Schh. Gen. Curc. III. p. 575.* Lacord. *Gen. Atl. VIII. t. 73. f. 4. a.* — Brasilia.
stupidus Dej. *Cat. 3. ed. p. 309.* — „
1

Callinotus

κάλλος, pulchritudo; νῶτος, dorsum.

Schönherr. *Disp. meth. 1826. p. 263.*

ocelliger Perty. *Del. anim. 1830. p. 79. t. 16. f. 4.* — Brasilia.
obliquus Dej. *Cat. 3. ed. p. 309.* — „
praefectus Schönh. *Disp. meth. p. 264.* — „
Sahlbergi Bohem. *Schh. Gen. Curc. III. 1836. p. 577.* — „
Zetterstedti Bohem. *Schh. Gen. Curc. III. p. 579.* — „
caudatus Sturm. *Cat. 1826. p. 149.* — „
circinatus Schönh. *Disp. meth. p. 264.* — „
circumductus Dej. *Cat. 3. ed. p. 309.* — „
2

Solenopus

σωλήν, tubus; πούς, pes.

Schönherr. *Disp. meth. 1826. p. 268.*

Odontoderes Sahlberg.

bilineatus Dej. *Cat. 3. ed. p. 310.* — Lacord. *Gen. Col. VII. p. 45. note 1.* — Cayennae.
cacicus Sahlb. *Peric. ent. I. 3. 1823. p. 46. t. 2. f. 3;* *Thon. Arch. II. 1. 1829. p. 23. t. 2. f. 3.* — Brasilia.
granicollis Germ. *Ins. Spec. nov. 1824. p. 315.* — „
♀ *inermis* Dej. *Cat. 3. ed. p. 310.* — „
morbillator Herbst. *Käf. t. 94. f. 5. (forte.)* — „
morbillosus Drury. *Ill. III. t. 49. f. 5. (forte.)* — „
Percheroni Bohem. *Schh. Gen. Curc. VIII. 1. p. 25.* — „
sexmaculatus Oliv. *Encycl. méth. V. p. 502; Ent. V. 83. p. 166. t. 17. f. 207.* -- Gylh. *Schh. Gen. Curc. III. p. 599.* — Cayennae.
spinicollis Bohem. *Schh. l. c. p. 598.* — „
var. *conspersus* Oliv. *Dej. Cat. 1. ed. p. 87.* — „
5

Sclerosomus

σκληρός, durus; σῶμα, corpus.

Schönherr *Gen. Curc. III. 1836. p. 604.*

coccosus Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 22.* — Brasilia.

granulosus Fåhrs *Schh. Gen. Curc. VIII. 1. p. 23.* — Lacord. *Gen. Col. VII. p. 46. note 1.* Brasilia.
incommodus Gylh. *Schh. Gen. Curc. III. p. 605.* — Lacord. *Gen. Atl. VIII. t. 73. f. 5. a.* „
3

Perideraeus

περιδέραιος, collaris.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 34.*

granellus Bohem. *Schh. Gen. Curc. VIII. 1. p. 35.* Brasilia.
lateralis Bohem. *l. c. III. p. 560.* — Dej. *Cat. 3. ed. p. 308.* — Lacord. *Gen. Col. VII. p. 47. note 1.* „
verrucosus Sturm. *Cat. 1826. p. 97.* „
silaceoguttatus Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 7.* „
tetricus Fåhrs. *l. c. p. 5.* „
4

Desmosomus

δεσμός, vinculum; σῶμα, corpus.

Perty. *Del. anim. art. 1830. p. 81.*

Litomerus Schönh.

longipes Perty. *Del. anim. p. 82. t. 16. f. 11.* Brasilia.
lineatus Bohem. *Schh. Gen. Curc. III. p. 574.* „
trivittatus Dej. *Cat. 3. ed. p. 309.* „
vittatus Sturm. *Cat. 1826. p. 97.* „
1

Mecocorynus

μῆκος, longitudo; κορύνη, clava.

Schönherr. *Disp. meth. 1826. p. 283.*

Synthliborhynchus Schönh. — *Tretus* Chevrolat.

loripes Chevrol. *Ann. Fr. 1833. p. 64. t. 3. f. 2. a.* Senegal.
Fahraei Schönh. *Mant. sec. p. 80. (sin. diagn.)* Caffraria.
Westermanni Bohem. *Schh. Gen. Curc. IV. p. 195.* Guinea.
varipes Wiedem. *Zool. Mag. I. 3. 1819. p. 178.* — Bohem. *Schh. Gen. Curc. IV. p. 197.* Bengal.
chinensis Oliv. *Encycl. méth. V. p. 507; Ent. V. 83. p. 175. t. 8. f. 97. a-b. (forte.)* „
variolosus Dej. *Cat. 3. ed. p. 321.* „
2

Ectatorrhinus

ἐκτατός, extensus; ῥίν, nasus.

Lacordaire. *Gen. Col. VII. 1866. p. 53.*

Wallacei Lacord. *Gen. Col. VII. p. 54. note 1.* Borneo.
1

Conotrachelus

κῶνος, conus; τράχηλος, collum.

Schönherr. *Gen. Curc. IV. 1837. p. 392.*

Cyphorhynchus Schönh. *olim.*

abdominalis Fabr. *Syst. El. II. p. 467.* — Fåhrs. *Schh. Gen. Curc. IV. p. 437.* Brasilia.
abruptecostatus Bohem. *Schh. l. c. p. 440.* „
acutecostatus Bohem. *l. c. VIII. 2. p. 21.* „
affinis Bohem. *l. c. IV. p. 429.* — Dej. *Cat. 3. ed. p. 321.* Amer. bor.
alatus Fåhrs. *Schh. l. c. p. 450.* Brasilia.
amabilis Bohem. *Schh. l. c. VIII. 2. p. 33.* — Buquet. *Dej. Cat. 3. ed. p 321.* Cayennae.
cruciatus Chevrol. *Dej. Cat. l. c.* „
amplipennis Kirsch. *Berl. Zeit. 1869. p. 193.* Bogotá.
anaglypticus Say. *Descr. of Curc. of N. Am. 1831. p. 18.* — Fåhrs. *Schh. Gen. Curc. IV. p. 418.* Amer. bor.
apicalis Bohem. *Schh. l. c. VIII. 2. p. 54.* Brasilia.
aratus Germ. *Ins. Spec. nov. p. 283.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 26.* Kentucky.
argentinus Steinheil. *Atti Soc. Milan. 1872.* S. Carlos.
bicristatus Bohem. *Schh. Gen. Curc. IV. p. 454.* Brasilia.
bidentatus Bohem. *l. c. VIII. 2. p. 41.* Columbia.
bifasciculatus Bohem. *l. c. p. 39.* Brasilia.
bisignatus Bohem. *Res. Eugen. 1859. p. 143.* Buenos Aires.
bonariensis Steinheil. *Atti Soc. Milan. 1872.* „
brevis Bohem. *Schh. Gen. Curc. VIII. 2. p. 47.* Brasilia.
carinicollis Bohem. *l. c. p. 37.* „
cinctipes Schönh. *Gen. Curc. VIII. 2. p. 29.* „
coelebs Bohem. *Schh. l. c. IV. p. 427.* „
coluber Fabr. *Syst. El. II. p. 469.* „
concentricus Oliv. *Ent. V. 83. p. 207. t. 23. f. 318.* St. Domingo.
annulus Dej. *Cat. 3. ed. p. 321.* „
confinis Fåhrs. *Schh. Gen. Curc. IV. p. 430.* — Dej. *Cat. 3. ed. p. 321.* Pennsylvania.
corallifer Bohem. *Schh. Gen. Curc. VIII. 2. p. 34.* Columbia.
costalis Bohem. *l. c. IV. p. 448.* Brasilia.
costifer Rosensch. *Schh. l. c. p. 452.* Mexico.
costirostris Bohem. *Schh. l. c. p. 403.* Brasilia.
crataegi Walsh. *Proc. Boston Soc. nat. Hist. IX. 1863. p. 311.* Rock Island.
cretaceus Luc. *Casteln. Voy. 1859. p. 177.* Brasilia.
cribricollis Say. *Descr. of Curc. of N. Am. p. 28.* — Bohem. *Schh. Gen. Curc. IV. p. 446.* Mississippi.
cristatus Fåhrs. *Schh. Gen. Curc. IV. p. 438.* Amer. bor.
curvirostris Fåhrs. *l. c. p. 411.* — Falderm. *Dej. Cat. 3. ed. p. 322.* Brasilia.
cylindricollis Steinh. *Atti Soc. Milan. 1872.* Buenos Aires.
degluptus Germ. *Ins. Spec. nov. p. 284.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 42.* Brasilia.
demens Bohem. *l. c. p. 31.* Mexico.
dentifer Fåhrs. *Schh. l. c. IV. p. 443.* — Chevrol. *Dej. Cat. 3. ed. p. 321.* „

deustus Fåhrs. *Schh. Gen. Curc. IV. p. 434.* Brasilia.
diaconitus Bohem. *Schh. l. c. p. 397.* — Germ. *Dej. Cat. 3. ed. p. 321.* Cuba.
difficilis Bohem. *l. c. VIII. 2. p. 36.* Brasilia.
distinctus Bohem. *l. c. IV. p. 410.* — Dej. *Cat. 3. ed. p. 321.* „
elegans Say. *Descr. of Curc. of N. Am. p. 18.* — Bohem. *Schh. Gen. Curc. IV. p. 428.* Amer. bor.
elevatus Bohem. *l. c. VIII. 2. p. 26.* Cayennae.
fasciatus Bohem. *l. c. p. 16.* Brasilia mer.
filirostris Bohem. *l. c. IV. p. 394.* „
funestus Bohem. *l. c. VIII. 2. p. 20.* „
gemellatus Bohem. *l. c. IV. p. 455.* „
grammicollis Bohem. *l. c. p. 421.* „
Helferi Kolenati. *Verh. zool. bot. Ver. Wien. 1858. p. 341. t. 6.* — Lacord. *Gen. Col. VII. p. 55. note 1.* India or.
hirsutus Montrouz. *Ann. Fr. 1860. p. 893. (alt. gen.)* Lifu.
hispidus Montrouz. *l. c.* „
histrio Bohem. *Res. Eugen. 1859. p. 143.* Buenos Aires.
Hopei Fåhrs. *Schh. Gen. Curc. IV. p. 414.* Brasilia.
horreus Bohem. *Schh. l. c. VIII. 2. p. 45.* „
horridus Luc. *Casteln. Voy. 1859. p. 176.* „
humeralis Bohem. *Schh. Gen. Curc. IV. p. 424.* „
humerosus Fåhrs. *Schh. l. c. p. 422.* Mexico.
immundus Steinh. *Atti Soc. Milan. 1872.* Buenos Aires.
inconcinnus Bohem. *Schh. Gen. Curc. IV. p. 423.* Brasilia.
infector Bohem. *l. c. VIII. 2. p. 49.* Philadelphia.
infirmus Bohem. *Res. Eugen. 1859. p. 143.* Brasilia.
intermedius Bohem. *Schh. Gen. Curc. IV. p. 431.* „
intractatus Bohem. *l. c. p. 407.* „
lassatus Bohem. *l. c. VIII. 2. p. 30.* „
lassulus Bohem. *l. c. IV. p. 409.* Cuba.
lautus Bohem. *l. c. IV. p. 408; VIII. 2. p. 25.* Brasilia.
lemniscatus Bohem. *l. c. VIII. 2. p. 48.* „
lepidus Bohem. *Res. Eugen. 1859. p. 143.* Montevideo.
leucophaeatus Fåhrs. *Schh. Gen. Curc. IV. p. 417.* Mexico.
leucostictus Bohem. *Schh. l. c. VIII. 2. p. 52.* Columbia.
loripes Bohem. *l. c. p. 38.* Brasilia.
maceritiae Fåhrs. *Schh. l. c. IV. p. 412.* — Chevrol. *Dej. Cat. 3. ed. p. 322.* Guadeloupe.
maculipes Bohem. *Schh. Gen. Curc. VIII. 2. p. 450.* Mexico.
mamillatus Bohem. *l. c. IV. p. 393.* Amer. mer.
moestus Fåhrs. *Schh. l. c. p. 399.* Brasilia.
mucidus Bohem. *Schh. l. c. VIII. 2. p. 43.* „
multituberculatus Fabr. *Syst. El. II. p. 483* — Fåhrs. *Schh. Gen. Curc. IV. p. 426.* Amer. mer.
murcius Bohem. *Schh. l. c. VIII. 2. p. 17.* Brasilia.
nenuphar Herbst. *Käf. VII. p. 29. t. 99. f. 8.* — ‡ Harris. *Ins. of Massachus. 1841. p. 67.* Amer. bor.
argula Fabr. *Syst. El. II. p. 467.* — Oliv. *Ent. V. 83. p. 192. t. 22. f. 301.* — Fåhrs. *Schh. Gen. Curc. IV. p. 425.* „
cerasi Peck. *Massachus. Agric. Rep. 1819. V. 3. p. 307.* — ‡ Harris. *Ins. p. 68.* „
gibbosus Melsh. *Sturm. Cat. 1843. p. 222.* „
variegatus Dej. *Cat. 3. ed. p. 321.* „

nigrita Bohem. *Schh. Gen. Curc. VIII. 2. p. 18.* — Dej. *Cat. 3. ed. p. 301.*	Columbia.
obliquus Bohem. *Schh. Gen. Curc. IV. p. 444.* — Dej. *l. c. p. 321.*	Amer. mer.
pavidus Rosensch. *Schh. Gen. Curc. IV. p. 395.*	Brasilia.
perdix Bohem. *Schh. l. c. VIII. 2. p. 22.*	Guyana.
petrosus Bohem. *l. c. p. 40.*	Brasilia.
pilosellus Bohem. *l. c. p. 50.*	Columbia.
porcatirostris Rosensch. *Schh. l. c. IV. p. 456.*	Brasilia.
porculeti Germ. *Ins. Spec. nov. p. 285.* — Bohem. *Schh. Gen. Curc. IV. p. 401.*	„
posticatus Say. *Descr. of Curc. of N. 'Am. p. 19.* — Bohem. *l. c. p. 406.*	Florida.
praeustus Bohem. *l. c. p. 436.*	Brasilia.
puncticollis Fåhrs. *Schh. l. c. IV. p. 405.*	„
puncticollis Walsh. *Proc. Boston Soc. nat. Hist. IX. 1863. p. 310.*	Illinois.
quadrinotatus Fåhrs. *Schh. Gen. Curc. IV. p. 432.* — Chevrol. *Dej. Cat. 3. ed. p. 321.*	Brasilia.
biguttatus Dej. *Cat. l. c.*	„
repens Bohem. *Schh. Gen. Curc. VIII. 2. p. 35.*	„
retensus Say. *Descr. of Curc. of N. Am. p. 17.* — Bohem. *Schh. Gen. Curc. IV. p. 442.*	Mississippi.
rhinoceros Gylh. *Schh. l. c. p. 459.*	Brasilia.
rubicundulus Bohem. *Schh. l. c. p. 447.* — Chevrol. *Dej. Cat. 3. ed. p. 322.*	„
conformis Dej. *Cat. l. c.*	„
rubiginosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 28.*	Columbia.
rufirostris Fåhrs. *Schh. l. c. IV. p. 439.*	Brasilia.
posticus Dej. *Cat. 3. ed. p. 321.*	„
rugicollis Bohem. *Schh. Gen. Curc. IV. p. 441.*	Columbia.
saxosus Bohem. *l. c. VIII. 2. p. 44.*	Brasilia.
scapularis Fåhrs. *Schh. l. c. IV. p. 419.*	Mexico.
scirrhosus Bohem. *Schh. l. c. p. 461.*	Brasilia.
scopulosus Fåhrs. *Schh. l. c. p. 398.* — Falderm. *Dej. Cat. 3. ed. p. 321.*	„
semicostatus Germ. *Ins. Spec. nov. p. 284.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 25.*	„
serpentinus Bohem. *l. c. IV. p. 402.* — Germ. *Dej. Cat. 3. ed. p. 321.*	Cuba.
setosus Rosensch. *Schh. l. c. IV. p. 136.* — Bohem. *Schh. l. c. VIII. 2. p. 53.*	Mexico.
similis Bohem. *l. c. IV. p. 416.* — Dej. *Cat. 3. ed. p. 321.*	Amer. bor.
sobrinus Bohem. *l. c. p. 453.* — Dej. *l. c. p. 321.*	Brasilia.
spectabilis Fåhrs. *Schh. l. c. p. 400.*	„
squalidus Bohem. *Schh. l. c. p. 460.*	„
stigmaticollis Fåhrs. *Schh. l. c. p. 433.*	„
subabruptus Bohem. *Schh. l. c. VIII. 2. p. 55.*	„
subfasciatus Bohem. *l. c. IV. p. 413.*	„
subtilis Fåhrs. *Schh. l. c. p. 404.*	Mexico.
sylvius Bohem. *Schh. l. c. VIII. 2. p. 51.*	Guyana.
tagax Bohem. *l. c. p. IV. p. 449.*	Caffraria.
tenuirostris Bohem. *l. c. VIII. 2. p. 15.*	Brasilia.
tomentosus Bohem. *l. c. p. 23.*	„

torosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 46.*	Brasilia.
tricostatus Bohem. *l. c. p. 19.*	Columbia
picipes Buquet *in litt.*	„
trigonus Bohem. *l. c. IV. p. 420.*	Amer. mer.
variegatus Bohem. *Res. Eugen. 1859. p. 143.*	Brasilia.
verticalis Bohem. *Schh. Gen. Curc. IV. p. 451.*	Cuba.
inermis Klug. *Dej. Cat. 3. ed. p. 321.*	„
vesculus Bohem. *Schh. l. c. VIII. 2. p. 42.*	Brasilia.
vetulus Erichs. *Wiegm. Arch. 1847. I. p. 134.*	Peru.
vilis Bohem. *Res. Eugen. 1859. p. 143.*	Buenos Aires.

125

Desmidophorus

δεσμὶς, fasciculus; φέρω, fero.

Schönherr. *Gen. Curc. IV. 1837. p. 360.*

Trichosomus Chevrolat.

aureolus Gylh. *Schh. Gen. Curc. IV. p. 361.*	Java.
communicans Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 264.*	Ceylon.
Confucii Bohem. *Schh. Gen. Curc. IV. p. 362.*	China.
Cumingi Bohem. *l. c. VIII. 2. p. 3.*	Philippinae.
var. *pustulosus* Schönh. *l. c. p. 4.*	„
discriminans Walk. *Ann. nat. Hist. ser. 3. IV. 1859. p. 217.*	Ceylon.
fasciculicollis Walk. *l. c. p. 218.*	„
hebes Fabr. *Spec. Ins. I. p. 174.* — Oliv. *Ent. V. 83. p. 194. t. 12. f. 144.* — Gylh. *Schh. Gen. Curc. IV. p. 361.*	Bengal.
Imhoffi Bohem. *Schh. l. c. VIII. 2. p. 5.*	Java.
inexpertus Walk. *Ann. nat. Hist. ser. 3. III. 1859. p. 265.*	Ceylon.
penicillatus Oliv. *Ent. V. 83. p. 166. t. 1. f. 9.* — Dej. *Cat. 3. ed. p. 320.* — Lacord. *Gen. Col. VII. 1866. p. 56. note 1.*	Madagascar.
fascicularis Fabr. *Ent. Syst. I. 2. p. 424.*	„
senex Bohem. *Schh. Gen. Curc. VIII. 2. p. 6.*	„
strenuus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 265.*	Ceylon.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 56. not. 1.*	Madagascar.

13

Colobodes

κολοβώδης, mutilus.

Schönherr. *Gen. Curc. IV. 1837. p. 465.*

Billbergi Bohem. *Schh. Gen. Curc. IV. p. 466.*	Java.
cerapterus Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 70.* — Lacord. *Gen. Coll. VII. p. 58. note 3.*	Cap bon. spei.
Labrami Bohem. *Schh. Gen. Curc. VIII. 2. p. 68.*	Java.
magicus Gerstäck. *Stett. Zeit. 1860. p 389.* — Lacord. *Gen. Col. VII. p. 59. note.*	Nov. Guinea.

4

Ithyporus

ἰθυπόρος, recte procedens.

Schönherr *Gen. Curc. III. 1836. p. 550.*

albescens Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 67.* Madagascar.
albosignum Bohem. *Schh. l. c. p. 71.* Cap bon. spei.
bigibbosus Lucas. *Ann. Fr. 1860. p. 907.* Nov. Caledon.
capensis Bohem. *Schh. Gen. Curc. III. p. 552.* — Dej. *Cat. 3. ed. p. 308.* Cap bon. spei.
stolidus Fabr. *Mant. I. p. 106. (forte.)* — Oliv. *Ent. V. 83. p. 187. t. 12. f. 145. (forte.)* Senegal.
dorsalis Thoms. *Arch. ent. II. 1858. p. 139.* Gabon.
fallax Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 260.* Caffraria.
fasciatus Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 69.* Madagascar.
femoratus Thoms. *Arch. ent. II. 1858. p. 138.* Gabon.
inquinatus Bohem. *Schh. Gen. Curc. III. p. 553.* Sierra Leona.
madagascariensis Fåhrs. *Schh. l. c. VIII. 2. p. 66.* Madagascar.
odiosus Bohem. *Schh. l. c. p. 72.* Cap bon. spei.
petrosus Gerstäck. *Stett. Zeit. 1860. p. 388.* Madagascar.
senegalensis Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 65.* Senegal.
signatus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 260.* Caffraria.
14

Diaphna

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 445.*

auritipennis Pascoe. *Journ. Linn. Soc. X. 1870. p. 446.* Port Natal.
signata Pascoe. *l. c. p. 446. t. 17. f. 4. a-c.* „
2

Traphecocorynus

τράφηξ, scopus; κορύνη, clava.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 64. (emend.)*

Traphecorynus Schönh.

anxius Bohem. *Schh. Gen. Curc. IV. p. 214.* Madagascar.
inaequalis Bohem. *l. c. p. 203.* „
2

Lobops

λοβός, lobus; ὤψ, oculus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 116.*

setosa Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 117.* Brasilia.
1

Polylophus

πολὺς, multus; λόφος, crista.

Blanchard. *Gay. Hist. Chil. V. 1851. p. 417.*

elegans Blanch. *Gay. Hist. Chil. V. p. 417. t. 25. f. 11. a-d.* Chili.
penicilliger Blanch. *l. c. p. 418.* „
2

Mitrephorus

μιτρηφόρος, mitratus.

Schönherr. *Gen. Curc. IV. 1837. p. 463.*

Waterhousei Rosensch. *Schh. Gen. Curc. IV. p. 464.* Brasilia.
1

Arthrostenus

ἄρθρον, articulus; στενὸς, angustus.

Schönherr. *Disp. meth. 1826. p. 287.*

alternans Kirsch. *Berl. Zeit. 1870. p. 393.* Aegyptus.
cinereus Bohem. *Schh. Gen. Curc. III. p. 535.* Caucasus.
fullo Stev. *Mus. Mosq. II. p. 99.* — Bohem. *l. c. p. 534.* — Boeber. *Dej. Cat. 3. ed. p. 308.* „
depressirostris Stev. *Dej. Cat. l. c.* „
spadiceus Bohem. *Schh. Gen. Curc. III. p. 534.* „
4

Cyllorrhamphus

κυλλὸς, curvus; ῥάμφος, rostrum.

Erichson. *Wiegm. Arch. 1842. I. p. 208.*

tuberosus Erichs. *Wiegm. Arch. 1842. I. p. 209.* Tasmania.
1

Acentrus

α priv.; κέντρον, aculeus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 57.*

histrio Bohem. *Falderm. Fn. transc. II. p. 248; III. p. 205; Schh. Gen. Curc. VIII. 2. p. 58.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 27. f. 131.* Europa mer.
albicollis Dej. *Cat. 3. ed. p. 322.* Gallia mer.
albofasciatus Dahl. *Dej. Cat. l. c.* — Sicilia.
1

Melanterius

μελαντήριος, atramentarius.

Erichson. *Wiegm. Arch. 1842. I. p. 209.*

piceirostris Erichs. *Wiegm. Arch. 1842. I. p. 211. nota.* Tasmania.
porcatus Erichs. *l. c. p. 210.* „
semiporcatus Erichs. *l. c. p. 210. nota.* „
3

Euthebus

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 458.*

troglodytes Pascoe. *Trans. ent. Soc. 1870. p. 459. t. 7. f. 14.* Wide bay.
1

Dysmachus

δύςμαχος, imbellis.

Kirsch. *Berl. Ent. Zeit. 1869 p. 192.*

plinthoides Kirsch. *Berl. Zeit. 1869. p. 193.* Bogotá.
1

Hybophorus

ὕβος, gibber; φέρω, fero.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 205.*

rufotuberosus Waterh. *Trans. ent Soc. ser. 2. II. p. 206.* Nov. Holland.
1

Cleogonus

κλήω, claudo; γόνυ, genu.

Schönherr. *Disp. meth. 1826. p. 315.*

Orobitis Germar. *(pars.)* — *Xystus* Steven.

conicollis Rosensch. *Schh. Gen. Curc. IV. p. 693.* Brasilia.
Fairmairei Coquerel. *Ann. Fr. 1849. p. 450. t. 14. nr. V.;* ♀ *p. 452.* Martinique.
nucula Germ. *Ins. Spec. nov. 1824. p. 244.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 120.* Brasilia.
pumilus Montrouz. *Ann. Soc. agr. Lyon. VII. 1855. p. 54.* Ins. Woodlark.
rubetra Fabr. *Mant. I. p. 97.* — Herbst. *Käf. VI. p. 141. t. 69. f. 6.* — Rosensch. *Schh. Gen. Curc. IV. p. 692.* Cayennae.
gagates Oliv. *Encycl. méth. V. p. 480; Ent. V. 83. p. 117. t. 9. f. 104.*
rubricollis Boisd. *Voy. Astrol. II. 1835. p. 442.* Nov. Guinea.
trochilus Oliv. *Ent. V. 83. p. 118. t. 34. f. 531.* St. Domingo.
7

Chleuastes

χλευαστής, ludificator.

Kirsch. *Berl. Ent. Zeit. 1869. p. 194.*

jubatus Kirsch. *Berl. Zeit. 1869. p. 195.* Bogotá.
1

Rhyssomatus

ῥυσσός, rugosus; σῶμα, corpus.

Schönherr. *Gen. Curc. IV. 1837. p. 364.*

Orobitis Germar. *(pars.)* — *Ryssematus* Chevrolat.

aciculaticollis Bohem. *Schh. Gen. Curc. IV. p. 375.* St. Domingo.
ater Philippi. *Stett. Zeit. 1864. p. 372.* Chili.
bicoloratus Bohem. *Schh. Gen. Curc. VIII. 2. p. 10.* Brasilia.
crenulatus Blanch. *Gay. Hist. Chil. V. 1851. p. 419.* Chili.
crispicollis Bohem. *Schh. Gen. Curc. IV. p. 367.* Cuba.
exaratus Blanch. *Gay. Hist. Chil. V. p. 419. t. 25. f. 12. a-d.* Chili.
lineaticollis Say. *Journ. Ac. Phil. III. 1823. p. 313.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 9.* Arkansas.
marginatus Fåhrs. *Schh. l. c. IV. p. 373.* Brasilia.
morio Rosensch. *Schh. l. c. p. 372.* Mexico.
nigerrimus Fåhrs. *Schh. l. c. p. 376.* „
novalis Germ. *Ins. Spec. nov. 1824. p. 245.* — Fåhrs. *Schh. Gen. Curc. IV. p. 365.* Brasilia.
palmacollis Say. *Descr. of Curc. of N. Am. 1831. p. 27.* — Bohem. *Schh. Gen. Curc. IV. p. 366.* Missouri.
polycoccos Fåhrs. *Schh. l. c. p. 371.* — Blanch. *Voy. d'Orb. t. 17. f. 10.* Brasilia.
nodulosus Sturm. *Cat. 1826. p. 128.* „
rufus Fåhrs. *Schh. Gen. Curc. IV. p. 369.* Mexico.
semicostatus Bohem. *Schh. l. c. VIII. 2. p. 11.* Columbia.
subcostatus Klug *in litt.* „
strangulatus Gylh. *Schh. Gen. Curc. IV. p. 374.* Martinique.
strigicollis Germ. *Ins. Spec. nov. p. 245.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 8.* Brasilia.
subcostatus Fåhrs. *Schh. l. c. IV. p. 368.* Mexico.
vehemens Bohem. *Schh. l. c. VIII. 2. p. 7.* Amer. mer.
viridipes Fåhrs. *Schh. l. c. IV. p. 370.* Mexico.
20

Chalcodermus

χαλκός, aes; δέρμα, cutis.

Schönherr. *Gen. Curc. IV. 1837. p. 377.*

aeneus Bohem. *Schh. Gen. Curc. IV. p. 388.* — Dej. *Cat. 3. ed. p. 322.* Amer. bor.
perforatus Chevrol. *in litt.* „
angulicollis Fåhrs. *Schh. Gen. Curc. IV. p. 389.* Brasilia.
armipes Bohem. *Schh. l. c. p. 380.* „

calidus Fabr. *Syst. El. II. p. 472.* — Fåhrs. *Schh. Gen. Curc. IV. p. 378.* — Surinam.
cupreus Dej. *Cat. 1. ed. p. 98.* — Cayennae.
ebeninus Bohem. *Schh. Gen. Curc. IV. p. 391.* — Cuba.
longirostris Fåhrs. *Schh. l. c. p. 381.* — Mexico.
metallinus Fabr. *Ent. Syst. I. 2. p. 442.* — Fåhrs. *l. c. p. 390.* — Amer. mer.
plicaticollis Fåhrs. *l. c. p. 383.* — Brasilia.
pruinosus Bohem. *Schh. l. c. VIII. 2. p. 13.* — California.
roricatus Fåhrs. *Schh. l. c. IV. p. 384.* — Brasilia.
rubronotatus Fåhrs. *l. c. p. 387.* — „
serripes Fåhrs. *l. c. p. 385.* — „
spinifer Bohem. *Schh. l. c. p. 386.* — Amer. mer.
tombacinus Fåhrs. *Schh. l. c. p. 382.* — Falderm. *Dej. Cat. 3. ed. p. 322.* — Brasilia.
cuprinus Dej. *Cat. l. c.* — „

14

Pseudorobitis

ψευδής, *falsus; Orobitis.*

Redtenbacher. *Reis. Novar. II. 1868. p. 162.*

gibbus Redtenb. *Reis. Novar. II. p. 163.* — Shanghai.

1

Orobitis

ὀροβίτης, *ciceri similis.*

Germar. *Ins. Spec. nov. 1824. p. 242.*

cyaneus Linn. *Syst. nat. ed. X. p. 378.* — Gylh. *Schh. Gen. Curc. IV. p. 695.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 26. f. 123.* — M.
giganteus Meg. *Dej. Cat. 3. ed. p. 326.* — Germania.
globosus Fabr. *Ent. Syst. I. 2. p. 391.* — Panz. *Fn. Germ. 57. 10.* — Suecia.
hypoleucus Quens. *Diss. ignot. ins. 1790. p. 16.* — Gallia.

1

Psepholax

ψέφος, *obscuritas.*

White. *Dieffenbach. New Zealand. II. 1843. p. 275.*

Pteroplectus Schönh.

barbifrons White. *Voy. Ereb. Terror. 1846. p. 15.* — Nov. Zeeland.
coronatus White. *l. c. p. 15. t. 3. f. 4.* — „
Mac Leayi Schönh. *Mant. sec. p. 52. (indscrpt.)* — „
sulcatus White. *Dieffenb. New Zeal. II. p. 275; Voy. Ereb. Terr. p. 15. t. 3. f. 1.* — Blanch. *Voy. Pole Sud. IV. p. 206. t. 14. f. 7.* — „

4

Empleurus

ἔμπλευρος, costatus.

Lacordaire. *Gen. Col. VII. 1866. p. 74.*

Strongylopterus Schönh. *(pars.)*

dentipes Bohem. *Schh. Gen. Curc. VIII. 2. p. 62.* — Blanch. *Gay. Hist. Chil. V. p. 421. t. 25. f. 13. a-d.* — Chili.

1

Strongylopterus

στρογγύλος, rotundus; πτερὸν, ala.

Schönherr. *Gen. Curc. IV. 1837. p. 473.*

artensis Montrouz. *Ann. Fr. 1860. p. 906.* — Ins. Art.
consocialis Montrouz. *l. c. p. 905.* — Nov. Caledon.
Duvali Montrouz. *l. c.* — „
humilis Blanch. *Gay. Hist. Chil. V. p. 421.* — Chili.
ovatus Bohem. *Schh. Gen. Curc. IV. p. 474.* — Blanch. *Gay. Hist. Chil. V. p. 420.* — „

5

Aulacorrhinus

αὖλαξ, sulcus; ῥιν, nasus.

Schönherr. *Mantiss. sec. Curc. 1847. p. 49. (emend.)*

Aularhinus Schönh.

inaequalis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 261.* — Schönh. *Mant. sec. p. 50. (indscrpt.)* — Lacord. *Gen. Col. VII. 1866. p. 76.* — Caffraria.

1

Nettarrhinus

νῆττα, anas; ῥιν, nasus.

Schönherr. *Disp. meth. Curc. 1826. p. 269.*

anthribiformis Bohem. *Schh. Gen. Curc. III. p. 603.* — Brasilia.
bilobus Oliv. *Ent. V. 83. p. 178. t. 28. f. 423.* — St. Domingo.
Mannerheimi Bohem. *Schh. Gen. Curc. VIII. 1. p. 30.* — Portorico.

3

Gyioperus

γυῖον, membrum; πηρὸς, mutilus.

Perty. *Del. anim. art. 1830. p. 78. (emend.)*

Guioperus Perty. — *Pycnopus* Schönh.

Gerstäckeri Jekel. *Stett. Zeit. 1862. p. 156.* — Cayennae.

griseus Perty. *Del. anim. p. 78. t. 16. f. 3.* — Gerstäck. *Stett. Zeit. 1860. p. 395.*	Brasilia.
albiventris Germ. *in litt.*	"
bufo Bohem. *Schh. Gen. Curc. IV. p. 281.* — Blanch. *Voy. d'Orb. t. 17. f. 1.*	"
Klugi Gerstäck. *Stett. Zeit. 1860. p. 395.*	Ins. S. Jaen.
subpalliatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 456.*	Cayennae.
variolosus Pascoe. *l. c. t. 18. f. 2.*	Columbia.

5

Ocladius

ὀκλαδίας, faldistolium.

Schönherr. *Disp. meth. 1826. p. 316.*

Glyphideres Buquet. — *Palmatodes* Klug.

armipes Thoms. *Arch. ent. II. 1858. p. 139.*	Gabon.
asserculaticollis Bohem. *Schh. Gen. Curc. IV. p. 700.*	Cap bon. spei.
baccicollis Bohem. *l. c. p. 703.*	"
basalis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 265.*	Caffraria.
castaneipennis Fåhrs. *l. c. p. 263.*	"
coccosus Fåhrs. *l. c. p. 264.*	"
Coquereli Fairm. *Ann. Fr. 1871. p. 53.*	Madagascar.
costicollis Bohem. *Schh. Gen. Curc. IV. p. 699.*	Cap bon. spei.
costiger Bohem. *l. c. VIII. 2. p. 123.*	"
Deyrollei Montrouz. *Ann. Fr. 1860. p. 909.*	Lifu.
dichrous Montrouz. *l. c. p. 908.*	"
foveatus Bohem. *Schh. Gen. Curc. IV. p. 705.*	Caffraria.
glomeris Bohem. *l. c. p. 706.*	Cap bon. spei.
hirsutus Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 180; Mélang. ent. IV. p. 135.*	Nov. Caledon.
impressus Montrouz. *Ann. Fr. 1860. p. 908.*	Ins. Art.
inaequalicollis Bohem. *Schh. Gen. Curc. VIII. 2. p. 126.*	Port Natal.
interstitialis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 264.*	Caffraria.
lacunatus Bohem. *Schh. Gen. Curc. IV. p. 704.*	Cap bon. spei.
luctuosus Montrouz. *Ann. Fr. 1860. p. 908.*	Lifu.
obliquesetosus Fåhrs *Öfvers. Vet. Ak. Förh. 1871. p. 263.*	Caffraria.
pertusus Bohem. *Schh. Gen. Curc. IV. p. 698.*	"
salicorniae Oliv. *Ent. V. 83. p. 117. t. 34. f. 529. a-b.* — Bohem. *Schh. Gen. Curc. IV. p. 697.*	Arabia.
senilis Bohem. *l. c. p. 701.*	Cap bon. spei.
subcarinatus Bohem. *l. c. p. 702.*	"
scotias Germ. *in litt.*	"
subfasciatus Bohem. *l. c. VIII. 2. p. 121.*	"
variegatus Buquet *in litt.*	"
subundulatus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 262.*	Caffraria.
sulcicollis Fåhrs. *l. c. p. 265.*	"
sulcipes Bohem. *Schh. Gen. Curc. VIII. 2. p. 125.*	Port Natal.
textilis Bohem. *l. c. p. 122.*	"
variabilis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 261.*	Caffraria.
zonatus Montrouz. *Ann. Fr. 1860. p. 909.*	Lifu.

31

Sophronorrhinus

σώφρων, modestus; ῥὶν, nasus.

Rouzet. *Ann. Fr. 1855. p. 80. (emend.)*

Sophrorhinus Rouzet.

Duvernoyi Rouzet. *Ann. Fr. 1855. p. 80. t. 7. nr. III.* Gabon.
1

Mecistocerus

μήκιστος, longissimus; κέρας, cornu.

Fauvel. *Bull. Soc. Linn. Normand. VII. 1862. p. 159. (emend.)*

Mechistocerus Fauv.

impressus Montrouz. *Ann. Fr. 1860. p. 891.* — Fauvel. *Bull. Soc. Linn. Normand. VII. p. 160. t. 10. bis. f. 57-58.* Ins. Art.
Masteri Pascoe. *Trans. ent. Soc. 1870. p. 459.* New S. Wales.
2

Corynephorus

κορυνηφόρος, claviger.

Schönherr. *Gen. Curc. IV. 1837. p. 234.*

joculatorius Bohem. *Schh. Gen. Curc. IV. p. 227.* Brasilia.
V-nigrum Bohem. *l. c. p. 235.* „
2

Panolcus

πᾶς, totus; ὦλξ, sulcus.

Gerstäcker. *Stett. Ent. Zeit. 1860. p. 377.*

scolopax Gerstäck. *Stett. Zeit. 1860. p. 378.* Brasilia.
1

Camptorrhinus

καμπτὸς, flexibilis; ῥὶν, nasus.

Schönherr. *Disp. meth. 1826. p. 283.*

Rhinodes Sturm.

ambiguus Montrouz. *Ann. Fr. 1860. p. 894.* Ins. Art.
Brullei Bohem. *Schh. Gen. Curc. IV. p. 174.* Madagascar.
dorsalis Boisd. *Voy. Astrol. II. 1835. p. 434.* — Chevrol. *Dej. Cat. 3. ed. p. 318.* Nov. Holland.
artensis Montrouz. *Ann. Fr. 1860. p. 895.* Ins. Art.
madagascariensis Dupont. *Dej. Cat. l. c.* Madagascar.
dorsiger Fairm. *Ann. Fr. 1871. p. 53.* „
ephippiger Bohem. *Schh. Gen. Curc. IV. p. 175.* Caffraria.
indiscretus Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 218.* Ceylon.

pilipes Fabr. *Syst. El. II. p. 468.* — Oliv. *Ent. V. 83. p. 188. t. 22. f. 298.* — Bohem. *Schh. Gen. Curc. IV. p. 172.*	Java.
posticalis Thoms. *Arch. ent. II. 1858. p. 137.*	Gabon.
reversus Walker. *Ann. nat. Hist. ser. 3. IV. p. 218.*	Ceylon.
setifer Bohem. *Schh. Gen. Curc. VIII. 1. p. 354.*	Incert. sedis.
simplex Seidlitz. *Berl. Zeit. 1867. p. 189.*	Andalusia.
statua Rossi. *Fn. Etr. I. p. 122. t. 5. f. 4. 8.* — Germ. *Fn. Ins. Eur. 7. 10.* — Bohem. *Schh. Gen. Curc. IV. p. 177.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 24. f. 116.*	Europa mer.
tibialis Sparrm. *Act. Holm. 1785. I. p. 43. t. 2. f. 7.* — Bohem. *Schh. Gen. Curc. IV. p. 172.*	Cap bon. spei.
porcatus Fabr. *Syst. El. II. p. 466.* — Bohem. *Schh. Gen. Curc. IV. p. 173.*	Sumatra.
tubulatus Say. *Descr. of Curc. of N. Amer. 1831. p. 20.*	Indiana.

14

Pachyonyx

παχὺς, crassus; ὄνυξ, unguis.

Schönherr. *Gen. Curc. IV. 1837. p. 247.*

affaber Bohem. *Schh. Gen. Curc. IV. p. 248.*	Cap bon. spei.
mucoreus Murray. *(ined.)*	Old Calabar.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 88. not. 1.*	Archip. ind.

3

Poropterus

πῶρος, callus; πτερὸν, ala.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 431.*

abstersus Bohem. *Schh. Gen. Curc. VIII. 1. p. 435.*	Nov. Holland.
antiquus Bohem. *l. c. p. 433.*	Tasmania.
Chevrolati Waterh. *Trans. ent. Soc. 2. II. 1853. p. 196.*	Moreton bay.
conifer Bohem. *Schh. Gen. Curc. VIII. 1. p. 432.*	Tasmania.
Jekeli Waterh. *Trans. ent. Soc. 2. II. 1853. p. 197.*	Moreton bay.
Parryi Waterh. *l. c. p. 198.*	Sidney.
succosus Bohem. *Schh. Gen. Curc. VIII. 1. p. 434.*	Tasmania.
Westwoodi Waterh. *Trans. ent. Soc. 2. II. p. 200.*	Nov. Holland.

8

Mormosintes

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 429.*

rubus Pascoe. *Journ. of Ent. II. p. 429. t. 17. f. 15.*	Queensland.

1

Imaliodes

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 460.*

subfasciatus Pascoe. *Trans. ent. Soc. 1870. p. 461. t. 7. f. 2. a.*	N. S. Wales.
terreus Pascoe. *l. c. p. 461.*	Wide bay.
2	

Elaeagna

Etym null.

Pascoe. *Trans. ent. Soc. 1870. p. 461.*

squamibunda Pascoe. *Trans. ent. Soc. 1870. p. 462. t. 7. f. 10. a-b.*	Port Augusta.
1	

Paleticus

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 462.*

confinis Pascoe. *Trans. ent. Soc. 1870. p. 463.*	Wide bay.
frontalis Pascoe. *l. c. p. 464.*	Queensland.
invidus Pascoe. *l. c.*	Victoria.
laticollis Pascoe. *l. c. p. 463. t. 7. f. 7. a.*	Queensland.
pedestris Pascoe. *l. c.*	„
5	

Decilaus

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 205.*

squamosus Pascoe. *Trans. ent. Soc. 1870. p. 206.*	Port Augusta.
1	

Tragopus

τραγόπους, capripes.

Schönherr. *Gen. Curc. IV. 1837. p. 356.*

asper Bohem. *Schh. Gen. Curc. IV. p. 357.* — De Haan. *Dej. Cat. 3. ed. p. 320.*	Java.
javanus Dej. *Cat. l. c.*	„
verrucosus Sturm. *Cat. 1826. p. 205.*	„
gazella Oliv. *Ent. V. 83. p. 175. t. 22. f. 303.* — Lacord. *Gen. Col. VII. p. 160. note 3.*	Ins. Aru.
Huoni Montrouz. *Ann. Fr. 1860. p. 905.*	Balade.
pictus Montrouz. *l. c.*	„
tuberosus Bohem. *Schh. Gen. Curc. VIII. 1. p. 428.*	Nov. Holland.
unicolor Montrouz. *Ann. Fr. 1860. p. 905.*	Ins. Art.
6	

Anaballus

ἀναβάλλω, tumulo.

Blanchard. *Gay Hist. Chil. V. 1851. p. 414.*

amplicollis Fairm. *Rev. Zool. 1849. p. 36 et 514.* Taïti.
cristatiger Blanch. *Gay. Hist. Chil. V. p. 416.* Chili.
phaseoli Montrouz. *Ann. Fr. 1860. p. 902.* Lifu.
plagiatus Blanch. *Gay. Hist. Chil. V. p. 416. t. 25. f. 10. a-d.* Chili.
4

Acalles

ἀκαλλής, deformis.

Schönherr. *Disp. meth. 1826. p. 295.*

Arachnipes Curtis.

Monogr. Brisout. *Ann. Fr. 1864. p. 441.*

acerosus Erichs. *Wiegm. Arch. 1842. I. p. 207.* Tasmania.
acutus Wollast. *Cat. Canar. Col. 1864. p. 289.* Canariae.
aeonii Wollast. *l. c. p. 285.* — Bris. *Mon. p. 452.* "
albolineatus Wollast. *Ins. Mader. 1854. p. 338.* Madera.
apicalis Bohem. *Schh. Gen. Curc. IV. p. 326.* — Dej. *Cat. 3. ed. p. 320.* — Jacq. Duv. *Hist. Cub. 1857. p. 221. t. 9. f. 17.* Cuba.
figulinus Germ. *Dej. Cat. l. c.* "
terminatus Klug. *Dej. Cat. l. c.* "
argillosus Bohem. *Schh. Gen. Curc. IV. p. 327.* — Bris. *Mon. p. 468.* Teneriffa.
scaber Brullé. *Webb et Berthel. 1838. p. 72. t. 1. f. 14.* Hierro.
aspersus Montrouz. *Ann. Fr. 1860. p. 901.* Ins. Art.
attenuatus Blanch. *Gay. Hist. Chil. V. 1851. p. 414.* Chili.
Aubei Bohem. *Schh. Gen. Curc. IV. p. 345.* — Bris. *Mon. p. 449.* Hungaria.
Wolfi Waltl *in litt.* Gallia.
Bellieri Reiche. *Ann. Fr. 1860. p. 733.* — Bris. *Mon. p. 462.* Sicilia.
bifasciatus Gerstäck. *Stett. Zeit. 1860. p. 393.* Mexico.
brevitarsis Wollast. *Cat. Canar. Col. 1864. p. 289.* Canariae.
camelus Fabr. *Ent. Syst. I. 2. p. 406.* — Herbst. *Käf. VI. p. 365. t. 88. f. 12.* — Bohem. *Schh. Gen. Curc. IV. p. 347.* — Bris. *Mon. p. 448.* Styria.
quercus Bohem. *l. c. VIII. 1. p. 420.* Gallia.
Capiomonti Bris. *Mon. p. 459.* Italia.
Chaudoiri Hochh. *Bull. Mosc. 1847. II. p. 571.* — Bris. *Mon. p. 482.* Caucasus.
cicatricosus Bohem. *Schh. Gen. Curc. VIII. 1. p. 410.* Brasilia.
cinerascens Blanch. *Gay. Hist. Chil. V. p. 409.* Chili.
cinereus Wollast. *Ann. nat. Hist. ser. 3. V. 1860. p. 453.* Madera.
clavatus Say. *Descr. of Curc. of N. Am. 1831. p. 29.* — Bohem. *Schh. Gen. Curc. IV. p. 354.* Florida.
coarctatus Wollast. *Cat. Col. Mader. 1857. p. 108.* Madera.

conifer Erichs. *Wiegm. Arch. 1842. I. p. 206.* — Tasmania.
cristatiger Blanch. *Gay. Hist. Chil. V. p. 410.* — Chili.
croaticus Bris. *Ann. Fr. 1867. p. 62.* — Croatia.
cunctans Bohem. *Schh. Gen. Curc. VIII. 1. p. 418.* — Mexico.
denticollis Germ. *Ins. Spec. nov. p. 276.* — Reiche. *Ann. Fr. 1860. p. 733.* — Stierl. *Berl. Zeit. 1864. p. 151.* — Bris. *Mon. p. 447.* — Carniolia.
  rufirostris Bohem. *Schh. Gen. Curc. VIII. 1. p. 421.* — Saxonia.
Diocletianus Germ. *Reis. Dalm. 1817. p. 227. t. 8. f. 5. 6.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 415.* — Jacq. Duv. *Gen. Col. Curc. t. 25. f. 119.* — Bris. *Mon. p. 469.* — Dalmatia.
dispar Wollast. *Ins. Mader. 1854. p. 337.* — Madera.
dromedarius Bohem. *Schh. Gen. Curc. VIII. 1. p. 412.* — Lusitania.
  fasciculatus Bohem. *l. c.* — Bris. *Mon. p. 469.* — Sicilia.
  var. *impressicollis* Luc. *Expl. Alg. p. 454. t. 38. f. 6. a-d.* — Algeria.
  „ *plagiatofasciatus* Costa. *Ann. aspir. nat. ser. 2. I. 1847. p. 157.* — Sicilia.
Droueti Crotch. *Proc. Zool. Soc. 1867. p. 387. t. 23. f. 4.* — Azores.
errans Bohem. *Schh. Gen. Curc. VIII. 1. p. 418.* — Guadeloupe.
extensithorax Rosensch. *Schh. l. c. IV. p. 339.* — Brasilia.
ferrugineus Blanch. *Gay. Hist. Chil. V. p. 413.* — Chili.
festivus Wollast. *Cat. Col. Mader. 1857. p. 109.* — Madera.
fortunatus Wollast. *Cat. Canar. Col. 1864. p. 286; Col. Atlant. App. p. 46.* — Canariae.
frivolus Bohem. *Schh. Gen. Curc. IV. p. 344.* — Brasilia.
fuscescens Blanch. *Gay. Hist. Chil. V. p. 408.* — Chili.
geophilus Lucas. *Ann. Fr. 1860. p. 900.* — Nov. Caledon.
globulipennis Wollast. *Ins. Mader. 1854. p. 339.* — Madera.
grandicollis Bohem. *Schh. Gen. Curc. IV. p. 334.* — Brasilia.
granellus Bohem. *l. c. VIII. 1. p. 411.* — Amer. mer.
griseocaudatus Fairm. *Rev. Zool. 1849. p. 551.* — Ins. Wallis.
hirsutus Montrouz. *Ann. Fr. 1860. p. 902.* — Ins. Art.
histrionicus Wollast. *Cat. Col. Mader. 1857. p. 106.* — Porto Santo.
humerosus Fairm. *Ann. Fr. 1862. p. 557.* — Bris. *Mon. p. 456.* — Pyrenaei.
humilis Blanch. *Gay. Hist. Chil. V. p. 413.* — Chili.
hypocritus Bohem. *Schh. Gen. Curc. IV. p. 346; VIII. 1. p. 417.* — Creutz. *Dej. Cat. 3. ed. p. 320.* — Bris. *Mon. p. 462.* — M.
instabilis Wollast. *Cat. Canar. Col. p. 290.* — Canariae.
lemur Germ. *Ins. Spec. nov. p. 278.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 419.* — Bris. *Mon. p. 457.* — Germania.
  sulcatus Bohem. *l. c. p. 425.* — Gallia.
  fallax Bohem. *l. c. p. 426.* — „
lentisci Chevrol. *Rev. Zool. 1861. p. 124.* — Bris. *Mon. p. 451.* — Algeria.
lifuanus Montrouz. *Ann. Fr. 1860. p. 903.* — Lifu.
lineolatus Blanch. *Gay. Hist. Chil. V. p. 410.* — Chili.
lituratus Blanch. *l. c. p. 411.* — „
lunulatus Wollast. *Ins. Mader. 1854. p. 340.* — Madera.
luridus Fabr. *Syst. Ent. p. 138.* — Oliv. *Ent. V. 83. p. 196. t. 14. f. 175.* — Boisd. *Voy. Astrol. II. p. 453.* — Nov. Holland.

fuliginosus Boisd. *Voy. Astrol. II. p. 431. (forte.)* — Dej. *Cat. 3. ed. p. 320.*	Nov. Holland.
immansuetus Bohem. *Schh. Gen. Curc. IV. p. 328.*	„
Menetriesi Bohem. *l. c. VIII. 1. p. 427.*	Brasilia.
minimus Montrouz. *Ann. Fr. 1860. p. 903.*	Lifu.
moestus Blanch. *Gay. Hist. Chil. V. p. 415.*	Chili.
mutillarius Gerstäck. *Stett. Zeit. 1860. p. 392.*	Mexico.
Neptunus Wollast. *Ins. Mader. 1854. p. 330. note.*	Salvages.
niger Montrouz. *Ann. Fr. 1860. p. 901.*	Ins. Art.
nodifer Wollast. *Ins. Mader. 1854. p. 334.*	Madera.
nubilosus Wollast. *Cat. Canar. Col. p. 287.*	Canariae.
obesus Boisd. *Voy. Astrol. II. 1835. p. 438.* — Dej. *Cat. 3. ed. p. 320.* — Bohem. *Schh. Gen. Curc. IV. p. 329.*	Nov. Holland.
oblitus Wollast. *Ins. Mader. 1854. p. 333.*	Java.
ornatus Wollast. *l. c. p. 336.*	„
pallens Blanch. *Voy. Pole Sud. IV. 1853. p. 251. t. 14. f. 1.*	Ins. Aru.
parvulus Blanch. *Gay. Hist. Chil. V. p. 412.*	Chili.
perjurus Fairm. *Rev. Zool. 1849. p. 550.*	Ins. Wallis.
pertusus Bohem. *Schh. Gen. Curc. IV. p. 355.*	Brasilia.
pictus Blanch. *Gay. Hist. Chil. V. p. 410.*	Chili.
pilula Wollast. *Cat. Canar. Col. p. 292.*	Canariae.
planidorsis Blanch. *Gay. Hist. Chil. V. p. 414.*	Chili.
poverus Blanch. *l. c. p. 413.*	„
ptinoides Marsh. *Ent. Brit. I. p. 258.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 422.* — Brisout. *Mon. p. 460.*	Anglia.
nocturnus Bohem. *l. c. IV. p. 352.*	Gallia.
pulchellus Bris. *Mon. p. 445.*	Pyrenaei.
pulverósus Gemming. *Col. Heft. VIII. 1871. p. 123.*	Madera.
pulverulentus Wollast. *Ins. Mader. 1854. p. 333.*	„
pulverulentus Blanch. *Gay. Hist. Chil. V. p. 409.*	Chili.
pumilius Montrouz. *Ann. Fr. 1860. p. 903.*	Lifu.
punctaticollis Luc. *Expl. Alg. p. 453. t. 38. f. 5. a-b.* — Bris. *Mon. p. 464.*	Sicilia.
pyrenaeus Bohem. *Schh. Gen. Curc. VIII. 1. p. 413.* — Bris. *Mon. p. 453; Ann. Fr. 1867. p. 64.* — Gerhardt. *Jahrsb. Schles. Ges. 1868. p. 147.*	Pyrenaei.
Querilhaci Bris. *Mon. p. 465; Ann. Fr. 1865. p. 625.*	Gallia mer.
Raffrayi Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 355.*	Algeria.
Reinosae Bris. *Ann. Fr. 1867. p. 62.*	Asturia.
roboris Curtis. *Brit. Ent. XII. 1834. p. 550.*	Anglia.
abstersus Bohem. *Schh. Gen. Curc. IV. 1837. p. 350; VIII. 1. p. 422.* — Jacq. Duv. *Gen. Col. Curc. t. 25. f. 118.* — Bris. *Mon. p. 454.*	Carinthia.
Naviersi Bohem. *l. c. IV. p. 351.*	Gallia.
variegatus Steph. *Cat. p. 157. nr. 1599.*	Anglia.
Rolleti Germ. *Fn. Ins. Eur. 21. 14.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 409.* — Bris. *Mon. p. 466.*	Sicilia.
rotundatus Blanch. *Gay. Hist. Chil. V. p. 415.*	Chili.
rubetra Erichs. *Wiegm. Arch. 1842. I. p. 207.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 414.*	Tasmania.
ambiguus Schönh. *in litt.*	Brasilia.
rusticanus Rosensch. *Schh. Gen. Curc. IV. p. 333.*	Brasilia.
saxicola Wollast. *Ins. Mader. 1854. p. 332.*	Madera.

senilis Wollast. *Cat. Canar. Col. p. 288; Col. Atlant. App. p. 47.* Canariae
seticollis Wollast. *Cat. Canar. Col. p. 291.* „
setulipennis Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 350.* Corsica.
sierrae Bris. *Ann. Fr. 1865. p. 625.* Hispania.
sigma Wollast. *Cat. Canar. Col. p. 288.* Canariae.
signatus Blanch. *Gay. Hist. Chil. V. p. 411.* Chili.
subglaber Rosenh. *Thier. Andal. 1856. p. 286.* Andalusia.
sycophanta Fairm. *Rev. Zool. 1849. p. 515.* Ins. Wallis.
terminalis Wollast. *Ins. Mader. 1854. p. 335.* Madera.
teter Bohem. *Schh. Gen. Curc. VIII. 1. p. 416.* — Bris. *Mon. p. 461.* Sicilia.
  barbarus Luc. *Expl. Alg. p. 453. t. 38. f. 4. a-c.* — Bris. *Mon. p. 471.* Algeria.
tristis Blanch. *Gay. Hist. Chil. V. p. 412.* Chili.
tuberculatus Rosenh. *Thier. Andal. 1856. p. 288.* — Bris. *Mon. p. 465.* Malaga.
tuberculosus Blanch. *Gay. Hist. Chil. V. p. 412.* Chili.
turbatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 423.* — Bris. *Mon. p. 458.* Gallia.
  ptinoides Latr. *Règn. anim. IX. p. 443. t. 60. f. 4.* — Bohem. *Schh. Gen. Curc. IV. p. 348.* Germania.
  var. *echinatus* Germ. *Ins. Spec. nov. p. 278.* — Waltl. *Isis. 1839. p. 222. (forte.)* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 423.* Carniolia.
  „ { *misellus* Bohem. *Schh. Gen. Curc. VIII. 1. p. 424.* Germania.
  nudiusculus Först. *Verh. nat. Ver. preuss. Rheinl. VI. 1849. p. 443.* „
  picirostris Chevrol. *Dej. Cat. 3. ed. p. 320.* Gallia.
  ptinoides Gylh. *Ins. Suec. III. p. 128.* — Guér. *Jc. V. t. 39. f. 10. a-b.* } Suecia.
  „ *parvulus* Bohem. *Schh. Gen. Curc. IV. p. 349.* Gallia.
validus Hampe. *Wien. ent. Monatschr. VIII. 1864. p. 192.* Transsylvania.
variegatus Bohem. *Schh. Gen. Curc. IV. p. 353.* — Bris. *Mon. p. 463.* Sicilia.
  var. *costatus* Chevrol. *Rev. Zool. 1861. p. 123.* Algeria.
  „ *fuscus* Chevrol. *l. c. p. 205.* „
  „ { *globulus* Reiche *in litt.* Italia.
  Peragalloi Chevrol. *Cat. Col. Gren. 1863. p. 111.* } Nizza.
varius Gemming. *Col. Heft. VIII. 1871. p. 123.* Chili.
  variegatus Blanch. *Gay. Hist. Chil. V. p. 408. t. 25. f. 9. a-d.* „
vau Wollast. *Ins. Mader. p. 335.* Madera.
verrucosus Wollast. *Ann. nat. Hist. 3. ser. XI. 1863. p. 219; Cat. Canar. Col. p. 292.* Canariae.
Wollastoni Chevrol. *Rev. Zool. 1852. p. 579.* — Bris. *Mon. p. 450.* Madera.
  cylindricollis Wollast. *Ins. Mader. p. 341; Col. Atlant. p. 280.* „
xerampelinus Wollast. *Cat. Canar. Col. p. 287.* Canariae.

Imalithus

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 465.*

patella Pascoe. *Journ. Linn. Soc. X. p. 466. t. 19. f. 2. a-c.* Queensland.
1

Echinodera

ἐχῖνος, erinaceus; δέρη, collum.

Wollaston. *Cat. Canar. Col. 1864. p. 293.*

angulipennis Wollast. *Cat. Canar. Col. p. 296.* Canariae.
compacta Wollast. *l. c. p. 297.* „
crenata Wollast. *An. nat. Hist. ser. 3. XI. 1863. p. 219.* Teneriffa.
hystrix Wollast. *Cat. Canar. Col. p. 294.* Canariae.
orbiculata Wollast. *l. c. p. 297.* „
picta Wollast. *l. c. p. 298.* Fuertevent.
6

Tylodes

τυλώδης, callosus.

Schönherr. *Disp. meth. 1826. p. 294.*

Bagous Say. *(pars.)*

angulicollis Rosensch. *Schh. Gen. Curc. IV. p. 332.* Brasilia.
armadillo Sahlb. *Peric. ent. I. 1823. p. 49. t. 1. f. 8; Thon. Arch. II. 1 1829. p. 23. t. 1. f. 8.* — Bohem. *Schh. Gen. Curc. IV. p. 322.* „
informis Germ. *Ins. Spec. nov. p. 267.* „
rugatus Dej. *Cat. 3. ed. p. 320.* „
tristis Sturm. *Cat. 1826. p. 128.* „
ater Montrouz. *Ann. Soc. Agr. Lyon. VII. 1. 1857. p. 51.* — Lacord. *Gen. Col. VII. p. 97. note.* — Pascoe. *Trans. ent. Soc. 1870. p. 465.* Ins. Woodlark.
bullatus Bohem. *Schh. Gen. Curc. IV. p. 340.* — Germ. *Dej. Cat. 3. ed. p. 320.* Cuba.
strumosus Klug. *Dej. Cat. l. c.* „
carinicollis Luc. *Casteln. Voy. 1859. p. 174.* Brasilia.
cinctus Montrouz. *Ann. Soc. Agr. Lyon. VII. 1. p. 52.* Ins. Woodlark.
clathratus Fairm. *Rev. Zool. 1849. p. 36 et 514.* Taïti.
crassus Luc. *Casteln. Voy. 1859. p. 173.* Brasilia.
fasciatipennis Luc. *l. c. p. 175.* „
ganglionicus Bohem. *Schh. Gen. Curc. IV. p. 331.* — Lacord. *Gen. Col. VII. p. 97. note 1.* „
fascicularis Chevrol. *in litt.* „
globosus Bohem. *Schh. Gen. Curc. VIII. 1. p. 407.* — Dej. *Cat. 3. ed. p. 320.* Cayennae.
granulatus Bohem. *l. c. IV. p. 324.* Brasilia.
granulifer Bohem. *l. c. p. 334.* Ins. Quaham.
griseus Montrouz. *Ann. Soc. Agr. Lyon. VII. 1. p. 50.* Ins. Woodlark.
Imhoffi Montrouz. *l. c. p. 52.* „

insubidus Germ. *Ins. Spec. nov. 1824. p. 268.*	Brasilia.
paedidus Bohem. *Schh. Gen. Curc. IV. p. 323.*	„
laticollis Bohem. *l. c. p. 341.*	Cuba.
magnicollis Bohem. *l. c. p. 342.*	„
megapoda Montrouz. *Ann. Soc. Agr. Lyon. VII. 1. p. 51.* — Lacord. *Gen. Col. VII. p. 97. note.*	Ins.Woodlark.
nodulosus Bohem. *Schh. Gen. Curc. IV. p. 330.*	Mexico.
oedothorax Montrouz. *Ann. Soc. Agr. Lyon. VII. 1. p. 52.*	Ins.Woodlark.
ornaticollis Luc. *Casteln. Voy. 1859. p. 175.*	Brasilia.
phaseoli Montrouz. *Ann. Fr. 1860. p. 902.* — Lacord. *Gen. Col. VII. p. 97. not.*	Lifu.
pulverulentus Montrouz. *Ann. Soc. Agr. Lyon. VII. 1. p. 52.*	Ins.Woodlark.
quadriplicatus Jacq. Duv. *Hist. Cub. 1857. p. 219.*	Cuba.
rubetra Bohem. *Schh. Gen. Curc. VIII. 1. p. 405.*	Brasilia.
subfasciatus Rosensch. *Schh. l. c. IV. p. 338.*	Guadeloupe.
tuberculosus Bohem. *Schh. l. c. VIII. 1. p. 406.*	Brasilia.
uraeus Bohem. *l. c. IV. p. 336.*	„
squalidus Bohem. *l. c. p. 337.*	„

29

Onidistus

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 465.*

araneus Pascoe. *Trans. ent. Soc. 1870. p. 466.*	Queensland.
nodipennis Pascoe. *l. c. p. 466. t. 7. f. 1. a.*	„
odiosus Pascoe. *l. c.*	K. Georg. S.
pacificus Fauvel. *Bull. Soc. Linn. Normand. VII. 1862. p. 160. t. 10. bis. f. 59.*	Nov. Caledon.

4

Petosiris

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 467.*

subereus Pascoe. *Trans. ent. Soc. 1870. p. 467.*	Queensland.

1

Methidrysis

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 467.*

afflicta Pascoe. *Trans. ent. Soc. 1870. p. 468. t. 7. f. 9.*	Queensland.

1

Niconotus

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 468.*

tarphioides Pascoe. *Trans. ent. Soc. 1870. p. 469.*	Moreton bay.

1

Platytenes

Etym. dub.

Pascoe. *Journ. Linn. Soc.. X. 1870. p. 466.*

varius Pascoe. *Journ. Linn. Soc. X. p. 467. t. 18. f. 1. a-b.* Archip. ind.
1

Analcis

ἄναλκις, debilis

Schönherr. *Gen. Curc. IV. 1837. p. 278.*

Bagous Say. *(pars.)*

aereus Say. *Descr. of Curc. of N. Am. 1831. p. 29.* — Rosensch. *Schh. Gen. Curc. IV. p. 279.* — Dej. *Cat. 3. ed. p. 320.* Amer. bor.
morbillosus Lec. *Entom. Report. 1857. p. 58.* California.
2

Plagiocorynus

πλάγιος, obliquus; κορύνη, clava.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 201.*

quadrituberculatus Waterh. *Trans. ent. Soc. ser. 2. II. p. 202.* — Lacord. *Gen. Atl. VIII. t. 74. f. 3. a-b.* Moreton bay.
1

Lembodes

λεμβώδης, lembo similis.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 436.*

solitarius Bohem. *Schh. Gen. Curc. VIII. 1. p. 437.* Guadeloupe.
1

Ulosomus

οὖλος, crispus; σῶμα, corpus.

Schönherr. *Disp. meth. 1826. p. 293.*

erinaceus Bohem. *Schh. Gen. Curc. IV. p. 318.* Barthelemy.
immundus Bohem. *l. c. p. 317.* — Dej. *Cat. 3. ed. p. 320.* Cuba.
tuberculatus Klug. *Dej. Cat. l. c.* „
setosus Bohem. *l. c. p. 319.* St. Vincent.
3

Euscepes

εὐσκεπής, bene tectus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 429.*

porcellus Bohem. *Schh. Gen. Curc. VIII. 1. p. 430.* Cuba.
tripartitus Moritz *in litt.* Portorico.
1

Metadupus

μετάδουπος, intermedius.

Schönherr. *Gen. Curc. IV. 1837. p. 166.*

Pinarus Chevrolat.

apicatus Bohem. *Schh. Gen. Curc. IV. p. 169.* Mexico.
nodatus Bohem. *l. c. p. 168.* „
2

Pseudomus

ψεῦδος, falsus; ὦμος, humerus.

Schönherr. *Gen. Curc. IV. 1837. p. 263.*

Cleogonus Say.

apiatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 389.* Cuba.
cacuminatus Bohem. *l. c. p. 390.* „
fistulosus Bohem. *l. c. IV. p. 268.* „
cribrarius Dej. *Cat. 3. ed. p. 326.* „
cribrum Dej. *in litt.* „
perforatus Klug. *Dej. Cat. l. c.* „
militaris Oliv. *Ent. V. 83. p. 145. t. 27. f. 402.* — Rosensch. *Schh. Gen. Curc. IV. p. 264.* Antillae.
notatus Bohem. *Schh. l. c. p. 266.* — Klug. *Dej. Cat. 3. ed. p. 326.* Cuba.
pharetratus Germ. *Dej. Cat. l. c.* „
sedentarius Say. *Descr. of Curc. of N. Am. 1831. p. 30.* — Bohem. *Schh. Gen. Curc. IV. p. 267.* Florida.
semicribratus Bohem. *l. c. VIII. 1. p. 391.* Guadeloupe.
viduus Bohem. *l. c. IV. p. 265.* — Dej. *Cat. 3. ed. p. 326.* Cuba.
signatus Klug. *Dej. Cat. l. c.* „
trisignatus Germ. *Dej. Cat. l. c.* „
8

Salcus

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 447.*

globosus Pascoe. *Journ. Linn. Soc. X. p. 448. t. 17. f. 2. a-c.* Cap York.
1

Glochinorrhinus

γλωχὶς mucro; ῥίν, nasus.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 194.*

Doubledayi Waterh. *Trans. ent. Soc. ser. 2. II. p. 195.* — Lacord. *Gen. Atl. VIII. t. 74. f. 1. a.* Moreton bay.
1

Torneuma

τόρνευμα, tornatum.

Wollaston. *Ann. nat. Hist. ser. 3. V. 1860. p. 453.*

Crypharis Fairmaire.

coecum Wollast. *Ann. nat. Hist. ser. 3. V. p. 455.* Madera.
orbatum Wollast. *Col. Atlant. 1865. App. p. 48.* Gomera.
planidorsum Fairm. *Ann. Fr. 1868. p. 498.* Sicilia.
Raymondi Perris. *Abeille. VII. 1870. p. 28.* Sardinia.
robusta Dieck. *Berl. Zeit. 1869. p. 355.* Tanger.
tingitana Dieck. *l. c. p. 356.* „
6

Rhyephenes

ῥυηφενής, abundans.

Schönherr. *Gen. Curc. IV. 1837. p. 312.*

Omospilota Hope. — *Physothorus* Gay et Solier.

Boyeri Gay et Solier. *Ann. Fr. 1839. p. 27.* Chili.
clathratus Philippi. *Stett. Zeit. 1860. p. 249.* „
Gayi Guér. *Voy. Coquille. II. 2. 1830. p. 125.* — Blanch. *Gay. Hist. Chil. V. p. 405.* „
cacicus Gylh. *Schh. Gen. Curc. IV. p. 315.* „
Goureaui Gay et Solier. *Ann. Fr. 1839. p. 26.* — Blanch. *Gay. Hist. Chil. V. p. 407.* „
humeralis Guér. *Voy. Coquille. p. 124. t. 6. f. 8. A.-B.* „
arachnodes Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 264. t 39. f. 3.* „
axillaris Dej. *Cat. 3. ed. p. 320.* „
Incas Gylh. *Schh. Gen. Curc. IV. p. 314.* — Blanch. *Gay. Hist. Chil. V. p. 405. t. 25. f. 8. a-g.* „
laevirostris Gay et Solier. *Ann. Fr. 1839. p. 25.* — Blanch. *Gay. Hist. Chil. V. p. 406; Voy. Pole Sud. IV. p. 250.* „
immaculatus Blanch. *Voy. Pole Sud. t. 14. f. 16.* „
lateralis Guér. *Voy. Coquille. p. 126. t. 6. f. 9.* — Blanch. *Gay. Hist. Chil. V. p. 406.* „
Maillei Gay et Solier. *Ann. Fr. 1839. p. 24. t. 2. f. 3-5.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 402.* „
8

Asytesta

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 426.*

humeralis Pascoe. *Journ. of Ent. II. p. 426. t. 17. f. 13.* Moluccae.
maura Pascoe. *l. c. p. 432.* „
vittata Pascoe. *l. c. p. 431.* „
3

Rhynchodes

ῥυγχώδης, rostriformis.

White. *Voy. Ereb. and. Terror. XI. 1846. p. 16.*

Arachnobas Montrouz. — *Cyamobolus* Schönh. *(pars.)*

alboguttatus Montrouz. *Ann. Fr. 1860. p. 896.*		Nov. Caledon.
Eloini Lacord. *Gen. Col. VII. 1866. p. 109. note 1.*		„
Falleni Bohem. *Schh. Gen. Curc. IV. p. 179.*		Java.
Jekeli Montrouz. *Ann. Fr. 1860. p. 897.*		Lifu.
Saundersi White. *Voy. Ereb. Terror. XI. p. 16. t. 3. f. 13.*		Nov. Zeeland.
ursus White. *l. c. p. 16. t. 3. f. 16.*		„
6		

Cyamobolus

κυαμοβόλος, qui suffragium fert.

Schönherr. *Gen. Curc. IV. 1837. p. 177.*

Camptorhinus Dej.

Charpentieri Bohem. *Schh. Gen. Curc. IV. p. 182.*		Java.
Dehaani Mannerh. *Schh. l. c. p. 180.*		„
	irroratus de Haan *in litt.*	„
	lineatocollis Dej. *Cat. 3. ed. p. 318.*	„
	trilineatus Sturm. *Cat. 1826. p. 128.*	„
Lacordairei Montrouz. *Ann. Fr. 1860. p. 893. (gen. dub.)*		Lifu.
Marci Bohem. *Schh. Gen. Curc. VIII. 1. p. 355.*		Java.
Sturmi Bohem. *l. c. IV. p. 181.*		„
	obliquus Sturm. *Cat. 1826. p. 128.*	„
subundatus Bohem. *Schh. Gen. Curc. IV. p. 215.*		„
6		

Orphanistes

ὀρφανιστής, tutor.

Pascoe. *Jonrn. Linn. Soc. X. 1870. p. 454.*

eustictus Pascoe. *Journ. Linn. Soc. X. p. 454. t. 18. f. 9. a-b.* — Queensland.
1

Axionicus

ἀξιόνικος, praemii dignus.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 455.*

insignis Pascoe. *Journ. Linn. Soc. X. p. 455. t. 18. f. 8.* — Queensland.
1

Euthyrrhinus

εὐθύς, rectus; ῥίν, nasus.

Schönherr. *Gen. Curc. IV. 1837. p. 271.*

meditabundus Fabr. *Syst. Ent. p. 139.* — Oliv. *Ent.* — Nov. Holland.

V. 83. p. 196. t. 11. f. 132. — Bohem. *Schh. Gen. Curc. IV. p. 272.*

monachus Boisd. *Voy. Astrol. II. p. 430.* — Dej. *Cat. 3. ed. p. 316.* — Nov. Holland.

navicularis Pascoe. *Journ. Linn. Soc. X. 1870. p. 455.* — Austral. occ.

squamiger White. *Voy. Ereb. Terr. 1846. p. 16. t. 3. f. 3.* — Nov. Zeeland.

squamosus Montrouz. *Ann. Fr. 1860. p. 900.* — Lifu.

tessellatus Blanch. *Voy. Pole Sud. IV. p. 249. t. 14. f. 6.* — Ins. Aru.

5

Chaetectetorus

χαίτη, seta; κτήτωρ, possessor.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 383.*

clitellae Pascoe. *Trans. ent. Soc. 1870. p. 470.* — Austral. mer.

bifasciatus Bohem. *Schh. Gen. Curc. IV. p. 258.* — Nov. Holland.

haedulus Pascoe. *Trans. ent. Soc. 1870. p. 470.* — Wide bay.

latus Pascoe. *l. c. p. 471. t. 7. f. 16.* — Victoria.

setosus Bohem. *Schh. Gen. Curc. IV. p. 257.* — Nov. Holland.

spinipennis Waterh. *Trans. ent. Soc. ser. 2. II. 1853. p. 203.* — „

6

Ephricus

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 471.*

obliquus Pascoe. *Trans. ent. Soc. 1870. p. 471.* — Melbourne.

1

Metacymia

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 472.*

marmorea Pascoe. *Trans. ent. Soc. 1870. p. 472. t. 7. f. 15.* — Austral. occ.

1

Achopera

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 473.*

lachrymosa Pascoe. *Trans. ent. Soc. 1870. p. 473.* — Tasmania.

maculosa Pascoe. *l. c.* — New S. Wales.

uniformis Pascoe. *l. c. p. 474.* — Wide bay.

3

Chimades

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 474.*

lanosus Pascoe. *Trans. ent. Soc. 1870. p. 474. t. 7. f. 13.* — New S. Wales.

1

Menios

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 475.*

internatus Pascoe. *Trans. ent. Soc. 1870. p. 475.* Sidney.
1

Tychreus

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 475.*

camelus Pascoe. *Trans. ent. Soc. 1870. p. 476. t. 7. f. 18.* Tasmania.
1

Tituacia

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 476.*

ostracion Pascoe. *Trans. ent. Soc. 1870. p. 477. t. 7. f. 17.* Georg Sound.
1

Anilaus

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 477.*

sordidus Pascoe. *Trans. ent. Soc. 1870. p. 478.* Wide bay.
1

Exithius

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 207.*

capucinus Pascoe. *Trans. ent. Soc. 1870. p. 207. t. 5. f. 2; p. 212. not.* Tasmania.
1

Oreda

ὄρος, mons.

White. *Voy. Ereb. and Terror. XI. 1846. p. 16.*

notata White. *Voy. Ereb. Terror. XI. p. 16. t. 3. f. 2.* Nov. Zeeland.
1

Aedemonus

αἰδήμων, pudibundus.

Schönherr. *Gen. Curc. IV. 1837. p. 243.*

eminentepunctatus Bohem. *Schh. Gen. Curc. IV. p. 246.* — Lacord. *Gen. Col. VII. p. 114. note 1.* Cap bon. spei.
Erichsoni Bohem. *l. c. p. 244.* Madagascar.
2

Aonychus

α priv.; ὄνυξ, unguis.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 387.*

Hopei Bohem. *Schh. Gen. Curc. VIII. 1. p. 388.* Nov. Holland.
lineatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 443.* Champion bay.
2

Maemactes

μαιμάκτης, furiosus.

Schönherr. *Gen. Curc. IV. 1837. p. 276.*

ruficornis Bohem. *Schh. Gen. Curc. IV. p. 277.* Mexico.
1

Collabismus

κολλαβίσμος, lusus.

Schönherr. *Gen. Curc. IV. 1837. p. 236.*

clitellae Bohem. *Schh. Gen. Curc. IV. p. 238.* Amer. mer.
cluuifer Bohem. *l. c. p. 242.* — Lacord. *Gen. Col. VII. p. 116. note 2.* Brasilia.
notulatus Bohem. *l. c. p. 240.* „
sellatus Bohem. *l. c. p. 239.* — Dej. *Cat. 3. ed. p. 320.* Cayennae.
subnotatus Rosensch. *Schh. l. c. p. 241.* — Lacord. *Gen. Col. VII. p. 116. note 2.* Brasilia.
5

Bothrobathys

βόθρος, foramen; βαθύς, profundus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 385. (emend.)*

Bothrobatys Schönh. — *Lophocephala* Blanchard.

bioculatus Philippi. *Stett. Zeit. 1864. p. 370.* Chili.
fasciolatus Blanch. *Gay. Hist. Chil. V. p. 402. t. 25. f. 6. a-c.* „
laticollis Bohem. *Schh. Gen. Curc. VIII. 1. p. 386.* Nov. Granada.
variegatus Kirsch. *Berl. Zeit. 1869. p. 196.* Bogotá.
4

Gasterocercus

γαστήρ, venter; κέρκος, cauda.

Laporte et Brullé. *Mém. Soc. Hist. nat. Par. IV. 1828. p. 198.*

asper Bohem. *Schh. Gen. Curc. VIII. 1. p. 379.* Brasilia.
Dejeani Lap. et Brullé. *Mém. Soc. Hist. nat. IV. p. 201.* „
leucophaeus Dej. *Cat. 3. ed. p. 319.* „

depressirostris Fabr. *Ent. Syst. I. 2. p. 477.* — Ahrens. *Neu. Schrft. Ges. Hal. II. 2. 1812. p. 29. t. 2. f. 5. e.* — Gylh. *Schh. Gen. Curc. IV. p. 250.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 24. f. 115.* — Germania.
anthriboides Chevrol. *in litt.* — Gallia.
{ *Dumerili* Lap. et Brullé. *Mém. Soc. Hist. nat. Par. IV. p. 208.* — „
{ *oblitus* Dej. *Cat. 3. ed. p. 319.* — „
plicatus Herbst. *Käf. VI. p. 169. t. 71. f. 11.* — Hungaria.
dubitabilis Bohem. *Schh. Gen. Curc. VIII. 1. p. 380.* — Brasilia.
horridus Bohem. *l. c. p. 377.* — „
hypsophilus Kirsch. *Berl. Zeit. 1869. p. 197.* — Bogotá.
lateralis Bohem. *Schh. Gen. Curc. IV. p. 254.* — Brasilia.
Latreillei Lap. et Brullé. *Mém. Soc. Hist. nat. IV. p. 202.* — Cayennae.
latirostris Bohem. *Schh. Gen. Curc. IV. p. 252.* — Dej. *Cat. 3. ed. p. 319.* — „
melancholicus Bohem. *Schh. Gen. Curc. VIII. 1. p. 378.* — Brasilia.
petulans Bohem. *l. c. p. 375.* — „
plumipes Bohem. *l. c. IV. p. 255.* — Falderm. *Dej. Cat. 3. ed. p. 319.* — „
propugnator Gylh. *Schh. l. c. IV. p. 253.* — „
scabrirostris Bohem. *l. c. VIII. 1. p. 376.* — „
semicircularis Bohem. *l. c. p. 383.* — Columbia.
stratum Bohem. *l. c. p. 381.* — Brasilia.
15

Oncoscelis

ὄγκος, tumor; σκελὶς, perna.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 302. (emend.)*

Onchoscelis Schönh.

Germari Bohem. *Schh. Gen. Curc. IV. p. 96.* — Cayennae.
rubiginosa Dej. *Cat. 3. ed. p. 319.* — Brasilia.
1

Epipedorrhinus

ἐπίπεδος, planus; ῥίν, nasus.

Schönherr. *Gen. Curc. IV. 1837. p. 42.*

Chevrolati Gylh. *Schh. Gen. Curc. IV. p. 43.* — Brasilia.
1

Cryptorrhynchus

κρυπτὸς, occultus; ῥύγχος, rostrum.

Illiger. *Magaz. VI. 1807. p. 330.*

Cryptacrus Kirsch. — *Eubulus* Kirsch. — *Oemethylus* Pascoe.

affaber Bohem. *Schh. Gen. Curc. VIII. 1. p. 316.* — Mexico.
albicollis Germ. *Linn. ent. III. 1848. p. 221.* — Adelaida.

albifrons Bohem. *Schh. Gen. Curc. IV. p. 113.* Brasilia.
albipes Bohem. *l. c. p. 105.* „
albocaudatus Rosensch. *Schh. l. c. p. 69.* Mexico.
amictus Bohem. *Schh. l. c. VIII. 1. p. 321.* Brasilia.
amplicollis Bohem. *l. c. p. 330.* „
anceps Bohem. *l. c. IV. p. 58.* „
Antares Erichs. *Wiegm. Arch. 1842. I. p. 202.* Tasmania.
antiquus Erichs. *l. c. p. 205.* „
apicalis Boisd. *Voy. Astrol. II. 1835. p. 433. (gen. dub.)* Vanicoro.
apicatus Germ. *Ins. Spec. nov. 1824. p. 269.* Brasilia.
rigidus Rosensch. *Schh. Gen. Curc. IV. p. 127.* „
apiculatus Gylh. *Schh. l. c. p. 121.* Florida.
arcuatus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 266.* Caffraria.
armipes Bohem. *Schh. Gen. Curc. IV. p. 108.* St. Vincent.
asper Bohem. *l. c. p. 128.* Brasilia.
aspericollis Rosensch. *l. c. p. 160.* Mexico.
assimilans Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 264.* Ceylon.
Atropos Bohem. *Schh. Gen. Curc. VIII. 1. p. 340.* Cayennae.
austerus Bohem. *l. c. IV. p. 87.* Brasilia.
australis Boisd. *Voy. Astrol. II. 1835. p. 431.* — Dej. *Cat. 3. ed. p. 317.* Nov. Holland.
aversandus Bohem. *Schh. Gen. Curc. IV. p. 112.* Java.
balteatus Sahlb. *Peric. ent. I. 1823. p. 50; Thon. Arch. II. 1. 1829. p. 24.* — Rosensch. *Schh. Gen. Curc. IV. p. 139.* Barthelemy.
batatae Waterh. *Proc. ent. Soc. V. 1849. p. 69.* Barbados.
bicallosus Bohem. *Res. Eugen. 1859. p. 139.* Ins. Puna.
bicirculus Kirsch. *Berl. Zeit. 1869. p. 201.* Bogotá.
bilunaris Erichs. *Wiegm. Arch. 1847. I. p. 132.* Peru.
binotatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 332.* Brasilia.
bisignatus Say. *Descr. of Curc. N. Am. 1831. p. 19.* Amer. bor.
bistrigirostris Bohem. *Schh. Gen. Curc. IV. p. 53.* Amer. mer.
Bohemani Bohem. *l. c. p. 61.* — Schönh. *in litt.* „
Bonsdorffi Rosensch. *Schh. l. c. p. 62.* Brasilia.
brevis Rosensch. *l. c. p. 109.* Mexico.
bufonius Jacq. Duv. *Hist. Cub. 1857. p. 211.* Cuba.
calcaratus Bohem. *Schh. Gen. Curc. VIII. 1. p. 322.* Amer. mer.
cancroma Kirsch. *Berl. Zeit. 1869. p. 203.* Bogotá.
carinellus Bohem. *Schh. Gen. Curc. IV. p. 141.* Brasilia.
cariosus Erichs. *Wiegm. Arch. 1842. I. p. 204.* — Bates. *Trans. ent. Soc. 1870. p. 207.* Tasmania.
castigatus Bohem. *Schh. Gen. Curc. IV. p. 142.* Amer. mer.
caudex Bohem. *l. c. p. 83.* Cap bon. spei.
cavernosus Bohem. *l. c. p. 57.* Brasilia.
cinctellus Rosensch. *Schh. l. c. p. 162.* Mexico.
cingulum Gylh. *Schh. l. c. p. 158.* Guadeloupe.
circulus Bohem. *Schh. l. c. p. 64.* Columbia.
clathratus Blanch. *Voy. Pole Sud. IV. 1853. p. 247. t. 14. f. 4.* Ins. Aru.
clitellarius Bohem. *Schh. Gen. Curc. IV. p. 134.* Brasilia.
Clotho Kirsch. *Berl. Zeit. 1869. p. 199.* Bogotá.
coecus Fabr. *Syst. El. II. p. 469.* — Bohem. *Schh. Gen. Curc. IV. p. 110.* Amer. mer.

conicollis Bohem. *Schh. Gen. Curc. VIII. 1. p. 337.* Brasilia.
consobrinus Rosensch. *Schh. l. c. IV. p. 95.* Mexico.
cordifer Bohem. *Schh. l. c. VIII. 1. p. 310.* Columbia.
corosus Boisd. *Voy. Astrol. II. p. 430.* Nov. Holland.
corticalis Bohem. *Schh. Gen. Curc. IV p. 93.* St. Vincent.
cristatus Bohem. *l. c. VIII. 1. p. 336.* Brasilia.
Cubae Bohem. *l. c. p. 342.* Cuba.
cucullatus Rosensch. *Schh. l. c. IV. p. 111.* Brasilia.
cylindraceus Bohem. *Schh. l. c. p. 132.* „
cynicus Bohem. *l. c. p. 79.* „
declaratus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 264.* Ceylon.
definitus Rosensch. *Schh. Gen. Curc. IV. p. 76.* Mexico.
delirus Bohem. *Schh. l. c. p. 66.* Brasilia.
delumbatus Rosensch. *Schh. l. c. p 144.* Guadeloupe.
difficilis Bohem. *Schh. l. c. p. 152.* — Dej. *Cat. 3. ed. p. 317.* Cuba.
dimidiatus Bohem. *l. c. p. 156.* „
discicollis Rosensch. *Schh. l. c. p. 103.* Mexico.
divergens Germ. *Ins. Spec. nov. p. 282.* — Bohem. *Schh. Gen. Curc. IV. p. 146.* Brasilia.
hirsutus Sturm. *Cat. 1826. p. 128.* „
undatus Dej. *Cat. 3. ed. p. 317.* „
diversus Bohem. *Schh. Gen. Curc. IV. p. 145.* „
dorsalis Rosensch. *Schh. l. c. p. 101.* Mexico.
duplicatus Rosensch. *l. c. p. 107.* Brasilia.
ebeni Bertol. *Mem. Ac. Bologn. VI. 1855. p. 438. t. 22. f. 3.* Mozambique.
ephippiatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 306.* Brasilia.
ephippiger Boisd. *Voy. Astrol. II. 1835. p. 429.* — Dej. *Cat. 3. ed. p. 318.* Nov. Holland.
erinaceus Fabr. *Syst. El. II. p. 464.* — Bohem. *Schh. Gen. Curc. IV. p. 69.* Amer. mer.
fascicularis Motsch. *Bull. Mosc. 1866. II. p. 435.* Ceylon.
fasciculifer Bohem. *Schh. l. c. VIII. 1. p. 334.* Brasilia.
fasciculosus Rosensch. *Schh. l. c. IV. p. 59; VIII. 1. p. 316.* „
femoralis Erichs. *Wiegm. Arch. 1842. I. p. 204.* Tasmania.
ferratus Say. *Descr. of Curc. of N. Am. p. 28.* — Bohem. *Schh. Gen. Curc. IV. p. 143.* New Orleans.
fictus Bohem. *l. c. p. 59.* Brasilia.
ficus Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 53.* Ins. Woodlark.
flavoscutellatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 314.* Java.
foveatus Bohem. *l. c. p. 320.* Mexico.
foveolatus Say. *Descr. of Curc. of N. Am. p. 19.* — Germ. *Schh. Gen. Curc. IV. p. 140.* Carolina.
frigidus Fabr. *Mant. Ins. App. 1787. p. 381.* — Rosensch. *Schh. Gen. Curc. IV. p. 115.* Amboina.
frontalis Bohem. *Schh. l. c. p. 118.* — Klug. *Dej. Cat. 3. ed. p. 317.* Cuba.
hexacanthus Germ. *Dej. Cat. l. c.* „
frontesignatus Gemming. *Col. Heft. VIII. 1871. p. 123.* Peru.
albifrons Bohem. *Schh. Gen. Curc. IV. p. 256.* „
funebris Bohem. *l. c. VIII. 1. p. 308.* Columbia.

gauspatus Bohem. *Schh. Gen. Curc. IV. p. 86; VIII. 1. p. 321.* Brasilia.
gelasimus Bohem. *l. c. IV. p. 52.* Amer. mer.
geminatus Bohem. *l. c. VIII. 1. p. 343.* Brasilia.
geminus Bohem. *l. c. IV. p. 161.* Amer. mer.
gibbosus Montrouz. *Ann. Fr. 1860. p. 892.* Balade.
gracilis Bohem. *Res. Eugen. 1859. p. 139.* California.
granosus Rosensch. *Schh. Gen. Curc. IV. p. 151.* Brasilia.
guadelupensis Rosensch. *l. c. p. 155.* Guadeloupe.
Guerini Montrouz. *Ann. Soc. agr. Lyon. VII. 1857. p. 53.* Ins. Woodlark.
guttifer Bohem. *Schh. Gen. Curc. VIII. 1. p. 319.* Brasilia.
Gyllenhali Montrouz. *Ann. Soc. agr Lyon. VII. 1857. p. 53.* Ins. Woodlark.
hispidus Bohem. *Schh. Gen. Curc. VIII. 1. p. 345.* Brasilia.
histrio Bohem. *l. c. p. 325* „
horridus Bohem. *l. c. IV. p. 124.* „
humeralis Gylh. *Schh. l. c. p. 90.* Bengal.
illex Germ. *Ins. Spec. nov. p. 277.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 331.* Brasilia.
illotus Bohem. *l. c. IV. p. 73.* „
imbricatus Kirsch. *Berl. Zeit. 1869. p. 205.* Bogotá.
impexus Bohem. *Schh. Gen. Curc. IV. p. 84.* Cap bon. spei.
impuratus Bohem. *l. c. p. 94.* Jamaica.
indecorus Rosensch. *Schh. l. c. p. 126.* Brasilia.
ineffectus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 264.* Ceylon.
ineptus Bohem. *Schh. Gen. Curc. IV. p. 77.* Brasilia.
infarctus Bohem. *l. c. p. 56.* „
infulatus Erichs. *Wiegm. Arch. 1842. I. p. 203.* — Pascoe. *Trans. ent. Soc. 1870. p. 471.* Tasmania.
inglorius Bohem. *Schh. Gen. Curc. IV. p. 80.* India or.
insanius Bohem. *l. c. VIII. 1. p. 311.* Brasilia.
insularis Rosensch. *Schh. l. c. IV. p. 78.* Guadeloupe.
Kunzei Bohem. *Schh. l. c. VIII. 1. p. 351.* Brasilia.
lacunicollis Bohem. *l. c. p. 338.* „
lapathi Linn. *Syst. nat. ed. X. p. 379.* — Panz. *Fn. Germ. 42. 15.* — Sahlb. *Schh. Gen. Curc. IV. p. 67.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 24. f. 117.* — ♀ Curtis. *Trans. Linn. Soc. I. 1791. p. 86. t. 5.* M.
albicaudis Degeer. *Mém. V. p. 223. t. 7. f. 1. 2.* Gallia.
{*albipodex* Voet. *Cat. II. p. 52. t. 39. f. 40.* Germania.
{*trimaculatus* Panz. *ed. Voet. IV. p. 67. t. 39. f. 40.* „
carbonarius Scop. *Ent. Carn. p. 27.* Carniolia.
lateritius Thoms. *Arch. ent. II. 1858. p. 137.* Gabon.
lemniscatus Bohem. *Schh. Gen. Curc. IV. p. 51.* Amer. mer.
lepidotus Bohem. *l. c. p. 92.* „
leucocephalus Bohem. *l. c. VIII. 1. p. 326.* Brasilia.
leucocoma Latr. *Humb. Voy. II. 1833. p. 29. t. 32. f. 3.* Amer. mer.
leucomelas Bohem. *l. c. IV. p. 148; VIII. 1. p. 351.* Brasilia.
leucophaeus Erichs. *Wiegm. Arch. 1847. I. p. 133.* Peru.
levidipus Bohem. *Schh. Gen. Curc. IV. p. 75.* Cuba.
liratus Bohem. *l. c. p. 88.* Brasilia.
lirinus Bohem. *l. c. VIII. 1. p. 305.* „
lithodermus Boisd. *Voy. Astrol. II. p. 428.* Nov. Holland.

longimanus Bohem. *Res. Eugen. 1859. p. 139.*	Sidney.
luctuosus Bohem. *Schh. Gen. Curc. IV. p. 146.* — Dej. *Cat. 3. ed. p. 318.*	Amer. bor.
var. *misellus* Bohem. *l. c. p. 120.*	Brasilia.
lumbaris Pascoe. *Trans. ent Soc. 1870. p. 482. t. 7. f. 3. a.*	Wide bay.
mangiferae Fabr. *Syst. Ent. p. 139.* — Hübner. *Naturf. XXIV. 1789. p. 46. t. 2. f. 13.* — Bohem. *Schh. Gen. Curc. IV. p. 91.*	Ile de France.
pectorestriatus Chevrol. *in litt.*	Bengal.
torvus Schönh. *in litt. olim.*	Madagascar.
miniatus Bohem. *Schh. Gen. Curc. IV. p. 114.* — Dej. *Cat. 3. ed. p. 317.*	Buenos Aires.
moestus Bohem. *l. c. VIII. 1. p. 314.*	Nov. Holland.
morio Bohem. *l. c. IV. p. 50.*	Brasilia.
munitus Kirsch. *Berl. Zeit. 1869. p. 201.*	Bogotá.
muriceus Germ. *Ins. Spec. nov. p. 281.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 347.*	Brasilia.
mutabilis Bohem. *l. c. IV. p. 65.*	Amer. mer.
nebulosus Bohem. *l. c. p. 104.* — Dej. *Cat. 3. ed. p. 317.*	Cayennae.
notabilis Walker. *Ann. nat. Hist. ser. 3. III. p. 264.*	Ceylon.
nubeculosus Gemming. *Col. Heft. VIII. 1871. p. 123.*	Gabon.
nebulosus Thoms. *Arch. ent. II. 1858. p. 135.*	„
nubifer Bohem. *Schh. Gen. Curc. IV. p. 71.*	Sierra Leona.
nubilosus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 266.*	Caffraria.
nudirostris Rosensch. *Schh. Gen. Curc. IV. p. 129.*	Brasilia.
obliquefasciatus Bohem. *Schh. l. c. VIII. 1. p. 349.*	Carolina.
obliquus Say. *Descr. of Curc. of N. Am. p. 28.*	„
umbrosus Bohem. *Schh. Gen. Curc. IV. p. 116.* — Dej. *Cat. 3. ed. p. 317.*	„
obtentus Herbst. *Käf. VII. p. 38. t. 99. f. 2.*	„
ocellopunctatus Thoms. *Arch. ent. II. 1858. p. 136.*	Gabon.
ochraceus Bohem. *Schh. Gen. Curc. VIII. 1. p. 318.*	Cayennae.
oblongus Chevrol. *in litt.*	„
ochroleucus Germ. *Ins. Spec. nov. p. 276.* — Bohem. *Schh. Gen. Curc. IV. p. 153.*	Brasilia.
orbatus Kirsch. *Berl. Zeit. 1869. p. 202.*	Bogotá.
orthomastius Germ. *Ins. Spec. nov. p. 273.* — Bohem. *Schh. Gen. Curc. IV. p. 159.*	Brasilia.
costicollis Dej. *Cat. 3. ed. p. 319.*	Cayennae.
frontalis Sturm. *Cat. 1826. p. 128.*	Brasilia.
otiosus Bohem. *Schh. Gen. Curc. IV. p. 81.*	St. Domingo.
palpebra Fabr. *Syst. El. II. p. 444.* — Bohem. *l. c. IV. p. 138.*	Amer. mer.
Panchezi Montrouz. *Ann. Fr. 1860. p. 890.*	Lifu.
parochus Herbst. *Käf. VII. p. 55. t. 99. f. 5.*	Amer. bor.
conspersus Melsh. *Cat. nr. 632.*	„
perforatus Bohem. *Schh. Gen. Curc. IV. p. 54.*	Brasilia.
perinsignis Bohem. *l. c. p. 131.*	„
cylindricus Dej. *Cat. 3. ed. p. 319.*	„
♀ *porifer* Rosensch. *Schh. l. c. p. 133.*	„
pertusus Bohem. *Schh. l. c. VIII. 1. p. 341.*	„
pictus Montrouz. *Ann. Fr. 1860. p. 892.*	Ins. Art.
pilosellus Bohem. *Schh. Gen. Curc. VIII. 1. p. 343.*	Columbia.
plagiatus Rosensch. *Schh. l. c. IV. p. 102.*	Brasilia.

plagifer Bohem. *Schh. Gen. Curc. VIII. 1. p. 308.* Brasilia.
planatus Fairm. *Rev. Zool. 1849. p. 512.* Ins. Wallis.
planidorsis Thoms. *Arch. ent. II. 1858. p. 135.* Gabon.
podagrosus Germ. *Ins. Spec. nov. p. 268.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 304.* Brasilia.
porosus Bohem. *l. c. IV. p. 55.* „
postfasciatus Fairm. *Rev. Zool. 1849. p. 513.* Taïti.
posthumus Bohem. *Schh. Gen. Curc. VIII. 1. p. 317.* Java.
posticus Bohem. *l. c. p. 312.* Brasilia.
postularius Bohem. *l. c. p. 323.* „
pudens Schönh. *Gen. Curc. VIII. 1. p. 328.* „
pumilus Bohem. *Schh. Gen. Curc. IV. p. 122.* — Dej. *Cat. 3. ed. p. 318.* Amer. bor.
pusio Linn. *Mus. Lud. Ulr. p. 46.* — Oliv. *Ent. V. 83. p. 165. t. 16. f. 206.* — Bohem. *Schh. Gen. Curc. IV. p. 48.* Surinam.
quadrivittatus Oliv. *Ent. V. 83. p. 203. t. 17. f. 215.* — Schönh. *Gen. Curc. VIII. 1. p. 324.* Brasilia.
var. *amoenus* Rosensch. *Schh. l. c. IV. p. 98.* „
querulus Bohem. *Schh. l. c. p. 89.* „
ravus Bohem. *l. c. VIII. 1. p. 347.* Cuba.
retusus Bohem. *l. c. p. 335.* Brasilia.
rotundicollis Bohem. *l. c. p. 329.* „
rudis Rosensch. *Schh. l. c. IV. p. 149.* „
scapularis Rosensch. *l. c. p. 95.* „
sceleratus Bohem. *Schh. l. c p. 49.* „
scrobiculatus Motsch. *Etud. ent. II. 1853. p. 48.* China bor.
septemtuberculatus Fabr. *Syst. El. II. p. 468.* — Bohem. *Schh. Gen. Curc. IV. p. 125.* Amer. mer.
serius Rosensch. *Schh. l. c. p. 88.* Brasilia.
setarius Thoms. *Arch. ent. II. 1858. p. 136.* Gabon.
setifer Bohem. *Schh. Gen. Curc. VIII. 1. p. 346.* Mexico.
setiger Bohem. *l. c. IV. p. 147.* Columbia.
setulosus Bohem. *Res. Eugen. 1859. p. 139.* Guam.
sexlineatus Bohem. *Schh. Gen. Curc. IV. p. 97.* Brasilia.
sextuberculatus Fabr. *Syst. El. II. p. 465.* — Bohem. *l. c. p. 119.* Amer. mer.
signifer Bohem. *l. c. p. 157.* Mexico.
simulatus Bohem. *l. c. VIII. 1. p. 350.* Brasilia.
Sirius Erichs. *Wiegm. Arch. 1842. I. p. 202.* — Blanch. *Voy. Pole Sud. IV. p. 248. t. 14. f. 5.* Tasmania.
solidus Erichs. *Wiegm. Arch. 1842. I. p. 205.* „
sordidulus Bohem. *Schh. Gen. Curc. IV. p. 74.* Sierra Leona.
sparsipes Germ. *Ins. Spec. nov. p. 274.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 352.* Brasilia.
sparsutus Thoms. *Arch. ent. II. 1858. p. 136.* Gabon.
stigmaticus Pascoe. *Trans. ent. Soc. 1870. p. 481. t. 7. f. 19.* Queensland.
stipator Bohem. *Schh. Gen. Curc. IV. p. 164.* Brasilia.
dissimulatus Chevrol. *in litt.* Mexico.
strangulatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 307.* Brasilia.
striatus Rosensch. *Schh. l. c. IV. p. 130.* „
stultus Fabr. *Mant. I. p. 107.* — Bohem. *Schh. l. c. p. 154.* Amer. mer.
araneus Fabr. *Ent. Syst. I. 2. p. 433.* Coromandel.
didymus Schönh. *in litt. olim.* „

succisus Erichs. *Wiegm. Arch. 1842. I. p. 206.* Tasmania.
subnotatus Bohem. *Schh. Gen. Curc. IV. p. 135.* Brasilia.
terminatus Kirsch. *Berl. Zeit. 1869. p. 204.* Bogotá.
teter Boisd. *Voy. Astrol. II. p 432.* Nov. Holland.
tirunculus Bohem. *Schh. Gen. Curc. IV. p. 68.* Brasilia.
torpescus Rosensch. *Schh. l. c. p. 150.* „
tribulosus Bohem. *Schh. l. c. VIII. 1. p. 333.* „
triocellatus Fauvel. *Bull. Soc. Linn. Normand. V. 1861. p. 316.* Cayennae.
tuberculatus Montrouz. *Ann. Fr. 1860. p. 892.* Lifu.
turpiculus Bohem. *Schh. Gen. Curc. IV. p. 117; VIII. 1. p. 325.* Brasilia.
unicolor Rosensch. *Schh. l. c. IV. p. 140.* „
vacillatus Bohem. *Schh. l. c. p. 85.* St. Vincent.
verruca Fabr. *Syst. El. II. p. 465.* — Bohem. *Schh. Gen. Curc. IV. p. 82.* Amer. mer.
vestitus Rosensch. *Schh. l. c. p. 137.* Brasilia.
vexatus Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 264.* Ceylon.
woodlarkianus Montrouz. *Ann. Soc. agr. Lyon. VII. p. 54.* Ins. Woodlark.
ypsilon Bohem. *Schh. Gen. Curc. IV. p. 100.* Nov. Carolina.
221

Semio

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 427.*

ricinoides Pascoe. *Journ. of Ent. II. p. 428. t. 17. f. 21.* Brasilia.
1

Tyrtaeosus

Etym. null.

Pascoe. *Trans. ent. Soc. 1870. p. 479.*

incallidus Pascoe. *Trans. ent. Soc. 1870. p. 480.* Wide bay.
lateralis Pascoe. *l. c.* Queensland.
microthorax Pascoe. *l. c. p. 479. t. 7. f. 20.* Wide bay.
ustulatus Pascoe. *l. c. p. 481.* Tasmania.
vetustus Pascoe. *l. c. p. 480.* Victoria.
5

Coelosternus

κοῖλος, cavus; στέρνον, sternum.

Schönherr. *Disp. meth. 1826. p. 284.*

Leiomerus Chevrolat.

albilaterus Motsch. *Etud. ent. VII. 1858. p. 76.* India or.
albotessellatus Motsch. *l. c. p. 74.* Ceylon.
albotinctus Gemming. *Col. Heft. VIII. 1871. p. 123.* Brasilia.
albotessellatus Luc. *Casteln. Voy. 1859. p. 173.* „
alternans Bohem. *Schh. Gen. Curc. IV. p. 211.* — Dej. *Cat. 3. ed. p. 318.* Cayennae.

amitinus Bohem. *Schh. Gen. Curc. IV. p. 207.* Brasilia.
albonotatus Chevrol. *in litt.* „
amplicollis Kirsch. *Berl. Zeit. 1869. p. 205.* Bogotá.
angulatus Motsch. *Etud. ent. VII. p. 73.* Ceylon.
apicalis Bohem. *Res. Eugen. 1859. p. 141.* Brasilia.
argenteus Motsch. *Etud. ent. VII. p. 76.* India or.
aspericollis Bohem. *Schh. Gen. Curc. IV. p. 226.* Amer. mer.
aspernabilis Bohem. *l. c. p. 216.* Brasilia.
aspis Fabr. *Syst. El. II. p. 469.* — Bohem. *l. c. p. 230.* Cayennae.
atomarius Motsch. *Etud. ent. VII. p. 75.* India or.
Atropos Bohem. *Schh. Gen. Curc. VIII. 1. p. 364.* Venezuela.
audax Bohem. *l. c. p. 367.* Brasilia.
biangularis Rosensch. *Schh. l. c. IV. p. 163.* Mexico.
bipunctatus Redtenb. *Reis. Novar. II. p. 165.* Nankauri.
brunneofasciatus Motsch. *Etud. ent. VII. p. 77.* India or.
carinatus Fabr. *Syst. El. II. p. 464.* — Bohem. *Schh. Gen. Curc. IV. p. 223.* Amer. mer.
cinereus Bohem. *l. c. p. 221.* Brasilia.
compernis Germ. *Ins. Spec. nov. p. 272.* — Bohem. *l. c. p. 199.* „
costatus Dej. *Cat. 3. ed. p. 318.* „
rufitarsis Buquet. *Dej. Cat. l. c.* „
conspicuus Bohem. *Schh. Gen. Curc. VIII. 1. p. 361.* „
consputus Bohem. *l. c. IV. p. 206.* Mexico.
costellus Bohem. *l. c. p. 208.* Brasilia.
cristatus Bohem. *l. c. VIII. 1. p. 562.* „
curtulus Motsch. *Etud. ent. VII. p. 75.* India or.
curtus Bohem. *Schh. Gen. Curc. IV. p. 205.* Cayennae.
cylindricornis Germ. *Ins. Spec. nov. p. 270.* — Bohem. *l. c. p. 202.* Brasilia.
var. *asperatus* Dej. *Cat. 3. ed. p. 318.* Cayennae.
delumbis Germ. *Ins. Spec. nov. p. 271.* — Bohem. *Schh. Gen. Curc. IV. p. 213.* — Lacord. *Gen. Col. VII. p. 124. note.* Brasilia.
falcatus Schönh. *in litt. olim.* „
dorsalis Rosensch. *Schh. Gen. Curc. IV. p. 225.* — Lacord. *Gen. Col. VII. p. 124. note.* „
ephippiatus Chevrol. *i. litt.* — Lacord. *Gen. Col. VII. 1866. p. 102. not. 1.* „
exornatus Bohem. *Schh. Gen. Curc. IV. p. 228.* „
flavescens Rosensch. *Schh. l. c. p. 99.* — Bohem. *Schh. l. c. VIII. 1. p. 369.* „
gallinago Erichs. *Wiegm. Arch. 1847. I. p. 133.* Peru.
glabrirostris Bohem. *Schh. Gen. Curc. VIII. 1. p. 366.* Nov. Granada.
guadelupensis Bohem. *l. c. IV. p. 224.* Guadeloupe.
haemorrhous Fabr. *Syst. El. II. p. 470.* — Bohem. *l. c. p. 106.* Amer. mer.
humerifer Bohem. *l. c. VIII. 1. p. 373.* Nov. Holland.
illicitus Bohem. *l. c. IV. p. 72.* Caffraria.
♀ *crudus* Bohem. *l. c. p. 76.* Cap bon. spei.
longipennis Bohem. *l. c. p. 218.* Mexico.
longiusculus Bohem. *l. c. p. 217.* „
loripes Bohem. *l. c. VIII. 1. p. 359.* Brasilia.
maculipes Bohem. *l. c. IV. p. 204.* „

nubilosus Bohem. *Schh. Gen. Curc. VIII. 1. p. 371.* Timor.
occatus Germ. *Ins. Spec. nov. p. 272.* — Rosensch. *Schh. l. c. IV. p. 205.* Brasilia.
carinatus Dej. *Cat. 3. ed. p. 318.* „
oscitans Bohem. *Schh. Gen. Curc. IV. p. 212.* „
phoenicurus Bohem. *l. c. VIII. 1. p. 368.* „
picus Bohem. *l. c. IV. p. 209.* „
plumbeus Motsch. *Etud. ent. VII. p. 76.* India or.
polycoccus Bohem. *Schh. Gen. Curc. VIII. 1. p. 372.* Brasilia.
pullatus Bohem. *l. c. p. 363.* Cayennae.
rudis Bohem. *l. c. p. 360.* Brasilia.
rufescens Motsch. *Etud. ent. VII. p. 74.* India or.
ruficornis Motsch. *l. c. p. 75.* „
rugicollis Bohem. *Schh. Gen. Curc. IV. p. 210.* Brasilia.
scrobicollis Bohem. *l. c. VIII. 1. p. 370.* „
sentus Bohem. *l. c. IV. p. 229.* „
signatus Bohem. *l. c. p. 70.* Sierra Leona.
soleatus Germ. *Ins. Spec. nov. p. 275.* — Bohem. *l. c. p. 70.* Brasilia.
raptorius Bohem. *l. c. p. 200.* „
subfasciatus Motsch. *Etud. ent. VII. p. 76.* India or.
sulcatulus Bohem. *Schh. Gen. Curc. IV. p. 220.* Guadeloupe.
suratus Motsch. *Etud. ent. VII. p. 75.* India or.
tardipes Bohem. *Schh. Gen. Curc. IV. p. 201.* Mexico.
tessellatus Bohem. *l. c. p. 222.* Brasilia.
tesserulatus Gemming. *Col. Heft. VIII. 1871. p. 123.* India or.
tessellatus Motsch. *Etud. ent. VII. p. 77.* „
unicolor Motsch. *l. c. p. 74.* „
66

Cylindrocorynus

κύλινδρος, cylindrus; κορύνη, clava.
Schönherr. *Gen. Curc. IV. 1837. p. 231.*

dentipes Bohem. *Schh. Gen. Curc. IV. p. 233.* — Dej. *Cat. 3. ed. p. 318.* Cayennae.
imaginarius Bohem. *l. c. p. 232.* Brasilia.
stellaris Erichs. *Wiegm. Arch. 1847. I. p. 133.* Peru.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 125. not. 2.* Columbia.
4

Isax

Etym. null.
Pascoe. *Journ. of Ent. II. 1865. p. 429.*

gallinago Pascoe. *Journ. of Ent. II. p. 429. t. 17. f. 14.* Queensland.
1

Myrtesis

Etym. null.
Pascoe. *Journ. of Ent. II. 1865. p. 430.*

caligata Pascoe. *Journ. of Ent. II. p. 431. t. 17. f. 19.* Queensland.
1

Pezichus

πέζιξ, pezicae.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 193.*

binotatus Waterh. *Trans. ent. Soc. ser. 2. II. p. 193.* — Lacord. *Gen. Atl. VIII. t. 74. f. 2. a.* — Moreton bay.

1

Macromerus

μακρὸς, longus; μηρὸς, femur.

Schönherr. *Disp. meth. 1826. p. 285.*

Poecilma Germar. *(pars.)*

aquilinus Bohem. *Schh. Gen. Curc. IV. p. 190.* — Cayennae.
aquilus Schönh. *Gen. Curc. VIII. 1. p. 358.* — „
clavipes Bohem. *Schh. Gen. Curc. IV. p. 185.* — Dej. *Cat. 3. ed. p. 319.* — Cuba.
brachiatus Klug. *Dej. Cat. l. c.* — „
crinitarsis Germ. *Ins. Spec. nov. p. 253. t. 1. f. 8.* ♂. — Bohem. *Schh. Gen. Curc. IV. p. 184.* — Brasilia.
macropus Dej. *Cat. 3. ed. p. 294.* — „
gracilipes Bohem. *Schh. Gen. Curc. IV. p. 187.* — Cayennae.
innoxius Herbst. *Käf. VI. p. 146. t. 70. f. 1.* — Bohem. *l. c. p. 189.* — Amer. mer.
adspersus Dej. *Cat. 1. ed. p. 85.* — Surinam.
lanipes Oliv. *Encycl. méth. V. p. 506; Ent. V. 83. p. 169. t. 11. f. 130.* — Ins. St. Lucia.
{ *chimaridis* Fabr. *Syst. El. II. p. 462.* — Bohem. *Schh. Gen. Curc. IV. p. 184.* — Amer. mer.
{ *chimaris* Fabr. *Ent. Syst. I. 2. p. 424.* — Herbst. *Käf. VI. p. 209. t. 74. f. 9.* ♂. — Guadeloupe.
longimanus Dej. *Cat. 3. ed. p. 319.* — „
leuconotus Bohem. *Schh. Gen. Curc. VIII. 1. p. 357.* — Columbia.
Lherminieri Bohem. *l. c. IV. p. 186.* — Guadeloupe.
numenius Erichs. *Wiegm. Arch. 1847. I. p. 133.* — Peru.
stigmaticus Bohem. *Schh. Gen. Curc. IV. p. 188.* — Mexico.
triangularis Bohem. *l. c. p. 165.* — Dej. *Cat. 3. ed. p. 319.* — Lacord. *Gen. Col. VII. p. 127. note 1.* — Brasilia.
monachus Schönh. *Disp. meth. p. 286.* — „

11

Meropsilus

μηρὸς, femur; ψιλὸς, tenuis.

Gemminger. *Col. Heft. VIII. 1871. p. 123.*

Psilomerus Fåhraeus.

maculipes Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 268.* — Caffraria.

1

Cnemargus

κνήμαργος, albofemoratus.

Schönherr. *Gen. Curc. IV. 1837. p. 191.*

chamaeleon Fabr. *Syst. El. II. p. 461.* — Bohem. *Schh. Gen. Curc. IV. p. 193.* Brasilia.
{*atrirostris* Chevrol. *Dej. Cat. 3. ed. p. 319.* „
{*nubilus* Dej. *Cat. l. c.* „
flagitiosus Schönh. *in litt. olim.* „
1

Mitrastethus

μίτρα, mitra; στῆθος, pectus.

Redtenbacher. *Reis. Novar. II. 1868. p. 167.*

baridioides Redtenb. *Reis. Novar. II. p. 168. t. 4. f. 13.* Nov. Zeeland.
1

Enteles

ἐντελής, perfectus.

Schönherr. *Gen. Curc. IV. 1837. p. 269.*

ocellatus Redtenb. *Reis. Novar. II. p. 166. t. 4. f. 12.* Sidney.
Vigorsi Gylh. *Schh. Gen. Curc. IV. p. 270.* Nov. Holland.
2

Phloeoglymma

φλοιός, cortex; γλύμμα, sculptura.

Pascoe. *Trans. ent. Soc. 1870. p. 483.*

alternans Pascoe. *Trans. ent. Soc. 1870. p. 483.* New S. Wales.
1

Catapycnus

κατάπυκνος, spississimus.

Schönherr. *Gen. Curc. IV. 1837. p. 39.*

granulosus Bohem. *Schh. Gen. Curc. IV. p. 40.* Brasilia.
nodulosus Rosensch. *Schh. l. c. p. 41.* — Lacord. *Gen. Col. VII. p. 129. note 1.* „
2

Aldonus

Etym. dub.

White. *Voy. Ereb. and Terror. XI. 1846. p. 16.*

hylobioides White. *Voy. Ereb. Terr. XI. p. 16. t. 3. f. 9.* Nov. Zeeland.
1

Blepiarda

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 430.*

lophata Pascoe. *Journ. of Ent. II. p. 432.*	Ins. Fidji.
undulata Pascoe. *l. c. p. 430. t. 17. f. 12.*	Queensland.

2

Bepharus

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 207.*

ellipticus Pascoe. *Trans. ent. Soc. 1870. p. 208. t. 5. f. 8.*	Queensland.

1

Rhinochenus

ῥίν, nasus; χήν, anser.

Lucas. *Casteln. Voy. VII. 1859. p. 171.*

Monogr. Chevrolat. *Ann. Soc. Belg. XIV. 1871.*

bahiensis Chevrol. *Mon. nr. 15.*	Bahia.
brevicollis Chevrol. *Mon. nr. 13.*	Amer. mer.
cinereopunctatus Chevrol. *Mon. nr. 12.*	Bahia.
fimbriatus Chevrol. *Mon. nr. 7.*	Brasilia.
Hercules Chevrol. *Mon. nr. 2.*	Columbia.
innotatus Chevrol. *Mon. nr. 16.*	„
Lucasi Chevrol. *Mon. nr. 5.*	Amazon.
piger Fabr. *Ent. Syst. Suppl. p. 169.* — Chevrol. *Mon. nr. 10.*	Trinidad.
stigma Oliv. *Encycl. méth. V. p. 504; Ent. V. 83. p. 197. t. 34. f. 530.* — Gylh. *Schh. Gen. Curc. IV. p. 63.*	„
nota Illig. *Mag. V. p. 243.*	„
Reichei Bohem. *Schh. Gen. Curc. VIII. 1. p. 303.* — Chevrol. *Mon. nr. 1.*	Bahia.
Rougieri Chevrol. *Mon. nr. 18.*	Brasilia.
stenaspis Chevrol. *Mon. nr. 11.*	Nov. Granada.
sticticus Luc. *Casteln. Voy. VII. p. 172.* — Chevrol. *Mon. nr. 17.*	Minas Geraës.
stigma Linn. *Mus. Lud. Ulr. p. 48.* — Gylh. *Schh. Gen. Curc. IV. p. 63.* — Chevrol. *Mon. nr. 9.*	Cayennae.
notatus Sturm. *Cat. 1843. p. 219.*	„
striatus Chevrol. *Mon. nr. 6.*	Brasilia.
subcruciatus Chevrol. *Mon. nr. 3.* — Dej. *Cat. 3. ed. p. 317.*	Cayennae.
transversalis Chevrol. *Mon. nr. 14.*	„
trilineatus Chevrol. *Mon. nr. 8.*	Amazon.
X-rubrum Chevrol. *Mon. nr. 4.*	Cayennae.

18

Protopalus

πρωτόπαλος, luctator primarius.

Schönherr. *Gen. Curc. IV. 1837. p. 44.*

Gorgus Germar. — *Hypsophorus* Dejean.

cristatus Pascoe. *Journ. Linn. Soc. X. 1870. p. 448.* Queensland.
dromedarius Boisd. *Voy. Astrol. II. 1835. p. 428.* — Dej. *Cat. 3. ed. p. 316.* Port Jackson.
Stephensi Bohem. *Schh. Gen. Curc. IV. p. 45.* „
Schönherri Waterh. *Trans. ent. Soc. ser. 2. II. p. 192.* — Lacord. *Gen. Col. VII. p. 133. note 3.* Moreton bay.
3

Anomocerus

ἄνομος, abnormis; κέρας, cornu.

Montrouzier. *Ann. Fr. 1860. p. 898.*

Coquereli Montrouz. *Ann. Fr. 1860. p. 898.* — Lacord. *Gen. Col. VII. p. 134.* Lifu.
1

Hemideres

ἥμι, semi; δέρη, collum.

Lacordaire. *Gen. Col. VII. 1866. p. 135.*

Anomocerus Montrouzier. *(pars.)*

erecta Montrouz. *Ann. Soc. Linn. Lyon. 1864. p. 182.* — Lacord. *Gen. Col. VII. p. 136. note 2.* Nov. Caledon.
Lucasi Montrouz. *Ann. Fr. 1860. p. 899.* — Lacord. *Gen. Atl. VIII. t. 74. f. 4. a.* Ins. Art.
2

Mecistostylus

μήκιστος, longissimus; στύλος, stylus.

Lacordaire. *Gen. Col. VII. 1866. p. 136.*

Douei Lacord. *Gen. Col. VII. p. 137. note 1.* Nov. Zeeland.
1

Mecomastix

μῆκος, longitudo; μάστιξ, flagellum.

Lacordaire. *Gen. Col. VII. 1866. p. 137.*

Anomocerus Perroud.

Lacordairei Chevrol. *Ann. Soc. Belg. Compt. rend. nr. 70. 1872. p. 4.* Ins. Mare.
Montraveli Lacord. *Gen. Col. VII. p. 138. not. 1; Atl. VIII. t. 74. f. 5. a-b.* „

Montraveli Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 183; Mélang. ent. IV. p. 138. t. 1. f. 8. a.* — Nov. Caledon.
2

Paranomocerus

παράνομος, irregularis; κέρας, cornu.

Redtenbacher. *Reis. Novar. II. 1868. p. 168.*

spiculus Redtenb. *Reis. Novar. II. p. 169.* — Nov. Zeeland.
1

Sympiezoscelus

συμπιέζω, comprimo; σκέλος, crus.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 203.*

Spencei Waterh. *Trans. ent. Soc. ser. 2. II. p. 204.* — Nov. Zeeland.
1

Ampagia

Etym. dub.

Pascoe. *Trans. ent. Soc. 1870. p. 208.*

erinacea Pascoe. *Trans. ent. Soc. 1870. p. 209. t. 5. f. 1; p. 212. not.* — K. Georg. S.
1

Cnemecoelus

κνήμη, femur; κοῖλος, cavus.

Schönherr. *Gen. Curc. IV. 1837. p. 274.*

brevis Philippi. *Stett. Zeit. 1864. p. 371.* — Chili.
cribraticollis Blanch. *Gay. Hist. Chil. V. p. 403. t. 25. f. 7. a-d.* — „
puncticollis Bohem. *Schh. Gen. Curc. IV. p. 275.* — Blanch. *Gay. Hist. Chil. V. p. 403.* — „
valdivianus Philippi. *Stett. Zeit. 1864. p. 371.* — „
valparadisiacus Philippi. *l. c. p. 372.* — „
5

Hybomorphus

ὕβος, gibbus; μορφή, forma.

Saunders et Jekel. *Ann. Fr. 1855. p. 301.*

melanosomus Saund. et Jekel. *Ann. Fr. 1855. p. 304. t. 15. f. 8. a-c.* — Howe Island.
1

Cratosomus

κράτος, robur; σῶμα, corpus.

Schönherr. *Disp. meth. 1826. p. 278.*
Gorgus Schönh.

auritus Guér. *Jc. règn. anim. p. 165.* Brasilia.
auritus Bohem. *Schh. Gen. Curc. VIII. 1. p. 295.* „
bison Chevrol. *Jc. règn. anim. p. 166.* Cayennae.
bispinosus Gylh. *Schh. Gen. Curc. IV. p. 27.* — Guér. *Jc. règn. anim. V. t. 39. f. 9.* „
Chevrolati Schönh. *in litt. olim.* „
bombina Fabr. *Mant. I. p. 104.* — Illig. *Mag. V. p. 242.* „
bos Gylh. *Schh. Gen. Curc. IV. p. 14.* Brasilia.
cornutus Schönh. *Disp. meth. 1826. p. 280.* „
Buqueti Guér. *Jc. règn. anim. p 165.* Cayennae.
cancellatus Erichs. *Schomb. Reis. III. 1848. p. 569.* Guyana.
clathratus Gylh. *Schh. Gen. Curc. IV. p. 37.* Cayennae.
consularis Guér. *Mag. Zool. Ins. 1844. t. 142.* Nov. Granada.
Corbyi Guér. *Jc. règn. anim. p. 163.* Maragnan.
cornutus Oliv. *Encycl. méth. V. p. 500; Ent. V. 83. p. 160. t. 15. f. 193.* — Fabr. *Ent. Syst. I. 2. p. 421.* — Gylh. *Schh. Gen. Curc. IV. p. 18.* Cayennae.
Dejeani Gylh. *Schh. Gen. Curc. IV. p. 9.* „
bombina Oliv. *Encycl. méth. V. p. 501; Ent. V. 83. p. 16. t. 1. f. 12. (forte.)* „
delirus Gylh. *Schh. Gen. Curc. IV. p. 11.* Brasilia.
dentatus Bohem. *Schh. l. c. VIII. 1. p. 298.* Cayennae.
dentirostris Guér. *Jc. règn. anim. p. 164.* Brasilia.
dubius Fabr. *Mant. I. p. 106.* — Herbst. *Käf. VI. p. 128 et 463. t. 68. f. 8.* — Gylh. *Schh. Gen. Curc. IV. p. 32.* Cayennae.
dumosus Bohem. *Schh. l. c. VIII. 1. p. 297.* Brasilia.
echinatus Gylh. *l. c. IV. p. 31.* — Dej. *Cat. 3. ed. p. 316.* Cayennae.
exsculptus Bohem. *Schh. l. c. VIII. 1. p. 299.* — Dej. *Cat. l. c.* „
Fabricii Gylh. *Schh. l. c. IV. p. 21.* Columbia.
fasciatopunctatus Guér. *Jc. règn. anim. p. 164.* Bolivia.
fasciatus Perty. *Del. anim. 1830. p. 79. t. 16. f. 5.* Brasilia.
flavofasciatus Guér. *Jc. règn. anim. p. 163.* „
gemmatus Lec. *Proc. Ac. Phil. 1858. p. 79.* Mexico.
Germari Bohem. *Schh. Gen. Curc. VIII. 2. p. 449.* Columbia.
Schönherri Germ. *in litt.* „
Gyllenhali Gylh. *Schh. l. c. IV. p. 15.* Brasilia.
hoplites Perty. *Del. anim. art. p. 80. t. 16. f. 8.* „
lacrimans Gylh. *Schh. Gen. Curc. IV. p. 25.* Amer. mer.
impluviatus Germ. *Ins. Spec. nov. p. 265.* — Gylh. *Schh. Gen. Curc. IV. p. 3.* Brasilia.
Kirbyi Gylh. *l. c. p. 38.* Columbia.
Lafonti Guér. *Jc. règn. anim. p. 163.* „
lentiginosus Germ. *Ins. Spec. nov. p. 264.* — Gylh. *Schh. Gen. Curc. IV. p. 13.* Brasilia.
{*calcaratus* Panz. *ed. Voet. IV. p. 61. t. 37. f. 26.* „
{*curassaviensis* Voet. *Cat. II. p. 50. t. 37. f. 26.* „
pollinosus Dej. *Cat. 3. ed. p. 316.* „
vacca Sturm. *Cat. 1826. p. 128.* „

Lherminieri Chevrol. *Guér. Jc. règn. anim. p. 167.*	Columbia.
lucifugus Oliv. *Ent. V. 83. p. 168. t. 29. f. 425.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 300.*	Cayennae.
maleficus Oliv. *Ent. V. 83. p. 168. t. 29. f. 426.* — Gylh. *Schh. Gen. Curc. IV. p. 28.*	„
minax Schönh. *Disp. meth. p. 288.*	„
morbillosus Dej. *Cat. 3. ed. p. 316.*	„
tuberculatus Sturm. *Cat. 1826. p. 128.*	„
melancholicus Gylh. *Schh. Gen. Curc. IV. p. 12.*	Brasilia.
multipunctatus Gylh. *l. c. p. 4.*	„
Nodieri Gylh. *l. c. p. 8.*	Mexico.
pastillarius Gylh. *l. c. p. 33.*	Amer. mer.
phaleratus Perty. *Del. anim. p. 79. t. 16. f. 6.*	Brasilia.
pterygomalis Gylh. *Schh. Gen. Curc. IV. p. 36.*	„
porriginosus Germ. *Ins. Spec. nov. p. 266.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 295.*	„
♂ *Mannerheimi* Gylh. *Schh. l. c. IV. p. 16.*	„
punctulatus Gylh. *l. c. p. 6.*	Mexico.
var. *mexicanus* Gylh. *l. c. p. 5.*	„
„ *pustulatus* Gylh. *l. c. p. 7.*	„
Reidi Kirby. *Trans. Linn. Soc. XII. 1818. p. 435.* — Gylh. *Schh. Gen. Curc. IV. p. 2.*	Brasilia.
heros Schönh. *Disp. meth. p. 279.*	„
histrio Sturm. *Cat. 1826. p. 128.*	„
pardalinus Dej. *Cat. 3. ed. p. 316.*	„
Roddami Kirby. *Trans. Linn. Soc. XII. p. 434.* — Gylh. *Schh. Gen. Curc. IV. p. 13.*	„
superbus Dej. *Cat. 3. ed. p. 316.*	„
var. *herculeanus* Dalm. *Analect. ent. p. 85.*	„
scaber Fabr. *Syst. Ent. p. 137.* — Oliv. *Ent. V. 83. p. 161. t. 16. f. 205.* — Gylh. *Schh. Gen. Curc. IV. p. 24.*	Cayennae.
scabricollis Gylh. *l. c. p. 34.* — Dej. *Cat. 3. ed. p. 316.*	„
scapularis Erichs. *Schomb. Reis. III. p 569.*	Guyana.
Schönherri Gylh. *Schh. Gen. Curc. IV. p. 10.*	Cayennae.
scorpio Fabr. *Mant. 1. p. 105.* — Gylh. *l. c. p. 19.*	„
varicosus Oliv. *Encycl. méth. V. p. 502; Ent. V. 83. p. 162. t. 1. f. 14.*	„
setosus Chevrol. *Guér. Jc. règn. anim. p. 167.*	„
stellio Oliv. *Ent. V. 83. p. 164. t. 1. f. 3.* — Gylh. *Schh. Gen. Curc. IV. p. 26.*	„
sticticus Germ. *Ins. Spec. nov. p. 265.* – Gylh. *l. c. p. 3.*	Brasilia.
subangulatus Gylh. *l. c. IV. p. 30.*	Cayennae.
taurus Fabr. *Ent. Syst. I. 2. p. 421.* - Gylh. *Schh. Gen. Curc. IV. p. 19.*	„
rhynchoceros Pall. *Jc. p. 23. t. B. f. 2. (forte.)*	„
tuberculatus Perty. *Del. anim. art. p. 80. t. 16. f. 7.*	Brasilia.
undabundus Gylh. *Schh. Gen. Curc. IV. p. 35.*	„
vaginalis Linn. *Mus. Lud. Ulr. p. 47.* — Degeer. *Mém. V. p. 266. t. 15. f. 23.* — Gylh. *Schh. Gen. Curc. IV. p. 22.*	Cayennae.
guttatus Herbst. *Käf. t. 72. f. 11. (forte.)*	„
senegalensis Fabr. *Ent. Syst. I. 2. p. 422.*	„

varicosus Pallas. *Jc. 1781. p. 22. t. B. f. 1.* — Herbst. *Käf. VI. p. 304. t. 84. f. 1.* Cayennae.
vespertilio Fabr. *Syst. El. II. p. 458.* — Gylh. *Schh. Gen. Curc. IV. p. 29.* „
59

Pinarus

πιναρός, sordidus.

Schönherr. *Disp. meth. Curc. 1826. p. 307.*

spiculus Germ. *Ins. Spec. nov. p. 262.* — Rosensch. *Schh. Gen. Curc. IV. p. 683.* Brasilia.
squalidus Dej. *Cat. 3. ed. p. 325.* „
1

Piazurus

πιάζω, comprimo; οὐρά, cauda.

Schönherr. *Gen. Curc. IV. 1837. p. 651.*

Piazorus Schönh. *olim.*

balistes Erichs. *Wiegm. Arch. 1847. I. p. 135.* Peru.
bispinosus Gylh. *Schh. Gen. Curc. IV. p. 654.* Columbia.
calcaratus Bohem. *Schh. l. c. p. 663.* Cayennae.
bajulus Dej. *Cat. 3. ed. p. 325.* „
caprimulgus Oliv. *Ent. V. 83. p. 177. t. 17. f. 209.* „
coronatus Dej. *Cat. 3. ed. p. 325.* „
cerastes Fabr. *Syst. El. II. p. 469.* — Bohem. *Schh. Gen. Curc. IV. p. 673.* Amer. mer.
ciliatus Germ. *Ins. Spec. nov. 1824. p. 254.* Brasilia.
bidentatus Gylh. *Schh. Gen. Curc. IV. p. 655.* „
compactus Gylh. *l. c. p. 658.* — Dej. *Cat. 3. ed. p. 325.* Cayennae.
condyliatus Bohem. *Schh. l. c. p. 678.* Mexico.
defector Bohem. *l. c. p. 667.* Brasilia.
costatopunctatus Dej. *Cat. 3. ed. p. 325.* „
dentatus Sturm. *Cat. 1826. p. 128.* „
imbellis Germ. *Ins. Spec. nov. p. 280.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 115.* „
incommodus Bohem. *l. c. IV. p. 659.* — Dej. *Cat. 3. ed. p. 325.* Cayennae.
maculipes Gylh. *Schh. l. c. p. 660.* Mexico.
melanostictus Bohem. *Schh. l. c. p. 665.* Cayennae.
misumenus Bohem. *l. c. p. 675.* Brasilia.
mitis Germ. *Ins. Spec. nov. p. 280.* — Bohem. *l. c. p. 674.* „
notabilis Bohem. *Schh. Gen. Curc. VIII. 2. p. 453.* Mexico.
obesus Bohem. *l. c. IV. p. 666.* Brasilia.
ochreocephalus Gylh. *Schh. l. c. p. 668.* Amer. mer.
operosus Bohem. *Schh. l. c. p. 656.* — Dej. *Cat. 3. ed. p. 325.* Brasilia.
ardea Sturm. *Cat. 1826. p. 135* „
stigma Schönh. *in litt.* „

ostracion Germ. *Ins. Spec. nov. 1824. p. 261.* — Bohem. *Schh. Gen. Curc. IV. p. 677.* Brasilia.
polyodon Schönh. *in litt.* „
phlesus Fabr. *Syst. El. II. p. 476.* — Bohem. *Schh. Gen. Curc. IV. p. 652.* Amer. mer.
pleuronectes Fabr. *Syst. El. II. p. 477.* — Bohem. *l. c. p. 664.* „
propinquus Bohem. *l. c. p. 657.* — Dej. *Cat. 3. ed. p. 325.* Cayennae.
Rosenschoeldi Bohem. *l. c. p. 669.* Brasilia.
saginatus Bohem. *l. c. p. 661.* Mexico.
stipitosus Germ. *Ins. Spec. nov. p. 255.* Brasilia.
contumeliosus Bohem. *Schh. Gen. Curc. IV. p. 671.* „
subundatus Bohem. *l. c. VIII. 2. p. 114.* „
succivus Bohem. *l. c. IV. p. 670.* Mexico.
taciturnus Bohem. *l. c. VIII. 2. p. 111.* Cayennae.
umbrinus Bohem. *l. c. IV. p. 676.* Brasilia.
varipes Erichs. *Wiegm. Arch. 1847. I. p. 135.* Peru.
varius Bohem. *Schh. Gen. Curc. IV. p. 672.* — Dej. *Cat. 3. ed. p. 325.* Brasilia.
versicolor Germ. *Ins. Spec. nov. p. 255.* „
{*bistriatus* Gylh. *Schh. Gen. Curc. IV. p. 662.* „
{*concretus* Dej. *Cat. 3. ed. p. 325.* „
lineola Sturm. *Cat. 1826. p. 128.* „
33

Lechriops

λέχριος, obliquus; ὤψ, oculus.

Schönherr. *Disp. meth. 1826. p. 306.*

sciurus Fabr. *Syst. El. II. p. 484.* — Gylh. *Schh. Gen. Curc. IV. p. 260.* Brasilia.
Spec. dnae ined. Lacord. *Gen. Col. VII. 1866. p. 149.* „
3

Telephaë

Nomen mythol.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 487.*

laticollis Pascoe. *Journ. Linn. Soc. X. p. 487. t. 19. f. 9. a.* Macassar.
1

Zygops

ζυγός, jugum; ὤψ, oculus.

Schönherr. *Disp. meth. 1826. p. 300.*

Eccoptus Dejean.

albicollis Erichs. *Wiegm. Arch. 1847. I. p. 134.* Peru.
balsaminae Motsch. *Bull. Mosc. 1863. II. p. 528.* Ceylon.
buffo Gylh. *Schh. Gen. Curc. IV. p. 608.* — Dej. *Cat. 3. ed. p. 324.* Brasilia.

cinctipes Germ. *Ins. Spec. nov. 1824. p. 257.* — Bohem. *Schh. Gen. Curc. IV. p. 611.* Brasilia.
disjuncta Bohem. *l. c. p. 609.* „
hieroglyphica Erichs. *Wiegm. Arch. 1847. I. p. 134.* Peru.
hinnula Gylh. *Schh. Gen. Curc. IV. p. 620.* Brasilia.
histrio Bohem. *Schh. l. c. p. 612.* — Dej. *Cat. 3. ed. p. 324.* Cayennae.
scolopax Sturm. *Cat. 1826. p. 135.* Brasilia.
hostia Germ. *Ins. Spec. nov. p. 256.* „
Germari Gylh. *Schh. Gen. Curc. IV. p. 603.* „
jaspidea Germ. *Ins. Spec. nov. p. 258.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 93.* „
ligata Bohem. *l. c. IV. p. 602.* Cayennae.
mexicana Bohem. *l. c. p. 611.* Mexico.
ochatina Bohem. *l. c. p. 607.* Brasilia.
parvula Bohem. *l. c. VIII. 2. p. 92.* „
pia Bohem. *l. c. p. 90.* Cayennae.
pistor Bohem. *l. c. IV. p. 615.* Brasilia.
planula Fabr. *Syst. El. II. p. 477.* — Bohem. *Schh. Gen. Curc. IV. p. 619.* Amer. mer.
rubricollis Bohem. *l. c. VIII. 2. p. 94.* Cayennae.
sancta Fabr. *Syst. El. II. p. 476.* — Bohem. *Schh. Gen. Curc. IV. p. 604.* „
scenica Gylh. *Schh. l. c. p. 618.* — Dej. *Cat. 3. ed. p. 324.* Brasilia.
scutulata Erichs. *Wiegm. Arch. 1847. I. p. 134.* Peru.
semialba Bohem. *Schh. Gen. Curc. VIII. 2. p. 96.* Cayennae.
signativentris Bohem. *l. c. p. 89.* „
sobrina Gylh. *Schh. l. c. IV. p. 622.* Brasilia.
stigma Bohem. *Schh. l. c. VIII. 2. p. 91.* „
stigmatica Bohem. *l. c. p. 95.* — Lacord. *Dej. Cat. 3. ed. p. 324.* Cayennae.
strix Oliv. *Encycl. méth. V. p. 106; Ent. V. 83. p. 186. t. 25. f. 295.* — Fabr. *Ent. Syst. I. 2. p. 433.* — Bohem. *Schh. Gen. Curc. IV. p. 606.* „
submaculata Bohem. *l. c. p. 614.* „
temporaria Fabr. *Syst. El. II. p. 478.* — Bohem. *l. c. p. 617.* Brasilia.
discoidalis Schönh. *in litt.* „
lineatocollis Dej. *Cat. 3. ed. p. 324.* „
tridentata Gylh. *Schh. Gen. Curc. IV. p. 621.* Cayennae.
vinula Gylh. *l. c. p. 616.* Brasilia.
Wiedi Germ. *Ins. Spec. nov. p. 259.* — Bohem. *Schh. l. c. p. 611.* „

32

Zygopsides

Zygops; εἶδος, aspectus.

Marseul. *Abeille. V. 1868. p. 203.*

berytensis Mars. *Abeille. V. p. 201.* Beyruth.

1

Talanthia

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 206.*

phalangium Pascoe. *Ann. nat. Hist. 1871. p. 207. t. 15. f. 4.* Penang.
1

Hedycera

ἡδύς, pulcher; κέρας, cornu.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 457.*

megamera Pascoe. *Journ. Linn. Soc. X. 1870. p. 457. t. 18. f. 11. a-b.* Cayennae.
1

Agametis

ἀγάμητος, coelebs.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 473.*

agrestis Pascoe. *Ann. nat. Hist. 1871. p. 207.* Sarawak.
deleta Pascoe. *l. c. p. 208.* Singapur.
festiva Pascoe. *Journ. Linn. Soc. X. 1870. p. 474. t. 19. f. 5. a-b; Ann. nat. Hist. 1871. t. 15. f. 10.* Archip. ind.
morata Pascoe. *Ann. nat. Hist. 1871. p. 208.* Sarawak.
ortyx Pascoe. *l. c.* Mysol.
5

Ganyopis

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 209.*

leucura Pascoe. *Ann. nat. Hist. 1871. p. 209. t. 15. f. 7.* Malacca.
1

Odoacis

Etym. null.

Pascoe. *Journ. of Ent. II. 1865. p. 427; Ann. nat. Hist. 1871. p. 209.*

Macrobamon Lacord.

grallarius Pascoe. *Journ. of Ent. II. p. 427. t. 17. f. 24; Ann. nat. Hist. 1871. t. 16. f. 5.* Siam.
pedestris Pascoe. *Ann. nat. Hist. 1871. p. 210.* Sarawak.
periergus Lacord. *Gen. Col. VII. p. 158. not. 2.* Ceylon.
3

Chirozetes

Etym. dub.

Pascoe. *Journ. Linn. Soc. X. 1870. p. 447.*

auguralis Pascoe. *Ann. nat. Hist. 1871. p. 211.* Aru.

grammicus Pascoe. *Ann. nat. Hist. 1871. p. 212.* Mysol.
junix Pascoe. *l. c. p. 211.* Sarawak.
nervosus Pascoe. *l. c. p. 211. t. 15. f. 9.* Amboina.
pectorosus Pascoe. *Journ. Linn. Soc. X. 1870. p. 447. t. 17. f. 9. a-b.* Cambodja.
sectator Pascoe. *Ann. nat. Hist. 1871. p. 211.* Sarawak.
sphaerops Wiedem. *Zool. Mag. II. 1. 1823. p. 129.* Java.
7

Daedania

Vox euphon.

Pascoe. *Ann. nat. Hist. 1871. p. 212.*

meleagris Pascoe. *Ann. nat. Hist. 1871. p. 213.* Sarawak.
mesoleuca Pascoe. *l. c. p. 213. t. 15. f. 1.* Mysol.
2

Phylaitis

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 213.*

cyclops Pascoe. *Ann. nat. Hist. 1871. p. 215. t. 15. f. 14.* Sarawak.
lineata Pascoe. *l. c. p. 214.* Mysol.
pusio Pascoe. *l. c.* Sarawak.
V-album Pascoe. *l. c. t. 15. f. 6.* Macassar.
4

Pempheres

πεμφηρὶς, nomen piscis.

Pascoe. *Ann. nat. Hist. 1871. p. 215.*

habena Pascoe. *Ann. nat. Hist. 1871. p. 215.* Singapur.
trilineata Pascoe. *l. c. t. 15. f. 2.* Batchian.
2

Emexaure

Etym. dub.

Pàscoe. *Ann. nat. Hist. 1871. p. 216.*

gallinula Pascoe. *Ann. nat. Hist. 1871. p. 216. t. 16. f. 1.* Sarawak.
1

Heurippa

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 216.*

amoena Pascoe. *Ann. nat. Hist. 1871. p. 217. t. 15. f. 5.* Macassar.
1

Metialma

Vox euphon.

Pascoe. *Ann. nat. Hist. 1871. p. 217.*

naevia Pascoe. *Ann. nat. Hist. 1871. p. 218. t. 16. f. 4.* Macassar.
novata Pascoe. *l. c. p. 218.* Aru.
scenica Pascoe. *l. c. p. 217. not.* Bombay.
signifera Pascoe. *l. c. p. 218. not.* Hongkong.
4

Brimoda

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 219.*

pagana Pascoe. *Ann. nat. Hist. 1871. p. 219. t. 15. f. 13.* Singapur.
1

Osphilia

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 219.*

apicalis Pascoe. *Ann. nat. Hist. 1871. p. 220. t. 16. f. 13.* Sarawak.
flavirostris Pascoe. *l. c. p. 220.* Mysol.
onca Pascoe. *l. c.* Morty.
undata Pascoe. *l. c. p. 221. t. 16. f. 6.* Batchian.
4

Nauphaeus

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 221.*

miliaris Pascoe. *Ann. nat. Hist. 1871. p. 222. t. 16. f. 3.* Waigiu.
1

Arachnopus

ἀραχνή, aranea; πούς, pes.

Guérin. *Voy. Coquille. Ent. 1830. p. 127.*

Arachnobas Boisduv.

binotatus Pascoe. *Ann. nat. Hist. 1871. p. 258.* Aru.
frenatus Vollenh. *Tijdschr. Ent. IX. 1866. p. 288. t. 12. f. 5.* Salwatty.
gazella Boisd. *Voy. Astrol. II. 1835. p. 436. t. 7. f. 22.* Nov. Guinea.
geometricus Vollenh. *Tijdschr. Ent. IX. 1866. p. 227. t. 12. f. 4.* Tondano.
persona Vollenh. *l. c. p. 226. t. 12. f. 3.* Waigiu.
phaleratus Pascoe. *Ann. nat. Hist. 1871. p. 259. t. 16. f. 9.* Ceram.
sannio Pascoe. *l. c. p. 259.* Aru.
simius Pascoe. *l. c.* Mysol.

striga Guér. *Voy. Coquille. Ent. p. 128. t. 6. f. 5.* — Boisd. *Voy. Astrol. II. p. 436.* — Lacord. *Gen. Col. VII. p. 160. not. 1.* Nov. Guinea.
Wallacei Pascoe. *Ann. nat. Hist. 1871. p. 258.* — Wallace. *Malay. Archip. II. p. 154. c. fig.* Gilolo.
10

Thyestetha

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 426; Ann. nat. Hist. 1871. p. 260.*

nitida Pascoe. *Journ. of Ent. II. p. 427. t. 17. f. 20; Ann. nat. Hist. 1871. t. 16. f. 8.* Aru.
1

Telaugia

τελαυγής, procul splendida.

Pascoe. *Ann. nat. Hist. 1871. p. 260.*

coccosa Pascoe. *Ann. nat. Hist. 1871. p. 261.* Batchian.
1

Idotasia

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 261.*

ebriosa Pascoe. *Ann. nat. Hist. 1871. p. 261. t. 16. f. 10.* Salwatty.
elliptica Pascoe. *l. c. p. 262.* Ceram.
inclusa Pascoe. *l. c.* Mysol.
nasuta Pascoe. *l. c. p. 261. t. 16. f. 2.* Dorey.
scaphioides Pascoe. *l. c. p. 262. t. 16. f. 11. 12.* Batchian.
5

Semiathe

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 262.*

ophthalmica Pascoe. *Ann. nat. Hist. 1871. p. 263. t. 16. f. 15.* Mysol.
rufipennis Pascoe. *l. c. p. 263.* Dorey.
2

Xychusa

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 263.*

larvata Pascoe. *Ann. nat. Hist. 1871. p. 263. t. 16. f. 14.* Aru.
1

Elichora

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 264.*

coruscans Pascoe. *Ann. nat. Hist. 1871. p. 264.* Batchian.
1

Nyphaeba

Etym. dub.

Pascoe. *Ann. nat. Hist. 1871. p. 264.*

monommoides Pascoe. *Ann. nat. Hist. 1871. p. 265. t. 16. f. 7.* Ceram.
1

Peltophorus

πελτοφόρος, peltatus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 451.*

leucomelas Lacord. *Gen. Col. VII. p. 152. note 1.* Mexico.
polymitus Bohem. *Schh. Gen. Curc. VIII. 2. p. 452.* „
2

Copturus

κοπτός, sectus; οὐρά, cauda.

Schönherr. *Gen. Curc. IV. 1838. p. 623.*

Coptopygus Schönh. — *Coptorus* Schönh.

affaber Bohem. *Schh. Gen. Curc. IV. p. 634.* Brasilia.
armatus Gylh. *Schh. l. c. p. 631.* „
avicularis Bohem. *Schh. l. c. p. 630.* Mexico.
Besckei Bohem. *l. c. p. 640.* Brasilia.
Boisduvali Boisd. *Voy. Astrol. II. 1835. p. 439.* — Lacord. *Gen. Col. VII. p. 153. note 4.* — Dupont *in litt.* Nov. Guinea.
carinatus Bohem. *Schh. Gen. Curc. IV. p. 636.* Brasilia.
concinnus Bohem. *l. c. VIII. 2. p. 102.* „
condecoratus Bohem. *l. c. p. 99.* „
confinis Bohem. *l. c. p. 106.* „
coryphaeus Erichs. *Wiegm. Arch. 1847. I. p. 135.* Peru.
costatus Bohem. *Schh. Gen. Curc. IV. p. 633.* Brasilia.
deplanus Fabr. *Syst. El. II. p. 476.* — Bohem. *Schh. Gen. Curc. IV. p. 626.* Amer. mer.
figuratus Bohem. *l. c. VIII. 2. p. 98.* „
furfuraceus Germ. *Ins. Spec. nov. 1824. p. 260.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 101.* Brasilia.
guttula-alba Bohem. *l. c. IV. p. 644.* „
infimus Bohem. *l. c. p. 647.* — Dej. *Cat. 3. ed. p. 325.* Columbia.
var. *auritus* Klug *in litt.* — Schönh. *Gen. Curc. VIII. 2. p. 108.* „
„ *senilis* Moritz *in litt* „

lamella Fabr. *Syst. El. II. p. 477.* — Bohem. *Schh. Gen. Curc. IV. p. 629.* Cayennae.
guttatus Dej. *Cat. 3. ed. p. 324.* „
lanio Erichs. *Wiegm. Arch. 1847. I. p. 135.* Peru.
laterensis Bohem. *Schh. Gen. Curc. VIII. 2. p. 100.* Brasilia.
Lebasi Bohem. *l. c. IV. p. 646.* — Dej. *Cat. 3. ed. p. 325.* Columbia.
ludiosus Bohem. *l. c. p. 642.* Mexico.
maculatus Bohem. *l. c. VIII. 2. p. 103.* — Lacord. *Gen. Col. VII. p. 153. note 3.* Amer. mer.
Megerlei Bohem. *l. c. p. 104.* Brasilia.
minutus Lec. *Ann. Lyc. I. 1824. p. 171.* Amer. bor.
oculatus Say. *Journ. Ac. Phil. III. 1823. p. 308; Descr. of Curc. of N. Am. p. 21.* Missouri.
operculatus Say. *Journ. Ac. Phil. III. p. 308.* — Gylh. *Schh. Gen. Curc. IV. p. 649.* Arkansas.
papaveratus Germ. *Ins. Spec. nov. p. 261.* — Bohem. *Schh. Gen. Curc. IV. p. 627.* Brasilia.
perturbatus Gylh. *Schh. l. c. p. 643.* Jamaica.
pipa Fabr. *Syst. El. II. p. 478.* — Bohem. *l. c. p. 632.* Amer. mer.
quercus Say. *Descr. of Curc. of N. Am. 1831. p. 20.* — Gylh. *Schh. l. c. p. 650.* Amer. bor.
regalis Bohem. *Schh. l. c. VIII. 2. p. 105.* Cayennae.
rorulentus Bohem. *l. c. IV. p. 637.* Brasilia.
roseosignatus Bohem. *l. c. p. 639.* „
rubricollis Gylh. *Schh. l. c. p. 641.* — Guér. *Jc. règn. anim. t. 39. f. 4. a.* Cayennae.
rufinasus Bohem. *Res. Eugen. 1859. p. 146.* Java.
sannio Gylh. *Schh. Gen. Curc. IV. p. 638.* Brasilia.
satyrus Gylh. *l. c. p. 628.* „
scapha Kirsch. *Berl. Zeit. 1869. p. 206.* Bogotá.
Solieri Bohem. *Schh. Gen. Curc. VIII. 2. p. 109.* Brasilia.
subulipennis Gylh. *Schh. l. c. IV. p. 625.* Amer. mer.
subundatus Bohem. *Schh. l. c. VIII. 2. p. 107.* Brasilia.
trimaculatus Motsch. *Bull. Mosc. 1866. II. p. 438.* Ceylon.
troglodytes Bohem. *Schh. Gen. Curc. IV. p. 648.* Brasilia.
ulula Fabr. *Syst. El. II. p. 478.* — Bohem. *Schh. Gen. Curc. IV. p. 635.* Amer. mer.
vestitus Bohem. *l. c. p. 645.* — Dej. *Cat. 3. ed. p. 325.* Columbia.
45

Timorus

τιμωρός, defensor.

Schönherr. *Gen. Curc. IV. 1838. p. 680.*

Lepidodus Chevrolat.

personatus Chevrol. *in litt.* — Lacord. *Gen. Col. VII. p. 154. note 1.* Brasilia.
suturalis Rosensch. *Schh. Gen. Curc. IV. p. 681.* — Lacord. *Gen. Atl. VIII. t. 74. f. 6. a.* „
2

Hemigaster

ἡμι, semi; γαστήρ, venter.

Lacordaire. *Gen. Col. VII. 1866. p. 154.*

cubica Lacord. *Gen. Col. VII. p. 155. note 1; Atl. VIII. t. 74. f. 7. a-b.* — Brasilia.

1

Mecopus

μῆκος, longitudo; πούς, pes.

Schönherr *Disp. meth. 1826. p. 304.*

Poecilma Germ. *(pars.)*

annulipes Blanch. *Voy. Pole Sud. IV. 1853. p. 253. t. 14. f. 14.* — Timor.

bispinosus Weber. *Obs. ent. 1801. p. 94.* — Gylh. *Schh. Gen. Curc. III. p. 556.* — Rosensch. *Schh. Gen. Curc. IV. p. 686.* — Pascoe. *Ann. nat. Hist. 1871. t. 15. f. 11.* — Sumatra.

{*Audineti* Rosensch. *l. c. p. 684.* — Java.

{*longipes* Chvrol. *i. litt.* — „

spinosus Germ. *Mag. IV. p. 298.* — Borneo.

caffer Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 268.* — Caffraria.

collaris Pascoe. *Ann. nat. Hist. 1871. p. 205. not.* — Ins. Fidschi.

cuneiformis Pascoe. *l. c. p. 204.* — Sarawak.

doryphorus Quoy et Gaimard. *Voy. Uran. Ent. 1824. p. 82. f. 9. 10.* — Nov. Guinea.

evolans Wiedem. *Zool. Mag. II. 1. 1823. p. 130.* — Bengal.

Hopei Rosensch. *Schh. Gen. Curc. IV. p. 689.* — Bengal.

lituratus Pascoe. *Ann. nat. Hist. 1871. p. 206.* — Tondano.

pulvereus Pascoe. *l. c. p. 205. t. 15. f. 3.* — Macassar.

serrirostris Pascoe. *l. c. p. 206. t. 15. f. 12.* — Batchian.

spinicollis Pascoe. *l. c. p. 204. t. 15. f. 8.* — Java.

tenuipes Pascoe. *l. c. p. 205.* — Dorey.

tipularius Pascoe. *Trans. ent. Soc. 1870. p. 210.* — Queensland.

trilineatus Guér. *Voy. Coquille. 1830. p. 126.* — Boisd. *Voy. Astrol. II. p. 441.* — Guér. *Ic. règn. anim. t. 39. f. 8. a-c.* — Rosensch. *Schh. Gen. Curc. IV. p. 688.* — Nov. Irland.

vulneratus Wiedem. *Zool. Mag. II. 1. p. 130.* — Bengal.

16

Schönherria

Nom. propr.

Blanchard. *Voy. Pole Sud. IV. 1853. p. 254.*

brevipennis Blanch. *Voy. Pole Sud. IV. p. 254. t. 14. f. 15.* — Lacord. *Gen. Col. VII. p. 611.* — Vanicoro.

1

Phaenomerus

φαίνω, appareo; μηρὸς, femur.

Schönherr. *Gen. Curc. III. 1836. p. 632.*

Podalgomerus Motschulsky.

leucogrammus Gerstäck. *Wiegm. Arch. 1871. 1. p. 74.* Mont. Ugono.
Sundevalli Bohem. *Schh. Gen. Curc. III. p. 633.* Bengal.
nebulosus Motsch. *Bull. Mosc. 1863. II. p. 530.* Ceylon.
2

Ilacuris

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 425.*

laticollis Pascoe. *Journ. of Ent. II. p. 425. t. 17. f. 7.* Queensland.
1

Sphadasmus

σφαδασμὸς, palpitator.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 290.*

Cyrtomon Schönh. *olim.* — *Eccoptus* Klug.

albosignatus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 269.* Caffraria.
brahminus Pascoe. *Ann. nat. Hist. 1871. p. 203. not.* Bengal.
camelus Gylh. *Schh. Gen. Curc. III. p. 820.* — Klug. *Dej. Cat. 3. ed. p. 316.* Cap bon. spei.
bactrianus Germ. *in litt.* „
denticollis Dej. *Cat. l. c.* „
carinicollis Bohem. *Schh. Gen. Curc. VIII. 1. p. 292.* Port. Natal.
figuratus Gerstäck. *Wiegm. Arch. 1871. 1. p. 74.* Lac. Jipe.
setifer Bohem. *Schh. Gen. Curc. VIII. 1. p. 291.* Port Natal.
6

Psalistus

ψαλιστὸς, arcuatus.

Gerstäcker. *Wiegm. Arch. XXXVII. 1871. I. p. 75.*

sordidus Gerstäck. *Wiegm. Arch. 1871. 1. p. 75.* Mbaramu.
1

Panoptes

πανόπτης, omnividens.

Gerstäcker. *Stett. Ent. Zeit. 1860. p. 385.*

notatus Gerstäck. *Stett. Zeit. 1860. p. 386.* Madagascar.
1

Coryssopus

κορύσσω, corusco; πούς, pes.

Schönherr. *Disp. meth. 1826. p. 303.*

hexasticus Gylh. *Schh. Gen. Curc. IV. p. 262.* Sierra Leona.
1

Strabus

στραβὸς, strabo.

Gerstäcker. *Stett. Ent. Zeit. 1860. p. 380.*

melaleucus Gerstäck. *Stett. Zeit. 1860. p. 382.* Madagascar.
pilula Gerstäck. *l. c. p. 383.* „
2

Tetragonops

τετράγωνος, quadratus; ὤψ, oculus.

Gerstäcker. *Monatsb. Berl. Ac. 1855. p. 85.*

fascicularis Gerstäck. *Monatsb. Berl. Ac. 1855. p. 85; Peters Reis. p. 316. t. 18. f. 15.* Mozambique.
1

Sympiezopus

συμπιέζω, comprimo; πούς, pes.

Schönherr. *Gen. Curc. IV. 1838. p. 707.*

aciculatus Bohem. *Schh. Gen. Curc. IV. p. 708.* Caffraria.
cinctus Bohem. *l. c. p. 710.* Cap bon. spei.
ebeninus Thoms. *Arch. ent. II. 1858. p. 140.* — Lacord. *Gen. Col. VII. p. 167. note 1.* Gabon.
marmoratus Thoms. *l. c. p. 140.* „
pauper Bohem. *Schh. Gen. Curc. IV. p. 709.* Caffraria.
5

Tachygonus

ταχὺς, celer; γωνία, genu.

Schönherr. *Gen. Curc. I. 1833. p. 311.*

Tachyopus Sturm.

centralis Lec. *Trans. Am. ent. Phil. II. 1868. p. 55.* New Mexico.
fasciculosus Bohem. *Schh. Gen. Curc. V. 1839. p. 456.* Mexico.
hydropicus Chevrol. *Guér. Ic. règn. anim. p. 155.* — Gylh. *Schh. Gen. Curc. V. p. 455.* Brasilia.
Lecontei Gylh. *l. c. I. p. 312.* — Sturm. *Cat. 1843. p. 352. t. 6. f. 1. a-b.* — Dej. *Cat. 3. ed. p. 264.* Philadelphia.
horridus Chevrol. *Guér. Ic. règn. anim. p. 155. t. 38. f. 9.* „
Leprieuri Chevrol. *l. c. p. 155.* Cayennae.
phalangium Chevrol. *l. c.* „
6

Dinorrhopala

δεινὸς, mirandus; ῥόπαλον, clava.

Pascoe. *Journ. of Ent. I. 1860. p. 61.*

spinosa Pascoe. *Journ. of Ent. I. p. 62. t. 3. f. 2.* Birma.
1

Rhamphus

ῥάμφος, rostrum.

Clairville. *Ent. helv. I. 1798. p. 104.*

aeneus Bohem. *Schh. Gen. Curc. I. p. 310.* — Dej. *Cat. 3. ed. p. 264.* — Gallia mer.
subaeneus Illig. *Mag. VI. p. 324. (forte.)* — Lusitania.
flavicornis Clairv. *Ent. helv. I. p. 104. t. 12.* — Gylh. *Schh. Gen. Curc. I. p. 310.* — Jacq. Duv. *Gen. Col. Curc. t. 4. f. 18.* — ♀ Heyden. *Berl. Zeit. 1862. p. 63.* — M.
oxyacanthae Marsh. *Ent. Brit. p. 263.* — Anglia.
pulicarius Payk. *Fn. Suec. III. p. 272.* — Gylh. *Ins. Suec. III. p. 251; IV. p. 206.* — Herbst. *Käf. VI. p. 429. t. 93. f. 12.* — Suecia.
squamosus Hochh. *Bull. Mosc. 1851. I. p. 16.* — Bucharia.
tomentosus Oliv. *Ent. V. 81. p. 40. t. 3. f. 59.* — Helvetia.
4

Lobotrachelus

λοβός, lobus; τράχηλος, cervix.

Schönherr. *Gen. Curc. IV. 1838. p. 711.*

alboscutellatus Thoms. *Arch. ent. II. 1858. p. 141.* — Gabon.
bifasciatus Motsch. *Bull. Mosc. 1866. II. p. 439.* — Ceylon.
cinerascens Motsch. *l. c.* — „
cruciatus Motsch. *l. c. p. 440.* — „
egenus Bohem. *Schh. Gen. Curc VIII. 2. p. 128.* — Port Natal.
fulvus Motsch. *Bull. Mosc. 1866. II. p. 439.* — Ceylon.
histrio Bohem. *l. c. p. 130.* — Port Natal.
incallidus Bohem. *Schh. Gen. Curc. VIII. 1. p. 293.* — Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 270.* — „
ineptus Gylh. *Schh. Gen. Curc. IV. p. 714.* — Bengal.
litigiosus Rosensch. *Schh. l. c. p. 713.* — Madagascar.
luctuosus Thoms. *Arch. ent. II. 1858. p. 140.* — Gabon.
obliquevittatus Motsch. *Bull. Mosc. 1866. II. p. 440.* — Ceylon.
olivaceus Motsch. *l. c. p. 439.* — „
piceofasciatus Motsch. *l. c. p. 440.* — „
pusus Rosensch. *Schh. Gen. Curc. IV. p. 715.* — India or.
setiger Motsch. *Bull. Mosc. 1866. II. p. 440.* — Ceylon.
subsignatus Bohem. *Schh. l. c. VIII. 2. p. 129.* — Port Natal.
vestitus Rosensch. *Schh. l. c. IV. p. 712.* — Cap bon. spei.
18

Rhadinocerus

ῥαδινός, gracilis; κέρας, cornu.

Schönherr. *Mantiss. sec. Curc. 1847. p. 80.*

afflictus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 271.* — Schönh. *Mant. sec. p. 82. (indscrpt.)* — Africa mer.
conicollis Bohem. *Schh. Gen. Curc. VIII 2. p. 127.* — Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 274.* — Port Natal.
flavicornis Fåhrs. *l. c. p. 273.* — Schönh. *Mant. sec. p. 82. (indscrpt.)* — „
lineatus Fåhrs. *l. c. p. 272.* — Schönh. *l. c.* — „

moerens Fåhrs. *Öfvers Vet. Ak. Förh. 1871. p. 271.* — Schönh. *Mant. sec. p. 82. (indscrpt.)* Port Natal.
signifer Fåhrs. *l. c. p. 273.* — Schönh. *l. c.* "
suturalis Fåhrs. *l. c. p. 272.* — Schönh. *l. c.* "
7

Conophorus

κῶνος, conus; φέρω, fero.

Schönherr. *Gen. Curc. IV. 1838. p. 719.*

Conoderes Schönh. *olim.*

albidus Gylh. *Schh. Gen. Curc. IV. p. 721.* Cap bon spei.
1

Elattocerus

ἔλαττον, inferius; κέρας, cornu.

Schönherr. *Mantiss. sec. Curc. 1847. p. 84.*

Sporus Dejean.

affinis Motsch. *Bull. Mosc. 1866. II. p. 437.* Ceylon.
albopictus Motsch. *l. c. p. 438.* India or.
angustatus Motsch. *l. c.* "
bifasciatus Motsch. *l. c. p. 436.* Ceylon.
nebulosus Motsch. *l. c. p. 437.* India or.
obliquefasciatus Motsch. *l. c.* "
senegalensis Dej. *Cat. 3. ed. p. 325.* — Lacord. *Gen. Col. VII. p. 176.* Senegal.
leucophaeus Buquet. *Dej. Cat. l. c.* "
similis Motsch. *Bull. Mosc. 1866. II. p. 437.* Ceylon.
subfasciatus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 274.* — Schönh. *Mant. sec. p. 85. (indscrpt.)* — Lacord. *Gen. Col. VII. p. 176.* Caffraria.
tessellatus Motsch. *Bull. Mosc. 1866. II. p. 437.* India or.
10

Isorrhynchus

ἴσος, aequalis; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. III. 1836. p. 631.*

pudicus Sparrm. *Act. Holm. 1785. I. p. 44. t. 2. f. 9.* — Gylh. *Schh. Gen. Curc. III. p. 632.* Cap bon. spei.
1

Trypetes

τρυπητής, terebrator.

Schönherr. *Gen. Curc. III. 1836. p. 595.*

Orthorhynchus Latreille.

Guildini Fåhrs. *Schh. Gen. Curc. VIII. 1. p. 36.* — Hope. *Dej. Cat. 3. ed. p. 310.* St. Vincent.

rhinoides Gylh. *Schh. Gen. Curc. III. p. 596.* — Latr. *Dej. Cat. 3. ed. p. 310.* — Lacord. *Gen. Atl. VIII. t. 75. f. 1. a.* Cayennae.
calandroides Dej. *Cat. l. c.* „
2

Arthrotomus

ἄρθρον, articulus; τομὸς, acutus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 37.*

depressus Klug. *Abhandl. Berl. Ac. I. 1833. p. 201. t. 4. f. 12.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 39.* Madagascar.
1

Nanus

νάνος, pumilio.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 89.*

punctellus Bohem. *Schh. Gen. Curc. VIII. 1. p. 91.* Columbia.
uniformis Bohem. *l. c. p. 90.* Portorico.
2

Antliarrhinus

ἀντλία, sentina; ῥὶν, nasus.

Schönherr. *Disp. meth. 1826. p. 67.*

Antliarhis Billberg. — *Mitorhynchus* Wesmaël.

coriaceus Gylh. *Schh. Gen. Curc. V. p. 584.* Africa austr.
Dregei Gylh. *l. c. p. 585.* — Labr. et Imh. *Gen. Curc. I. nr. 2.* „
rectirostris Gylh. *l. c. III. p. 825.* Caffraria.
signatus Gylh. *l. c. p. 825.* „
zamiae Thunb. *Nov. Act. Ups. IV. 1784. p. 29. t. 1. f. 7. 1. 2. ♀ cum ♂.* — Gylh. *Schh. Gen. Curc. III. p. 824.* — Labr. et Imh. *Gen. Curc. I. nr. 1.* Cap bon spei.
♀ *brunneus* Wesm. *Bull. Ac. Sc. Brux. III. 1836. p. 163. t. 6. f. 2.* „
♀ *haustellatus* Fabr. *Ent. Syst. I. 2. p. 442.* — Oliv. *Ent. 5. 83. p. 219. t. 14. f. 171.* „
5

Platymerus

πλατὺς, latus; μηρὸς, femur.

Schönherr. *Gen. Curc. III. 1836. p. 826.*

Eckloni Gylh. *Schh. Gen. Curc. III. p. 827.* Caffraria.
Germari Gylh. *l. c. p. 830.* — Labr. et Imh. *Gen. Curc. I. nr. 2. b.* „
Lehmanni Germ. *Schh. l. c. p. 829.* „
Winthemi Gylh. *Schh. l. c. p. 829.* „
Zeyheri Gylh. *l. c. p. 828.* „
5

Ulomascus

Uloma.

Fairmaire. *Ann. Fr. 1848. p. 173.*

caviventris Fairm. *Ann. Fr. 1848. p. 174. t. 7. nro. III.* Guinea.
1

Epipedus

ἐπίπεδος, planus.

Schönherr. *Gen. Curc. VI. 2. 1842. p. 462.*

squamifer Bohem. *Schh. Gen. Curc. VI. 2. p. 463.* — Lacord. *Gen. Atl. VIII. t. 75. f. 2. a-b.* Cayennae.
1

Pyropus

πυρωπός, igneus.

Schönherr. *Gen. Curc. III. 1836. p. 641.*

cyaneus Herbst. *Käf. VI. p. 167. t. 71. f. 7.* — Lacord. *Gen. Col. VI. p. 188. note 1.* Jamaica.
sapphirinus Gylh. *Schh. Gen. Curc. III. p. 642.* „
chalybeus Sturm. *Cat. 1826. p. 99.* Cuba.
2

Craspedotus

κράσπεδον, fimbria.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 87.*

pullus Bohem. *Schh. Gen. Curc. VIII. 1. p. 88.* Brasilia.
curtus Chevrol. *in litt.* „
1

Pterocolus

πτερόν, ala; κόλος, mutilus.

Schönherr. *Gen. Curc. I. 1833. p. 238.*

Apotomus Kirby.

ovatus Fabr. *Syst. El. II. p. 426.* — Oliv. *Ent. V. 81. p. 11. t. 1. f. 13.* — Gylh. *Schh. Gen. Curc. I. p. 240.* — Labr. et Imh. *Gen. Curc. I. nr. 70.* Carolina.

1

Mononychus

μόνος, solus; ὄνυξ, unguis.

Germar. *Ins. Spec. nov. 1824. p. 241.*

Mononyx Brullé.

ireos Pall. *It. II. App. 1773. p. 463.* — Bohem. *Schh. Gen. Curc. IV. p. 308.* Sibiria.

bufo Fabr. *Spec. Ins. I. p. 165.* — Oliv. *Ent. V. 83. p. 122. t. 10. f. 118.* Sibiria.
var. *Kolenatii* Kolen. *Bull. Mosc. 1859. II. p. 386.* — Schönh. *i. litt.* Persia.
punctum-album Herbst. *Füssl. Arch. 1784. p. 74. t. 24. f. 17; Käf. VI. p. 392. t. 91. f. 2.* M.
deauratus Dahl. *Col. et Lep. p. 54.* Lusitania.
pseudacori Fabr. *Ent. Syst. I. 2. p. 408.* — Panz. *Fn. Germ. 17. 5.* — Bohem. *Schh. Gen. Curc. IV. p. 309.* — ‡ Westw. *Introd. 1839. 1. p. 345. fig. 41. 20.* Germania.
salviae Germ. *Ins. Spec. nov. p. 241; Fn. Ins. Eur. 8. 11.* — Jacq. Duv. *Gen. Col. Curc. t. 25. f. 121.* — Bohem. *l. c. p. 310.* Gallia mer.
var. *caucasicus* Kolenat. *Bull. Mosc. 1859. II. p. 391.* Caucasus.
„ *Schönherri* Kolen. *l. c. p. 389.* Tiflis.
spermaticus Becker *Bull. Mosc. 1862. IV. p. 349.* Sarepta.
superciliaris Bohem. *Schh. Gen. Curc. VIII. 1. p. 401.* Lusitania.
syriacus Redtenb. *Russegg. Reis. 1843. p. 988.* Syria.
variegatus Brullé. *Webb et Berthel. Canar. Ins. 1838. p. 72. t. 1. f. 16.* — Wollast. *Col. Atlant. p. 269.* Canariae.
vittatus Falderm. *Mém. Ac. Petr. II. 1835. p. 430.* China bor.
vulpeculus Fabr. *Syst. El. II. p. 450.* — Oliv. *Ent. V. 83. p. 129. t. 29. f. 437.* — Bohem. *Schh. Gen. Curc. IV. p. 309.* Carolina.

8

Coeliodes

κοιλώδης, *ventricosus.*

Schönherr. *Gen. Curc. IV. 1837. p. 282.*

Nedyus Schönh. — *Stenocarus* Thomson.

acephalus Say. *Journ. Ac. Phil. III. 1823. p. 309.* — Germ. *Schh. Gen. Curc. IV. p. 289.* — Bohem. *Schh. l. c. VIII. 1. p. 394.* Pennsylvania.
albovarius Bohem. *Res. Eugen. 1859. p. 142.* Brasilia.
asperatus Gylh. *Schh. Gen. Curc. IV. p. 305.* — Steven. *Dej. Cat. 3. ed. p. 323.* Tauria.
aulicus Dej. *Cat. l. c.* „
cardui Herbst. *Füssl. Arch. V. 1784. p. 79. t. 24. f. 22.* M.
canaliculatus Gylh. *Schh. Gen. Curc. IV. p. 293.* Volhynia.
carduelis Megerle *in litt.* Germania.
cinereus Marsh. *Ent. Brit. p. 283.* Anglia.
fuliginosus Marsh. *l. c. p. 280.* — Gylh. *l. c. p. 291.* — ‡ Rupertsb. *Verh. zool. bot. Ver. Wien. 1870. p. 837.* Scania.
guttula var. b. Gylh. *Ins. Suec. IV. p. 592.* Suecia.
ruficornis Steph. *Ill. Brit. IV. p. 25.* Anglia.
guttula Fabr. *Mant. I. p. 107.* — Oliv. *Ent. V. 83. p. 213. t. 23. f. 325.* — Gylh. *Schh. l. c. p. 290.* Gallia.
Hedenborgi Bohem. *Schh. Gen. Curc. VIII. 2. p. 160.* Rhodus.
pruni Bohem. *l. c. p. 159.* — Sturm. *Cat. 1843. p. 223.* Germania.
umbrinus Gylh. *Schh. l. c. IV. p. 292.* Tauria.
celastri Rosensch. *Schh. Gen. Curc. IV. p. 296.* Caffraria.

cinctus Chevrol. *Rev. Zool. 1861. p. 122.* Algeria.
congener Förster. *Verhandl. Ver. Preuss. Rheinl. VI. 1849. Nachtrg. p. 28.* Germania.
cristatus Gylh. *Schh. Gen. Curc. IV. p. 294.* India or.
curtus Say. *Descr. of Curc. of N. Am. 1831. p. 29.* — Gylh. *l. c. p. 287.* Mississippi.
echinatus Gylh. *l. c. p. 306.* Cap bon. spei.
epilobii Payk. *Fn. Suec. III. p. 259.* — Germ. *Fn. Ins. Eur. 18. 13.* — Gylh. *Schh. Gen. Curc. IV. p. 288.* Germania.
erythroleucos Gmel. *ed. Linn. I. 4. 1788. p. 1805.* — Geoffr. *Ins. Par. 1. p. 289. nr. 27.* „
cinctus Rossi. *Fn. Etr. Mant. I. p. 38.* Italia.
subrufus Herbst. *Käf. VI. p. 418. t. 92. f. 14.* — Gylh. *Schh. Gen. Curc. IV. p. 299.* Suecia.
tricinctus Walckenaer. *Fn. Par. I. p. 246.* Gallia.
flavicaudis Bohem. *Schh. Gen. Curc. VIII. 1. p. 397.* Amer. bor.
ganglionus Bohem. *l. c. p. 393.* Buenos Aires.
geranii Payk. *Fn. Suec. III. p. 256.* — Bohem. *l. c. p. 399.* Europa.
affinis Payk. *Mon. Curc. p. 68.* — ♀ Hammerschm. *Obs. Plant. gall. ortu. 1832. t. 6. (forte.)* Suecia.
exiguus Oliv. *Ent. V. 83. p. 138. t. 33. f. 504.* — Gylh. *Schh. Gen. Curc. IV. p. 304.* Gallia.
lima Meg. *Dej. Cat. 3. ed. p. 323.* Germania.
glabrirostris Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 276.* Caffraria.
glaucii Chevrol. *Rev. Zool. 1859. p. 387.* Algeria.
impressus Rosenh. *Thier. Andal. 1856. p. 285. nota.* Tirolis.
Kolenatii Kolenat. *Bull. Mosc. 1859. II. p. 386.* — Schönh. *in litt.* Caucasus.
ophthalmicus Kolen. *in litt.* Persia.
lamii Fabr. *Ent. Syst. I. 2. p. 437.* — Herbst. *Käf. VI. p. 408. t. 92. f. 2.* — Gylh. *Schh. Gen. Curc. IV. p. 302.* M.
leucampyx Germ. *Dej. Cat. 3. ed. p. 323.* Germania.
melanostictus Dahl. *Dej. Cat. l. c.* Gallia.
variegatus Ziegl. *Dej. Cat. l. c.* Tauria.
var. *punctulum* Herbst. *l. c. p. 407. t. 91. f. 17.* — Germ. *Ins. Spec. nov. p. 229.* — Gylh. *l. c. p. 303.* Germania.
„ *abruptestriatus* Gylh. *l. c. p. 521.* Tauria.
„ *mendosus* Gylh. *l. c. p. 529.* Gallia.
leprosus Bohem. *Schh. Gen. Curc. VIII. 1. p. 394.* Nov. Carolina.
mysticus Kolen. *Bull. Mosc. 1859. II. p. 386.* Persia.
quinquetuberculatus Rosensch. *Schh. Gen. Curc. IV. p. 297.* Caffraria.
radula Hochh. *Bull. Mosc. 1851. I. p. 95.* Sibiria.
rigidus Bohem. *Schh. Gen. Curc. VIII. 1. p. 395.* Columbia.
ruber Marsh. *Ent. Brit. p. 251.* — Gylh. *Schh. Gen. Curc. IV. p. 284.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 25. f. 122.* Germania.
quercus Oliv. *Ent. V. 83. p. 133. t. 33. f. 506.* Gallia.
var. *Mannerheimi* Gylh. *l. c. p. 298.* Suecia.
„ *rufirostris* Steph. *Ill. Brit. IV. p. 23.* Anglia.
rubicundus Payk. *Fn. Suec. III. p. 263.* — Gylh. *Schh. Gen. Curc. IV. p. 286.* M.

quercus var. *β.* Payk. *Mon. Curc. p. 73.* Suecia.
var. *melanocephalus* Steph. *Ill. Brit. IV. p. 23.* Anglia.
rubricus Gylh. *Schh. Gen. Curc. IV. p. 285.* Anatolia.
Schüppeli Bohem. *Schh. l. c. VIII. 1. p. 396.* Dalmatia.
serietuberculatus Gylh. *Schh. l. c. IV. p. 295.* Caffraria.
setosus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 274.* „
stigma Fåhrs. *l. c. p. 275.* „
strigatirostris Hochh. *Bull. Mosc. 1847. II. p. 569.* Armenia.
subulirostris Gylh. *Schh. Gen. Curc. IV. p. 288.* Georgia amer.
trifasciatus Bach. *Käferfn. 1854. p. 332.* Thuringia.
umbraculatus Fabr. *Syst. El. II. p. 453.* — Gylh. *Schh. Gen. Curc. IV. p. 286.* Amer. mer.
zonatus Germ. *Fn. Ins. Eur. 23. 9.* Styria.
37

Megacetes

μεγακήτης, valde excavatus.

Thomson. *Skandinav. Col. I. 1859. p. 139.*

Cidnorhinus Thoms.

dryados Gmel. *ed. Linn. I. 4. 1788. p. 1748.* M.
pallens Marsh. *Ent. Brit. I. p. 251.* Anglia.
{*quercus* Fabr. *Mant. I. p. 102.* — Herbst. *Käf. VI. p. 412. t. 92. f. 7.* — Gylh. *Schh. Gen. Curc. IV. p. 283.* Suecia.
{*rana* Fabr. *l. c. p. 101; Ent. Syst. I. 2. p. 412.* Germania.
var. *melanorhynchus* Marsh. *l. c. p. 250.* Anglia.
quadrimaculatus Linn. *Syst. nat. ed. X. p. 380.* M.
{*albopunctatus* Goeze. *Ent. Beytr. I. p. 396.* Gallia.
{*albopunctatus* Gmel. *ed. Linn. I. 4. p. 1778.* Suecia.
bipunctatus Gmel. *l. c. p. 1773.* „
didymus Fabr. *Spec. Ins. I. p. 178.* — Oliv. *Ent. V. 83. p. 212. t. 23. f. 326.* — Gylh. *Schh. Gen. Curc. IV. p. 300.* — ♀ Goureau. *Ann. Fr. 1866. p. 172.* Gallia.
♂ *oleraceus* Scop. *Ent Carn. p. 29.* Carniolia.
tripunctatus Fourcr. *Ent. Par. 1. p. 130.* Gallia.
urticae Schrank. *Enum. Ins. p. 114.* Germania.
urticarius Clairv. *Ent. helv. I. p. 98. t. 11. f. 1. 2.* Helvetia.
viduus Panz. *Fn. Germ. 42. 16.* Germania.
var. *gibbipennis* Germ. *Ins. Spec. nov. p. 228.* Brunsvigia.
„ *immaculatus* Meg. *in litt.* Styria.
„ *melancholicus* Gylh. *l. c. p. 518.* Tauria.
„ *nigrirostris* Bohem. *Schh. Gen. Curc. VIII. 2. p. 157.* — Sturm. *Cat. 1843. p. 223.* Germania.
„ *urticae* Marsh. *Ent. Brit. p. 281.* Anglia.
2

Scleropterus

σκληρός, durus; πτερόν, ala.

Schönherr. *Disp. meth. 1826. p. 290.*

offensus Bohem. *Schh. Gen. Curc. IV. p. 359.* Carinthia.

serratus Germ. *Ins. Spec. nov. 1824. p. 279.* — Bohem. *l. c. p. 359.* — Redtenb. *Fn. Austr. ed. 2. p. 792.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 25. f. 120.* — Germania.

2

Ceuthorrhynchus

κεύθω, occulto; ῥύγχος, rostrum.

Germar. *Ins. Spec. nov. 1824. p. 217.*

Falciger Megerle. — *Hadroplontus* Thomson. — *Micrelus* Thoms. — *Thamiocolus* Thoms.

abbreviatulus Fabr. *Ent. Syst. I. 2. p. 436.* — Gylh. *Schh. Gen. Curc. IV. p. 510.* — Germania.
atomarius Ziegl. *Dej. Cat. 3. ed. p. 322.* — „
invasor Herbst. *Käf. VI. p. 414. t. 92. f. 10.* — Ulrich. *Dej. Cat. l. c.* — Gallia.
variegatus Grav. *Vergl. Übers. Zool. Syst. p. 205.* — Caucasus.
acalloides Fairm. *Ann. Fr. 1857. p. 639.* — Gallia.
aeneicollis Germ. *Ins. Spec. nov. p. 234.* — Gylh. *Schh. Gen. Curc. IV. p. 555.* — Germania.
metallinus Fairm. *Ann. Fr. 1852. p. 90.* — Hispania.
alboscutellatus Gylh. *Schh. Gen. Curc. IV. p. 478.* — Gållia.
var. *aegrotus* Gylh. *l. c. p. 483.* — „
var. *consputus* Germ. *Ins. Spec. nov. p. 232.* — German. bor.
„ *rubescens* Bohem. *Schh. Gen. Curc. VIII. 2. p. 136.* — Germania.
albosignatus Gylh. *Schh. l. c. IV. p. 317.* — Dahl. *Dej. Cat. 3. ed. p. 323.* — M.
albovittatus Germ. *Ins. Spec. nov. p. 231.* — Gylh. *Schh. Gen. Curc. IV. p. 477.* — Dahl. *Dej. Cat. 3. ed. p. 323.* — Hungaria.
venustus Meg. *Dej. Cat. l. c.* — Turcia.
vittatus Ziegl. *Dej. Cat. l. c.* — „
algericus Brisout. *Abeille. V. 1869. p. 456.* — Biskra.
alliariae Linn. *Syst. nat. ed. X. p. 378. (gen. dub.)* — Suecia.
alliariae Bris. *Rev. Zool. 1860. p. 537.* — Gallia.
alternans Bris. *Abeille. V. 1869. p. 439.* — Madrid.
Andreae Germ. *Ins. Spec. nov. p. 220.* — Volhynia.
ornatus Gylh. *Schh. Gen. Curc. IV. p. 513.* — Gallia.
angulosus Bohem. *Schh. l. c. VIII. 2. p. 160.* — Saxonia.
angustulus Gylh. *Schh. l. c. IV. p. 498.* — Persia.
antennalis Bris. *Abeille. V. 1869. p. 453.* — Madrid.
arator Gylh. *Schh. Gen. Curc. IV. p. 479.* — Tauria.
cinerascens Nees v. Esenb. *Sturm. Cat. 1843. p. 222.* — Germania.
glabrirostris Gylh. *l. c. p. 550.* — Gallia.
inaffectatus Gylh. *l. c.* — „
Arcasi Bris. *Abeille. V. 1869. p. 458.* — Madrid.
arcuatus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 276.* — Caffraria.
arquatus Herbst. *Käf. VI. p. 396. t. 91. f. 5.* — Gylh. *Schh. Gen. Curc. IV. p. 532.* — Germania.
occultus Gylh. *l. c. p. 530.* — Gallia.
subfasciatus Sturm. *Cat. 1826. p. 142.* — Germania.
uliginosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 150.* — Anglia.

asperifoliarum Gylh. *Ins. Suec. III. p. 221; Schh. Gen. Curc. IV. p. 519.* — Kirby. *Dej. Cat. l. c.* — Germania.
{*albonotatus* Dej. *Cat. 3. ed. p. 323.* — Gallia.
{*intersectus* Meg. *in litt.* — Germ. *Ins. Spec. nov. p. 227.* — Knoch. *Dej. Cat l. c.* — Brunsvigia.
congener Germ. *l. c.* — Carniolia.
leucostigma Germ. *in litt.* — Gallia.
quadrimaculatus Marsh. *Ent. Brit. p. 252.* — Anglia.

assimilis Payk. *Fn. Suec. III. p. 257.* — Panz. *Fn. Germ. 42. 6.* — Gylh. *Schh. Gen. Curc. IV. p. 480.* — Kirby et Spence. *Introd. to Entom. ed. 5. I. p. 188.* — M.
alauda Herbst. *Käf. VI. p. 410. t. 92. f. 5.* — Germania.
brassicae Focillon. *Rev. Zool. 1852. p. 124.* — Gallia.
{*granulicollis* Schönh. *Gen. Curc. IV. p. 307.* — Anglia.
{*subrufus* Steph. *Ill. Brit. IV. p. 26.* — „
obstrictus Marsh. *Ent. Brit. p. 255.* — Gallia.

Aubei Bohem. *Schh. Gen. Curc. VIII. 2. p. 148.* — „
austriacus Bris. *Abeille. V. 1869. p. 462.* — Austria.
axillaris Bohem. *Schh. Gen. Curc. VIII. 2. p. 163.* — Dauria.
barbareae Suffr. *Stett. Zeit. 1847. p. 89.* — Germania.
cyanopterus Redtenb. *Fn. Austr. ed. 1. p. 380; ed. 2. p. 798.* — „

Bertraudi Perris. *Ann. Soc. Linn. Lyon. ser. 2. II. 1852. p. 181.* — Gallia.
biimpressus Bris. *Abeille. V. 1869. p. 444.* — Algeria.
boraginis Fabr. *Ent. Syst. I. 2. p. 437.* — Germ. *Fn. Ins. Eur. 4. 10.* — Gylh. *Schh. Gen. Curc. IV. p. 508.* — Gallia.

campestris Gylh. *l. c. p. 523.* — Ziegl. *Dej. Cat. 3. ed. p. 322.* — Germania.
lamii Dej. *Cat. l. c.* — Gallia
quercicola Sturm. *Dej. Cat. l. c.* — Germania.
signatus Dahl *in litt.* — „
var. *lepidus* Gylh. *l. c. p. 520.* — Alsatia.
„ *variegatus* Gylh. *l. c. p. 523.* — Waltl *in litt.* — Bavaria.

canaliculatus Bris. *Abeille. V. 1869. p. 445.* — Transsylvania.
carinatus Gylh. *Schh. Gen. Curc. IV. p. 559.* — Tauria.
melanocyaneus Bohem. *Schh. l. c. VIII. 2. p. 166.* — Gallia mer.

carinicollis Bris. *Abeille. V. 1869. p. 457.* — Syria.
carinifrons Gylh. *Schh. Gen. Curc. IV. p. 507.* — Caffraria.
chalybaeus Germ. *Ins. Spec. nov. p. 237.* — Gylh. *Schh. Gen. Curc. IV. p. 560.* — M.
coerulescens Gylh. *l. c. p. 487.* — Dej. *Cat. 3. ed. p. 323.* — Germania.
erysimi Oliv. *Ent. V. 83. p. 183. t. 29. f. 438.* — Gallia.

chlorophanus Rouget. *Ann. Fr. 1857. p. 752.* — „
cineritus Hochh. *Bull. Mosc. 1851. I. p. 99.* — Marc Asow.
coarctatus Gylh. *Schh. Gen. Curc. IV. p. 573.* — Tauria.
cochleariae Gylh. *Ins. Suec. III. 1813. p. 144; Schh. Gen. Curc. IV. p. 489.* — Germania.
atratulus Gylh. *Ins. Suec. IV. p. 580; Schh. l. c. p. 488.* — Suecia.
austerus Gylh. *Schh. l. c. p. 481.* — Gallia.

constrictus Marsh. *Ent. Brit. p. 258.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 141.* — „

contractus Marsh. *Ent. Brit. p. 250.* — Gylh. *Schh. Gen. Curc. IV. p. 488.* — ‡ Kirby et Spence. *Introd. to Entom. ed. 5. I. p. 188.*	M.
hirtulus Germ. *Ins. Spec. nov. p. 236.* — Schüpp. *Dej. Cat. 3. ed. p. 323.* — Gylh. *l. c. p. 560.*	Germania.
drabae Laboulb. *Ann. Fr. 1856. p. 161;* ‡ *p. 145. t. 4. f. 1–11.*	Gallia.
hispidulus Sturm. *Cat. 1826. p. 141.*	„
minutus Sturm. *Cat. l. c.*	Anglia.
crassidentatus Marshall. *Cat. Brit. Col. 1861. p. 80. (indscrpt.)*	Anglia.
Crotchi Bris. *Abeille. V. 1869. p. 437.*	„
cruciger Herbst. *Füssl. Arch. V. 1784. p. 73. t. 24. f. 15; Käf. VI. p. 394. t. 91. f. 4.*	M.
crucifer Oliv. *Encycl. méth. V. 1790. p. 498; Ent. V. 83. p. 210. t. 23. f. 319.* — Gylh. *Schh. Gen. Curc. IV. p. 511.*	Germania.
quadrimaculatus Germ. *Ins. Spec. nov. p. 220.*	„
trimaculatus Gylh. *Ins. Suec. III. p. 419; IV. p. 592.*	Suecia.
crux Walton. *Waterh. Cat. Brit. Col. 1861. p. 80. (indscrpt.)*	Anglia.
cupulifer Bris. *Abeille. V. 1869. p. 443.*	Biskra.
cyanipennis Germ. *Ins. Spec. nov. p. 235.* — Gylh. *Schh. Gen. Curc. IV. p. 558.* — Illig. *Dej. Cat. 3. ed. p. 323.*	M.
sulcicollis Gylh. *Ins. Suec. III. p. 228; IV. p. 594; Schh. Gen. Curc. IV. p. 546.* — ‡ Guér. *Ann. Fr. 1845. Bull. p. 33.* — Haimhoff. *Verh. zool. bot. Ver. Wien. V. 1855. p. 525.*	Suecia.
cynoglossi Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 970. cum.* ‡ — Miller *in litt.*	Germania.
Dawsoni Bris. *Abeille. V. 1869. p. 438.*	Ins. Wight.
debilis Motsch. *Bull. Mosc. 1866. II. p. 442.*	Ceylon.
Diecki Bris. *Berl. Zeit. 1870. p. 159. (Beiheft.)*	Cordova.
dimidiatus Frivald. *A'Királyi magyar. 1865. p. 217. t. 12. f. 8.*	Hungaria.
distinctus Bris. *Abeille. VII. 1870. p. 42.*	Pyrenaei.
Duvali Bris. *l. c. V. 1869. p. 448.*	Gallia mer.
ericae Gylh. *Ins. Suec. III. p. 147; Schh. Gen. Curc. IV. p. 499.*	M.
rufirostris Dej. *Cat. 1. ed. p. 84.*	Gallia.
erysimi Fabr. *Mant. I. p. 101.* — Panz. *Fn. Germ. 17. 7.* — Gylh. *Schh. Gen. Curc. IV. p. 486.* — Jacq. Duv. *Gen. Col. Curc. t. 26. f. 125.*	M.
var. *angustatus* Falderm. *Dej. Cat. 3. ed. p. 323.*	Persia.
„ *chloropterus* Steph. *Ill. Brit. IV. p. 28.*	Anglia.
„ *cyaneus* Sturm. *Cat. 1826. p. 141.*	Germania.
„ *smaragdinus* Dej. *Cat. l. c.*	Gallia mer.
euphorbiae Brisout. *Cat. Col. Alsace. 1866. p. 132.*	Germania.
faeculentus Gylh. *Schh. Gen. Curc. IV. p. 545.*	Gallia.
fallax Bohem. *Schh. l. c. VIII. 2. p. 142.*	Tauria.
fatidicus Gylh. *Schh. l. c. IV. p. 510.*	Caucasus.
Ferrarii Bris. *Abeille. V. 1869. p. 447.*	Syria.
ferrugatus Perris. *Mém. Ac. Lyon. II. 1850. p. 477.*	Gallia.
flavomarginatus Luc. *Expl. Alg. 1849. p. 456. t. 38. f. 7. a-d.*	Algeria.

fossarum Reich. *Mant. Ins. 1797. p. 9. t. 1. f. 5.* Germania.
frontalis Bris. *Abeille. V. 1869. p. 438.* „
fulvitarsis Gougelet et Bris. *Ann. Fr. 1860. p. 336.* Gallia mer.
funicularis Bris. *Abeille. V. 1869. p. 445.* Bona.
geographicus Goeze. *Ent. Beytr. 1777. p. 395.* — Villers. *Ent. Linn. I. p. 201. t. 1. f. 22; IV. p. 275.* M.
echii Fabr. *Ent. Syst. I. 2. p. 436.* — Panz. *Fn. Germ. 42. 12.* — Gylh. *Schh. Gen. Curc. IV. p. 504.* Aegyptus.
glyphicus Schall. *Abhandl. Hal. Ges. I. 1783. p. 282.* Germania.
glaucinus Bohem. *Schh. Gen. Curc. VIII. 2. p. 146.* M.
Gougeleti Bris. *Ann. Fr. 1860. p. 335.* Galizia.
granulicollis Thoms. *Skand. Col. VII. p. 268.* Suecia.
gratiosus Bris. *Abeille. V. 1869. p. 460.* Aix.
Grenieri Gougelet et Bris. *Ann. Fr. 1860. p. 336.* Gallia mer.
griseus Bris. *Abeille. V. 1869. p. 450.* Germania.
haemorrhoidalis Motsch. *Schrenck. Reis. II. 1860. p. 156. t. 10. f. 5.* Amur.
Hampei Bris. *Abeille. V. 1869. p. 437.* German. mer.
hesperus Wollast. *Cat. Canar. Col. 1864. p. 281.* Canariae.
humeralis Gylh. *Schh. Gen. Curc. IV. p. 544; Falderm. Fn. transc. II. p. 248; III. p. 205.* Persia.
hungaricus Bris. *Abeille. V. 1869. p. 461.* Hungaria.
Javeti Bris. *l. c. p. 459.* — Gerhardt. *Berl. Zeit. 1866. p. 411; Jahrsb. Schles. Ges. 1868. p. 146.* Germania.
ignitus Germ. *Ins. Spec. nov. p. 234.* German. bor.
viridanus Gylh. *Schh. Gen. Curc. IV. p. 557.* — Schönh. *Dej. Cat. 3. ed. p. 323.* Sibiria.
impressicollis Little. *Waterh. Cat. Brit. Col. 1861. p. 80. (indscrpt.)* Anglia.
inornatus Waterh. *Proc. ent. Soc. 1861. p. 13.* „
insidiosus Bris. *Abeille. V. 1869. p. 455.* Escurial.
intermedius Bris. *l. c. p. 449.* Pyren. alt.
italicus Bris. *l. c. p. 463.* Italia.
judaeus Bris. *l. c. p. 442.* Jerusalem.
Kraatzi Bris. *l. c. p. 461.* Styria.
lactus Rosenh. *Thier. Andal. 1856. p. 295.* Andalusia.
latrunculatus Motsch. *Bull. Mosc. 1866. II. p. 442.* Ceylon.
Lethierryi Bris. *Ann. Fr. 1866. p. 416.* La Granja.
leucorhamma Rosenh. *Thier. Andal. 1856. p. 293.* Andalusia.
lineatotessellatus Wollast. *Ins. Mader. 1854. p. 327.* Madera.
lineatus Gylh. *Schh. Gen. Curc. IV. p. 509.* Tauria.
litura Fabr. *Syst. Ent. p. 141.* — Gylh. *Schh. Gen. Curc. IV. p. 515.* — Jacq. Duv. *Gen. Col. Curc. t. 26. f. 126.* Europa.
cruciger Sturm. *Dej. Cat. 3. ed. p. 322.* Gallia.
leucomelas Kirby *in litt.* Anglia.
ovalis Marsh. *Ent. Brit. 1. p. 179.* „
macula-alba Herbst. *Käf. VI. p. 404. t. 91. f. 14.* — Gylh. *Schh. Gen. Curc. IV. p. 477.* — ♀ Klingelh. *Stett. Zeit. 1843. p. 88.* Germania.
cardui Oliv. *Ent. V. 83. p. 135. t. 29. f. 441.* Gallia.
seriatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 132.* „
marginatus Payk. *Mon. Curc. p. 27; Fn. Suec. III. p. 211.* — Gylh. *Schh. Gen. Curc. IV. p. 538.* M.

bicolor Ziegl. *Dej. Cat. 3. ed. p. 323.* Germania.
quercicola Ulrich. *Dej. Cat. l. c.* Dalmatia.
var. { *punctiger* Gylh. *l. c.* — ♀ Kawall. *Stett. Zeit. 1867. p. 117.* Helvetia.
{ *marginatus* var. Gylh. *Ins. Suec. IV. p. 593.* Suecia.
„ *rufitarsis* Gylh. *Schh. Gen. Curc. IV. p. 539.* Tauria.
melanostictus Marsh. *Ent. Brit. I. p. 282.* — Germ. *Dej. Cat. 3. ed. p. 322.* — Gylh *Schh. Gen. Curc. IV. p. 532.* M.
capucinus Schüpp. *Dej. Cat. l. c.* Germania.
cinereus Sturm. *Cat. 1826. p. 141.* Helvetia.
concinnus Gylh. *Schh. Gen. Curc. IV. p. 531.* „
var. *lycopi* Gylh. *l. c. p. 533.* — ♀ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 973.* Gallia.
„ *murinus* Gylh. *l. c. p. 537.* Tauria.
„ *obtusicollis* Gylh. *l. c. p. 554.* „
„ *perturbatus* Gylh. *l. c. p. 534.* Gallia.
„ *rugulosus* Steph. *Ill. Brit. IV. p. 35.* Anglia.
micans Bris. *Abeille. V. 1869. p. 436.* Gallia mer.
minimus Rye. *Ent. Monthl. Mag. II. 1865. p. 12.* Anglia.
minutus Reich. *Mant. Ins. 1797. p. 11. t. 1. f. 7.* M.
mirabilis Villa. *Col. Eur. dupl. Suppl. 1835. p. 49.* Pavia.
Mölleri Thoms. *Skand. Col. X. 1868. p. 347.* Suecia.
moestus Fabr. *Syst. El. II. p. 479.* Europa.
molitor Gylh. *Schh. Gen. Curc. IV. p. 525.* Europa mer.
triangulum Bohem. *Schh. l. c. VIII. 2. p. 154.* Saxonia.
nanus Gylh. *Schh. Gen. Curc. IV. p. 497.* Europa.
napi Gylh. *l. c. p. 549.* — Sturm. *Cat. 1826. p. 223.* M.
assimilis Oliv. *Ent. V. 83. p. 136. t. 29. f. 442.* Gallia.
nebulosomaculatus Motsch. *Bull. Mosc. 1866. II. p. 442.* Ceylon.
nebulosus Bris. *Ann. Fr. 1866. p. 417.* Madrid.
neutralis Gylh. *Schh. Gen. Curc. IV. p. 552.* Germania.
misellus Gylh. *l. c. p. 553.* Caucasus.
{ *sophiae* Stev. *Mus. Mosq. II. p. 100.* — Gylh. *l. c. p. 551.* Tauria.
{ *insperatus* Schönh. *in litt. olim.* „
nigroterminatus Wollast. *Ins. Mader. 1854. p. 327.* Madera.
mixtus Muls. et Rey. *Ann. Soc. Agr. Lyon. 1858. p. 295; Opusc. ent. IX. 1859. p. 37.* Hyères.
niveus Chevrol. *Rev. Zool. 1859. p. 304.* Algeria.
nodicollis Gylh. *Schh. Gen. Curc. IV. p. 485.* Cayennae.
nubeculosus Gylh. *l. c. p. 576.* Sibiria.
nubilosus Gylh. *l. c. p. 569.* Tauria.
numidicus Bris. *Abeille. V. 1869. p. 439.* Biskra.
obscurus Bris. *l. c. p. 454.* Aranjuez.
obsoletus Germ. *Ins. Spec. nov. p. 230.* — Gylh. *Schh. Gen. Curc. IV. p. 544.* Germania.
Pandellei Bris. *Abeille. V. 1869. p. 446.* Pyren. alt.
parvulus Bris. *l. c. p. 441.* Germania.
peregrinus Gylh. *Schh. Gen. Curc. IV. p. 514.* — Bohem. *Schh. l. c. VIII. 2. p. 149.* Sicilia.
var. *uroleucus* Bohem. *l. c.* Sardinia.
Perrisi Bris. *Abeille. V. 1869. p. 436.* Madrid.
phytobioides Wollast. *Cat. Canar. Col. p. 281.* Canariae.

picitarsis Gylh. *Schh. Gen. Curc. IV. p. 546.*	Helvetia.
tarsalis Bohem. *Schh. Gen. Curc. VIII. 2. p. 167.*	Saxonia.
pilosellus Gylh. *Schh. l. c. IV. p. 540.*	Gallia.
pleurostigma Marsh. *Ent. Brit. p. 282* — Thoms. *Skand. Col. X. p. 202.*	Anglia.
affinis Steph. *Ill. Brit. IV. p. 26.*	„
sulcicollis Thoms. *l. c. VII. p. 272.*	Suecia.
plumbeus Bris. *Abeille. V. 1869. p. 450.*	Germania.
polliger Gylh. *Schh. Gen. Curc. IV. p. 500.*	Caffraria.
pollinarius Forster. *Nov. Spec. Ins. 1771. p. 33.* — Gylh. *Schh. Gen. Curc. IV. p. 543.*	M.
{*caliginosus* Steph. *Ill. Brit. IV. p. 34.*	Anglia.
{*nigrinus* Steph. *Cat. p. 155.*	„
dentatus Marsh. *Ent. Brit. p. 280.*	Gallia.
glaucinus Dahl. *Dej. Cat. 3. ed. p. 323.*	Hungaria.
praeustus Bris. *Abeille. V. 1869. p. 436.*	Algeria.
pratensis Chevrol. *Rev. Zool. 1860. p. 510.*	„
profanus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 276.*	Caffraria.
pultiaris Fourcr. *Ent. Par. I. 1785. p. 123.*	Gallia.
puncticollis Bohem. *Schh. Gen. Curc. VIII. 2. p. 165.*	Caucasus.
pusio Mannerh. *Bull. Mosc. 1852. II. p. 355.*	Sitkha.
pyrenaeus Bris. *Abeille. V. 1869. p. 439.*	Pyren. alt.
quadridens Panz. *Fn. Germ. 1796. 36. 13.* — Gylh. *Schh. Gen. Curc. IV. p. 534.* — ‡ Goureau. *Ann. Fr. 1866. p. 171.*	M.
boraginis Gylh. *Ins. Suec. III. p. 227; IV. p. 594.*	Suecia.
calcar Panz. *Fn. Germ. ed. 2. 36. 13.*	Germania.
♂ *pallidactylus* Marsh. *Ent. Brit. p. 259.* — Gylh. *Schh. Gen. Curc. IV. p. 536.*	Anglia.
♀ *quercicola* Marsh. *l. c. p. 280.*	Gallia.
querceti Gylh. *Ins. Suec. III. p. 149; IV. p. 579; Schh. Gen. Curc. IV. p. 489.*	M.
radula Germ. *Ins. Spec. nov. p. 238.* — Schüpp. *Dej. Cat. 3. ed. p. 323.* — Gylh. *Schh. Gen. Curc. IV. p. 505.*	Germania.
rapae Gylh. *l. c. p. 547.*	M.
napi Dej. *Cat. 3. ed. p. 323.*	Gallia.
sulcicollis var. b. Gylh. *Ins. Suec. III. p. 229.*	Suecia.
sulcicollis var. β. Sahlb. *Ins. Fenn. II. p. 99.*	Fennia.
raphani Fabr. *Ent. Syst. I. 2. p. 438.* — Gylh. *Schh. Gen. Curc. IV. p. 507.* — ‡ Cussac. *Ann. Fr. 1855. p. 241. t. 13. nr. I.*	Germania.
andropogonis Koch *in litt.*	Gallia.
orbus Schüpp. *in litt.*	Germania.
scabiosus Germ. *in litt. olim.*	„
symphyti Heyden. *Sturm. Cat. 1826. p. 142.*	„
resedae Marsh. *Ent. Brit. p. 256.* — Gylh. *Schh. Gen. Curc. IV. p. 535.*	Anglia.
rhois Gylh. *l. c. p. 562.*	Caffraria.
rhusii Gylh. *l. c. (error. gramm.)*	„
rimulosus Germ. *Ins. Spec. nov. p. 230.*	Germania.
rinicae Gylh. *Schh. Gen. Curc. IV. p. 563.*	Caffraria.
Roberti Gylh. *l. c. p. 548.* — ‡ Rupertsberger. *Verh. zool. bot. Ver. Wien. 1870. p. 837.*	Belgia.

rotundatus Bris. *Abeille. V. 1869. p. 452.*	Germania.
rubicundulus Bohem. *Schh. Gen. Curc. VIII. 2. p. 155.*	Rhodus.
rubidus Gylh. *Schh. l. c. IV. p. 484.*	Mississippi.
rufipes Bris. *Abeille. V. 1869. p. 440.*	Andalusia.
rugicollis Bris. *l. c. p. 444.*	Constantine.
rugulosus Herbst. *Käf. VI. p. 406. t. 91. f. 16.* — Gylh. *Schh. Gen. Curc. IV. p. 527.*	M.
chrysanthemi Gylh. *Ins. Suec. IV. p. 596; Schh. l. c. p. 526.* — Müller. *Dej. Cat. 3. ed. p. 323.*	Germania.
cinereus Marsh. *Ent. Brit. p. 283.*	Anglia.
figuratus Gylh. *Schh. l. c. p. 526.*	Suecia.
gallicus Gylh. *l. c. p. 528.*	Gallia.
melanostigma Marsh. *l. c. p. 256.*	Anglia.
quercicola var. *β. Payk. Fn. Suec. III. p. 216.*	Suecia.
scutellatus Steph. *Ill. Brit. IV. p. 37.*	Anglia.
subrufus var. Marsh. *l. c.*	"
rusticus Gylh. *Schh. Gen. Curc. IV. p. 542.*	Europa mer.
Sahlbergi Sahlb. *Schh. Gen. Curc. VIII. 2. p. 152.* — Schönh. *i. litt.*	Fennia.
lamii Sahlb. *Ins. Fenn. II. p. 96.*	"
scabrirostris Hochh. *Bull. Mosc. 1847. II. p. 575.*	Armenia.
scapularis Gylh. *Schh. Gen. Curc. IV. p. 555.*	Helvetia.
obscurecyaneus Gylh. *l. c. p. 556.*	Gallia.
Schönherri Bris. *Abeille. V. 1869. p. 451.*	"
scutellaris Brullé. *Exped. Mor. 1832. p. 249. t. 42. f. 7.*	Graecia.
sellatus Bohem. *Res. Eugen. 1859. p. 146.*	Buenos Aires.
septentrionalis Gylh. *Schh. Gen. Curc. IV. p. 492.*	Boston.
setifer Gylh. *l. c. p. 560.*	Cap bon. spei.
setosus Bohem. *Schh. l. c. VIII. 2. p. 139.*	Saxonia.
atomus Bohem. *l. c. p. 138.*	Illyria.
sextuberculatus Bohem. *l. c. p. 131.*	Mexico.
signatus Gylh. *Schh. l. c. IV. p. 522.* — Dahl. *Dej. Cat. 3. ed. p. 322.*	Germania.
{ *carneus* Perris. *Ann. Soc. Linn. Lyon. IV. 1857. p. 146.*	Pyrenaei.
{ *interstinctus* Gylh. *l. c. p. 570.* ♀.	Germania.
{ *variegatus* Vogt *i. litt.*	"
decoratus Gylh. *l. c. p. 524.*	Tauria.
lamii Germ. *in litt.*	Hungaria.
♀ { *pubicollis* Gylh. *l. c. p. 574.* — Dahl. *Dej. Cat. l. c. p. 323.*	"
♀ { *signatulus* Creutz. *in litt.*	Italia.
♀ *signatellus* Gylh. *l. c. p. 575.*	Tauria.
similis Bris. *Abeille. V. 1869. p. 441.*	Germania.
smaragdinus Bris. *l. c. p. 446.*	Gallia mer.
soricinus Bris. *l. c. p. 454.*	Constantine.
sphaerion Bohem. *Schh. Gen. Curc. VIII. 2. p. 145.*	Saxonia.
squamiger Gylh. *Schh. l. c. IV. p. 561.*	Caffraria.
squamulosus Bris. *Abeille. V. 1869. p. 456.*	Reynosa.
Stenbergi Thoms. *Skand. Col. X. 1868. p. 344.*	Suecia.
Steveni Bohem. *Schh. Gen. Curc. VIII. 2. p. 133.*	Tauria.
striatodenticulatus Goeze. *Ent. Beytr. I. 1777. p. 412.* — Geoffr. *Ins. Par. I. p. 290. nr. 31.*	M.
armus Gmel. *ed. Linn. I. 4. p. 1805.*	Suecia.
contusus Perris. *Ann. Soc. Linn. Lyon. IV. 1857. p. 145.*	Gallia.

dentatus Panz. *Fn. Germ. 42. 13.* — Germania.
denticulatus Schrank. *Enum. Ins. 1781. p. 107.* — Oliv. *Ent. V. 83. p. 136. t. 23. f. 323.* — Gylh. *Schh. Gen. Curc. IV. p. 541.* — „
iota Dej. *Cat. 3. ed. p. 323.* — Gallia.
subfasciatus Chevrol. *Rev. Zool. 1860. p. 453.* — Algeria.
subglobosus Bris. *Abeille. V. 1869. p. 442.* — Pyren. alt.
sublineellus Bris. *l. c. p. 457.* — Athenae.
submuricatus Hochh. *Bull. Mosc. 1851. I. p. 97.* — Mare Asow.
subpilosus Bris. *Abeille. V. 1869. p. 451.* — Madrid.
subsultans Bohem. *Schh. Gen. Curc. VIII. 2. p. 137.* — Columbia.
subulatus Bris. *Abeille. V. 1869. p. 453.* — Madrid.
sulcatus Bris. *l. c. p. 448.* — Crimea.
sulcicollis Payk. *Fn. Suec. III. p. 217.* — M.
alauda Germ. *Ins. Spec. nov. p. 220.* — Germania.
cyanipennis Thoms. *Skand. Col. VIII. p. 274.* — Suecia.
suturalis Fabr. *Syst. Ent. p. 133.* — Sturm. *Verz. 1796. p. 54. t. 2. f. 12.* — Gylh. *Schh. Gen. Curc. IV. p. 478.* — M.
suturellus Gylh. *l. c. p. 558.* — Tauria.
syrites Germ. *Ins. Spec. nov. p. 232.* — Gylh. *Schh. Gen. Curc. IV. p. 480.* — M.
affinis Panz. *Fn. Germ. 57. 15.* — Germania.
alauda Fabr. *Ent. Syst. I. 2. p. 411. (forte.)* — Suecia.
assimilis Dej. *Cat. 3. ed. p. 323.* — Gallia.
T-album Gylh. *Schh. Gen. Curc. IV. p. 512.* — Tauria.
tenuirostris Rosenh. *Thier. Andal. 1856. p. 292. nota.* — Andalusia.
thlapsi Bris. *Abeille. V. 1869. p. 440.* — Dordogne.
tibialis Bohem. *Schh. Gen. Curc. VIII. 2. p. 162.* — Germania.
trimaculatus Fabr. *Syst. Ent. p. 141.* — Oliv. *Ent. V. 83. p. 211. t. 23. f. 320.* — Gylh. *Schh. Gen. Curc. IV. p. 516.* — „
leucomelas Kirby *in litt.* — Anglia.
litura Steph. *Ill. Brit. Ent. IV. p. 34.* — Gallia.
litura var. Gylh. *Ins. Suec. III. p. 223.* — Suecia.
trisignatus Gylh. *Schh. Gen. Curc. IV. p. 516.* — Tauria.
tuber Reich. *Mant. Ins. 1797. p. 7. t. 1. f. 3.* — Germania.
umbellae Fabr. *Syst. El. II. p. 450.* — Carolina.
uniformis Gylh. *Schh. Gen. Curc. IV. p. 571.* — Caucasus.
urticae Bohem. *Schh. l. c. VIII. 2. p. 151.* — Anglia.
var. *pallidicornis* Gougelet et Bris. *Ann. Fr. 1860. p. 337.* — Gallia.
validirostris Gylh. *Schh. Gen. Curc. IV. p. 565.* — Tauria.
variegatus Oliv. *Ent. V. 83. p. 135. t. 33. f. 505.* — Europa.
verrucatus Gylh. *Schh. Gen. Curc. IV. p. 541.* — Tauria.
biguttatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 158.* — Anglia.
raphaëlensis Chevrol. *Ann. Fr. 1859. Bull. p. 18.* — Gallia mer.
versicolor Bris. *Cat. Col. Alsace. 1866. p. 131.* — Germania.
vicinus Kraatz. *Berl. Zeit. 1868. p. 300.* — Brisout *in litt.* — „
viduatus Gylh. *Ins. Suec. III. p. 220; Schh. Gen. Curc. IV. p. 507.* — Europa.
vilis Gylh. *Schh. l. c. p. 572.* — Tauria.
virgatus Gylh. *l. c. p. 568.* — „
dubitabilis Bohem. *Schh. l. c. VIII. 2. p. 171.* — „
viridipennis Bris. *Abeille. V. 1869. p. 447.* — Aix.

Zimmermanni Gylh. *Schh. Gen. Curc. IV. p. 492.* — Pennsylvania.
Zurio Bris. *Abeille. V. 1869. p. 443.* — Biskra.
204

Ceuthorrhynchidius

Ceuthorrhynchus; εἶδος, aspectus.

Jacquelin Duval. *Gen. Col. Eur. Curc. 1854. p. 60.*

Calosirus Thomson.

achilleae Gylh. *Schh. Gen. Curc. IV. p. 497.* — Germania.
Barnevillei Grenier. *Ann. Fr. 1866. Bull. p. 65.* — Pyrenaei.
biscutellatus Chevrol. *Ann. Fr. 1859. Bull. p. 20.* — Gallia merid.
floralis Payk. *Mon. Curc. p. 73.* — Gylh. *Schh. Gen. Curc. IV. p. 493.* — Jacq. Duv. *Gen. Col. Curc. t. 27. f. 128.* — ☨ Heeger. *Sitzungsb. Wien. Ak. 1854. p. 273. t. 1.* — M.
monostigma Steph. *Ill. Brit. IV. p. 31.* — Anglia.
persicariae Hellwig. Sturm. *Cat. 1826. p. 141.* — Germania.
sulculus Steph. *l. c. p. 32.* — Anglia.
typhae Herbst. *Käf. VI. p. 415. t. 92. f. 11.* — Germania.
hepaticus Gylh. *Schh. Gen. Curc. IV. p. 482.* — Gallia.
hystrix Perris. *Ann. Soc. Linn. Lyon. ser. 2. II. 1852. p. 181.* — „
troglodytes var. Gylh. *Schh. Gen. Curc. IV. p. 563.* — Germania.
linola alba Herbst. *Füssl. Arch. V. 1784. p. 74.* — M.
grypus Herbst. *Käf. VI. p. 399. t. 91. f. 9.* — Germania.
quercicola Payk. *Mon. Curc. 1792. p. 70.* — Fabr. *Ent. Syst. I. 2. p. 408.* — Oliv. *Ent. V. 83. p. 133. t. 33. f. 500.* — Gallia.
melanarius Steph. *Ill. Brit. IV. p. 31.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 134.* — Anglia.
♀ *camelinae* Bohem. *l. c. p. 170.* — Gallia.
♂ *convexicollis* Gylh. *Schh. Gen. Curc. IV. p. 495.* — Germania.
♀ *glaucus* Bohem. *l. c. p. 144.* — ☨ Goureau. *Ann. Fr. 1866. p. 171.* — Gallia.
minimus Walton. *Ent. Monthl. Mag. II. 1865. p. 11.* — Rye. *l. c.* — Anglia.
nigrinus Marsh. *Ent. Brit. p. 250.* — Steph. *Ill. Brit. IV. p. 30.* — Gallia.
depressicollis Gylh. *Ins. Suec. III. p. 147; Schh. Gen. Curc. IV. p. 484.* — Suecia.
porcellus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 277.* — Caffraria.
pumilio Gylh. *Ins. Suec. IV. p. 578; Schh. Gen. Curc. IV. p. 491.* — Suecia.
Poweri Rye. *Ent. Monthl. Mag. I. 1864. p. 137; II. p. 63.* — Anglia.
var. *asperulus* Bohem. *Schh. Gen. Curc. VIII. 2. p. 140.* — Gallia.
„ *posthumus* Germ. *Ins. Spec. nov. p. 237.* — Illig. *Dej. Cat. 3. ed. p. 323.* — Gylh. *Schh. l. c. p. 394.* — Germania.
pyrrhorhynchus Marsh. *Ent. Brit. 1802. p. 257.* — German. bor.
erythrorhynchus Gylh. *Schh. l. c. p. 496.* — Gallia.
phaeorhynchus Marsh. *l. c. p. 258.* — Anglia.

pulvinatus Gylh. *Schh. Gen. Curc. IV. p. 494.* — ♀ Heeger. *Sitzungsb. Wien. Ac. 1854. p. 275. t. 2.* Germania.
suturalis Steph. *Ill. Brit. IV. p. 419.* Anglia.
var. *ruficrus* Marsh. *l. c. p. 258.* „
spinosus Goeze. *Ent. Beytr. 1. 1777. p. 412.* — Geoffr. *Ins. Par. I. p. 290.* — Gmel. *ed. Linn. I. 4. p. 1805.* M.
horridus Panz. *Fn. Germ. 84. 9.* — Gylh. *Schh. Gen. Curc. IV. p. 505.* Germania.
var. *erinaceus* Dej. *Cat. 3. ed. p. 323.* Dalmatia.
terminatus Herbst. *Käf. VI. p. 401. t. 91. f. 11.* M.
apicalis Gylh. *Ins. Suec. IV. p. 579; Schh. Gen. Curc. IV. p. 489.* Suecia.
var. { *analis* Panz. *Index. 1813. p. 193.* Germania.
haemorrhoidalis Panz. *Fn. Germ. 99. 11.* — Dej. *Cat. 3. ed. p. 323.* } Suecia.
„ *haemorrhoidalis* Steph. *Ill. Brit. IV. p. 23.* Anglia.
„ { *rufitarsis* Kirby *in litt.* „
Waltoni Bohem. *Schh. Gen. Curc. VIII. 2. p. 164.* } „
„ { *sii* Gylh. *Schh. l. c. IV. p. 490.* — Guér. *Jc. règn. anim. V. t. 39. f. 5. a-b.* Gallia.
apicalis Sturm. *Cat. 1826. p. 141.* } Germania.
„ *uniguttatus* Marsh. *Ent. Brit. I. p. 283.* Anglia.
troglodytes Fabr. *Mant. I. p. 108.* — Oliv. *Ent. V. 83. p. 214. t. 23. f. 317.* — Gylh. *Schh. Gen. Curc. IV. p. 563.* M.
var. *pusio* Panz. *Fn. Germ. 36. 15.* Germania.
„ *spiniger* Herbst. *Käf. VI. p. 410. t. 92. f. 4.* Gallia.
urens Gylh. *Schh. Gen. Curc. IV. p. 564.* Lusitania.
albohispidus Fairm. *Ann. Fr. 1857. p. 639.* Gallia.
17

Egrius

Etym. dub.

Pascoe. *Journ. of Ent. II. 1865. p. 428.*

camelus Pascoe. *Journ. of Ent. II. p. 428. t. 17. f. 9.* Port Natal.
1

Rhytidosomus

ῥυτὶς, ruga; σῶμα, corpus.

Stephens. *Ill. Brit. Ent. IV. 1831. p. 45. (emend.)*

Rutidosoma Steph.

globulus Herbst. *Käf. VI. p. 398. t. 91. f. 7.* — Gylh. *Schh. Gen. Curc. IV. p. 596.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 26. f. 124.* M.
notatus Meg. *Dej. Cat. 3. ed. p. 323.* Germania.
orobinus Schiödte. *Berl. Zeit. 1859. p. 141.* Grönlandia.
2

Mecysmoderes

μηκυσμός, productus; δέρις, collum.

Schönherr. *Gen. Curc. IV. 1837. p. 596.*

consularis Pascoe. *Journ. Linn. Soc. X. 1870. p. 482.* Formosa.
euglypta Gylh. *Schh. Gen. Curc. IV. p. 597.* Java.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 202.* Hongkong.
3

Poophagus

πόη, herba; φάγω edo.

Schönherr. *Gen. Curc. IV. 1837. p. 590.*

nasturtii Germ. *Ins. Spec. nov. 1824. p. 233.* — Steph. *Ill. Brit. IV. p. 16. t. 20. f. 1.* — Gylh. *Schh. Gen. Curc. IV. p. 592.* Germania.
seniculus Dej. *Cat. 3. ed. p. 323.* Gallia.
var. *olivaceus* Gylh. *l. c. p. 592.* „
sisymbrii Fabr. *Gen. Ins. Mant. p. 224.* — Panz. *Fn. Germ. 17. 6.* — Gylh. *Schh. Gen. Curc. IV. p. 591.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 27. f. 129.* M.
2

Tapinotus

ταπεινός, humilis; νῶτος, dorsum.

Schönherr. *Disp. meth. 1826. p. 292.*

sellatus Fabr. *Ent. Syst. IV. App. p. 454.* — Herbst. *Käf. VI. p. 217. t. 75. f. 6.* — Gylh. *Schh. Gen. Curc. IV. p. 594.* — Jacq. Duv. *Gen. Col. Curc. t. 26. f. 130.* Europa.
ephippiger Schönh. *Disp. meth. p. 293.* „
lysimachiae Oliv. *Ent. V. 83. p. 215. t. 23. f. 328.* Gallia.
1

Marmaropus

μαρμαρωπός, oculis fulgentibus.

Schönherr. *Gen. Curc. IV. 1837. p. 310.*

Besseri Gylh. *Schh. Gen. Curc. IV. p. 312.* — ‡ Letzn. *Jahrb. Schles. Ges. 1867. p. 170.* Polonia.
cylindricus Schmidt *in litt.* Germania.
1

Eubrychius

εὐβρύχιος, submersus.

Thomson. *Skandinav. Col. I. 1860. p. 138.*

Litodactylus Redtenbacher. *(pars.)*

velutus Beck. *Beitr. baier. Ins. Fn. 1817. p. 20. t. 6. f. 29.* — Gylh. *Schh. Gen. Curc. III. p. 459.* Germania.

aquaticus Thoms. *Skand. Col. I. p. 138.* Suecia.
myriophylli Steph. *Ill. Brit. IV. p. 52.* Anglia.
natator Kirby *in litt.* Gallia.
1

Coeliosomus

κοῖλος, cavus; σῶμα, corpus.

Motschulsky. *Etud. Ent. VII. 1858. p. 70.*

Mecystoderes Motsch.

albocapillus Motsch. *Etud. Ent. VII. p. 73.* India or.
grisescens Motsch. *Bull. Mosc. 1866. II. p. 441.* Ceylon.
nigrorufus Motsch. *Etud. Ent. VII. p. 70. f. 20.* India or.
ochraceus Motsch. *l. c.* „
pictus Motsch. *l. c. p. 72.* Ceylon.
rubellus Motsch. *l. c. p. 71.* India or.
rufinasus Motsch. *l. c. p. 72.* „
semialbidus Motsch. *Bull. Mosc. 1866. II. p. 442.* „
stramineus Motsch. *l. c. p. 441.* Ceylon.
umbrinus Motsch. *l. c.* „
undulatus Motsch. *Etud. Ent. VII. p. 74.* „
11

Litodactylus

λιτός, tenuis; δάκτυλος, digitus.

Redtenbacher *Fn. Austr. I. 1849. p. 399.*

leucogaster Marsh. *Ent. Brit. 1802. p. 253.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 344.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 23. f. 108.* M.
gonymelas Kirby *i. litt.* Anglia
myriophylli Gylh. *Ins. Suec. III. p. 152; Schh. Gen. Curc. III. p. 459.* Suecia.
testaceus Motsch. *Bull. Mosc. 1866. II. p. 434.* Ceylon.
2

Phytobius

φυτὸν, planta; βιόω, vivo.

Schönherr. *Gen. Curc. III. 1836. p. 458.*

Campylirhynchus Dejean. — *Hydaticus* Schönh. *olim.* — *Pachyrhinus* Stephens. — *Pelenomus* Thomson.

comari Herbst. *Käf. VI. p. 411. t. 92. f. 6.* — Gylh. *Schh. Gen. Curc. III. p. 462.* — Jacq. Duv. *Gen. Curc. 1854. t. 22. f. 103.* Europa.
sulcatus Sturm. *Cat. 1826. p. 108.* Germania.
cuprifer Motsch. *Bull. Mosc. 1845. I. p. 100.* Kamtschatka.
fuscus Kolenati. *Bull. Mosc. 1859. II. p. 359.* Persia or.
granatus Gylh. *Schh. Gen. Curc. III. p. 460.* Germania.
inaequalis Say. *Descr. of Curc. of N. Am. 1831. p. 20.* Indiana.

muricatus Brisout. *Cat. Col. Gren. II. 1867. p. 187.* Gallia.
notula Germ. *Ins. Spec. nov. p. 240.* — Gylh. *Schh. Gen. Curc. III. p. 461.* — ‡ Perris. *Mém. Ac. Lyon. 1851. p. 102.* M.
canaliculatus Fåhrs. *Schh. l. c. VII. 2. p. 347.* Germania.
quadricornis Gylh. *Ins. Suec. III. p. 154.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 348.* M.
quadrituberculatus var. Herbst. *Käf. VI. p. 409.* Gallia.
quadrinodosus Gylh. *Ins. Suec. III. p. 155.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 346.* M.
mucronulatus Germ. *Ins. Spec. nov. p. 239.* Germania.
quadrispinosus Say. *Journ. Ac. Phil. III. 1823. p. 310; Descr. of Curc. of N. Am. p. 20.* — Gylh. *Schh. Gen. Curc. III. p. 463.* Pennsylvania.
cretura Say. *Descr. l. c. p. 20.* Mississippi.
varius Dej. *Cat. 3. ed. p. 306.* Indiana.
quadrituberculatus Fabr. *Mant. I. p. 100.* — Herbst. *Käf. VI. p. 409. t. 92. f. 3.* — Fåhrs. *Schh. Gen. Curc. VII. 2. p. 347.* M.
quadricornis Payk. *Mon. Curc. p. 71.* Suecia.
quadridentatus Steph. *Ill. Brit. IV. p. 51.* Anglia.
ribis Stroem. *Skrivt. Kiöbenh. Selsk. II. p. 58.* Gallia.
sulcicollis Fåhrs. *Schh. Gen. Curc. VII. 2. p. 346.* Pennsylvania.
triangularis Say. *Descr. of Curc. of N. Am. p. 20.* „
velaris Gylh. *Ins. Suec. IV. p. 581.* — Bohem. *Schh. Gen. Curc. VII. 2. p. 344.* Suecia.
Waltoni Bohem. *l. c. p. 345.* Anglia.
15

Rhinoncus

ῥιν, nasus; ὄγκος, tumor.

Schönherr. *Gen. Curc. IV. 1837. p. 577.*

Campylirhynchus Megerle.

albicinctus Gylh. *Schh. Gen. Curc. IV. p. 586.* M.
canescens Sturm. *Cat. 1826. p. 141.* Germania.
tibialis Dej. *Cat. 3. ed. p. 324.* Gallia.
bruchoides Herbst. *Füssl. Arch. V. p. 85; Käf. VI. p. 416. t. 92. f. 12.* — Gylh. *Schh. Gen. Curc. IV. p. 581.* Germania.
carinatus Sturm. *Cat. 1826. p. 108.* Gallia.
var. *asperatus* Gylh. *Ins. Suec. IV. p. 583.* Suecia.
var. *leucogaster* Gylh. *l. c. III. p. 161.* Volhynia.
„ *rufescens* Steph. *Ill. Brit. IV. p. 50.* Anglia.
castor Fabr. *Ent. Syst. I. 2. p. 408.* — Oliv. *Ent. V. 83. p. 132. t. 33. f. 499.* — Gylh. *Schh. Gen. Curc. IV. p. 578.* — Jacq. Duv. *Gen. Col. Curc. t. 26. f. 127.* M.
fruticulosus Herbst. *Käf. VI. p. 400. t. 91. f. 10.* Germania.
pericarpius var. Linn. *Fn. Suec. p. 178.* Suecia.
seniculus Grav. *Vergl. Uebers. Zool. Syst. p. 206.* „

var. {*flavipes* Steph. *Ill. Brit. IV. p. 41.* Anglia.
{*rufipes* Steph. *l. c. p. 42.* „
„ *granulipennis* Gylh. *l. c. p. 580.* Gallia.
„ *interstitialis* Reich. *Mant. Ins. 1797. p. 6. t. 1. f. 2.* — Steph. *l. c. p. 42.* — Sturm. *Dej. Cat. 3. ed. p. 324.* Germania.
„ *leucostigma* Marsh. *Ent. Brit. 1. p. 255.* Anglia.
„ *scabratus* Fabr. *Ent. Syst. I. 2. p. 411; Syst. El. II. p. 454.* Suecia.

denticollis Gylh. *Schh. Gen. Curc. IV. p. 584.* Italia.
inconspectus Herbst. *Käf. VI. p. 405. t. 91. f. 15.* — Gylh. *Schh. Gen. Curc. IV. p. 581.* M.
accipitrinus Reich. *Mant. Ins. p. 5. t. 1. f. 1.* Germania.
canaliculatus Steph. *Ill. Brit. IV. p. 43.* Anglia.
crassus Marsh. *Ent. Brit. 1. p. 264.* „
suturalis Oliv. *Ent. V. 83. p. 131. t. 33. f. 498.* Gallia.
paganus Gylh. *Schh. Gen. Curc. IV. p. 586.* — Bohem. *Schh. l. c. VIII. 2. p. 175.* Calcutta.
pericarpius Linn. *Syst. nat. ed. X. p. 380.* — Fabr. *Syst. Ent. p. 132.* — Panz. *Fn. Germ. 42. 5.* — Gylh. *Schh. Gen. Curc. IV. p. 582.* M.
gramineus Fabr. *Ent. Syst. I. 2. p. 465.* — Panz. *Ent. Germ. p. 325.* — Germ. *in litt.* Germania.
persicariae Meg. *Dej. Cat. 3. ed. p. 324.* „
rumicium Kirby *in litt.* Anglia.
spartii Steph. *Ill. Brit. IV. p. 41.* „
var. *conjectus* Gylh. *l. c.* — Schönh. *in litt. olim.* Gallia.
perpendicularis Reich. *Mant. Ins. 1797. p. 10. t. 1. f. 6.* M.
erythrocneme Beck. *Beitr. baier. Ins. 1817. p. 22. t. 6. f. 33.* Germania.
guttalis Grav. *Vergl. Uebers. Zool. Syst. 1807. p. 206.* — Gylh. *Schh. Gen. Curc. IV. p. 583.* „
scutellatus Sturm. *Cat. 1826. p. 108.* „
subfasciatus Gylh. *Ins. Suec. III. p. 253; Schh. l. c.* Suecia.
tibialis Steph. *Ill. Brit. IV. p. 41.* Anglia.
pyrrhopus Bohem. *Schh. Gen. Curc. VIII. 2. p. 172.* Amer. bor.
sparsesetosus Gylh. *Schh. l. c. IV. p. 585.* Cap bon. spei.
sulcicollis Bohem. *Schh. l. c. VIII. 2. p. 173.* Dauria.
topiarius Germ. *Ins. Spec. nov. p. 239.* — Gylh. *Schh. Gen. Curc. IV. p. 476.* Germania.
coarctatus Jacq. Duv. *Gen. Col. Eur. Curc. p. 62. not. 2.* Gallia.
tessellatus Sturm. *Cat. 1826. p. 142.* Hungaria.
12

Coelogaster

κοῖλος, cavus; γαστήρ, venter.

Schönherr. *Gen. Curc. IV. 1837. p. 588.*

Zimmermanni Gylh. *Schh. Gen. Curc. IV. p. 589.* Pennsylvania.
punctifrons Schönh. *in litt. olim.* „
1

Amalus

ἁμαλός, tener.

Schönherr. *Disp. meth. 1826. p. 240.*

alpinus Hampe. *Berl. Zeit. 1866. p. 375.* Alpes.
scortillum Herbst. *Käf. VI. p. 418. t. 92. f. 13.* — Gylh. *Schh. Gen. Curc. III. p. 396.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 21. f. 99.* M.
agricola Payk. *Fn. Suec. III. p. 260.* Suecia.
brunneus Marsh. *Ent. Brit. p. 284.* — Steph. *Ill. Brit. IV. p. 72.* Anglia.
castaneus Steph. *l. c. p. 54.* „
haemorrhous Herbst. *Käf. VI. p. 399. t. 91. f. 8.* Gallia.
inflexus Marsh. *l. c. p. 253.* Anglia.
{*rubicundus* Panz. *Fn. Germ. 99. 12.* Germania.
{*dumetorum* Panz. *l. c. text.* „
2

Peridinetus

περιδίνητος, volutus.

Schönherr. *Gen. Curc. IV. 1837. p. 467.*

irroratus Fabr. *Mant. I. p. 106.* — Rosensch. *Schh. Gen. Curc. IV. p. 468.* Brasilia.
marmoreus Dej. *Cat. 1. ed. p. 97.* Cayennae.
maculatus Rosensch. *Schh. Gen. Curc. IV. p. 471.* — Sturm. *Cat. 1826. p. 128.* Cuba.
Poeyi Jacq. Duv. *Hist. Cub. 1857. p. 225.* — Lacord. *Gen. Col. VII. p. 210. note 1.* „
{*Roeseli* Bohem. *Schh. Gen. Curc. III. p. 206.* „
{*albonotatus* Dej. *Cat. 3. ed. p. 299.* „
pictus Kirsch. *Berl. Zeit. 1869. p. 206.* Bogotá.
sellatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 56.* Brasilia.
signatus Rosensch. *Schh. l. c. IV. p. 472.* — Jacq. Duv. *Hist. Cub. 1857. p. 227.* Portorico.
Zinckeni Rosensch. *Schh. Gen. Curc. IV. p. 470.* Brasilia.
6

Megōps

μέγας, magnus; ὤψ, oculus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 181.*

Magdalinus Schönh. *olim.*

morosa Germ. *Ins. Spec. nov. 1824. p. 196.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 183.* Brasilia.
1

Liturgus

λιτουργός, maledicus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 82.*

irrasus Bohem. *Schh. Gen. Curc. VIII. 1. p. 83.* Nov. Holland.
1

Pantoteles

παντοτελής, perfectus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 59.*

erythrorhynchus Bohem. *Schh. Gen. Curc. VIII. 2. p. 60.* — Lacord. *Gen. Atl. VIII. t. 75. f. 3. a.* Demerari.
tenuirostris Bohem. *l. c. p. 61.* Brasilia.
2

Coleomerus

κολεός, vagina; μηρός, femur.

Schönherr. *Gen. Curc. III. 1836. p. 817.*

ebeninus Gylh. *Schh. Gen. Curc. III. p. 818.* Brasilia.
lugubris Bohem. *Schh. l. c. VIII. 1. p. 252 et 287.* — Dej. *Cat. 3. ed. p. 315.* Cayennae.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 219.* „
3

Diorygomerus

διώρυξ, perforatus; μηρός, femur.

Schönherr. *Disp. meth. Curc. 1826. p. 311. (emend.)*

Diorymerus Schönh.

altus Germ. *Ins. Spec. nov. 1824. p. 247.* — Perty. *Del. anim. p. 77. t. 16. f. 1.* Brasilia.
angulicollis Bohem. *Schh. Gen. Curc. III. p. 801.* „
castaneus Sturm. *Cat. 1826. p. 114.* „
anceps Germ. *Ins. Spec. nov. 1824. p. 248.* — Bohem. *Schh. Gen. Curc. III. p. 810.* „
rubens Dej. *Cat. 1. ed. p. 99.* „
armatus Guér. *Verh. zool. bot. Ver. Wien. V. 1855. p. 596.* Amazon.
auritus Bohem. *Schh. Gen. Curc. III. p. 800.* Brasilia.
coronatus Dej. *Cat. 3. ed. p. 315.* „
bicolor Chevrol. *Guér. Jc. règn. anim. p. 162.* „
carbonarius Bohem. *Schh. Gen. Curc. VIII. 1. p. 279.* „
cardinalis Germ. *Ins. Spec. nov. p. 248.* — Bohem. *Schh. l. c. III. p. 811.* „
castaneus Bohem. *l. c. p. 806.* „
dimidiatus Bohem. *l. c. p. 807.* „
fallax Bohem. *l. c. VIII. 1. p. 278.* „
gibberosus Bohem. *l. c. p. 277.* „
gibbicollis Bohem. *l. c. p. 275.* „
glabricollis Bohem. *l. c. p. 282.* „
granatus Bohem. *l. c. III. p. 804.* „
granulifer Bohem. *l. c. VIII. 1. p. 280.* „
helosidis Perty. *Del. anim. 1830. p. 214.* „
hypocritus Bohem. *Schh. Gen. Curc. VIII. 1. p. 284.* „
impunctus Germ. *Ins. Spec. nov. p. 250.* — Bohem. *l. c. p. 286.* „

insolens Bohem. *Schh. Gen. Curc. III. p. 812.* Jamaica.
gagates Fabr. *Ent. Syst. I. 2. p. 398. (forte.)* „
intermedius Bohem. *Schh. Gen. Curc. VIII. 1. p. 283.* — Dej. *Cat. 3. ed. p. 315.* Brasilia.
laevipennis Kirsch. *Berl. Zeit. 1869. p. 208.* Bogotá.
lancifer Guér. *Mag. Zool. 1839. t. 13. f. 4-8.* Brasilia.
liratus Germ. *Ins. Spec. nov. p. 225.* — Bohem. *Schh. Gen. Curc. III. p. 809.* „
minutus Bohem. *l. c. p. 808.* „
monoceros Bohem. *l. c. p. 800.* „
thoracicornis Dej. *Cat. 3. ed. p. 315.* „
Pradieri Guér. *Mag. Zool. 1839. t. 13. f. 1-3.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 276.* „
pulvinatus Bohem. *l. c. III. p. 802.* „
{*collaris* Sturm. *Cat. 1826. p. 114.* „
{*ruficollis* Sturm. *Cat. l. c.* „
pyropus Bohem. *Schh. Gen. Curc. III. p. 805.* „
radius Bohem. *l. c. VIII. 1. p. 285.* „
repens Germ. *Ins. Spec. nov. p. 249.* — Bohem. *l. c. III. p. 810.* „
scutellifer Bohem. *l. c. VIII. 1. p. 281.* „
sicarius Germ. *Ins. Spec. nov. p. 226.* — Bohem. *l. c. p. 287.* „
substriatus Bohem. *l. c. p. 286.* „
pellos Germ. *in litt.* — Jacq. Duv. *Hist. Cub. 1857. p. 208.* Cuba.
sutura nigra Chevrol. *Guér. Jc. règn. anim. p. 162.* Peru.
tibialis Bohem. *Schh. Gen. Curc. III. p. 803.* Brasilia.
troglodytes Bohem. *l. c. p. 808.* „
vanus Bohem. *l. c. p. 810.* „
lambitus Germ. *Ins. Spec. nov. p. 250. (forte.)* „
37

Eurhinus

εὖ, *bene;* ῥίν, *nasus.*

Schönherr. *Disp. meth. 1826. p. 312.*

Eurhin Illiger. — *Macrorhinus* Latreille.

aeneus Fabr. *Syst. El. II. p. 440.* Cayennae.
auratus Dej. *Cat. 3. ed. p. 316.* „
auritus Gylh. *Schh. Gen. Curc. III. p. 816.* „
atritarsis Chevrol. *Guér. Jc. règn. anim. p. 161.* Mexico.
callichloris Luc. *Casteln. Voy. 1859. p. 170.* Brasilia.
cupratus Illig. *Mag. VI. p. 309.* — Gylh. *Schh. Gen. Curc. III. p. 814.* „
coruscans Kirby. *Trans. Linn. Soc. XII. p. 432.* „
flatuarius Guér. *Jc. règn. anim. t. 39. f. 2. a.* „
fulgidus Dej. *Cat. 1. ed. p. 98.* „
rubinus Perty. *Del. anim. art. p. 77. t. 15. f. 16.* „
cyaneus Gylh. *Schh. Gen. Curc. III. p. 813.* „
azureus Dej. *Cat. 3. ed. p. 315.* „

festivus Fabr. *Ent. Syst. I. 2. p. 404.* — Oliv. *Ent. V. 83. p. 119. t. 29. f. 436.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 289.* Cayennae.
flatuarius Germ. *Ins. Spec. nov. p. 216.* — Gylh. *Schh. Gen. Curc. III. p. 815.* Brasilia.
blandus Dej. *Cat. 3. ed. p. 316.* „
magnificus Gylh. *Schh. Gen. Curc. III. p. 814.* — Chevrol. *Dej. Cat. 3. ed. p. 316.* Mexico.
malachiticus Kirsch. *Berl. Zeit. 1869. p. 208.* Bogotá.
suturalis Chevrol. *Guér. Jc. règn. anim. p. 160.* Mexico.
thalassinus Gylh. *Schh. Gen. Curc. III. p. 816.* Cayennae.
viridis Bohem. *Schh. l. c. VIII. 1. p. 289.* — Dej. *Cat. 3. ed. p. 316.* Brasilia.
12

Barycerus

βαρὺς, gravis; κέρας, cornu.

Schönherr. *Gen. Curc. III. 1836. p. 733.*

Taxicerus Dejean.

collaris Gylh. *Schh. Gen. Curc. III. p. 734.* Brasilia.
{*Lacordairei* Dej. *Cat. 3. ed. p. 313.* „
{*taxicornis* Dej. *olim.* „
♀ *cliens* Bohem. *Schh. l. c. VIII. 1. p. 120.* „
1

Loboderes

λοβὸς, lobus; δέρις, collum.

Schönherr. *Gen. Curc. III. 1836. p. 796.*

citriventris Bohem. *Schh. Gen. Curc. III. p. 797.* Brasilia.
flaviventris Sturm. *Cat. 1826. p. 99.* „
flavicornis Gylh. *Schh. Gen. Curc. III. p. 798.* „
2

Aphela

ἀφελὴς, planus.

Pascoe. *Journ. of Ent. II. 1865. p. 416.*

algarum Pascoe. *Trans. ent. Soc. 1870. p. 203.* Botany bay.
helopoides Pascoe. *Journ. of Ent. II. p. 417. t. 17. f. 4.* New S. Wales.
phalerioides Pascoe. *Trans. ent. Soc. 1870. p. 202.* Queensland.
3

Typhloporus

τυφλὸς, coecus; πορεύω, ambulo.

Hampe. *Wien. Ent. Monatschr. VIII. 1864. p. 191.*

deplanatus Hampe. *Wien. Ent. Monatschr. 1864. p. 192.* Sicilia.
1

Baris

βάρις, navis.

Germar. *Ins. Spec. nov. 1824. p. 197.*

Baridius Schönherr. — *Cyphirhinus* Schönh. — *Heterosternus* Kirsch. — *Microrhynchus* Megerle. — *Solenosternus* Schönh. — *Stenorhynchus* Megerle. — *Toxerus* Schönh.

Monogr. Brisout, H. *Ann. Fr. 1870. p. 31 et 287.*

abruptelineata Bohem. *Schh. Gen. Curc. VIII. 1. p. 131.* Cap bon. spei.
aciculaticollis Bohem. *l. c. III. p. 660.* Caffraria.
acutipennis Say. *Descr. of Curc. of N. Am. 1831. p. 27.* — Bohem. *l. c. p. 670.* Mexico.
adspersa Bohem. *Res. Eugen. 1859. p. 135.* Montevideo.
aerata Kirsch. *Berl. Zeit. 1869. p. 210.* Bogotá.
aerea Bohem. *Schh. Gen. Curc. VIII. 1. p. 141.* Nov. Carolina.
affabra Bohem. *l. c. p. 167.* Brasilia.
alboguttata Bris. *Mon. p. 294.* Biskra.
albomaculata Bris. *Mon. p. 298.* Andalusia.
alboscutellata Motsch. *Bull. Mosc. 1866. II. p. 435.* India or.
albosignata Bohem. *Schh. Gen. Curc. VIII. 1. p. 133.* Cap bon. spei.
alcyonea Erichs. *Wiegm. Arch. 1843. I. p. 261.* Angola.
ambigua Fåhrs *Öfvers. Vet. Ak. Förh. 1871. p. 278.* Caffraria.
amoenula Bohem. *Schh. Gen. Curc. III. p. 662.* Nov. Holland.
analis Oliv. *Encycl. méth. V. p. 489; Ent. V. 83. p. 151. t. 16. f. 197.* — Bohem. *Schh. Gen. Curc. III. p. 699.* — Bris. *Mon. p. 57.* Germania.
andalusiaca Bris. *Mon. p. 315.* Andalusia.
augusta Brullé. *Expd. Mor. 1832. p. 248. t. 42. f. 5.* — Bris. *Mon. p. 299.* Graecia.
  coerulescens Sturm. *Cat. 1826. p. 99.* Germania.
  coerulea Dahl. *Dej. Cat. 3. ed. p. 312.* „
  violacea Gylh. *Schh. Gen. Curc. III. p. 708.* Hungaria.
anthracina Bohem. *Schh. l. c. p. 727.* — Dej. *Cat. 3. ed. p. 313.* Amer. bor.
antiqua Bohem. *l. c. p. 687.* Columbia.
apicalis Bohem. *l. c. p. 724.* Mexico.
armata Bohem. *l. c. p. 679.* Brasilia.
armeniacae Oliv. *Ent. V. 83. p. 150. t. 27. f. 405.* Gallia.
artemisiae Herbst. *Käf. VI. p. 101. t. 66. f. 5.* — Panz. *Fn. Germ. 18. 10.* — Bohem. *Schh. Gen. Curc. III. p. 688.* — Bris. *Mon. p. 47.* M.
  absinthii Meg. *Dej. Cat. 3. ed. p. 312.* Gallia.
atra Kirsch. *Berl. Zeit. 1869. p. 209.* Bogotá.
atramentaria Bohem. *Schh. Gen. Curc. III. p. 696.* — Bris. *Mon. p. 63.* Germania.
atricolor Bohem. *l. c. VIII. 1. p. 152.* Anatolia.
  var. *jonica* Miller. *Wien. Ent. Monatschr. 1862. p. 280.* — Bris. *Mon. p. 51.* Cephalonia.
  „ *turcica* Bris. *l. c.* Turcia.
atrocoerulea Bohem. *Schh. Gen. Curc. VIII. 1. p. 138.* Cap bon. spei.
atronitens Chevrol. *Rev. Zool. 1861. p. 121.* — Bris. *Mon. p. 43.* Algeria.

auricoma Bohem. *Schh. Gen. Curc. VIII. 1. p. 175.*	St. Vincent.
aurosignata Bohem. *l. c. III. p. 662.*	Senegal.
australis Boisd. *Voy. Astrol. II. 1835. p. 427.* — d'Urville. *Dej. Cat. 3. ed. p. 312.*	Nov. Holland.
axillaris Bohem. *Schh. Gen. Curc. III. p. 687.*	Brasilia.
azurea Bohem. *l. c. p. 668.* — Dej. *Cat. 3. ed. p. 312.* — Jacq. Duv. *Hist. Cub. 1857. p. 205. t. 9. f. 30.*	Cuba.
cyanella Klug. *Dej. Cat. l. c.*	"
badia Bohem. *Schh. Gen. Curc. III. p. 672.*	Brasilia.
barda Bohem. *l. c. p. 678.*	"
furva Schönh. *in litt. olim.*	"
bicolor Bohem. *Schh. Gen. Curc. VIII. 1. p. 121.*	"
bipartita Bohem. *l. c.*	"
Braunani Schauf. *Rev. Zool. 1866. p. 415.*	Venezuela.
caffra Bohem. *Schh. Gen. Curc. III. p. 689.*	Caffraria.
caldaria Bohem. *l. c. VIII. 1. p. 142.*	Mexico.
californica Motsch. *Bull. Mosc. 1845. IV. p. 372.* — Bohem. *Res. Eugen. 1859. p. 137.*	California.
caliginosa Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 279.*	Caffraria.
carbo Kirsch. *Berl. Zeit. 1869. p. 216.*	Bogotá.
carbonaria Bohem. *Schh. Gen. Curc. III. p. 676.* — Bris. *Mon. p. 62.*	Tauria.
striatopunctata Parreyss *in litt.*	Transsylvania.
carinulata Lec. *Proc. Ac. Phil. 1858. p. 79.*	Texas.
carnifex Bohem. *Schh. Gen. Curc. III. p. 654.*	Brasilia.
melanocephala Dej. *Cat. 3. ed. p. 311.*	"
catenulata Bohem. *l. c. p. 647.*	"
chalybaea Bohem. *l. c. VIII. 1. p. 126.*	Cuba.
chloris Fabr. *Ent. Syst. Suppl. p. 166.* — Gylh. *Schh. Gen. Curc. III. p. 709.* — ⚘ Plieninger. *Isis. 1837. p. 525.*	M.
coerulescens var. Bris. *Mon. p. 310.*	Germania.
parisina Thunb. *Nov. Act. Ups. IV. p. 16.*	Gallia.
viridis Sturm. *Cat. 1826. p. 99.*	Italia.
chlorizans Germ. *Ins. Spec. nov. p. 201.* — Müll. *Dej. Cat. 3. ed. p. 312.* — Gylh. *Schh. Gen. Curc. III. p. 710.* — Bris. *Mon. p. 313.* — ⚘ Chavannes. *Bull. Soc. vaudoise. 1849. nr. 19. p. 136.*	Germania.
absinthii Sturm. *Dej. Cat. l. c.*	"
chloris Oliv. *Ent. V. 83. p. 149. t. 27. f. 407.* — Panz. *Fn. Germ. 18. 8.*	Gallia.
celtis Gredler. *Käf. Tirol. II. 1866. p. 355.*	Tirolis.
coerulea Dahl. *Sturm. Cat. 1826. p. 99.*	Germania.
Luczoti Bohem. *Schh. Gen. Curc. VIII. 1. p. 146.*	Gallia mer.
virescens Dej. *Cat. 1. ed. p. 99.*	Gallia.
cinnabarina Bohem. *Schh. Gen. Curc. VIII. 1. p. 118.*	Brasilia.
coerulea Bohem. *l. c. p. 116.*	"
coerulescens Scop. *Ent. Carn. 1763. p. 29.* — Herbst. *Käf. VI. p. 100. t. 66. f. 4.* — Gylh. *Schh. Gen. Curc. III. p. 709.* — Bris. *Mon. p. 309.* — ⚘ Hammerschmidt. *Obs. phys. et path. de plant. gallar. ortu. 1832. III.*	Europa temp.
chlorodia Bohem. *Schh. Gen. Curc. VIII. 1. p. 162.*	Illyria.
var. *pulchella* Luc. *Expl. Alg. p. 452. t. 38. f. 3. a-d.*	Algeria.

collaris Bohem. *Schh. Gen. Curc. VIII. 1. p. 134.* — Dej. *Cat. 3. ed. p. 313.*	Brasilia.
concinna Bohem. *l. c. p. 164.* — Bris. *Mon. p. 307.*	Tauria.
conferta Bohem. *l. c. III. p. 728.*	Florida.
convexicollis Bohem. *l. c. p. 690.* — Bris. *Mon. p. 46.*	Russia mer.
coracina Bohem. *l. c. p. 680.*	Java.
corusca Bohem. *l. c. VIII. 1. p. 140.*	Mexico.
crassirostris Schauf. *Rev. Zool. 1866. p. 414.*	Nov. Granada.
crenata Bohem. *Schh. Gen. Curc. III. p. 681.* — Klug. *Dej. Cat. 3. ed. p. 312.*	Amer. bor.
undata var. Say. *Descr. of Curc. p. 17.*	Mexico.
cribellata Kiesenw. *Berl. Zeit. 1864. p. 292.* — Bris. *Mon. p. 312.*	Graecia.
cribrosicollis Bohem. *Schh. Gen. Curc. VIII. 1. p. 114.*	Brasilia.
cuprea Bohem. *l. c. III. p. 715.*	„
curtula Bohem. *l. c. VIII. 1. p. 147.*	Columbia.
curvirostris Bohem. *l. c. p. 144.*	Senegal.
cyanea Bohem. *l. c. p. 137.*	Brasilia.
dalmatina Bris. *Mon. p. 53.*	Dalmatia.
densa Lec. *Proc. Ac. Phil. 1858. p. 79.*	San Diego.
depilis Bohem. *Schh. Gen. Curc. III. p. 682.* — Chevrol. *Dej. Cat. 3. ed. p. 312.*	Mexico.
discolor Bohem. *Schh. Gen. Curc. III. p. 703.*	Caffraria.
dispilota Solsky. *Hor. Soc. ent. Ross. VI. p. 312.*	Sibiria or.
dorsalis Bohem. *Schh. Gen. Curc. VIII. 1. p. 125.*	Cap bon. spei.
duplicata Schönh. *Ménétr. Cat. rais. 1832. p. 219 et 223.* — Bohem. *Schh. Gen. Curc. III. p. 674.* — Bris. *Mon. p. 50.*	Caucasus.
eriophora Bohem. *l. c. p. 657.* — Klug. *Dej. Cat. 3. ed. p. 311.*	Dongola.
erubescens Kirsch. *Berl. Zeit. 1869. p. 211.*	Bogotá.
evulsa Kirsch. *l. c. p. 213.*	„
erythropus Bohem. *Schh. Gen. Curc. III. p. 719.* — Dej. *Cat. 3. ed. p. 313.*	Buenos Aires.
exarata Bohem. *l. c. p. 655.*	Brasilia.
fallax Bris. *Mon. p. 311.*	Germania.
famula Fabr. *Ent. Syst. Suppl. p. 166.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 168.*	Tranquebar.
fasciata Kirsch. *Berl. Zeit. 1869. p. 211.*	Bogotá.
flavicornis Bohem. *Schh. Gen. Curc. III. p. 725.*	Caffraria.
flavipes Philippi. *Stett. Zeit. 1864. p. 369.*	Chili.
flexuosa Blanch. *Voy. d'Orb. 1843. p. 202. t. 17. f. 8.*	Bolivia.
glabra Herbst. *Füssl. Arch. V. 1784. p. 77.*	M.
absinthii Panz. *Fn. Germ. 18. 9.* — Ziegl. *Dej. Cat. 1. ed. p. 99.*	Dalmatia.
artemisiae Oliv. *Ent. V. 83. p. 150. t. 29. f. 430.* — Steph. *Ill. Brit. IV. p. 11.*	Gallia.
impunctata Steph. *l. c.*	Anglia.
laticollis Marsh. *Ent. Brit. 1802. p. 276.*	„
nigrina Schüpp. *Dej. Cat. 3. ed. p. 312.*	Germania.
nitens Herbst. *Käf. VI. p. 160. t. 10. f. 13.*	„
picina Germ. *Ins. Spec. nov. p. 199.* — Bohem. *Schh. Gen. Curc. III. p. 695.* — Bris. *Mon. p. 52.* — ♀ Dufour. *Ann. Fr. 1846. p. 453.*	„

glabrata Gylh. *Schh. Gen. Curc. III. p. 722.*	Brasilia.
oblonga Sturm. *Cat. 1826. p. 99.*	„
humeralis Bohem. *Schh. Gen. Curc. III. p. 732.* — Dej. *Cat. 3. ed. p. 313.*	„
janthina Bohem. *Schh. l. c. p. 708.* — Bris. *Mon. p. 300.*	Tauria.
ignava Bohem. *l. c. VIII. 1. p. 136.*	Brasilia.
impedita Bohem. *l. c. p. 177.*	„
impolita Bohem. *l. c. p. 150.*	Cap bon. spei.
impressa Kirsch. *Berl. Zeit. 1869. p. 212.*	Bogotá.
impressifrons Bohem. *Schh. Gen. Curc. III. p. 650.*	Amer. mer.
inops Gylh. *Schh. l. c. p. 729.*	Brasilia.
interruptofasciata Motsch. *Bull. Mosc. 1866. II. p. 435.*	Java.
invenusta Steinheil. *Atti Soc. Milan. 1872.*	Buenos Aires.
interpunctata Germ. *Ins. Spec. nov. p. 204.* — Bohem. *Schh. Gen. Curc. III. p. 646.* — Blanch. *Voy. d'Orb. t. 17. f. 7.*	Brasilia.
aenea Dej. *Cat. 1. ed. p. 98.*	„
interrupta Bohem. *Schh. Gen. Curc. III. p. 663.*	Java.
unca Oliv. *Ent. V. 83. p. 142. t. 33. f. 502.* — Fabr. *Syst. El. II. p. 447. (forte.)*	„
interstitialis Say. *Journ. Ac. Phil. III. 1823. p. 314.* — Bohem. *Schh. Gen. Curc. III. p. 684.*	Missouri.
striata Knoch *in litt.*	Florida.
irrorata Bohem. *Schh. Gen. Curc. III. p. 664.*	Java.
laeta Bohem. *l. c. VIII. 1. p. 128.*	Port Natal.
Landgrebi Hochh. *Bull. Mosc. 1847. II. p. 558.*	Caucasus.
lata Bohem. *Schh. Gen. Curc. VIII. 1. p. 122.*	Brasilia.
lepidii Germ. *Ins. Spec. nov. p. 200.* — Müller. *Dej. Cat. 3. ed. p. 312.* — Gylh. *Schh. Gen. Curc. III. p. 710.* — Bris. *Mon. p. 304.* — ♀ Heeger. *Sitzgsb. Wien. Ac. XIV. p. 29. t. 5.*	M.
chlorodica Meg. *in litt.*	Volhynia.
limbata Bris. *Mon. p. 56.*	Sarepta.
linearis Bohem. *Res. Eugen. 1859. p. 135.*	Brasilia.
lineolatofasciata Motsch. *Bull. Mosc. 1866. II. p. 435.*	India or.
lirata Bohem. *Schh. Gen. Curc. VIII 1. p. 179.*	Brasilia.
liturata Fabr. *Syst. El. II. p. 436.* — Bohem. *l. c. p. 169.*	Amer. mer.
lividipes Bohem. *l. c. III. p. 669.*	Brasilia.
longula Bohem. *l. c. p. 705.*	Amer. mer.
loricata Bohem. *l. c. p. 716.*	Caucasus.
crinipes Bris. *Mon. p. 45.*	Sarepta.
{ *Godeti* Dej. *Cat. 3. ed. p. 312.*	Caucasus.
{ *rufipes* Godet. *Dej. Cat l. c.*	„
macra Lec. *Entom. Report. 1857. p. 58.*	California.
malachitica Chevrol. *Rev. Zool. 1860. p. 459.* — Bris. *Mon. p. 315.*	Algeria.
marginicollis Bohem. *Schh. Gen. Curc. III. p. 704.*	Caffraria.
melanaria Bohem. *l. c. p. 730.*	Brasilia.
melanocephala Bohem. *l. c. p. 653.*	„
melaena Bohem. *l. c. p. 705.* — Bris. *Mon. p. 54.*	Tauria.
memnonia Bohem. *l. c. p. 675.* — Bris. *Mon. p. 61.*	„
metallescens Bohem. *l. c. p. 648.*	Brasilia.
metallica Bohem. *l. c. p. 645.* — Dej. *Cat. 3. ed. p. 311.*	„

modica Bohem. *Schh. Gen. Curc VIII. 1. p. 171.*	Guadeloupe.
monstrosa Germ. *Ins. Spec. nov. p. 205.* — Bohem. *l. c. III. p. 649.*	Brasilia.
morio Bohem. *l. c. VIII. 1. p. 174.* — Bris. *Mon. p. 44.*	Gallia.
var. *resedae* Bach. *Stett. Zeit. 1856. p. 243.* — † Kaltenbach. *Stett. Zeit. l. c.*	Germania.
var. *nitens* Kaltenb. *in litt.*	"
mucorea Lec. *Proc. Ac. Phil. 1858. p. 79.*	Fort Yuma.
mutila Bohem. *Schh. Gen. Curc. VIII. 1. p. 149.*	Columbia.
nana Bohem. *l. c. III. p. 667.* — Dej. *Cat. 3. ed. p. 312.*	Brasilia.
nasuta Lec. *Proc. Ac. Phil. 1859. p. 79.*	Tejon.
neelgheriensis Guér. *Voy. Delessert. 1843. p. 52.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 129.*	India or.
nigella Bohem. *l. c. III. p. 731.*	Brasilia.
nigerrima Kirsch. *Berl. Zeit. 1869. p. 214.*	Bogotá.
nigrina Say. *Descr. of Curc. of N. Am. p. 26.* — Bohem. *Schh. Gen. Curc. III. p. 690; VIII. 1. p. 154.*	Pennsylvania.
nigritarsis Bohem. *l. c. VIII. 1. p. 156.* — Bris. *Mon. p. 64.*	Caucasus.
nigrocephala Bohem. *l. c. III. p. 717.*	Brasilia.
nitens Fabr. *Ent. Syst. I. 2. p. 403.* — Schönh. *Gen. Curc. III. p. 674.* — Bris. *Mon. p. 58.*	Europ. mer.
calandroides Dufour. *Dej. Cat. 3. ed. p. 312.*	Hispania.
striatopunctata Godet. *Dej. Cat. l. c.*	Russia mer.
timida Herbst. *Käf. VII. 1797. p. 23. t. 97. f. 2.* — Oliv. *Ent. V. 83. p. 146. t. 27. f. 401.*	Gallia.
nitescens Bohem. *Schh. Gen. Curc. VIII. 1. p. 139.*	Brasilia.
nivalis Bris. *Mon. p. 305.*	Hispania.
var. *amethystina* Dej. *Cat. 3. ed. p. 312.*	Algeria.
notata Bohem. *Schh. Gen. Curc. III. p. 723.* — Klug. *Dej. Cat. 3. ed. p. 313.*	Mexico.
novemmaculata Motsch. *Bull. Mosc. 1866. II. p. 435.*	Java.
obcrucis Bohem. *Schh. Gen. Curc. III. p. 714.*	Brasilia.
oblonga Bohem. *Res. Eugen. 1859. p. 136.*	Montevideo.
obumbrata Bohem. *Schh. Gen. Curc. VIII. 1. p. 147.*	Brasilia.
ochraceomaculata Motsch. *Bull. Mosc. 1866. II. p. 435.*	India or.
opaca Bohem. *Schh. Gen. Curc. VIII. 1. p. 143.*	Cap bon. spei.
opiparis Jacq. Duv. *Ann. Fr. 1852. p. 715; Gen. Col. Curc. t. 24. f. 114.* — Kiesenw. *Berl. Zeit. 1864. p. 290.* — Bris. *Mon. p. 288.*	Gallia.
albomaculata Dej. *Cat. 3. ed. p. 313.*	Hispania.
ovalis Bohem. *Schh. Gen. Curc. VIII. 1. p. 150.*	Columbia.
pandanicola Motsch. *Bull. Mosc. 1863. II. p. 527.*	Ceylon.
parallela Bohem. *Schh. Gen. Curc. VIII. 1. p. 115.*	Brasilia.
parapleura Fåhrs. *Öfvers Vet. Ak. Förh. 1871. p. 280.*	Caffraria.
parellina Bohem. *Schh. Gen. Curc. III. p. 651.*	Brasilia.
pauper Bohem. *l. c. VIII. 1. p. 151.*	"
pellicea Bohem. *l. c. VIII. 1. p. 160.*	Mexico.
penicillata Bohem. *l. c. III. p. 665.*	St. Domingo.
pertusa Kiesenw. *Berl. Zeit. 1864. p. 291.* — Bris. *Mon. p. 306.*	Graecia.
pertusicollis Fairm. *Ann. Fr. 1871. p. 54.*	Ins. Mayotte.
picicornis Marsh. *Ent. Brit. p. 276.*	Anglia.
abrotani Germ. *Ins. Spec. nov. p. 202.* — Bohem.	Germania.

Schh. Gen. Cuc. VIII. 1. p. 164. — Bris. *Mon. p. 308.*
punctata Gylh. *Schh. Gen. Curc. III. p. 711.* — Dej. *Cat. 3. ed. p. 312.* — ‡ Frauenf. *Verh. zool. bot. Ver. Wien. 1866. p. 968.* — Gallia.
var. {*virescens* Brullé. *Exped. Mor. p. 249.* — Kiesenw. *Berl. Zeit. 1864. p. 290.* — Graecia.
cribricollis Reiche et Saulc. *Cat. nr. 585.* — „
picipennis Bohem. *Res. Eugen. 1859. p. 137.* — Buenos Aires.
picipes Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 280.* — Caffraria.
picturata Ménétr. *Mém. Ac. Petr. VI. 1849. p. 263. t. 5. f. 13.* — Turcomania.
plicata Bohem. *Schh. Gen. Curc. VIII. 1. p. 180.* — Mexico.
prasina Bohem. *l. c. III. p. 707.* — Bris. *Mon. p. 301.* — Algeria.
pubescens Uhler. *Proc. Ac. Phil. VII. 1855. p. 417.* — Virginia.
pulla Bohem. *Schh. Gen. Curc. III. p. 697.* — Brasilia.
puncticollis Bohem. *l. c. p. 691.* — Lacord. *Gen. Col. VII. p. 225. note 1.* — Amer. mer.
pyritosa Germ. *Ins. Spec. nov. p. 203.* — Brasilia.
{*aurichalcea* Buquet. *Dej. Cat. 3. ed. p. 313.* — „
{*nitida* Gylh. *Schh. Gen. Curc. III. p. 722.* — Dej. *Cat. l. c.* — „
chrysis Sturm. *Cat. 1826. p. 99.* — „
quadraticollis Bohem. *Schh. Gen. Curc. III. p. 693.* — Bris. *Mon. p. 59.* — Gallia.
var. *picitarsis* Bohem. *l. c. p. 694.* — Caucasus.
„ *sulcicollis* Chevrol. *Rev. Zool. 1866. p. 106.* — Valladolid.
quadrimaculata Bohem. *Schh. Gen. Curc. III. p. 661.* — Dej. *Cat. 3. ed. p. 311.* — Jacq. Duv. *Hist. Cub. 1857. p. 205. t. 9. f. 29.* — Cuba.
flavonotata Klug. *Dej. Cat. l. c.* — „
fulvonotata Mus. Berol. — „
recincta Germ. *in litt.* — „
quadrinotata Blanch. *Voy. d'Orb. 1843. p. 203. t. 18. f. 3.* — Corrientes.
quadrinotata Philippi. *Stett. Zeit. 1864. p. 360.* — Chili.
quadrisignata Bohem. *Schh. Gen. Curc. III. p. 659.* — Nov. Holland.
quadrivittata Motsch. *Bull. Mosc. 1866. II. p. 434.* — Java.
Renardi Hochh. *Bull. Mosc. 1847. II. p. 562.* — Caucasus.
rudis Bohem. *Schh. Gen. Curc. III. p. 658.* — Brasilia.
rufa Bohem. *l. c. VIII. 1. p. 166.* — Bris. *Mon. p. 55.* — Sicilia.
ruficollis Bohem. *l. c. III. p. 655.* — Brasilia.
rubricollis Dej. *Cat. 1. ed. p. 98.* — „
rufipennis Germ. *Ins. Spec. nov. p. 206.* — Bohem. *Schh. Gen. Curc. III. p. 651.* — „
rubripennis Dej. *Cat. 3. ed. p. 311.* — „
rufipes Bohem. *Schh. Gen. Curc. III. p. 700.* — Guadeloupe.
rufitarsis Motsch. *Schrenck. Reis. II. 1860. p. 157. t. 10. f. 6.* — Amur.
rugata Bohem. *Schh. Gen. Curc. VIII. 1. p. 170.* — Mexico.
rugicollis Kirsch. *Berl. Zeit. 1869. p. 213.* — Bogotá.
Saba Fabr. *Syst. El. II. p. 437.* — Bohem. *Schh. Gen. Curc. III. p. 677.* — Amer. mer.
Schwarzenbergi Hochh. *Bull. Mosc. 1847. II. p. 553.* — Caucasus.
scolopacea Germ. *Ins. Spec. nov. p. 202.* — Bris. *Mon. p. 292.* — Hungaria.

colorata Bohem. *Schh. Gen. Curc. III. p. 700.* Mare caspic.
var. *pallidicornis* Bohem. *l. c. p. 702.* Tauria.
„ *parvula* Bohem. *l. c. p. 701.* Caucasus.
„ *vestita* Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 143.* Arcachon.
scolopax Say. *Descr. of Curc. of N. Am. p. 26.* — Bohem. *Schh. Gen. Curc. III. p. 699.* Missouri.
scotina Bohem. *l. c. VIII. 1. p. 153.* Afric. austr.
scrobicollis Bohem. *l. c. III. p. 646.* Brasilia.
sculptilis Gerstäck. *Wiegm. Arch. 1871. I. p. 75.* Mombas.
sellata Bohem. *Schh. Gen. Curc. VIII. 1. p. 124.* — Bris. *Mon. p. 287.* Barbaria.
semistriata Bohem. *Schh. Gen. Curc. III. p. 695.* — Bris. *Mon. p. 65.* Caucasus.
Gimmerthali Hochh. *Bull. Mosc. 1847. II. p. 560.* „
senescens Bohem. *Schh. Gen. Curc. VIII. 1. p. 136.* Mexico.
septemguttata Motsch. *Bull. Mosc. 1866. II. p. 434.* Ceylon.
seriata Lec. *Entom. Report. 1857. p. 58.* California.
seriepunctata Bohem. *Schh. Gen. Curc. VIII. 1. p. 158.* Port Natal.
setifera Bris. *Mon. p. 296.* Sicilia.
sexcarinata Schauf. *Rev. Zool. 1866. p. 414.* Nov. Granada.
signatula Bohem. *Schh. Gen. Curc. III. p. 713.* Brasilia.
smaragdina Kirsch. *Berl. Zeit. 1869. p. 208.* Bogotá.
spadicea Bohem. *Schh. Gen. Curc. III. p. 671.* Brasilia.
speciosa Gerstäck. *Wiegm. Arch. 1871. I. p. 75.* Mont. Bura.
Spitzyi Hochh. *Bull. Mosc. 1847. II. p. 564.* Caucasus.
spoliata Bohem. *Schh. Gen. Curc. III. p. 692.* — Dej. *Cat. 3. ed. p. 312.* — Bris. *Mon. p. 290.* Europa mer.
squamifera Bohem. *Schh. Gen. Curc. VIII. 1. p. 118.* Brasilia.
squamosa Bohem. *l. c. III. p. 713.* „
squamosa Montrouz. *Ann. Fr. 1860. p. 890.* — Lacord. *Gen. Col. VII. p. 226. nota.* Lifu.
squamulosa Bohem. *Schh. Gen. Curc. III. p. 656.* Amer. mer.
squarrosa Bohem. *l. c. VIII. 1. p. 172.* Brasilia.
striata Say. *Descr. of Curc. of N. Am. p. 17.* Amer. bor.
subnitida Bohem. *Schh. Gen. Curc. VIII. 1. p. 155.* Brasilia.
subscabrosa Bohem. *l. c. III. p. 683.* Mexico.
subsignata Bohem. *l. c. VIII. 1. p. 133.* Afric. austr.
subsignata Motsch. *Bull. Mosc. 1866. II. p. 435.* India or.
Suffriani Hochh. *Bull. Mosc. 1847. I. p. 566.* Caucasus.
sulcata Bohem. *Schh. Gen. Curc. III. p. 673; VIII. 1. p. 145.* — Bris. *Mon. p. 48.* Tauria.
sulcipennis Bris. *Mon. p. 49.* Germania.
sutura alba Bohem. *Schh. Gen. Curc. III. p. 751.* Brasilia.
tabaci Sallé. *Ann. Fr. 1855. p. 269. t. 14. f. 4. a-b.* Cuba.
T-album Linn. *Syst. nat. ed. X. p. 379.* — Bohem. *Schh. Gen. Curc. III. p. 719.* — Bris. *Mon. p. 296.* M.
atriplicis Oliv. *Encycl. méth. V. p. 495; Ent. V. 83. p. 148. t. 27. f. 404.* Gallia.
dolorosa Goeze. *Ent. Beytr. I. p. 411.* — Gmel. *ed. Linn. I. 4. p. 1804.* Suecia.
funerea Herbst. *Käf. VI. p. 164. t. 71. f. 3.* Fennia.
hypoleuca Marsh. *Ent. Brit. p. 274.* Anglia.
nigrina Herbst. *l. c. p. 60. t. 62. f. 16.* Gallia.
nitida Gyssel. *Dej. Cat. 3. ed p. 313.* Germania.

pilistriata Steph. *Ill. Brit. IV. p. 10.*	Anglia.
var. *crocopelma* Gylh. *Schh. Gen. Curc. III. p. 720.*	Russia mer.
„ *pusio* Bohem. *Schh. l. c. VIII. 1. p. 173.*	Sicilia.
temeraria Bohem. *l. c. p. 159.*	Brasilia.
tenuicollis Bohem. *l. c. p. 178.*	„
tenuirostris Bris. *Mon. p. 291.*	Algeria.
tenuis Blanch. *Gay. Hist. Chil. V. p. 399. t. 25. f. 4. a-c.*	Chili.
tetra Bohem. *Schh. Gen. Curc. VIII. 1. p. 143.*	Port Natal.
tibialis Bohem. *l. c. III. p. 726.*	Mexico.
tigrina Bohem. *l. c. VIII. 1. p. 130.*	Port Natal.
tombacina Bohem. *l. c. III. p. 669.*	Brasilia.
torquata Oliv. *Ent. V. 83. p. 145. t. 27. f. 399.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 129.*	Portorico.
transversa Say. *Descr. of Curc. of N. Am. 1831. p. 18.*	Amer. bor.
trinotata Say. *l. c. p. 17.*	Mississippi.
cinerea Dej. *Cat. 3. ed. p. 313.*	Mexico.
pennsylvanica Knoch *i. litt.*	Pennsylvania.
tripunctata Chevrol. *Dej. Cat. l. c.*	Mexico.
vestita Bohem. *Schh. Gen. Curc. III. p. 718.* — Klug. *Dej. Cat. l. c.* — ♀ Candèze. *Mém. Liége. 1861. p. 372. t. 4. f. 3. a-e.*	„
T-signum Bohem. *Schh. Gen. Curc. VIII. 1. p. 154.*	Pennsylvania.
uncinata Bohem. *l. c. III. p. 685.*	Amer. merid.
undata Say. *Descr. of Curc. of N. Am. p. 17.* — Bohem. *Schh. Gen. Curc. III. p. 683.*	Mexico.
uniseriata Dufour. *Excurs. Vall. d'Ossau. 1843. p. 88.*	Pyrenaei.
punctatissima Dej. *Cat. 3. ed. p. 312.*	Gallia.
vecors Bohem. *Schh. Gen. Curc. III. p. 686.*	Columbia.
versicolor Bohem. *Res. Eugen. 1859. p. 136.*	Java.
vicina Bris. *Mon. p. 294.*	Syria.
viduata Fabr. *Syst. El. II. p. 437.* — Bohem. *Schh. Gen. Curc. III. p. 666.*	Amer. mer.
piligera Klug. *Dej. Cat. 3. ed. p. 311.*	Brasilia.
Villae Comolli. *De Col. nov. Novocom. 1837. p. 35.* — Dej. *Cat. 3. ed. p. 312.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 165.* — Kiesenw. *Berl. Zeit. 1864. p. 291.* — Bris. *Mon. p. 314.*	Lombardia.
virgata Bohem. *Schh. Gen. Curc. VIII. 1. p. 176.*	Borneo.
viridana Bohem. *l. c. III. p. 644.*	Brasilia.
viridipennis Rosenh. *Thier. Andal. 1856. p. 284.*	Granada.
viridisericea Goeze. *Ent. Beytr. 1777. I. p. 410.*	Germania.
cuprirostris Fabr. *Mant. Ins. I. p. 100.* — Panz. *Fn. Germ. 94. 7.* — Gylh. *Schh. Gen. Curc. III. p. 706.* — Bris. *Mon. p. 303.* — ♀ Dufour. *Ann. Fr. 1846. p. 453.*	Suecia.
curviventris Duf. *Dej. Cat. 3. ed. p. 312.*	Hispania.
graminea Gmel. *ed. Linn. I. 4. p. 1804.*	Helvetia.
virens Oliv. *Encycl. méth. V. p. 565.*	Gallia.
viridis Fourcr. *Ent. Par. I. p. 120.*	„
viridissima Dej. *Cat. l. c.*	„
var. *sicula* Bohem. *Schh. Gen. Curc. VIII. 1. p. 161.*	Sicilia.
vivax Bohem. *l. c. III. p. 698.*	Brasilia.
Wahlbergi Bohem. *l. c. VIII. 1. p. 123.*	Port Natal.

Corynemerus

κορύνη, clava; μηρὸς, femur.

Fåhraeus *Öfvers. Vet. Ak. Förh. 1871. p. 281.*

femoralis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 281.* Caffraria.
1

Apotomorrhinus

ἀπότομος, abscissus; ῥὶν, nasus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 258.*

alboater Walker. *Ann. nat. Hist. ser. 3. III. 1859. p. 264.* — Lacord. *Gen. Col. VII. p. 227. note 2.* Ceylon.
cribratus Bohem. *Schh. Gen. Curc. VIII. 1. p. 259.* Pondichery.
signatus Walker. *Ann. nat. Hist. ser. 3. III. p. 264.* Ceylon.
submaculatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 259.* Manilla.
4

Odontocorynus

ὀδοὺς, dens; κορύνη, clava.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 271.*

creperus Bohem. *Schh. Gen. Curc. VIII. 1. p. 271.* Mexico.
1

Eucalus

εὖ, bene; καλὸς, pulcher.

Lacordaire. *Gen. Col. VII. 1866. p. 229.*

Oncorhinus Blanchard.

fasciolatus Blanch. *Gay Hist. Chil. V. p. 390. t. 24. f. 12. a-c.* Chili.
1

Phacelobarus

φάκελος, fasciculus; βάρος, onus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 97.*

Cyphorhynchus Schönh. *olim.* — *Lophoderes* Chevrolat.

singularis Gylh. *Schh. Gen. Curc. IV. p. 462.* Madagascar.
1

Scambus

σκαμβὸς, valgus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 254.*

echinatus Bohem. *Schh. Gen. Curc VIII. 1. p. 256.* Brasilia.

galeatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 257.* — Lacord. *Gen. Col. VII. p. 232. note 1.* Brasilia.
setifer Bohem. *l. c. p. 255.* „
3

Centrinus

κεντρίνης, centrina.

Schönherr. *Disp. meth. 1826. p. 308.*

Diagonus Chevrolat.

acerbus Bohem. *Schh. Gen. Curc. VIII. 1. p. 191.* Brasilia.
adustus Bohem *l. c. p. 242.* „
aerumnosus Bohem. *l. c. p. 250.* „
affaber Bohem *l. c. p. 209.* „
afflictus Bohem. *l. c. 190.* „
albopictus Gylh. *Schh. l. c. III. p. 728.* „
angulus Bohem. *Schh. l. c. VIII. 1. p. 240.* „
inaequalis Chevrol. *in litt.* „
antiquus Bohem. *l. c. III. p. 769.* „
apicipennis Bohem. *l. c. VIII. 1. p. 201.* „
Arnoldi Kirby. *Trans. Linn. Soc. XII. 1818. p. 433.* „
asphaltinus Bohem. *Schh. Gen. Curc. VIII. 1. p. 206.* Columbia.
assentator Bohem. *l. c. p. 228.* Amer. mer.
ater Bohem *l. c. p. 251.* „
aurichalceus Bohem. *l. c. III. p. 786.* Brasilia.
auritarsis Germ. *Ins. Spec. nov. 1824. p. 207.* — Bohem. *l. c. p. 748.* „
biguttatus Dej. *Cat. 3. ed. p. 314.* „
bicolor Bohem. *l. c. VIII. 1. p. 225.* „
carnifex Germ. *in litt.* „
bicoloratus Bohem. *l. c. p. 211.* „
bicuspis Germ. *Ins. Spec. nov. p. 211.* — Bohem. *l. c. III. p. 737.* „
aureus Sturm. *Cat. 1826. p. 99.* „
bifrons Fabr. *Syst. El. II. p. 449.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 739.* Amer. mer.
bigrammicus Germ. *Ins. Spec. nov. p. 208.* — Bohem. *l. c. III. p. 748.* Brasilia.
signatus Sturm. *Cat. 1826. p. 99.* „
vestitus Dej. *Cat. 1. ed. p. 99.* „
bilineatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 192.* „
Braunani Schauf. *Rev. Zool. 1866. p. 415.* Venezuela.
brunneicollis Bohem. *Schh. Gen. Curc. III. p. 780.* Brasilia.
rubricollis Sturm. *Cat. 1826. p. 114.* „
calamitosus Bohem. *Schh. Gen. Curc. VIII. 1. p. 248.* „
capreolus Germ. *Ins. Spec. nov. p. 203.* — Bohem. *l. c. p. 207.* „
carbonarius Fabr. *Syst. El. II. p. 437.* Amer. mer.
binotatus Dej. *Cat. 3. ed. p. 314.* Brasilia.
carinatus Philippi. *Stett. Zeit. 1864. p. 370.* Chili.
carnifex Bohem. *Schh. Gen. Curc. III. p. 778.* Brasilia.
cemas Bohem. *Schh. l. c. p. 738; VIII. 1. p. 212.* „

cestrotus Germ. *Ins. Spec. nov. p. 226; Schh. Gen. Curc. VIII. 1. p. 239.* — Brasilia.
Christophori Bohem. *Schh. l. c. p. 238.* — „
melalonomus Germ. *in litt.* — „
coeruleus Bohem. *l. c. III. p. 768.* — „
collaris Bohem. *l. c. VIII. 1. p. 229.* — „
conformis Bohem. *l. c. p. 196.* — „
confusus Bohem. *l. c. III. p. 740.* — Mannerh. *Bull. Mosc. 1843. II. p. 293.* — Florida.
{*sulcipennis* Eschsch. *in litt.* — Dej. *Cat. 3. ed. p. 315.* — California.
{*arcuatus* Mac Leay. *Dej. Cat. l. c.* — Amer. bor.
conicollis Bohem. *Schh. Gen. Curc. VIII. 1. p. 204.* — Brasilia.
corynthius Germ. *Ins. Spec. nov. p. 223.* — Bohem. *l. c. p. 253.* — „
croceosignatus Bohem. *l. c. p. 210.* — „
cupratus Bohem. *l. c. III. p. 783.* — „
curvirostris Bohem. *l. c. VIII. 1. p. 185.* — Chevrol. *Guér. Ic. règn. anim. p. 161. t. 39. f. 3. a.* — „
chrysographus Germ. *in litt.* — „
cyanipes Bohem. *Schh. Gen. Curc. III. p. 767.* — „
decoratus Bohem. *l. c. VIII. 1. p. 216.* — Lacord. *Dej. Cat. 3. ed. p. 314.* — Cayennae.
dilectus Harris. *Hartf. Trans. 1836. p. 79. t. 1. f. 4.* *(gen. dub.)* — Amer. bor.
dispilus Klug. *Dej. Cat. 3. ed. p. 314.* — Brasilia.
carbonarius Bohem. *Schh. Gen. Curc. III. p. 748.* — „
distigma Kirsch. *Berl. Zeit. 1869. p. 217.* — Bogotá.
distinctus Bohem. *Schh. Gen. Curc. VIII. 1. p. 187.* — Brasilia.
dolus Schauf. *Rev. Zool. 1866. p. 418.* — Nov. Granada.
ebeninus Bohem. *Schh. Gen. Curc. III. p. 756.* — Guadeloupe.
falcatus Bohem. *l. c. VIII. 1. p. 246.* — Brasilia.
fallax Bohem. *l. c. III. p. 774.* — „
figuratus Bohem. *l. c. VIII. 1. p. 213.* — „
flaveolus Bohem. *l. c. p. 222.* — Columbia.
flavicornis Bohem. *l. c. p. 251.* — Brasilia.
flavipennis Blanch. *Voy. d'Orb. p. 201. t. 16. f. 9.* — Chiquitos.
furvus Bohem. *Schh. Gen. Curc. VIII. 1. p. 198.* — Brasilia.
Germari Bohem. *l. c. p. 184.* — „
gibbirostris Germ. *Ins. Spec. nov. p. 209.* — Bohem. *l. c. III. p. 744.* — „
globus Fabr. *Syst. El. II. p. 471.* — Bohem. *l. c. VIII. 1. p. 245.* — „
fractipes Germ. *Ins. Spec. nov. p. 251.* — „
haematopus Schauf. *Rev. Zool. 1866. p. 418.* — Nov. Granada.
Jekeli Schauf. *l. c. p. 416.* — „
sutura alba Jekel *in litt.* — „
inquinatus Bohem. *Schh. Gen. Curc. III. p. 787.* — Brasilia.
irritus Bohem. *l. c. VIII. 1. p. 230.* — Buenos Aires.
jugularis Schauf. *Rev. Zool. 1866. p. 419.* — Nov. Granada.
lacunifer Kirsch. *Berl. Zeit. 1869. p. 216.* — Bogotá.
larvatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 218.* — Mexico.
Leachi Kirby. *Trans. Linn. Soc. XII. 1818. p. 432.* ♀ — Bohem. *l. c. III. p. 777.* — Brasilia.
lentiginosus Bohem. *l. c. VIII. 1. p. 221.* — Mexico.
lineatosignatus Bohem. *l. c. p. 195.* — Brasilia.

lineellus Lec. *Proc. Ac. Phil. 1859. p. 79.* Tejon.
lineicollis Bohem. *Schh. Gen. Curc. VIII 1. p. 221.* Mexico.
lucens Germ. *Ins. Spec. nov. p. 222.* Brasilia.
micans Bohem. *Schh. Gen. Curc. III. p. 784.* — Dej. *Cat. 3. ed. p. 315.* „
luteolus Bohem. *Schh. Gen. Curc. VIII. 1. p. 220.* Columbia.
luteus Bohem. *l. c. p. 223.* Paraguay.
maurus Bohem. *l. c. p. 199.* Brasilia.
Meigeni Bohem. *l. c. III. p. 777.* „
elephas Schönh. *Curc. Disp. meth. p. 310.* „
ensifer Sturm. *Cat. 1826. p. 114.* „
mexicanus Bohem. *Schh. Gen. Curc. VIII. 1. p. 244.* Mexico.
modestus Bohem. *l. c. III. p. 772.* — Dej. *Cat. 3. ed. p. 315.* Amer. bor.
montanus Schauf. *Rev. Zool. 1866. p. 419.* Nov. Granada.
regularis Deyrolle *in litt.* „
morio Bohem. *Schh. Gen. Curc. III. p. 783.* — Dej. *Cat. 3. ed. p. 315.* Brasilia.
multicolor Bohem. *l. c. VIII. 1. p. 241.* „
normalis Bohem. *l. c. III. p. 746.* „
oblongus Bohem. *l. c. p. 752.* „
gagatinus Klug. *Dej. Cat. 3. ed. p. 314.* „
politus Dej. *Cat. l. c.* „
obniger Bohem. *Schh. Gen. Curc. VIII. 1. p. 205.* „
obsidianus Bohem. *l. c. p. 202.* „
ocellatus Bohem. *l. c. III. p. 747.* „
ochraceus Bohem. *l. c. VIII. 1. p. 237.* Mexico.
Olfersi Germ. *Ins. Spec. nov. p. 209. t. 1. f. 6.* — Bohem. *l. c. III. p. 739.* Brasilia.
elephas Dej. *Cat. 1. ed. p. 98.* „
ollula Bohem. *l. c. VIII. 1. p. 230.* „
pallidesignatus Bohem. *l. c. p. 226.* „
pallidicollis Bohem. *l. c. III. p. 781.* „
parallelus Bohem. *l. c. p. 742.* „
parellinus Bohem. *l. c. p. 765.* „
pauperatus Gylh. *Schh. l. c. p. 762.* „
pectoralis Bohem. *l. c. p. 776.* „
penicellus Herbst. *Käf. VII. p. 29. t. 99. f. 6.* — Say. *Descr. of Curc. of N. Am. p. 17.* Amer. bor.
farratus Germ. *Dej. Cat. 3. ed. p. 314.* „
holosericeus Gylh. *Schh. Gen. Curc. III. p. 760.* — Dej. *Cat. l. c.* „
var. *tomentosus* Klug. *Dej. Cat. l. c.* Cuba.
perscillus Gylh. *Schh. Gen. Curc. III. p. 762.* — Melsh. *Sturm. Cat. 1826. p. 99.* Amer. bor.
perscitus Herbst. *Käf. VII. p. 28. t. 99. f. 3.* „
pexus Bohem. *Schh. Gen. Curc. VIII. 1. p. 209.* Mexico.
pictus Gylh. *Schh. l. c. III. p. 761.* Amer. mer.
picumnus Herbst. *Käf. VII. p. 30. t. 99. f. 9.* — Say. *Descr. of Curc. of N. Am. p. 17.* Indiana.
olivaceus Gylh. *Schh. Gen. Curc. III. p. 763.* „
pilosus Bohem. *Schh. l. c. VIII. 1. p. 232.* Brasilia.
pistor Germ. *Ins. Spec. nov. p. 295.* — Gylh. *Schh. Gen. Curc. III. p. 760.* Kentucky.
planirostris Schauf. *Rev. Zool. 1866. p. 419.* Venezuela.
plicicollis Schauf. *l. c. p. 416.* Nov. Granada.

podagricus Bohem. *Schh. Gen. Curc. VIII. 1. p. 197.*	Brasilia.
politus Schauf. *Rev. Zool. 1866. p. 417.*	Nov. Granada.
posticus Bohem. *Schh. Gen. Curc. III. p. 745.*	Brasilia.
pugnax Bohem. *l. c. VIII. 1. p. 214.*	Mexico.
pullus Bohem. *l. c. p. 231.*	Brasilia.
pumilus Bohem. *l. c. III. p. 773.*	Rio Plata.
punctatissimus Bohem. *l. c. p. 750.* — Winthem. *Dej. Cat. 3. ed. p. 314.*	Cuba.
adspersus Sturm. *Cat. 1826. p. 99.*	"
puncticollis Bohem. *l. c. p. 200.*	Mexico.
quadraticollis Bohem. *l. c. VIII. 1. p. 208.*	Brasilia.
quadrigrammicus Bohem. *l. c. III. p. 749.*	"
quadriguttatus Bohem. *l. c. p. 754.* — Dej *Cat. 3. ed. p. 314.*	"
quadrimaculatus Klug. *Dej. Cat. l. c.*	"
quadrivittatus Fabr. *Syst. El. II. p. 445.* — Bohem. *Schh. Gen. Curc. III. p. 739.*	Amer. mer.
radiatus Schauf. *Rev. Zool. 1866. p. 415.*	Nov. Granada.
rasilis Bohem. *Schh. Gen. Curc. III. p. 782.*	Brasilia.
rubiginosus Bohem. *l. c. p. 753.* — Dej. *Cat. 3. ed. p. 314.*	"
rufulus Buquet. *Dej. Cat. l. c.*	"
ruficollis Bohem. *Schh. Gen. Curc. III. p. 781.*	"
ruficornis Bohem. *l. c. p. 757.*	"
rufipes Bohem. *l. c. VIII. 1. p. 189.*	"
rufirostris Steinh. *Atti Soc. Milan 1872.*	S. Carlos.
sanguinicollis Germ. *Ins. Spec. nov. p. 224.* — Bohem. *Schh. Gen. Curc. III. p. 779.*	Brasilia.
thoracicus Dej. *Cat. 1. ed. p. 99.*	"
scapularis Bohem. *Schh. Gen. Curc. VIII. 1. p. 227.*	"
scapulosus Bohem. *l. c. p. 239.*	Mexico.
Schönherri Steinh. *Atti Soc. Milan. 1872.*	Buenos Aires.
sciolus Bohem. *Schh. Gen. Curc. VIII. 1. p. 233.*	Brasilia.
scutellum album Say. *Descr. of Curc. of N. Am. p. 21.* — Germ. *Schh. Gen. Curc. III. p. 730.*	Carolina.
edaculus Knoch *in litt.*	Pennsylvania.
scutellatus Melsh. *Sturm. Cat. 1826. p. 99.*	"
semicostatus Schauf. *Rev. Zool. 1866. p. 417.*	Nov. Granada.
semiflavus Schauf. *l. c.*	"
semiluctuosus Blanch. *Voy. d'Orb. p. 201. t. 16. f. 10.*	Bolivia.
senilis Gylh. *Schh. Gen. Curc. III. p. 759.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 215.*	Mexico.
repandirostris Chevrol. *in litt.*	"
siccus Bohem. *Schh. Gen. Curc. III. p. 758.*	Brasilia.
signatus Bohem. *l. c. p. 755.*	"
signum Fabr. *Syst. El. II. p. 436.* — Bohem. *l. c. VIII. 1. p. 194.*	"
silicinus Erichs. *Wiegm. Arch. 1847. I. p. 132.*	Peru.
Sommeri Bohem. *Schh. Gen. Curc. VIII. 1. p. 188.*	Brasilia.
spadiceus Bohem. *l. c. III. p. 775.*	"
sparsus Bohem. *l. c. p. 771.* — Klug. *Dej. Cat. 3. ed. p. 315.*	"
speculifer Bohem. *l. c. p. 756.*	"
spiculator Latr. *Humb. et Bonpl. Voy. I. 1811. p. 144. t. 15. f. 8.*	Amer. mer.

squamipes Germ. *Ins. Spec. nov. p. 207.* — Bohem. *Schh. Gen. Curc. III. p. 750.*	Brasilia.
lateralis Sturm. *Cat. 1826. p. 99.*	„
var. *bicolor* Dej. *Cat. 1. ed. p. 99.*	„
Strobeli Steinh. *Atti Soc. Milan. 1872.*	Salvador.
subarmatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 247.*	Mexico.
subcinctus Bohem. *l. c. p. 212.*	Brasilia.
submetallicus Schauf. *Rev. Zool. 1866. p. 416.*	Nov. Granada.
subnotatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 235.*	Brasilia.
sulcatus Bohem. *l. c. p. 249.*	„
superbificus Bohem. *l. c. p. 203.*	„
suspensus Bohem. *l. c. p. 205.*	„
sutor Harris. *Hartf. Trans. 1836. p. 80. t. 1. f. 5. (gen. dub.)*	Amer. bor.
suturalis Bohem. *l. c. III. p. 744.*	Brasilia.
tardigradus Oliv. *Ent. V. 83. p. 204. t. 34. f. 528.* — Bohem. *Schh. Gen. Curc. III. p. 784.*	Cayennae.
tessellatus Blanch. *Gay. Hist. Chil. V. p. 400. t. 25. f. 5. a-d.*	Chili.
thoracicus Philippi. *Stett. Zeit. 1864. p. 369.*	„
tonsilis Bohem. *Schh. Gen. Curc. VIII. 1. p. 218.*	Mexico.
torquatus Bohem. *l. c. p. 236.*	Brasilia.
transverseimpressus Bohem. *l. c. p. 234.*	Amer. mer.
trigrammus Bohem. *l. c. III. p. 743.*	Brasilia.
tumidus Bohem. *l. c. p. 764.*	„
unicolor Blanch. *Gay. Hist. Chil. V. p. 400.*	Chili.
urbanus Bohem. *Res. Eugen. 1859. p. 138.*	Buenos Aires.
varicolor Bohem. *Schh. Gen. Curc. VIII. 1. p. 224.*	Brasilia.
vestitus Bohem. *l. c. III. p. 770.*	„
var. *uncirostris* Germ. *Ins. Spec. nov. p. 225.*	„
Westwoodi Bohem. *Schh. Gen. Curc. III. p. 741.*	„
♀ *equestris* Dej. *Cat. 3. ed. p. 314.*	„

166

Anomoearthria

ἀνόμοιος, inaequalis; ἄρθρον, articulus.

Waterhouse. *Trans. ent. Soc. ser. 2. II. 1853. p. 190.*

coeruleopennis Waterh. *Trans. ent. Soc. ser. 2. II. p. 191.*	Minas Geraës.

1

Cylindrocerus

κύλινδρος, cylindrus; κέρας, cornu.

Schönherr. *Disp. meth. 1826. p. 310.*

axillaris Germ. *Ins. Spec. nov. 1824. p. 224.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 262.*	Brasilia.
azureus Bohem. *l. c. III. p. 792.*	„
colon Erichs. *Wiegm. Arch. 1847. I. p. 132.*	Peru.
comma Schönh. *Gen. Curc. VIII. 1. p. 261.*	Brasilia.
furcifer Sturm. *Cat. 1826. p. 99.*	Cayennae.
signum Bohem. *Schh. Gen. Curc. III. p. 790.* — Dej. *Cat. 3. ed. p. 315.*	„
var. *armatus* Dej. *Cat. 1. ed. p. 98.*	„

crocopelmus Bohem. *Schh. Gen. Curc. III. p. 791.* Brasilia.
scutellatus Sturm. *Cat. 1826. p. 99.* „
cyaneus Bohem. *l. c. VIII. 1. p. 263.* „
imus Bohem. *l. c. p. 261.* „
politus Germ. *Ins. Spec. nov. p. 223.* „
chalybeus Dej. *Cat. 3. ed. p. 314.* „
interstitialis Bohem. *Schh. Gen. Curc. III. p. 766.* „
smaragdinus Bohem. *l. c. VIII. 1. p. 262.* „
9

Platyonyx

πλατὺς, latus; ὄνυξ, unguis.

Schönherr. *Disp. meth. 1826. p. 272.*

ornatus Bohem. *Schh. Gen. Curc. III. p. 795.* — Dej. *Cat. 3. ed. p. 315.* Cayennae.
1

Leptoschoenus

λεπτὸς, tenuis; σχοῖνος, juncus.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 264. (emend.)*

Leptoschoinus Schönh.

maculatus Bohem. *Schh. Gen. Curc. III. p. 793.* — Klug. *Dej. Cat. 3. ed. p. 315.* Brasilia.
fucatus Dej. *Cat. l. c.* Cayennae.
1

Strongylotes

στρογγυλότης, forma rotunda.

Schönherr. *Gen. Curc. III. 1836. p. 627.*

Cephalosphaerus Dejean.

brachialis Bohem. *Schh. Gen. Curc. VIII. 1. p. 75.* Mexico.
lemniscatus Bohem. *l. c. III. p. 628.* Brasilia.
rectirostris Dej. *Cat. 3. ed. p. 310.* — Lacord. *Gen. Col. VII. p. 240. note 1.* „
squamans Bohem. *Schh. Gen. Curc. VIII. 1. p. 74.* „
squamosus Dej. *Cat. 3. ed. p. 310.* „
Spec. duae ined. Lacord. *Gen. Col. VII. 1866. p. 240. note 1.* Columbia.
6

Nertus

νερτὸς, avis quaedam.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 76.*

acuminatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 80.* Brasilia.
Germari Bohem. *l. c. p. 79.* „

Mannerheimi Bohem. *Schh. Gen. Curc. VIII. 1. p. 77.* Brasilia.
suturalis Bohem. *l. c. p. 78.* „
4

Trachymerus

τραχὺς, asper; μηρὸς, femur.
Schönherr. *Gen. Curc. VIII. 1. 1844. p. 266.*

croceoplagiatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 267.* — Lacord. *Gen. Atl. VIII. t. 75. f. 4. a-b.* Brasilia.
1

Apostasimerus

ἀπόστασις, distantia; μηρὸς, femur.
Schönherr. *Gen. Curc. VIII. 1. 1844. p. 101.*
Menemachus Dejean.

serrirostris Bohem. *Schh. Gen. Curc. VIII. 1. p. 102.* — Dej. *Cat. 3. ed. p. 311.* Brasilia.
1

Lispodemus

λισπὸς, teres; δέμας, corpus.
Lacordaire. *Gen. Col. VII. 1866. p. 244.*

femoralis Lacord. *Gen. Col. VII. p. 244. note 1.* Brasilia.
1

Anopsilus

ἄνω, insuper; ψιλὸς, glaber.
Kirsch. *Berl. Ent. Zeit. 1869. p. 218.*

Bonvouloiri Kirsch. *Berl. Zeit. 1869. p. 219.* Bogotá.
1

Madopterus

μαδὸς, glaber; πτερὸν, ala.
Schönherr. *Gen. Curc. III. 1836. p. 734.*

cylindricus Bohem. *Schh. Gen. Curc. VIII. 1. p. 81.* Mexico.
talpa Gylh. *Schh. l. c. III. p. 736.* — Chevrol. *Dej. Cat. 3. ed. p. 313.* Cayennae.
laevigatus Dej. *Cat. l. c.* „

Lichnus

λίχνος, gulosus.
Lacordaire. *Gen. Col. VII. 1866. p. 245.*

erythroderus Lacord. *Gen. Col. VII. p. 246. note 1.* Brasilia.
1

Parallelosomus

παράλληλος, parallelus; σῶμα, corpus.

Schönherr. *Gen. Curc. VIII.1. 1844. p. 39.*

planicollis Fabr. *Syst. El. II. p. 435.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 40.* Cayennae.
Spec. duae ined. Lacord. *Gen. Col. VII. 1866. p. 246.* Amazon.
3

Leptobaris

λεπτὸς, tenuis; Baris.

Gerstäcker. *Monatsb. Berl. Ac. 1855. p. 639.*

castanea Gerstäck. *Monatsb. Berl. Ac. 1855. p. 639; Peters Reis. II. p. 315. t. 18. f. 14.* Mozambique.
1

Trigonopterus

τρίγωνος, triangulus; πτερὸν, ala.

Fauvel. *Bull. Soc. Linn. Normand. VII. 1862. p. 157.*

insignis Fauvel. *Bull. Soc. Linn. Normand. VII. p. 158. t. 10 bis. f. 51-56.* Nov. Caledon.
1

Elasmorrhinus

ἔλασμα, lamina; ῥὶν, nasus.

Lacordaire. *Gen. Col. VII. 1866. p. 249.*

longirostris Lacord. *Gen. Col. VII. p. 250. note 2.* Surinam.
1

Lyterius

λυτήριος, expiatorius.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 84.*

abdominalis Weber. *Obs. Ent. 1801. p. 94.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 86.* Sumatra.
complanatus Dej. *Cat. 3. ed. p. 313.* — Lacord. *Gen. Col. VII. p. 251. note 1.* Cayennae.
instabilis Bohem. *Schh. Gen. Curc. VIII. 1. p. 87.* Philippinae.
melas Bohem. *l. c. p. 85.* Amer. mer.
musculus Fabr. *Syst. El. II. p. 445.* — Bohem. *l. c. p. 85.* Sumatra.
5

Eumycterus

εὖ, bene; μυκτὴρ, nasus.

Schönherr. *Gen. Curc. IV. 1838. p. 1083.*

albosquamulatus Bohem. *Schh. Gen. Curc. IV. p. 1084.* Anatolia.
sulcicollis Montrouz. *Ann. Fr. 1860. p. 914.* Ins. Art.
2

Microstrates

μικρὸς, parvus; στρατὸς, miles.

Lacordaire. *Gen. Col. VII. 1866. p. 252.*

Torneutes Schönh.

cucullus Bohem. *Schh. Gen. Curc. VIII. 1. p. 273.* Brasilia.
1

Pseudocholus

ψεῦδος, falsus; Cholus.

Lacordaire. *Gen. Col. VII. 1866. p. 253.*

decipiens Lacord. *Gen. Col. VII. p. 254. note 1; Atl. VIII. t. 75. f. 5. a.* Nov. Guinea.
1

Eutoxus

εὔτοξος, bonum arcum habens.

Schönherr. *Gen. Curc. VIII. 1. 1844. p. 103.*

reflexus Bohem. *Schh. Gen. Curc. VIII. 1. p. 104.* Brasilia.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 255. not. 1.* Columbia.
2

Conoproctus

κῶνος, conus; πρωκτὸς, anus.

Lacordaire. *Gen. Col. VII. 1866. p. 255.*

quadripustulatus Fabr. *Syst. El. II. p. 435.* — Dej. *Cat. 3. ed. p. 311.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 105.* — Dohrn. *Stett. Zeit. 1868. p. 164.* Amer. mer.
quadrimaculatus Lacord. *Dej. Cat. l. c.* Cayennae.
quadriplagiatus Lacord. *Gen. Col. VII. p. 256. note 3.* „
1

Madarus

μαδαρὸς, calvus.

Schönherr. *Disp. meth. 1826. p. 273.*

binotatus Bohem. *Schh. Gen. Curc. VIII. 1. p. 108.* Brasilia.
biplagiatus Bohem. *l. c. III. p. 637.* „
axillaris Dej. *Cat. 3. ed. p. 311.* „
bistrigellus Bohem. *l. c. VIII. 1. p. 109.* Mexico.
comma Bohem. *l. c. p. 110.* Columbia.
cornix Kirsch. *Berl. Zeit. 1869. p. 219.* Bogotá.
corvinus Fabr. *Syst. El. II. p. 435.* — Bohem. *Schh. Gen. Curc. III. p. 638.* Brasilia.
hottentottus Dej. *Cat. 3. ed. p. 311.* „

distigma Bohem. *Schh. Gen. Curc. VIII. 1. p. 107.* Mexico.
ebenus Fabr. *Syst. El. II. p. 472.* — Bohem. *l. c. p. 111.* Cayennae.
inanis Lacord. *Dej. Cat. 3. ed. p. 312.* „
laticollis Bohem. *l. c. p. 112.* Brasilia.
migrator Germ. *Ins. Spec. nov. 1824. p. 211.* — Bohem. *l. c. p. 107.* „
{*signatus* Bohem. *l. c. III. p. 638.* „
{*arcuatus* Dej. *Cat. 3. ed. p. 311.* „
rectirostris Bohem. *l. c. VIII. 1. p. 106.* — Lacord. *Gen. Col. VII. p. 257. note 1.* „
singularis Bohem. *l. c. p. 113.* „
tarsalis Kirsch. *Berl. Zeit. 1869. p. 220.* Bogotá.
undulatus Say. *Journ. Ac. Phil. III. 1823. p. 315.* — Bohem. *Schh. Gen. Curc. VIII. 1. p. 140.* Arkansas.
sanguinicollis Dej. *Cat. 3. ed. p. 311.* Pennsylvania.
velatipes Kirsch. *Berl. Zeit. 1869. p. 221.* Bogotá.
vorticosus Bohem. *Schh. Gen. Curc. III. p. 639.* Mexico.
16

Dactylocrepis

δάκτυλος, digitus; κρηπὶς, crepida.
Schönherr. *Gen. Curc. VIII. 1. 1844. p. 265.*

attenuatirostris Chevrol. *in litt.* — Lacord. *Gen. Col. VII. p. 258. note 2.* Columbia.
flabellitarsis Bohem. *Schh. Gen. Curc. III. p. 794.* — Chevrol. *Dej. Cat. 3. ed. p. 315.* Cayennae.
var. *bidens* Dej. *Cat. l. c.* „
2

Physomerus

φύσα, pustula; μηρὸς, femur.
Schönherr. *Gen. Curc. VIII. 1. 1844. p. 268.*
Barymerus Lacordaire.

calandroides Bohem. *Schh. Gen. Curc. VIII. 1. p. 269.* — Lacord. *Gen. Atl. VIII. t. 75. f. 6. a-b.* Cayennae.
1

Physoproctus

φύσα, pustula; πρωκτὸς, anus.
Lacordaire. *Gen. Col. VII. 1866. p. 260.*

Dohrni Lacord. *Gen. Col. VII. p. 261. note 1.* Brasilia.
baridioides Jekel *in litt.* „
1

Campyloscelus

καμπύλος, curvus; σκέλος, crus.
Schönherr. *Gen. Curc. VIII. 2. 1845. p. 197.*

Westermanni Bohem. *Schh. Gen. Curc. VIII. 2. p. 198.* Guinea.
1

Amorbaeus

ἀμορβαῖος, tenebricosus.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 199. (emend.)*

Amorbaius Schönh.

infestus Bohem. *Schh. Gen. Curc. VIII. 2. p. 201.* Guinea.
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 266.* Old Calabar.
2

Epiphylax

ἐπιφύλαξ, custos.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 202.*

binodulus Bohem. *Schh. Gen. Curc. VIII. 2. p. 204.* Madagascar.
ephippiger Bohem. *l. c. p. 203.* „
2

Cyrtotrachelus

κυρτὸς, convexus; τράχηλος, collum.

Schönherr. *Gen. Curc. IV. 1838. p. 833.*

Cordyle Thunberg *(pars.)*

dux Bohem. *Schh. Gen. Curc. VIII. 2. p. 221.* Assam.
var. *Buqueti* Guér. *Jc. règn. p. 176.* Bombay.
lar Erichs. *Nov. Act. Ac. Leop. XVI. Suppl. 1. 1834. p. 265.* — Gylh. *Schh. Gen. Curc. IV. p. 836.* Philippinae.
longimanus Fabr. *Syst. Ent. App. p. 822.* — Thunb. *Act. Holm. 1797. I. p. 48. 3. a.* ♂. *β.* ♀. — Oliv. *Ent. V. 83. p. 78. t. 15. f. 191.* ♂; *t. 2. f. 16.* ♀. — Gylh. *Schh. Gen. Curc. IV. p. 835.* China.
longipes Fabr. *Spec. Ins. I. p. 162.* „
3

Macrochirus

μακρὸς, longus; χεὶρ, manus.

Schönherr. *Gen. Curc. IV. 1838. p. 831. (emend.)*

Macrocheira De Haan. — *Macrocheirus* Schönh.

longipes Drury. *Ins. II. p. 61. t. 33. f. 3; Index. 1793.* Ins. Johanna.
colossus Herbst. *Käf. VI. p. 19. t. 60. f. 10.* „
Druryi Guér. *Jc. règn. anim. p. 175.* „
praetor Gylh. *Schh. Gen. Curc. IV. p. 833.* Java.
2

Litorrhynchus

λιτός, tenuis; ῥύγχος, rostrum.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 222.*

Otidognathus Lacordaire.

myrmidon Buquet. *Guér. Jc. règn. anim. p. 177.* — Dej. *Cat. 3. ed. p. 328.* — Java.
quadrimaculatus Buquet. *l. c.* — „
Westermanni Bohem. *Schh. Gen. Curc. VIII. 2. p. 223.* — Assam.
3

Protocerius

πρωτοκήριος, primicerius.

Schönherr. *Gen. Curc. IV. 1838. p. 828.*

colossus Oliv. *Encycl. méth. V. p. 472; Ent. V. 83. p. 76. t. 3. f. 32. a-b.* ♂. — Fabr. *Ent. Syst. I. 2. p. 396.* — Gylh. *Schh. Gen. Curc. IV. p. 830.* — Java.
♀ *heros* Fabr. *Syst. El. II. p. 431.* — Oliv. *l. c. p. 75. t. 28. f. 410.* — Sumatra.
♀ { *molossus* Oliv. *l. c. p. 75. t. 17. f. 216.* — Lacord. *Gen. Col. VII. p. 275. note 1.* — India or.
♀ { *colossus* Panz. *ed. Voet. IV. p. 51. t. 36. f. 9.* — „
grandis Guér. *Jc. règne. anim. p. 174.* — Dej. *Cat. 3. ed. p. 328.* — „
laetus Vollenh. *Tijdschr. Ent. IX. 1866. p. 228. t. 12. f. 1.* — Celebes.
3

Rhynchophorus

ῥύγχος, rostrum; φέρω, fero.

Herbst. *Natursyst. Käf. VI. 1795. p. 3.*

Cordyle Thunberg. *(pars.)*

asperulus Lec. *Entom. Report. 1857. p. 58.* — California.
barbirostris Thunb. *Act. Holm. I. 1797. p. 46 et 47.* — Amer. mer.
bilineatus Montrouz. *Ann. Soc. Agr. Lyon. VII. 1857. p. 55.* — Ins. Woodlark.
Borassi Fabr. *Syst. El. II. p. 430.* — Gylh. *Schh. Gen. Curc. IV. p. 818.* — Amer. mer.
Lacordairei Dej. *Cat. 3. ed. p. 328.* — Cayennae.
cycadis Erichs. *Wiegm. Arch. 1847. I. p. 136.* — Peru.
elegans Guér. *Jc. règn. anim p. 176.* — Java.
ferrugineus Oliv. *Encycl. méth. V. p. 473; Ent. V. 83. p. 79. t. 2. f. 16. d.* — India or.
Schach Fabr. *Syst. El. II. p. 433.* — Gylh. *Schh. Gen. Curc. IV. p. 827.* — „
palmarum var. Herbst. *Käf. VI. t. 60. f. 2.* — „
{ *Schach* Oliv. *Ent. V. 83. p. 80. t. 16. f. 204.* — Java.
{ *vulneratus* Panz. *ed. Voet. IV. Vorbericht. nr. 4. et p. 59. Tit. f. 4.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 218.* — „

var. *ferrugineus* Fabr. *Ent. Syst. I. 2. p. 396.* — Gylh. *l. c.* — Guér. *Voy. Bélang. Ins. p. 487. t. 2. f. 5.* — Java.
„ *hemipterus* Sulz. *Abgek. Gesch. Ins. p. 39. t. 4. f. 5.* — „
„ *sanguarius* Rumph. *Herbar. Amboin. I. p. 79. t. 17. f. 6. (forte.)* — Sumatra.
„ *sexmaculatus* Thunb. *Act. Holm. I. p. 46.* — „

Germari Perty. *Del. anim. art. 1830. p. 82. t. 16. f. 12.* — Brasilia.
crassirostris Dej. *Cat. 3. ed. p. 328.* — Amer. merid.
noxius Gylh. *Schh. Gen. Curc. IV. p. 821.* — Amer. bor.

introducens Walker. *Ann. nat. Hist. 1860. IV. 1859. p. 218.* — Ceylon.

nitidipennis Bohem. *Schh. Gen. Curc. VIII. 2. p. 216.* — Cayennae.

nitidulus Guér. *Jc. règn. anim. p. 175.* — Bolivia.

ochreatus Eydoux. *Rev. Zool. 1839. p. 266.* — Manilla.

palmarum Linn. *Mus. Lud. Ulr. p. 42.* — Oliv. *Ent. V. 83. p. 77. t. 2. f. 16. a.* ♂; *b.* ♀. — Gylh. *Schh. Gen. Curc. IV. p. 820.* — ‡ Blanch. *Hist. nat. Ins. 1845. t. 10. f. 10-11.* — Amer. mer.

Pascha Bohem. *Schh. Gen. Curc. VIII. 2. p. 218.* — Philippinae.

phoenicis Fabr. *Syst. El. II. p. 430.* — Gylh. *Schh. Gen. Curc. IV. p. 825.* — Gerstäck. *Peters Reise. 1862. p. 317.* — Senegal.

politus Gylh. *Schh. Gen. Curc. IV. p. 819.* — Dej. *Cat. 3. ed. p. 328.* — Cayennae.

rubigineus Wiedem. *Mag. Zool. 1. 3. 1819. p. 174.* — Gylh. *Schh. Gen. Curc. IV. p. 824.* — Bengal.
festivus Sturm. *Cat. 1826. p. 106.* — Java.

serrirostris Fabr. *Syst. El. II. p. 429.* — Oliv. *Ent. V. 83. p. 78. t. 17. f. 211.* — Gylh. *Schh. Gen. Curc. IV. p. 823.* — „
{ *miles* Dej. *Cat. 3. ed. p. 327.* — „
{ *serrirostris* De Haan. *Dej. Cat. l. c.* — „
var. *Reaumuri* Gylh. *l. c. p. 822.* — „

Zimmermanni Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 219.* — Candéze. *Mém. Liége 1861. p. 377*; ‡ *p. 375. t. 4. f. 1. a-f.* — New Orleans.
basicornis Chevrol. *in litt.* — „

Spec. ined. Lacord. *Gen. Col. VII. p. 276. note.* — Venezuela.
20

Conocephalus

κῶνος, conus; κεφαλή, caput.

Schönherr. *Gen. Curc. IV. 1838. p. 839.*

Aphiocephalus Lacordaire.

Guerini Klug. *Ins. Madag. 1833. p. 112.* — Chevrol. *Guér. Jc. règn. anim. p. 170. t. 39 bis. f. 3.* — Gylh. *Schh. Gen. Curc. IV. p. 842.* — Madagascar.
Sganzinii Petit. *Dej. Cat. l. c.* — „

Gyllenhali Gylh. *l. c. p. 1740.* — Guér. *Jc. règn. anim. p. 170.* — „

limbatus Oliv. *Encycl. méth. V. p. 473; Ent. V. 83. p. 81. t. 3. f. 22.* — Fabr. *Ent. Syst. 1. 2. p. 397.* — Gylh. *l. c. p. 841.* Mauritius.

3

Ommatolampus

ὀμματολαμπής, oculis fulgens.

Schönherr. *Gen. Curc. IV. 1838. p. 837.*

Cuvieri Bohem. *Schh. Gen. Curc. VIII. 2. p. 225.* Java.
Germari Bohem. *l. c. p. 226.* „
haemorrhoidalis Wiedem. *Zool. Mag. I. 3. 1819. p. 175.* — Gylh. *Schh. Gen. Curc. IV. p. 838.* Bengal.
tetraspilotus Guér. *Jc. règn. anim. p. 170.* Java.

4

Sphenocorynus

σφήν, cuneus; κορύνη clava.

Schönherr. *Gen. Curc. IV. 1838. p. 866.*

cinereus Illig. *Wiedem. Arch. I. 2. 1800. p. 115. t. 1. f. 2.* Sumatra.
quadripunctatus Weber. *Obs. ent. 1801. p. 93.* — Gylh. *Schh. Gen. Curc. IV. p. 867.* Java.
Spec. duae ined. Lacord. *Gen. Col. VII. 1866. p. 281.* China.

3

Megaproctus

μέγας, magnus; πρωκτὸς, podex.

Schönherr. *Gen. Curc. IV. 1838. p. 868.*

Belorhinus Guérin. — *Oxypygus* Lacord.

acutus Fabr. *Syst. El. II. p. 505.* — Gylh. *Schh. Gen. Curc. IV. p. 870.* — Guér. *Dej. Cat. 3. ed. p. 328.* Sumatra.
elongatus Dej. *Cat. 3. ed. p. 328.* Java.
ocellatus Guér. *Jc. règn. anim. p. 177. t. 39 bis. f. 5. a-b.* — Dej. *Cat. l. c.* „
affinis Guér. *Jc. règn. anim. p. 178.* „
exclamationis Wiedem. *Zool. Mag. II. 1. 1823. p. 121.* — Gylh. *Schh. Gen. Curc. IV. p. 871.* „
filiformis Buquet. *Guér. Jc. règn. anim. p. 179.* „
Spec. ined. Lacord. *Gen. Col. VII. 1866. p. 282. not. 1.* Malacca.

5

Oxyopisthen

ὀξὺς, acutus; ὄπισθεν, postice.

Thomson. *Archiv. ent. II. 1858. p. 141.*

funebre Illig. *Mag. I. 1802. p. 177.* Sierra Leona.
funerarium Thoms. *Arch. ent. II. p. 142.* Gabon.

linea-alba Thoms. *Arch. ent. II. p. 143.* Gabon.
rufofemoratum Thoms. *l. c. p. 142.* „
4

Heterotoxus

ἕτερος, diversus; τόξον, arcus.

Lacordaire. *Gen. Col. VII. 1866. p. 283.*

gratus Lacord. *Gen. Col. VII. p. 284. note 1.* Java.
1

Crepidotus

κρηπιδωτὸς, fultus.

Schönherr. *Gen. Curc. IV. 1838. p. 859.*

variolosus Klug. *Abhandl. Berl. Ac. I. 1833. p. 201. t. 4. f. 11.* ♂. — Guér. *Jc. règn. anim. p. 171.* Madagascar.
♀ *Audouini* Gylh. *Schh. Gen. Curc. IV. p. 860.* „
1

Abacobius

ἀβακὴς, tristis; βιόω, vivo.

Lacordaire. *Gen. Col. VII. 1866. p. 285.*

Jekeli Lacord. *Gen. Col. VII. p. 286. note 1; Atl. VIII. t. 76. f. 1. a.* Caffraria.
1

Barystethus

βαρὺς, gravis; στῆθος, pectus.

Lacordaire. *Gen. Col. VII. 1866. p. 287.*

melanosoma Boisd. *Voy. Astrol. II. 1835. p. 449.* — Lacord. *Gen. Col. VII. p. 287; Atl. VIII. t. 76. f. 2. a.* Nov. Holland.
1

Trigonotarsus

τρίγωνος, triangulus; ταρσὸς, tarsus.

Schönherr. *Gen. Curc. IV. 1838. p. 843.*

rugosus Boisd. *Voy. Astrol. II. 1835. p. 445.* — Dej. *Cat. 3. ed. p. 328.* Nov. Holland.
calandroides Gylh. *Schh. Gen. Curc. IV. p. 844.* — Guér. *Jc. règn. anim. t. 30 bis. f. 9. a.* „
1

Phacecorynes

φακή, lenticula; κορύνη, clava.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 228.*

Sommeri Burm. *Naturg. Gatt. Calandr. 1837. p. 19. f. 7. 8;* ♀ *p. 24. t. 1.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 229.*	Cap bon. spei.
zamiae Gylh. *Schh. l. c. p. 963.* — Lacord. *Gen. Col. VII. p. 290. note 1.*	Caffraria.
zamiarum Perret. *Dej. Cat. 3. ed. p. 329.*	Cap bon. spei.

2

Poteriophorus

ποτήριον, poculum; φέρω, fero.

Schönherr. *Gen. Curc. IV. 1838. p. 845.*

Hyposarothra White.

imperatrix White. *Ann. nat. Hist. ser. 2. I. 1848. p. 108. c. fig.*	Philippinae.
niveus Gylh. *Schh. Gen. Curc. IV. p. 846.* — Klug. *Dej. Cat. 3. ed. p. 328.*	Java.
albidus Dej. Cat. l. c.	Singapur.
vittatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 227.*	Java.

3

Cercidocerus

κερκίς, navicula; κέρας, cornu.

Schönherr. *Gen. Curc. IV. 1838. p. 850.*

Sphyroles De Haan.

bimaculatus Bohem. *Schh. Gen. Curc. VIII. 2. p. 231.*	Assam.
bipunctatus Gylh. *Schh. l. c. IV. p. 851.*	Java.
erythrocerus Gylh. *l. c. p. 854.*	„
eximius Guér. *Jc. règn. anim. p. 180.*	„
fabricator Gylh. *Schh. Gen. Curc. IV. p. 852.*	Borneo.
fabrilis Gylh. *l. c. p. 853.*	„
funebris Guér. *Jc. règn. anim. p. 180.* — Dej. *Cat. 3. ed. p. 328.*	Java.
lateralis Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 232.* — Sturm. *Cat. 1826. p. 106.*	„
Schönherri Guér. *Jc. règn. anim. p. 179.*	„
securifer Gaede. *Ann. Fr. 1833. p. 458. t. 17. C.*	„
heterocerus Dej. *Cat. 3. ed. p. 328.*	„
nigrolateralis Guér. *Jc. règn. anim. t. 39 bis. f. 6. a-b.*	„

10

Cyrtorrhinus

κυρτός, convexus; ῥίν, nasus.

Lacordaire *Gen. Col. VII. 1866. p. 292.*

baridioides Lacord. *Gen. Col. VII. p. 293. note 1; Atl. VIII. t. 76. f. 3. a.* — Caffraria.
caffer Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 282.* — „
2

Acanthorrhinus

ἄκανθα, spina; ῥίν, nasus.

Schönherr. *Gen. Curc. IV. 1838. p. 861. (emend.)*

Acantharhinus Schönh.

Dregei Gylh. *Schh. Gen. Curc. IV. p. 863.* — Cap bon spei.
1

Scyphophorus

σκύφος, poculum; φέρω, fero.

Schönherr. *Gen. Curc. IV. 1838. p. 855.*

acupunctatus Gylh. *Schh. Gen. Curc. IV. p. 857.* — Chevrol. *Dej. Cat. 3. ed. p. 329.* — Mexico.
anthracinus Gylh. *l. c. p. 858.* — Amer. mer.
interstitialis Gylh. *l. c. p. 856.* — Haiti.
3

Sphenophorus

σφήν, cuneus; φέρω, fero.

Schönherr. *Gen. Curc. IV. 1838. p. 874.*

Calandra Fabricius. — *Calendra* Clairville.

Révis. Allard. *Berl. Ent. Zeit. 1870. p. 207. (Beiheft.)*

abbreviatus Fabr. *Mant. I. p. 99.* — Panz. *Fn. Germ. 42. 3.* Gylh. *Schh. Gen. Curc. IV. p. 929.* — Allard. *Révis. p. 208.* — Germania.
brachypterus Oliv. *Encycl. méth. V. p. 561.* — Gallia.
decurtatus Gmel. *ed. Linn. I. 4. p. 1747.* — Suecia.
elegans Foucr. *Ent. Par. I. p. 118. (forte.)* — Gallia.
paludicola Waltl. *Reis. Span. II. p. 81.* — Hispania.
♂ { *porculus* Fabr. *Ent. Syst. Suppl. p. 166.* — Ziegl. *Dej. Cat. 3. ed. p. 329.* — Styria.
♂ { *scotinus* Germ. *Ins. Spec. nov. p. 298.* — Gallia mer.
var. *inaequalis* Allard. *Révis. p. 208.* — Sardinia.
adspersus Gylh. *Schh. Gen. Curc. IV. p. 924.* — Klug. *Dej. Cat. 3. ed. p. 328.* — Mexico.
defloratus Buquet. *Dej. Cat. l. c.* — „
aduncus Erichs. *Wiegm. Arch. 1847. 1. p. 137.* — Peru.
aequalis Gylh. *Schh. Gen. Curc. IV. p. 941.* — Missouri.

albicollis Oliv. *Ent. V. 83. p. 91. t. 28. f. 414.* Africa austr.
ambiguus Gylh. *Schh. Gen. Curc. IV. p. 889.* Cayennae.
anceps Gylh. *l. c. p. 894.* Amer. bor.
angustus Bohem. *Schh. l. c. VIII. 2. p. 250.* Mexico.
atratus Gylh. *Schh. l. c. IV. p. 916.* — Dej. *Cat. 3. ed. p. 328.* Cayennae.
aurofasciatus Brême. *Ann. Fr. 1844. p. 308. t. 9. f. 7. e.* Columbia.
austerus Gylh. *Schh. Gen. Curc. IV. p. 916.* Cayennae.
bifasciatus Gylh. *l. c. p. 885.* — Chevrol. *Dej. Cat. 3. ed. p. 328.* Mexico.
bisbisignatus Gylh. *l. c. p. 908.* Brasilia.
brunnipennis Germ. *Ins. Spec. nov. 1824. p. 297.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 260.* Buenos Aires.
var. *signaticollis* Gylh. *Schh. l. c. IV. p. 955.* — Dej. *Cat. 3. ed. p. 329.* Brasilia.
brutus Gylh. *l. c. p. 948.* Peru.
callosus Oliv. *Ent. V. 83. p. 92. t. 28. f. 416.* — Gylh. *l. c. p. 942.* Amer. bor.
canaliculatus Bohem. *Schh. l. c. VIII. 2. p. 253.* „
canalipes Gylh. *Schh. l. c. IV. p. 927.* Incert. sedis.
carbonarius Chevrol. *Col. Mex. Cent. I. 1833. fasc. I. nr. 20.* — Bohem. *Schh. l. c. VIII. 2. p. 238.* Mexico.
carinicollis Gylh. *Schh. l. c. IV. p. 882.* Java.
cariosus Oliv. *Ent. V. 83. p. 91. t. 28. f. 415.* Amer. bor.
castaneipennis Bohem. *Schh. Gen. Curc. IV. p. 249.* Cap bon. spei.
chilensis Blanch. *Gay. Hist. Chil. V. p. 423. t. 26. f. 1. a-d.* Chili.
cicatricosus Say. *Descr. of Curc. of N. Am. 1831. p. 22.* Amer. bor.
cicatripennis Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 262.* Mexico.
cicatristriatus Fåhrs. *l. c. IV. p. 958.* „
torquatus Chevrol. *in litt.* „
cincticollis Gylh. *Schh. Gen. Curc. IV. p. 954.* Amer. mer.
cinctus Gylh. *l. c. p. 921.* Mexico.
var. *rubellus* Schönh. *in litt.* — Gylh. *l. c.* „
cinerascens Motsch. *Etud. ent. VII. 1858. p. 69.* Birma.
cinnamomeus Perty. *Del. anim. 1830. p. 82. t. 16. f. 13.* Brasilia.
{ *obsoletus* Gylh. *Schh. Gen. Curc. IV. p. 895.* — Dej. *Cat. 3. ed. p. 358.* Cayennae.
{ *suffusus* Klug *in litt.* Brasilia.
circumscriptus Gemming. *Col. Heft. VIII. 1871. p. 123.* Ins. Woodlark.
cinctus Montrouz. *Ann. Soc. Linn. Lyon. VII. 1857. p. 55.* „
coesifrons Gylh. *Schh. Gen. Curc. IV. p. 959.* Mexico.
fraternus Dej. *Cat. 3. ed. p. 329.* „
nitidipes Chevrol. *in litt.* „
obscurus Chevrol. *in litt.* „
compressirostris Say. *Journ. Ac. Phil. III. 1823. p. 319; Am. ent. I. 1824. t. 9.* — Germ. *Ins. Spec. nov. p. 300.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 258.* Kentucky.
crassus Blanch. *Voy. d'Orb. 1843. p. 204. t. 18. f. 8.* Patagonia.
crenatus Billb. *Enum. Ins. 1820. p. 41.* — Gylh. *Schh. Gen. Curc. IV. p. 876.* Brasilia.
cribricollis Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 218.* Ceylon.
cruciger Motsch. *Etud. ent. VII. 1858. p. 69.* Birma.
crudus Erichs. *Wiegm. Arch. 1847. I. p. 137.* Peru.

cruentatus Fabr. *Syst. Ent. p. 128.* — Oliv. *Ent. V. 83. p. 82. t. 12. f. 147.* — Carolina.
cultrirostris Gylh. *Schh. Gen. Curc. IV. p. 951.* — Amer. bor.
decoratus Gylh. *l. c. p. 888.* — Guadeloupe.
defrictus Bohem. *Schh. l. c. VIII. 2. p. 261.* — Montevideo.
De Haani Gylh. *Schh. l. c. IV. p. 880.* — Petit. *Dej. Cat. 3. ed. p. 329.* — Java.
delumbatus Bohem. *Schh. l. c. VIII. 2. p. 241.* — Benguela.
dimidiatipennis Jekel. *Ann. nat. Hist. ser. 3. II. 1858. p. 359.* — Amer. centr.
discolor Mannerh. *Bull. Mosc. 1843. II. p. 293; Schh. Gen. Curc. VIII. 2. p. 246.* — Eschsch. *Dej. Cat. 3. ed. p. 329.* — California.
distortus Buquet. *Dej. Cat. 3. ed. p. 329.* — Cayennae.
  inaequalis Gylh. *Schh. Gen. Curc. IV. p. 926.* — Dej. *Cat. l. c.* — „
ensirostris Germ. *Ins. Spec. nov. 1824. p. 296.* — Brasilia.
  dispar Gylh. *Schh. Gen. Curc. IV. p. 892.* — „
  luctuosus Dej. *Cat. 3. ed. p. 328.* — „
  purpurascens Panz. *ed. Voet. IV. p. 52. t. 36. f. 11. (forte.)* — „
  signatus Sturm. *Cat. 1826. p. 107.* — „
exquisitus Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 218.* — Ceylon.
✗ **Fahraei** Gylh. *Schh. Gen. Curc. IV. p. 884.* — Mexico.
fallax Bohem. *Schh. l. c. VIII. 2. p. 256.* — Dej. *Cat. 3. ed. p. 329.* — Amer. bor.
fasciatus Oliv. *Encycl. méth. V. p. 474; Ent. V. 83. p. 83. t. 11. f. 136.* — Fabr. *Ent. Syst. I. 2. p. 398.* — „
ferrugineus Bohem. *Schh. Gen. Curc. VIII. 2. p. 235.* — Sumatra.
fossor Gylh. *Schh. l. c. IV. p. 909.* — St. Vincent.
gagatinus Gylh. *l. c. p. 952.* — Dej. *Cat. 3. ed. p. 329.* — Amer. bor.
gentilis Lec. *Entom. Report. 1857. p. 58.* — California.
gigas Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 282.* — Caffraria.
glabricollis Gylh. *Schh. Gen. Curc. IV. p. 913.* — Bengal.
  gages Herbst. *Käf. VI. p. 17. t. 60. f. 8. (forte.)* — „
glabridiscus Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 218.* — Ceylon.
guttatus Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 247.* — Sturm. *Cat. 1843. p. 227.* — Mexico.
hebetatus Gylh. *Schh. Gen. Curc. IV. p. 919.* — Bohem. *Schh. l. c. VIII. 2. p. 243.* — Columbia.
hemipterus Linn. *Mus. Lud. Ulr. p. 44.* — Oliv. *Ent. V. 83. p. 86. t. 1. f. 4; t. 16. f. 4. b.* — Gylh. *Schh. Gen. Curc. IV. p. 889.* — Cayennae.
  rufofasciatus Degeer. *Mém. V. p. 271. t. 15. f. 25.* — Brasilia.
  variegatus Panz. *ed. Voet. IV. p. 57. t. 37. f. 24. (forte.)* — „
  var. *inscriptus* Lhermin. *in litt.* — Gylh. *l. c. p. 890.* — „
Hoegbergi Bohem. *Schh. Gen. Curc. VIII. 2. p. 254.* — Mexico.
immunis Say. *Descr. of Curc. of N. Am. p. 23.* — Amer. bor.
imus Gylh. *Schh. Gen. Curc. IV. p. 936.* — Mexico.
inaequalis Say. *Descr. of Curc. of N. Am. p. 23.* — Amer. bor.
  contractus Gylh. *Schh. Gen. Curc. IV. p. 953.* — Dej. *Cat. 3. ed. p. 329.* — „

incurrens Gylh. *Schh. Gen. Curc. IV. p. 957.* Mexico.
insularis Bohem. *Res. Eugen. 1859. p. 148.* Taïti.
interstitialis Say. *Descr. of Curc. of N. Am. p. 21.* Amer. bor.
interstitialis Bohem. *Res. Eugen. 1859. p. 148.* Sidney.
laetus Erichs. *Wiegm. Arch. 1847. I. p. 136.* Peru.
larvalis Germ. *Ins. Spec. nov. p. 301.* New Orleans.
flexuosus Gylh. *Schh. Gen. Curc. IV. p. 940.* „
lateritius Gylh. *l. c. p. 920.* Sierra Leona.
latiscapus Kirsch. *Berl. Zeit. 1869. p. 221.* Bogotá.
leprosus Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 248.* Java.
leucographus Fåhrs. *l. c. p. 240.* Mexico.
liratus Gylh. *Schh. l. c. IV. p. 914.* — ♀ Coquerel. *Ann. Fr. 1849. p. 445. t. 14. III. fig. 1-5.* Guadeloupe.
var. *apicalis* Schönh. *in litt. olim.* „
„ *nigritus* ♂. Chevrol. *in litt.* „
longicollis Oliv. *Ent. V. 83. p. 86. t. 28. f. 413.* St. Domingo.
maculifer Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 243.* Mexico.
maculatus Gylh. *Schh. l. c. IV. p. 881.* Java.
maurus Gylh. *l. c. p. 912.* — Dej. *Cat. 3. ed. p. 329.* Martinique.
melancholicus Gylh. *l. c. p. 917.* Brasilia.
melanocardius Linn. *Mus. Lud. Ulr. p. 45.* — Fabr. *Syst. Ent. p. 129.* — Gylh. *Schh. Gen. Curc. IV. p. 922.* India occ.
melanocephalus Fabr. *Syst. El. II. p. 435.* — Oliv. *Ent. V. 83. p. 93. t. 28. f. 419.* Carolina.
memnonius Gylh. *Schh. Gen. Curc. IV. p. 935.* Mexico.
meridionalis Gylh. *l. c. p. 934.* — Dej. *Cat. 3. ed. p. 329.* — Jacq. Duv. *Gen. Col. Curc. t. 29. f. 139.* — Allard. *Révis. p. 209.* Gallia mer.
monilis Gylh. *Schh. Gen. Curc. IV. p. 946.* Mexico.
mutilatus Laich. *Verz. Tyrol. Ins. I. 1781. p. 216.* — Gylh. *l. c. p. 933.* — Allard. *Révis. p. 209.* Europa.
abbreviatus Oliv. *Ent. V. 83. p. 94. t. 16. f. 195.* Gallia mer.
ardesius Oliv. *l. c. p. 92. t. 28. f. 418.* Gallia.
fimbriatus Gmel. *ed. Linn. I. 4. p. 1804.* Italia.
Nawradi Kirsch. *Berl. Zeit. 1869. p. 223.* Bogotá.
necydaloides Fabr. *Syst. El. II. p. 435.* — Oliv. *Ent. V. 83. p. 94. t. 28. f. 420.* Carolina.
nigerrimus Gylh. *Schh. Gen. Curc. IV. p. 915.* Amer. mer.
hemipterus var. Lund *in litt.* „
nubilus Gylh. *Schh. Gen. Curc. IV. p. 938.* Amer. bor.
obliquevittatus Taschenb. *Zeitschr. ges. Naturw. I. 1870. p. 190.* Loja.
ochreus Lec. *Proc. Ac. Phil. 1858. p. 80.* Sonora.
opacus Gylh. *Schh. Gen. Curc. IV. p. 932.* — Allard. *Révis. p. 208.* Dalmatia.
♀ *maurus* Megerle *in litt.* Italia.
panops Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 218.* Ceylon.
parumpunctatus Gylh. *Schh. Gen. Curc. IV. p. 931.* — Allard. *Révis. p. 209.* Europa mer.
parvulus Gylh. *l. c. p. 961.* Amer. bor.
perforatus Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 236.* Nov. Granada.
pertinax Oliv. *Ent. V. 83. p. 90. t. 28. f. 417.* — Gylh. *Schh. Gen. Curc. IV. p. 938.* Amer. bor.
sulcatus Sturm. *Cat. 1826. p. 107.* „
var. *insculptus* Say *in litt.* — Gylh. *l. c. p. 939.* New Orleans.

piceus Pallas. *It. I. 1776. p 464; Icon. p. 23. t. B. f. 3.* — Gylh. *Schh. Gen. Curc. IV. p. 928.* — Allard. *Révis. p. 207.* Gallia.
  halophilus Fisch. *Dej. Cat. 3. ed. p. 329.* Caucasus.
  var. *nitens* Allard. *Révis. p. 207.* Gallia mer.
pictus Lec. *Proc. Ac. Phil. 1858. p. 80.* San Diego.
placidus Say. *Descr. of Curc. of N. Am. p. 23.* — Gylh. *Schh. Gen. Curc. IV. p. 947.* Amer. bor.
  confusus Gylh. *l. c. p. 944.* „
  obliquus Chevrol. *in litt.* Cuba.
planipennis Gylh. *Schh. Gen. Curc. IV. p. 911.* — Lacord. *Gen. Col. VII. p. 296. note.* Java.
  {*castaneus* Dej. *Cat. 3. ed. p. 329.* „
  {*politus* Wiedem. *in litt.* „
polygrammus Gylh. *Schh. Gen. Curc. IV. p. 918.* Brasilia.
praepotens Say. *Descr. of Curc. of N. Am. p. 21.* Arkansas.
procerus Lec. *Proc. Ac. Phil. 1858. p. 80.* San Diego.
pulchellus Gylh. *Schh. Gen. Curc. IV. p. 898.* Mexico.
pumilus Gylh. *l. c. p. 960.* — Lec. *Dej. Cat. 3. ed. p. 329.* Amer. bor.
  sordidus Dej. *Cat. l. c.* „
pumilus Allard. *Révis. p. 210.* Algeria.
punctatostriatus Gylh. *Schh. Gen. Curc. IV. p. 956.* Brasilia.
pustulosus Gylh. *l. c. p. 913.* Mexico.
  irroratus Sturm *in litt.* „
  var. *punctatus* Dej. *Cat. 3. ed. p. 328.* — Gylh. *l. c.* „
quadrimaculatus Gylh. *Schh. Gen. Curc. IV. p. 910.* — Westerm. *Dej. Cat. 3. ed. p. 328.* Cap bon. spei.
  quadripustulatus Oliv. *Encycl. méth. V. p. 494; Ent. V. 83. p. 88. t. 10. f. 117.* Guinea.
quadrisignatus Gylh. *Schh. Gen. Curc. IV. p. 907.* Ins. Amer. mer.
quadrivittatus Gylh. *l. c. p. 962.* Mexico.
quadrivulneratus Thoms. *Arch. ent. II. 1858. p. 143.* Gabon.
quinquepunctatus Say. *Amer. Ent. I. 1824. t. 9.* Carolina.
  cribrarius Oliv. *Ent. V. 83. p. 88. t. 28. f. 112. b.* — Gylh. *Schh. Gen. Curc. IV. p. 900.* „
  maculatus Sturm. *Cat. 1826. p. 106.* „
  variabilis Gylh. *l. c. p. 899.* Florida.
  var. {*implicatus* Gylh. *l. c. p. 901.* — Schönh. *Gen. Curc. VIII. 2. p. 239.* Mexico.
  var. {*notigerus* Chevrol. *in litt.* „
  „ *Lebasi* Gylh. *l. c. p. 902.* — Dej. *Cat. 3. ed. p. 329.* Columbia.
  „ *thoracicus* Chevrol. *in litt.* - Gylh. *l. c. p. 900.* „
rectus Say. *Descr. of Curc. of N. Am. p. 22.* Amer. bor.
reticulaticollis Bohem. *Schh. Gen. Curc. VIII. 2. p. 257.* California.
retusus Gylh. *Schh. l. c. IV. p. 949.* — Dej. *Cat. 3. ed. p. 329.* Amer. bor.
rimoratus Gylh. *l. c. p. 893.* Columbia.
rubrotessellatus Blanch. *Voy. d'Orb. 1843. p. 204. t. 18. f. 9.* Bolivia.
rusticus Gylh. *Schh. Gen. Curc. IV. p. 937.* — Dej. *Cat. 3. ed. p. 329.* Cayennae.
sachari Gylh. *Schh. Gen. Curc. IV. p. 891.* — † Guilding. *Trans. Soc. Encour. Arts. 46. p. 143.* Guadeloupe.

sanguineus Gylh. *Schh. Gen. Curc. IV. p. 903.* — Klug. *Dej. Cat. 3. ed. p. 329.* — Mexico.
mexicanus Dej. *Cat. l. c.* — „
punicus Klug *in litt.* — „
var. *lineatocollis* Chevrol. *in litt.* — Gylh. *l. c.* — „
saucius Gylh. *Schh. Gen. Curc. IV. p. 905.* — Brasilia.
Sayi Gylh. *l. c. p. 943.* — New Orleans.
Schönherri Gylh. *l. c. p. 875.* — Nov. Holland.
sculptilis Uhler. *Proc. Ac. Phil. VII. 1855. p. 416.* — Baltimore.
senegalensis Gylh. *Schh. Gen. Curc. IV. p. 877.* — Dej. *Cat. 3. ed. p. 328.* — Senegal.
caffer Oliv. *Encycl. méth. V. p. 475; Ent. V. 83. p. 84. t. 16. f. 194. (forte.)* — „
sericans Wiedem. *Zool. Mag. II. 1. 1823. p. 120.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 235.* — Java.
hypocritus Gylh. *Schh. l. c. IV. p. 879.* — „
sexmaculatus Dej. *Cat. 3. ed. p. 328.* — „
sericeus Latr. *Humb. et Bonpl. Voy. I. 1811. p. 206. t. 22. f. 4.* — Gylh. *Schh. Gen. Curc. IV. p. 896.* — Jacq. Duv. *Hist. Cub. 1857. p. 231.* — Amer. mer.
var. *dimidiatus* Dej. *Cat. 3. ed. p. 328.* — Sturm. *Cat. 1826. p. 106.* — Cuba.
sericpunctatus Gylh. *Schh. Gen. Curc. IV. p. 950.* — Peru.
Sierrakowskyi Gylh. *l. c. p. 887.* — Columbia.
simplex Lec. *Proc. Ac. Phil. 1859. p. 79.* — Fort Tejon.
sordidus Germ. *Ins. Spec. nov. p. 299.* — Gylh. *Schh. Gen. Curc. IV. p. 925.* — Java.
crenatus Sturm. *Cat. 1826. p. 106.* — „
javanus Westerm. *in litt.* — „
spadiceus Gylh. *Schh. Gen. Curc. IV. p. 906.* — Cayennae.
atroniger Dej. *in litt.* — „
Spinolae Gylh. *Schh. Gen. Curc. IV. p. 883.* — Mexico.
bifasciatus Sturm. *Cat. 1843. p. 227.* — „
Höpfneri Dej. *Cat. 3. ed. p. 328.* — „
squamosus Bohem. *Schh. Gen. Curc. VIII. 2. p. 245.* — Guinea.
stigmaticus Fåhrs. *Schh. l. c. p. 244.* — Mexico.
strangulatus Gylh. *Schh. l. c. IV. p. 963.* — Java.
striatoforatus Gylh. *l. c. p. 878.* — Columbia.
striatus Fåhrs. *Schh. l. c. VIII. 2. p. 251.* — Petit. *Dej. Cat. 3. ed. p. 329.* — Brasilia.
strigosus Erichs. *Wiegm. Arch. 1847. I. p. 137.* — Peru.
subcarinatus Mannerh. *Bull. Mosc. 1843. II. p. 294; Schh. Gen. Curc. VIII. 2. p. 255.* — California.
suturalis Gylh. *Schh. Gen. Curc. IV. p. 904.* — Brasilia.
terebrans Oliv. *Ent. V. 83. p. 89. t. 5. f. 54. a-b.* — Lacord. *Gen. Col. VII. p. 296. note.* — Senegal.
Testardi Montrouz. *Ann. Fr. 1860. p. 909.* — Nov. Caledon.
tetricus Gylh. *Schh. Gen. Curc. IV. p. 945.* — Brasilia.
tredecimpunctatus Illig. *Schneid. Mag. V. 1791. p. 613.* — Herbst. *Käf. VI. p. 10. t. 60. f. 5.* — Gylh. *Schh. Gen. Curc. IV. p. 898.* - Latreille. *Dej. Cat. 3. ed. p. 329.* — Say. *Amer. ent. 1824. t. 9.* — Amer. bor.

cribrarius Oliv. *Ent. V. 83. p. 88. t. 28. f. 112. a.*	Amer. bor.
{*leptocerus* Panz. *ed. Voet. IV. p. 57. t. 37. f. 23.*	„
{*obscurus* Voet. *Cat. Syst. II. p. 50. t. 37. f. 23. (forte.)*	„
quatuordecimpunctatus Voet. *l. c. p. 54. t. 37. f. 18. (forte.)*	„
truncatus Say. *Descr. of Curc. of N. Am. p. 22.*	„
✕ **validirostris** Gylh. *Schh. Gen. Curc. IV. p. 886.*	Mexico.
validus Lec. *Proc. Ac. Phil. 1858. p. 80.*	Sonora.
variegatus Fabr. *Spec. Ins. 1. p. 163.* — Oliv. *Ent. V. 83. p. 87. t. 13. f. 158.*	Cap bon. spei.
varius Fabr. *Gen. Ins. Mant. p. 223.*	„
venatus Say. *Descr. of Curc. of N. Am. p. 22.*	Amer. bor.
vomerinus Lec. *Proc. Ac. Phil. 1858. p. 81.*	Sonora.

156

Axinophorus

ἀξίνη, serra; φέρω, fero.

Schönherr. *Gen. Curc. IV. 1838. p. 863.*

gages Fabr. *Ent. Syst. I. 2. p. 416.* — Gylh. *Schh. Gen. Curc. IV. p. 865.*	Guinea.

1

Eugnoristus

εὐγνώριστος, insignis.

Schönherr. *Gen. Curc. IV. 1838. p. 848.*

monachus Oliv. *Ent. V. 83. p. 90. t. 28. f. 411.* — Gylh. *Schh. Gen. Curc. IV. p. 849.*	Madagascar.

1

Belopoeus

βελοποιός, jaculorum faber.

Schönherr. *Gen. Curc. IV. 1838. p. 872.*

carmelita Germ. *Ins. Spec. nov. 1824. p. 296.* — Illig. *Dej. Cat. 3. ed. p. 329.* — Hoffmsg. *Sturm. Cat. 1843. p. 227.* — Gylh. *Schh. Gen. Curc. IV. p. 873.*	Brasilia.

1

Melchus

Etym. dub.

Lacordaire. *Gen. Col. VII. 1866. p. 300.*

leprosus Lacord. *Gen. Col. VII. p. 301. note 1; Atl. VIII. t. 76. f. 4. a.*	Venezuela.
umbratilis Lacord. *Gen. Col. VII. p. 301. note 1.*	Cayennae.

2

Calandra

Κάλανδρα, nomen propr.

Clairville. *Ent. helv. I. 1798. p. 62.*

Sitophilus Schönh. — *Sphenophorus* Montrouzier. *(pars.)*

chilensis Philippi. *Stett. Zeit. 1864. p. 374.* — Chili.
discifera Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 219.* — Ceylon
exarata Bohem. *Schh. Gen. Curc. IV. p. 970.* — Dej. *Cat. 3. ed. p. 329.* — Ins. Bourbon.
  quadrimaculata Latr. *Dej. Cat l. c.* — Madagascar.
frumenti Fabr. *Syst. El. II. p. 438.* — Sumatra.
Gotschi Hochh. *Bull. Mosc. 1847. II. p. 579.* — Armenia.
granaria Linn. *Syst. nat. ed. X. p. 378.* — Panz. *Fn. Germ. 17. 11.* — Gylh. *Schh. Gen. Curc. IV. p. 977.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 29. f. 140.* — ‡ Frisch. *Beschr. all. Ins. 1720. II. p. 36. t. 8.* — M.
  pulicaria Panz. *ed. Voet. IV. p. 54. t. 37. f. 17. (forte.)* — Europa.
  segetis Linn. *l. c. p. 381.* — Suecia.
  unicolor Marsh. *Ent. Brit. p. 275.* — Steph. *Ill. Brit. IV. p. 9.* — Anglia.
laevicosta Philippi. *Stett. Zeit. 1864. p. 374.* — Chili.
linearis Herbst. *Käf. VII. p. 5. t. 100. f. 1.* — Gylh. *Schh. Gen. Curc. IV. p. 979.* — Suffr. *Stett. Zeit. 1847. p. 91.* — India occ.
  frugilega Dej. *Cat. 3. ed. p. 329.* — Jamaica.
  tamarindi Christy. *Trans. ent. Soc. I. 1834. p. 36.* — Barthelemy.
  var. *striata* Thunb. *Nov. Act. Ups. VII. p. 112.* — Bengal.
Mellenborgi Bohem. *Schh. Gen. Curc. IV. p. 976.* — Java.
oryzae Linn. *Amoen. Ac. VI. 1763. p. 395.* — Oliv. *Ent. V. 83. p. 97. t. 7. f. 81. a-b.* — Gylh. *Schh. Gen. Curc. IV. p. 981.* — Scriba. *Stett. Zeit. 1857. p. 377.* — ‡ Kollar. *Sitzgsb. Wien. Ac. 1848. V. p. 3.* — M.
  frugilega Degeer. *Mém. V. p. 273.* — Amer. bor.
  granaria Stroem. *Dansk. Vid. Selsk. Skrift. II. p. 56.* — India or.
  quadriguttata Montrouz. *Ann. Fr. 1860. p. 910.* — Lifu.
palmarum Montrouz. *l. c. p. 911.* — Ins. Aru.
pumila Montrouz. *l. c. p. 910.* — Balade.
quadrinotata Wiedem. *Zool. Mag. II. 1. 1823. p. 121.* — Bengal.
remotepunctata Gylh. *Schh. Gen. Curc. IV. p. 979.* — New York.
rugosa Thunb. *Nov. Act. Ups. VII. p. 112.* — Gylh. *Schh. Gen. Curc. IV. p. 975.* — Guinea.
  rugulosa Dej. *Cat. 3. ed. p. 329.* — Senegal.
sculpturata Gylh. *Schh. Gen. Curc. IV. p. 974.* — Bengal.
setulosa Gylh. *l. c. p. 969.* — Mexico.
stigmaticollis Gylh. *l. c. p. 972.* — Ile de France.
  frumenti Sturm. *Cat. 1826. p. 106.* — „
subfasciata Bohem. *Schh. Gen. Curc. IV. p. 971.* — Java.
subsignata Bohem. *l. c. p. 973.* — India.
taïtensis Guér. *Jc. règn. anim. p. 171. t. 39 bis. f. 4. a-b.* — Taïti.
zea-mais Motsch. *Etud. ent. IV. 1855. p. 77.* — Cayennae.

Catapyges

καταπυγής, cinaedus.

Schönherr. *Gen. Curc. IV. 1838. p. 982.*

albostriatus Fabr. *Syst. El. II. p. 503.* — *Schh. Gen. Curc. IV. p. 984.* Guinea.

1

Toxorrhinus

τόξον, arcus; ῥίν, nasus.

Lacordaire. *Gen. Col. VII. 1866. p. 304.*

Banoni Guér. *Jc. règn. anim. p. 172.* — Lacord. *Gen. Atl. VIII. t. 76. f. 5. a.* Cayennae.
cultrirostris Lacord. *Dej. Cat. 3. ed. p. 303.* „
incarnatus Gylh. *Schh. Gen. Curc. IV. p. 968* — Lacord. *Gen. Col. VII. p. 305. note 1.* Birma.
viduus Guér. *Jc. règn. anim. p. 171.* Bourbon.

3

Litosomus

λιτὸς, tenuis; σῶμα, corpus.

Lacordaire. *Gen. Col. VII. 1866. p. 305.*

Myorhinus Chevrolat.

grallarius Lacord. *Gen. Col. VII. p. 305. note 3; Atl. VIII. t. 76. f. 6. a.* Columbia.

1

Strombocerus

στρόμβος, turbo; κέρας, cornu.

Schönherr. *Gen. Curc. IV. 1838. p. 814.*

Schüppeli Gylh. *Schh. Gen. Curc. IV. p. 815.* Madagascar.

1

Xerodermus

ξηρὸς, siccus; δέρμα, cutis.

Lacordaire. *Gen. Col. VII. 1866. p. 307.*

porcellus Lacord. *Gen. Col. VII. p. 308. note 1; Atl. VIII. t. 76. f. 7. a-b.* Ceylon.

1

Oxyrrhynchus

ὀξὺς, acutus; ῥύγχος, rostrum.

Schönherr. *Disp. meth. 1826. p. 77.*

Octotoma Hagenbach. Sturm, 1826, p. 30

discors Fabr. *Syst. El. II. p. 432.* — Bohem. *Schh. Gen. Curc. I. p. 379.* — Labr. et Imh. *Gen. Curc. I. nr. 26.* Java.
Germari Hagenbach. *Dej. Cat. 3. ed. p. 267.* „

Fortunei Waterh. *Trans. ent. Soc. ser. 2. II. 1853. p. 172.* China bor.
lateralis Bohem. *Schh. Gen. Curc. I. p. 379.* — Dej. *Cat. 3. ed. p. 267.* Singapur.
♀ *cinctus* Sturm. *Cat. 1826. p. 175.* Java.
♂ *cristatus* Dahn. *in litt.* „
philippinensis Waterh. *Trans. ent. Soc. 1853. p. 173.* Philippinae.
rivulosus Bohem. *Schh. Gen. Curc. I. p. 381.* Borneo.
5

Orthognathus

ὀρθός, rectus; γνάθος, mandibula.

Schönherr. *Gen. Curc. IV. 1838. p. 812.*

Sphaenognathus Schönh.

lividus Gylh. *Schh. Gen. Curc. IV. p. 813.* Brasilia.
1

Sipalus

σίπαλος, defectuosus.

Schönherr. *Disp. meth. 1826. p. 324.*

Acorynus Dejean. *olim.*

Burmeisteri Bohem. *Schh. Gen. Curc. IV. p. 802.* Nov. Guinea.
granulatus Boisd. *Voy. Astrol. II. p. 443.* „
gigas Fabr. *Syst. Ent. p. 127.* — Oliv. *Ent. V. 83. p. 80. t. 12. f. 146.* Sumatra.
elephas Fabr. *Spec. Ins. I. p. 162.* Java.
granulatus Fabr. *Syst. El. II. p. 432.* — Bohem. *Schh. Gen. Curc. IV. p. 803.* „
morbillosus Dej. *Cat. 3. ed. p. 327.* „
guineensis Fabr. *Ent. Syst. Suppl. p. 165.* — Bohem. *Schh. Gen. Curc. IV. p. 800.* Guinea.
hypocritus Bohem. *l. c. VIII. 2. p. 209.* Himalaya.
mendicus Bohem. *l. c. IV. p. 804.* Sierra Leona.
misumenus Bohem. *l. c. VIII. 2. p. 210.* Philippinae.
porosus Walker. *Ann. nat. Hist. IV. 1859. p. 218.* Ceylon.
tinctus Walker. *l. c.* „
8

Mesocordylus

μέσος, medius; κορδύλη, clava.

Lacordaire. *Gen. Col. VII. 1866. p. 314.*

Sipalus Schönh. *(pars.)*

bracteolatus Bohem. *Schh. Gen. Curc. IV. p. 809.* — Chevrol. *Dej. Cat. 3. ed. p. 327.* Mexico.
cylindraceus Bohem. *l. c. VIII. 2. p. 212.* Brasilia.
{*cylindricus* Sturm. *Cat. 1843. p. 225.* „
{*oblongus* Sturm. *Cat. 1826. p. 156.* „

immundus Erichs. *Wiegm. Arch. 1847. I. p. 135.*	Peru.
leprosus Bohem. *Schh. Gen. Curc. IV. p. 810.*	Columbia.
luteosignatus Blanch. *Voy. d'Orb. p. 203. t. 18. f. 6.*	Corrientes.
memnonius Fåhrs. *Schh. Gen. Curc. VIII. 2. p. 211.*	Brasilia.
papulatus Fåhrs. *l. c. p. 213.*	„
porriginosus Bohem. *Schh. l. c. IV. p. 811.*	Guadeloupe.
rubetra Oliv. *Ent. V. 83. p. 85. t. 4. f. 34. a-c.*	Cayennae.
gagates Herbst. *Käf. VI. p. 26. t. 61. f. 8.*	„
rugicollis Bohem. *Schh. Gen. Curc. VIII. 2. p. 214.*	„
scutellaris Erichs. *Wiegm. Arch. 1847. I. p. 136.*	Peru.
sphacelatus Bohem. *Schh. Gen. Curc. IV. p. 808.* — Dej. *Cat. 3. ed. p. 327.* — Blanch. *Voy. d'Orb. t. 18. f. 4.*	Columbia.
striatus Bohem. *Schh. Gen. Curc. IV. p. 805.* — Dej. *Cat. 3. ed. p. 327.* — Blanch. *Voy. d'Orb. t. 18. f. 5.*	Cayennae.
subulatus Germ. *Ins. Spec. nov. p. 301.* — Bohem. *Schh. Gen. Curc. IV. p. 806.*	Brasilia.
morbillosus Dej. *Cat. 3. ed. p. 327.*	„

14

Harpacterus

ἁρπάκτηρ, raptor.

Schönherr. *Gen. Curc. VIII. 2. 1845. p. 206.*

ebeninus Bohem. *Schh. Gen. Curc. VIII. 2. p. 207.*	Brasilia.
quadrisignatus Bohem. *l. c. p. 208.*	„

2

Rhina

ῥίν, nasus.

Latreille. *Hist. nat. Crust. et Ins. III. 1802. p. 198.*

affabra Fåhrs. *Schh. Gen. Curc. IV. p. 794.*	Mexico.
Afzelii Fåhrs. *l. c. p. 797.*	Sierra Leona.
amplicollis Gerstäck. *Monatsb. Berl. Ac. 1855. p. 85; Peters Reis. p. 317.*	Mozambique.
barbirostris Bertol. *Nov. Comm. Ins. Bonon. X. p. 427.*	„
barbirostris Fabr. *Syst. Ent. p. 135.* — Oliv. *Ent. V. 83. p. 232. t. 4. f. 37. a-b.* — Fåhrs. *Schh. Gen. Curc. IV. p. 792.*	Brasilia.
♀ *valida* Panz. *ed. Voet. IV. p. 50. t. 35. f. 3.*	„
♀ *verrirostris* Illig. *Mag. V. p. 244.*	„
costalis Fåhrs. *Schh. Gen. Curc. IV. p. 793.*	„
ebriosa Fåhrs. *l. c. p. 791.* — Chevrol. *Dej. Cat. 3. ed. p. 327.*	Mexico.
nigra Drury. *Ill. II. p. 63. t. 34. f. 2; Index.* — Fåhrs. *Schh. Gen. Curc. IV. p. 798.* — ♀ Coquerel. *Ann. Fr. 1848. p. 181. t. 7. nr. IV. f. 4. b.*	Madagascar.
oblita Jacq. Duv. *Hist. Cub. 1857. p. 229.*	Cuba.
barbicollis Sturm. *Cat. 1826. p. 190.*	„
scrutator Oliv. *Ent. V. 83. p. 233. t. 29. f. 428.* — Fåhrs. *Schh. Gen. Curc. IV. p. 795.*	Haiti.
squamulata Dej. *Cat. 3. ed. p. 327.*	„

9

Sclerocardius

σκληροκάρδιος, contumax.

Schönherr. *Mantiss. sec. Curc. 1847. p. 82.*

Heteropus Schönh.

africanus Bohem. *Schh. Gen. Curc. VIII. 2. p. 3.* — Gerstäck. *Peters Reis. 1862. p. 316.* — Senegal.
Bohemani Schönh. *Mant. sec. p. 84. (indscrpt.)* — Lacord. *Gen. Col. VII. p. 318. note 1.* — „

1

Dryophthorus

δρῦς, quercus; φθείρω, destruo.

Schönherr. *Disp. meth. 1826. p. 332.*

Bulbifer Megerle.

bituberculatus Fabr. *Spec. Ins. I. p. 171.* — Oliv. *Ent. V. 83. p. 95. t. 13. f. 167. a-b.* — Bohem. *Schh. Gen. Curc. IV. p. 1090.* — White. *Voy. Ereb. Terr. XI. p. 17. t. 3. f. 7.* — Fairm. *Rev. Zool. 1849. p. 654.* — Nov. Zeeland.
crenatus Boisd. *Voy. Astrol. II. p. 450.* — Eschsch. *Dej. Cat. 3. ed. p. 330.* — Ins. Sandwich.
corticalis Say. *Descr. of Curc. of N. Am. 1831. p. 24.* — Bohem. *Schh. Gen. Curc. IV. p. 1089.* — Amer. bor.
crenatus Fairm. *Ann. Fr. 1871. p. 55.* — Madagascar.
excavatus Bohem. *Schh. Gen. Curc. IV. p. 1092.* — Dej. *Cat. 2. ed. p. 305.* — Fairm. *Ann. Fr. 1871. p. 56.* — „
Forestieri Perroud. *Ann. Soc. Linn. Lyon. 1864. p. 187.* — Nov. Caledon.
lymexylon Fabr. *Ent. Syst. I. 2. p. 420.* — Panz. *Fn. Germ. 18. 11.* — Bohem. *Schh. Gen. Curc. IV. p. 1089.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 30. f. 145.* — ‡ Perris. *Ann. Fr. 1856. p. 245. t. 5. f. 324-25.* — M.
corticalis Payk. *Mon. Curc. p. 41.* — Suecia.
setulosus Motsch. *Bull. Mosc. 1866. II. p. 446.* — Ceylon.
trichocerus Montrouz. *Ann. Fr. 1860. p. 914.* — Lifu.

8

Choerorrhinus

χοῖρος, porcus; ῥίν, nasus.

Fairmaire. *Ann. Fr. 1857. p. 742.*

squalidus Fairm. *Ann. Fr. 1857. p. 743. t. 14. f. 3. a-b.* — Sicilia.
brevirostris Chevrol. *Rev. Zool. 1860. p. 137.* — Lacord. *Gen. Col. VII. p. 323. note 2.* — Gallia mer.

1

Pentarthrum

πέντε, quinque; ἄρθρον, articulus.

Wollaston. *Ann. nat. Hist. ser. 2. XIV. 1854. p. 129.*

cylindricum Wollast. *Trans. ent. Soc. ser. 2. V. 1861. p. 398. t. 19. f. 5.* — Ins. Ascension.

Huttoni Wollast. *Ann. nat. Hist. ser. 2. XIV. p. 130.* — Janson. *Entom. Annual. 1859. f. 9.* Anglia.
subconvexum Wollast. *Ann. nat. Hist. IV. 1869. p. 410.* St. Helena.
3

Amaurorrhinus

ἀμαυρός, obscurus; ῥίν, nasus.

Fairmaire. *Ann. Fr. 1860. p. 629.*

Bonnairei Fairm. *Ann. Fr. 1860. p. 629.* — Desbroch. *Mittheil. schwz. ent. Ges. 1871. p. 374.* Corsica.
crassiusculus Fairm. *Stett. Zeit. 1869. p. 232.* Italia.
narbonnensis Bris. *Cat. Col. Gren. 1863. p. 115.* Gallia.
3

Mesoxenus

μέσος, medius; ξένος, extraneus.

Wollaston. *Trans. ent. Soc. ser. 2. V. 1861. p. 395.*

Pentarthrum Wollaston *olim.*

Bewickianus Wollast. *Ann. nat. Hist. 1860. p. 451; Trans. ent. Soc. 1861. p. 396. t. 19. f. 6.* Madera.
Monizianus Wollast. *l. c. p. 450; l. c. p. 397. t. 19. f. 4.* Teneriffa.
2

Pentatemnus

πέντε, quinque; τέμνω, scindo.

Wollaston. *Trans. ent. Soc. ser. 2. V. 1861. p. 385.*

affinis Wollast. *Col. Hesperid. 1867. p. 122.* St. Vincent.
arenarius Wollast. *Trans. ent. Soc. 1861. p. 388. t. 19. f. 1.* Canariae.
2

Microxylobius

μικρός, parvus; ξύλον, lignum; βιόω, vivo.

Chevrolat. *Trans. ent. Soc. 1. 1836. p. 98.*

Acanthinomerus Bohem. — *Thaumastomerus* Wollast.

angustus Wollast. *Ann. nat. Hist. 1871. p. 403.* St. Helena.
armatus Bohem. *Res. Eugen. 1859. p. 141.* „
Chevrolati Wollast. *Trans. ent. Soc. 1861. p. 383. t. 18. f. 8; Ann. nat. Hist. IV. 1869. p. 408.* „
conicollis Wollast. *l. c. p. 383. t. 18. f. 9; l. c. p. 409.* „
cossonoides Wollast. *Ann. nat. Hist. 1871. p. 403.* „
var. *obscurus* Wollast. *l. c. p. 404.* „
debilis Wollast. *l. c. IV. 1869. p. 407.* „
dimidiatus Wollast. *l. c. 1871. p. 402.* „
lacertosus Wollast. *Trans. ent. Soc. ser. 2. V. 1861. p. 381. t. 18. f. 5; Ann. nat. Hist. IV. 1869. p. 405.* „

lucifugus Wollast. *Trans. ent. Soc. ser. 2. V. 1861. p. 381. t. 18. f. 6; Ann. nat. Hist. IV. 1869. p. 405.* St. Helena.
monilicornis Wollast. *Ann. nat. Hist. IV. 1869. p. 410.* „
obliteratus Wollast. *l. c. p. 407.* „
terebrans Wollast. *Trans. ent. Soc. ser. 2. V. 1861. p. 382. t. 18. f. 7; Ann. nat. Hist. IV. 1869. p. 406.* „
vestitus Wollast. *Ann. nat. Hist. IV. 1869. p. 404.* „
Westwoodi Chevrol. *Trans. ent. Soc. I. 1836. p. 98. t. 10. f. 6.* — Wollast. *Ann. nat. Hist. IV. 1869. p. 403.* „
13

Oodemas

ᾠόν, ovum; δέμας, corpus.

Boheman. *Res. Eugen. 1859. p. 138.*

aenescens Bohem. *Res. Eugen. 1859. p. 138. t. 2. f. 6. a-e.* Honolulu.
1

Aparopion

α priv.; παρώπιον, umbella.

Hampe. *Wien. ent. Monatschr. V. 1861. p. 68.*

costatum Hampe. *Wien. Ent. Monatschr. V. p. 68.* Transsylvania.
1

Cotaster

Etym. dub.

Motschulsky. *Rev. Zool. 1851. p. 425.*

cuneipennis Aubé. *Ann. Fr. 1850. p. 341.* Pedemont.
exsculptus Bohem. *Schh. Gen. Curc. VII. 2. p. 410.* Sicilia.
littoralis Motsch. *Rev. Zool. 1851. p. 426. t. 11. f. 1-2.* Gallia mer.
uncipes Bohem. *Schh. Gen. Curc. IV. p. 1055.* Italia.
3

Alaocyba

ἀλαός, coecus; κυβή, caput.

Perris. *Abeille. VII. 1870. p. 31.*

carinulata Perris. *Abeille. VII. p. 31.* Sardinia.
1

Raymondia

Nom. propr.

Aubé. *Ann. Fr. 1861. p. 195.*

apennina Dieck. *Berl. Zeit. 1869. p. 354.* Valombrosa.

Delarouzeei Bris. *Ann. Fr. 1861. p. 603.* — Bellevoye. *Ann. Fr. 1863. t. 3. f. 8.* Pyren. or.
fossor Aubé. *Ann. Fr. 1861. p. 195. t. 5. f. 7.* Gallia mer.
longicollis Perris. *Abeille. VII. 1870. p. 29.* Corsica.
Marqueti Aubé. *Cat. Gren. 1863. p. 130.* Gallia mer.
Perrisi Grenier. *Ann. Fr. 1864. p. 134.* „
Aubei Marquet. *Abeille. I. 1864. p. 372.* „
sardoa Perris. *Abeille. VII. 1870. p. 30.* Sardinia.
7

Lymantes

λυμαντής, destructor.

Schönherr. *Gen. Curc. IV. 1838. p. 1085.*

scrobicollis Gylh. *Schh. Gen. Curc. IV. p. 1086.* Amer. bor.
1

Lipommata

λείπω, relinquo; ὄμμα, oculus.
Wollaston. *Cat. Col. Mader. 1857. p. 100.*
Leipommata Wollast. *olim.*

calcarata Wollast. *Cat. Col. Mader. p. 101; Trans. ent. Soc. 1861. p. 395. t. 19. f. 3.* Madera.
1

Amorphocerus

ἄμορφος, deformis; κέρας, cornu.
Schönherr. *Disp. meth. 1826. p. 329.*

aureopilosus Fairm. *Rev. Zool. 1849. p. 555.* Taïti.
rufipes Bohem. *Schh. Gen. Curc. IV. p. 990.* Caffraria.
setosus Bohem. *l. c. p. 993.* „
talpa Bohem. *l. c. p. 992.* „
zamiae Bohem. *l. c. p. 991.* „
5

Porthetes

πορθητής, destructor.
Schönherr. *Gen. Curc. IV. 1838. p. 1041.*

zamiae Bohem. *Schh. Gen. Curc. IV. p. 1042.* Caffraria.
1

Stenotis

στενός, angustus; οὖς, auris.
Wollaston. *Ins. Mader. 1854. p. 316.*

acicula Wollast. *Ins. Mader. p. 316. t. 6. f. 5; Trans. ent. Soc. 1861. p. 400. t. 19. f. 8.* Madera.
1

Aorus

ἄωρος, praematurus.

Schönherr. *Gen. Curc. III. 1836. p. 253.*

ferrugineus Bohem. *Schh. Gen. Curc. VIII. 2. p. 444.* Java.
spadiceus Gylh. *Schh. l. c. III. p. 254.* Senegambia.
2

Catolethrus

κατώλεθρος, damnosus.

Schönherr. *Gen. Curc. IV. 1838. p. 1077.*

fallax Bohem. *Schh. Gen. Curc. VIII. 2. p. 285.* Columbia.
impressicollis Fairm. *Rev. Zool. 1849. p. 556.* Nukahiwa.
longulus Bohem. *Schh. Gen. Curc. IV. p. 1078.* Mexico.
tenuirostris Schönh. *in litt. olim.* „
nasalis Bohem. *Schh. Gen. Curc. VIII. 2. p. 286.* Brasilia.
nitidulus Chevrol. *in litt.* „
pumilio Fairm. *Rev. Zool. 1849. p. 557.* Taïti.
rufus Bohem. *Schh. Gen. Curc. IV. p. 1079.* Brasilia.
subcaudatus Fairm. *Rev. Zool. 1849. p. 556.* Taïti.
7

Proëces

προήκης, acuminatus.

Schönherr. *Gen. Curc. IV. 1838. p. 1080.*

filum Fairm. *Rev. Zool. 1849. p. 558.* Taïti.
macer Bohem. *Schh. Gen. Curc. IV. p. 1082.* Madagascar.
nigrifrons Bohem. *l. c. p. 1081.* „
3

Mimus

μῖμος, mimus.

Fåhraeus. *Öfvers. Vet. Ak. Förh. 1871. p. 283.*

natalensis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 284.* Port Natal.
1

Cossonus

κόσσος, alapa.

Clairville. *Entom. helv. I. 1798. p. 58.*

abscissus Bohem. *Schh. Gen. Curc. IV. p. 1036.* — Gerstäck. *Wiegm. Arch. 1871. I. p. 75.* Caffraria.
affaber Bohem. *Schh. Gen. Curc. VIII. 2. p. 274.* Mexico.
africanus Bohem. *l. c. p. 272.* Cap bon. spei.
ambiguus Bohem. *l. c. IV. p. 1013.* Incert. sedis.
arcuatus Erichs. *Wiegm. Arch. 1847. I. p. 137.* Peru.

bipunctatus Blanch. *Voy. d'Orb. Ent. p. 204. t. 18. f. 10.*	Corrientes.
caesus Erichs. *Wiegm. Arch. 1847. I. p. 137.*	Peru.
californicus Motsch. *Bull. Mosc. 1845. I. p. 99.*	California.
canaliculatus Fabr. *Syst. El. II. p. 496.* — Bohem. *Schh. Gen. Curc. IV. p. 1023.*	Java.
canus Philippi. *Stett. Zeit. 1864. p. 372.*	Chili.
carinicollis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 284.*	Caffraria.
castaneipennis Bohem. *Schh. Gen. Curc. IV. p. 1008.*	Brasilia.
castaneus Blanch. *Gay. Hist. Chil. V. p. 424. t. 26. f. 2. a-d.* — Philippi. *Stett. Zeit. 1864. p. 374.*	Chili.
concinnus Bohem. *Schh. Gen. Curc. IV. p. 1006.*	Connecticut.
conicirostris Rosensch. *Schh. l. c. IV. p. 1040.*	Mexico.
convexicollis Bohem. *Schh. l. c. p. 1017.*	"
convexiusculus Bohem. *l. c. p. 1007.*	"
corticalis Fabr. *Syst. El. II. p. 497.* — Oliv. *Ent. V. 83. p. 246. t. 35. f. 536.* — Rosensch. *Schh. Gen. Curc. IV. p. 1012.*	Cayennae.
bulbirostris Perty. *Del. anim p. 83. t. 16. f. 14.*	Brasilia.
scrobiculatus Gylh. *in litt. olim.*	"
var. *reticulatus* Sturm. *Cat. 1826. p. 125.*	"
corticola Say. *Descr. of Curc. of N. Am. 1831. p. 24.* — Bohem. *Schh. Gen. Curc. IV. p. 1005*	Amer. bor.
Cubae Bohem. *l. c. VIII. 2. p. 275.*	Cuba.
cylindricus Sahlb. *Diss. Ins. Fenn. II. 1834. p. 110.* — Dej. *Cat. 3. ed. p. 330.* — Bohem. *Schh. Gen. Curc. IV. p. 999.*	M.
linearis Payk. *Fn. Suec. III. p. 242.*	Suecia.
Mölleri Waltl *in litt.*	Germania.
parallelepipedus var. Herbst. *Käf. VI. p. 276.*	Gallia.
var. *linearis* var. b. Gylh. *Ins. Suec. III. p. 256.*	Suecia.
deceptor Bohem. *Schh. Gen. Curc. IV. p. 1031.*	America.
deplanatus Rosensch. *Schh. l. c. p. 1010.*	Brasilia.
depressicollis Bohem. *Schh. l. c. p. 1004.*	Mexico.
depressus Bohem. *l. c. p. 1039.* — Chevrol. *Dej. Cat. 3. ed. p. 330.*	"
elongatulus Fabr. *Ent. Syst. Suppl. p. 168.* — Bohem. *Schh. Gen. Curc. IV. p. 1022.*	Cap bon. spei.
sulcifrons Dej. *Cat. 3. ed. p. 330.*	Ile de France.
encaustus Fairm. *Rev. Zool. 1849. p. 554.*	Tonga Tabu.
ephippiger Bohem. *Schh. Gen. Curc. IV. p. 1007.* — Guér. *Jc. V. t. 39 bis f. 7. a-b.*	Java.
praecellens Schönh. *in litt. olim.*	"
exaratus Bohem. *Schh. Gen. Curc. IV. p. 1018.*	Mexico.
rufescens Chevrol. *in litt.*	"
sulcatulus Chevrol. *in litt.*	"
fasciolatus Fairm. *Ann. Fr. 1871. p. 55.*	Madagascar.
ferrugineus Clairv. *Ent. helv. I. p. 60. t. 1. f. 3. 4.* — Bohem. *Schh. Gen. Curc. IV. p. 996.* — ♀ Kirsch. *Berl. Zeit. 1866. p. 282.*	M.
parallelepidus Herbst. *Käf. VI. p. 275. t. 81. f. 4.*	Helvetia.
var. *ferrugineus* var. b. Gylh. *Ins. Suec. IV. p. 603.*	Suecia.
fossatus Bohem. *Schh. Gen. Curc. IV. p. 1020.*	Amer. mer.
foveatus Bohem. *l. c. p. 1026.*	Mexico.
glabricollis Bohem. *l. c. p. 1034.*	Cap bon. spei.

Guildingi Bohem. *Schh. Gen. Curc. IV. p. 1015.*	St. Vincent.
depressus Guild. *in litt.*	"
hebes Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 218.*	Ceylon.
holomelas Montrouz. *Ann. Fr. 1860. p. 911.*	Nov. Caledon.
immeritus Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 286.*	Caffraria.
impressifrons Bohem. *Schh. Gen. Curc. IV. p. 1001.*	Pennsylvania.
impressus Bohem. *l. c. p. 1019.*	Jamaica.
incivilis Fåhrs. *Öfvers. Vet. Ak. Förh. 1871. p. 285.*	Caffraria.
insularis Bohem. *Res. Eugen. 1859. p. 149.*	Ins. St. Joseph.
laesicollis Thoms. *Arch. ent. II. 1858. p. 144.*	Gabon.
latithorax Bohem. *Schh. Gen. Curc. IV. p. 1025.*	India or.
latus Bohem. *l. c. p. 1038.*	Mexico.
Lebasi Bohem. *l. c. p. 1029.* — Dej. *Cat. 3. ed. p. 330.*	Columbia.
ligniperdus Bohem. *l. c. p. 1028.*	Mexico.
linearis Fabr. *Syst. Ent. p. 136.* — Panz. *Fn. Germ. 18. 7.* — Bohem. *Schh. Gen. Curc. IV. p. 995.* — Jacq. Duv. *Gen. Col. Curc. t. 29. f. 141.*	M.
punctellus Schönh. *in litt. olim.*	Gallia.
marginalis Bohem. *Schh. Gen. Curc. IV. p. 1021.*	Ins. Bourbon.
multiforus Say. *Descr. of Curc. of N. Amer. 1831. p. 30.* — Bohem. *l. c. p. 1000.*	Mexico.
nigropiceus Philippi. *Stett. Zeit. 1864. p. 373.*	Chili.
nitidus Philippi. *l. c.*	"
perfidiosus Bohem. *Schh. Gen. Curc. IV. p. 1016.*	Caracas.
pertusicollis Thoms. *Arch. ent. II. 1858. p. 144.*	Gabon.
piniphilus Bohem. *Schh. Gen. Curc. IV. p. 1002.* — — Eschsch. *Dej. Cat. 3. ed. p. 330.* — Mannerh. *Bull. Mosc. 1843. II. p. 295.*	California.
platalea Say. *Descr. of Curc. of N. Am. p. 24.* — Bohem. *Schh. Gen. Curc. IV. p. 998.*	Amer. bor.
politus Bohem. *l. c. VIII. 2. p. 273.* — Moritz. *Sturm. Cat. 1843. p. 228.*	Columbia.
praeustus Redtenb. *Reis. Novar. II. p. 171.*	Sidney.
procerus Gerstäck. *Wiegm. Arch. 1871. I. p. 75.*	Endara.
puncticollis Bohem. *Schh. Gen. Curc. IV. p. 1003.*	Mexico.
punctifrons Bohem. *l. c. p. 1027.* — Chevrol. *Dej. Cat. 3. ed. p. 330.*	"
mexicanus Dej. *Cat. l. c.*	"
pyrirostris Bohem. *Schh. Gen. Curc. IV. p. 1014.*	St. Domingo.
quadrimacula Walker. *Ann. nat. Hist. ser. 3. IV. 1859. p. 219.*	Ceylon.
rufus Bohem. *Schh. Gen. Curc. VIII. 2. p. 268.*	Brasilia.
scrobiculatostriatus Bohem. *l. c. p. 269.*	St. Vincent.
scrobiculatus Lec. *Proc. Ac. Phil. 1859. p. 285; Col. Kans. 1859. p. 18.*	New Mexico.
semirufus Bohem. *Schh. Gen. Curc. IV. p. 1009.*	Mexico.
spathula Bohem. *l. c. p. 1035.*	Cuba.
squama Fabr. *Syst. El. II. p. 497.* — Bohem. *l. c. p. 1024.*	Amer. mer.
subareatus Bohem. *l. c. VIII. 2. p. 266.*	Philadelphia.
subcostatus Bohem. *l. c. p. 270.*	Cuba.
sulcirostris Bohem. *l. c. IV. p. 1011.*	Mexico.
suturalis Bohem. *l. c. p. 1033.*	Cap bon. spei.
tenellus Klug. *Abhandl. Berl. Ac. I. 1833. p. 202.*	Madagascar.
thoracicus Bohem. *Schh. Gen. Curc. IV. p. 1032.* — Chevrol. *Dej. Cat. 3. ed. p. 330.*	Mexico.

torridus Bohem. *Schh. Gen. Curc. IV. p. 1037.* Senegal.
vittatus Kirsch. *Berl. Zeit. 1869. p. 224.* Bogotá.
vulneratus Illig. *Mag. IV. 1805. p. 131.* — Rosensch. *Schh. Gen. Curc. IV. p. 1030.* Portorico.
canaliculatus Fabr. *Ent. Syst. I. 2. p. 471.* Columbia.
xylophilus Bohem. *Schh. Gen. Curc. IV. p. 999.* Mexico.
79

Mesites

μεσίτης, intermedius.

Schönherr. *Gen. Curc. IV. 1838. p. 1043.*

aquitanus Fairm. *Ann. Fr. 1859. Bull. p. 52.* Gallia mer.
pallidipennis Perris. *Ann. Fr. 1856. p. 252; ♀ l. c. p. 251. t. 5. f. 332-33.* „
complanatus Wollast. *Trans. ent. Soc. 1861. p. 401.* Canariae.
cribratus Fairm. *Ann. Fr. 1856. p. 542.* Asia minor.
cunipes Bohem. *Schh. Gen. Curc. IV. p. 1046.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 29. f. 142.* Gallia mer.
euphorbiae Wollast. *Ins. Mader. 1854. p. 318.* Madera.
fusiformis Wollast. *Trans. ent. Soc. 1861. p. 405. t. 19. f. 7 et 9; 1862. p. 176.* Canariae.
Hesperus Wollast. *Col. Hesperid. 1867. p. 123.* St. Vincent.
maderensis Wollast. *Ins. Mader. 1854. p. 319.* Madera.
pallidipennis Bohem. *Schh. Gen. Curc. IV. p. 1045.* — Parreyss. *Dej. Cat. 3. ed. p. 330.* Tauria.
angustatus Dej. *Cat. 1. ed. p. 99.* Dalmatia.
calandroides Dej. *Cat. 3. ed. l. c.* Gallia mer.
persimilis Wollast. *Trans. ent. Soc. 1861. p. 402.* Canariae.
proximus Wollast. *l. c. p. 404.* „
pubipennis Wollast. *l. c. p. 406; 1862. p. 177.* „
subvittatus Motsch. *Bull. Mosc. 1866. II. p. 446.* Ceylon.
suturalis Motsch. *l. c. p. 445.* „
Tardyi Curtis. *Brit. Ent. II. t. 59.* — Steph. *Ill. Brit. Ent. IV. p. 7.* — Bohem. *Schh. Gen. Curc. VIII. 2. p. 276.* Anglia.
15

Phloeophagus

φλοιός, cortex; φάγω, comedo.

Schönherr. *Gen. Curc. IV. 1838. p. 1047.*

Caulotrupis Wollaston.

aeneopiceus Bohem. *Schh. Gen. Curc. VIII. 2. p. 278.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 30. f. 143.* Anglia.
piceus Steph. *Ill. Brit. IV. p. 6.* „
truncorum Steph. *l. c.* „
aterrimus Hampe. *Stett. Zeit. 1850. p. 356.* Croatia.
calvus Wollast. *Ann. nat. Hist. ser. 3. V. 1860. p. 448.* Madera.
caulium Wollast. *Trans. ent. Soc. 1861. p. 370; 1862. p. 175.* Canariae.
Chevrolati Wollast. *Ins. Mader. 1854. p. 313.* Madera.

conicollis Wollast. *Ins. Mader. 1854. p. 314.* Madera.
cossonoides Motsch. *Bull. Mosc. 1863. II. p. 531.* Ceylon.
depressus Montrouz. *Ann. Fr. 1860. p. 912.* Lifu.
ebeninus Bohem. *Schh. Gen. Curc. IV. p. 1049.* Caffraria.
fallax Bohem. *l. c. p. 1052.* „
ferrugineus Bohem. *l. c. p. 1050.* Cap bon. spei.
hispidus Bohem. *l. c. p. 1051.* Caffraria.
impius Wollast. *Ins. Mader. p. 311.* Madera.
lacertosus Wollast. *l. c. p. 309. t. 6. f. 6.* „
laurineus Wollast. *Trans. ent. Soc. 1861. p. 373.* Canariae.
affinis Wollast. *l. c. p. 371; Col. Atlant. p. 254.* „
linearis Motsch. *Bull. Mosc. 1863. II. p. 531.* Ceylon.
lucifugus Wollast. *Ins. Mader. p. 310. t. 6. f. 7 et 9.* Madera.
minimus Bohem. *Schh. Gen. Curc. IV. p. 1053.* Mexico.
nitidulus Montrouz. *Ann. Fr. 1860. p. 911.* Nov. Caledon.
obesulus Wollast. *Col. Hesperid 1867. p. 120.* St. Vincent.
opacus Wollast. *Ins. Mader. p. 313.* Madera.
pallidus Bohem. *Schh. Gen. Curc. VIII. 2. p. 279.* Ohio.
piceus Wollast. *Trans. ent. Soc. 1861. p. 374.* Canariae.
pilosus Bach. *Stett. Zeit. 1854. p. 361.* Ostende.
pyricollis Wollast. *Trans. ent. Soc. 1871. p. 275.* Madera.
rufipennis Montrouz. *Ann. Fr. 1860. p. 912.* Ins. Art.
scalptus Schönh. *Gen. Curc. VIII. 2. p. 279.* Suecia.
sculptus Gylh. *Schh. Gen. Curc. IV. p. 1055.* „
Silbermanni Bohem. *Schh. l. c. p. 1048.* Mexico.
xylophagus Chevrol. *in litt.* „
simplicipes Wollast. *Trans. ent. Soc. IV. p. 374.* Canariae.
spadix Herbst. *Käf. VI. p. 256. t. 78. f. 11.* — Ulrich. *Dej. Cat. 3. ed. p. 330.* — Bohem. *Schh. Gen. Curc. IV. p. 1054.* Germania.
globulipennis Chevrol. *in litt.* Algeria.
{*velutinus* Dej. *Cat. l. c.* Germania.
{*ventricosus* Cristofori *in litt.* Italia.
subnitidus Wollast. *Ann. nat. Hist. V. 1860. p. 452; Col. Atlant. p. 259.* Madera.
sulcipennis Wollast. *Ins. Mader. p. 308.* „
tenax Wollast. *l. c. p. 307; Trans. ent. Soc. 1861. p. 370. t. 18. f. 4.*
terebrans Wollast. *Ins. Mader. p. 312. t. 6. f. 8.* „
turbatus Schönh. *Gen. Curc. VIII. 2. p. 279.* Germania.
lignarius Gylh. *Ins. Suec. III. p. 258; Schh. Gen. Curc. IV. p. 1052.* Suecia.
variabilis Crotch. *Proc. Zool. Soc. 1867. p. 387.* Azores.
36

Rhyncolus

ῥύγχος, rostrum; κόλος, mutilus.

Germar. *Ins. Spec. nov. 1824. p. 307.*

Rynchölus Schönh.

angularis Lec. *Proc. Ac. Phil. 1858. p. 81.* Colorado.
angustatus Bohem. *Schh. Gen. Curc. IV. p. 1063.* Madagascar.
ater Linn. *Syst. nat. ed. X. p. 385.* — Bonsd. *Curc. Suec. II. p. 31. fig. 20.* — Steph. *Ill. Brit. IV. p. 5.* M.
chloropus Fabr. *Syst. Ent. p. 149.* — Panz. *Fn. Germ. 19. 14.* — Gylh. *Schh. Gen. Curc. IV. p. 1064.* Anglia.

exaratus Gmel. *ed. Linn. 1. 4. p. 1804.* — Suecia.
{*incisus* Fourcr. *Ent. Par. 1. p. 119. (forte.)* — Gallia.
{*inusus* Villers. *Ent. I. p. 190. (forte.)* — Germania.
linearis Schrank. *Enum. Ins. p. 126.* — „
ater Motsch. *Bull. Mosc. 1866. II. p. 446.* — Ceylon.
brachyrhinus Montrouz. *Ann. Fr. 1860. p. 913.* — Ins. Art.
brevis Bohem. *Schh. Gen. Curc. VIII. 2. p. 282.* — Carolina.
brunneus Mannerh. *Bull. Mosc. 1843. II. p. 295; Schh. Gen. Curc. VIII. 2. p. 280.* — Eschsch. *Dej. Cat. 3. ed. p. 330.* — Sithka.
capitulum Wollast. *Ann. nat. Hist. ser. 3. II. 1858. p. 410.* — Madera.
corticalis Bohem. *Schh. Gen. Curc. VIII. 2. p. 284.* — Carolina.
crassirostris Wollast. *Trans. ent. Soc. V. 1861. p. 367. t. 18. f. 3.* — Canariae.
pinipotens Wollast. *Col. Hesperid. 1867. App. p. 275.* — „
cribripennis Graëlls. *Mem. Map. geol. 1858. p. 88. t. 5. f. 3. a.* — Hispania.
culinaris Germ. *Ins. Spec. nov. 1824. p. 306.* — Bohem. *Schh. Gen. Curc. IV. p. 1066.* — Germania.
brevirostris Megerle *in litt.* — Volhynia.
cylindricus Bohem. *l. c. p. 1060.* — Iberia.
var. *longicollis* Chevrol. *in litt.* — Bohem *l. c.* — Dalmatia.
dorsalis Lec. *Proc. Ac. Phil. 1858. p. 81.* — San Diego.
elongatus Gylh. *Ins. Suec. IV. p. 606; Schh. Gen. Curc. IV. p. 1065.* — Dej. *Cat. 3. ed. p. 331.* — Europa bor.
crassirostris Perris. *Ann. Soc. Linn. Lyon. ser. 2. IV. 1857. p. 147.* — Meg. *Dej. Cat. 3. ed. p. 330.* — Gallia mer.
planirostris Panz. *Fn. Germ. 18. 18.* — Suecia.
var. *caucasicus* Hochh. *Bull. Mosc. 1847. II. p. 581.* — Caucasus.
clumbis Bohem. *Schh. Gen. Curc. IV. p. 1062.* — Columbia.
encaustus Bohem. *l. c. p. 1059.* — Madagascar.
euphorbiarum Wollast. *Col. Hesperid. 1867. p. 119.* — S. Antão.
exiguus Bohem. *Schh. Gen. Curc. IV. p. 1066.* — Germania.
ferrugineus Waltl. *Käf. v. Passau. 1839. p. 223.* — Bavaria.
filiformis Bohem. *Schh. Gen. Curc. IV. p. 1059.* — India or.
filum Muls. et Rey. *Opusc. ent. IX. p. 42.* — Bris. *Cat. Col. Gren. II. 1867. p. 194.* — St. Raphaël.
gracilis Rosenh. *Thier. Andal. 1856. p. 300.* — Malaga.
angustus Fairm. *Ann. Fr. 1859. Bull. p. 164.* — Hyères.
grandicollis Bris. *Cat. Col. Gren. II. 1867. p. 193.* — Pyren. or.
Hervei Allard. *Abeille V. 1869. p. 475.* — Finisterre.
hispidulus Fairm. *Rev. Zool. 1849. p. 558.* — Taïti.
latinasus Say. *Descr. of Curc. of N. Am. 1831. p. 30.* — Bohem. *Schh. Gen. Curc. IV. p. 1068.* — Florida.
lauri Gylh. *Schh. l. c. p. 1076.* — Mexico.
lignarius Marsh. *Ent. Brit. 1802. p. 275.* — Steph. *Ill. Brit. V. p. 6.* — Anglia.
cylindrirostris Oliv. *Ent. V. 83. p. 427. t. 35. f. 537.* — Gallia.
stlembus Schönh. *in litt.* — „
linearis Bohem. *Schh. l. c. VIII. 2. p. 283.* — Brasilia.
longicollis Montrouz. *Ann. Fr. 1860. p. 913.* — Ins. Art.

longulus Bohem. *Res. Eugen. 1859. p. 149.* — Ins. Sandwich.
nitidipennis Thoms. *Skand. Col. X. 1868. p. 348.* — Suecia.
nitidulus Bohem. *Schh. Gen. Curc. IV. p. 1074.* — Caffraria.
oryzae Gylh. *Schh. l. c. p. 1075.* — Incert. sedis.
plebejus Bohem. *Schh. l. c. p. 1069.* — Caffraria.
porcatus Germ. *Ins. Spec. nov. 1824. p. 308.* — Rosensch. *Schh. Gen. Curc. IV. p. 1065.* — ‡ Perris. *Ann. Fr. 1856. p. 247. t. 5. f. 326-29.* — M.
crassirostris Dufour. *Act. Soc. Linn. Bordeaux. 1851.* — Gallia.
puncticollis Ziegl. *Dej. Cat. l. c.* — Germania.
praeustus Bohem. *Schh. Gen. Curc. IV. p. 1061.* — Java.
procer Bohem. *l. c. p. 1058.* — Dalm. *Dej. Cat. 3. ed. p. 330.* — „
attenuatus Klug *in litt.* — „
deplanatus Eschsch. *Dej. Cat. l. c.* — Philippinae.
filiformis Latr. *Dej. Cat. l. c.* — Ile de France.
punctatulus Bohem. *Schh. Gen. Curc. IV. p. 1073.* — Ziegl. *Dej. Cat. 3. ed. p. 331.* — Gallia.
quercicola Bohem. *l. c. VIII. 2. p. 281.* — Carolina.
reflexus Bohem. *l. c. IV. p. 1072.* — Gallia.
Schönherri Hochh. *Bull. Mosc. 1847. II. p. 580.* — Caucasus.
sculpturatus Waltl. *Käf. v. Passau. 1839. p. 223.* — Bavaria.
simus Chevrol. *Rev. Zool. 1861. p. 125.* — Algeria.
strangulatus Perris. *Ann. Soc. Linn. Lyon. 1852. p. 181;* ‡ *Ann. Fr. 1856. p. 249. t. 5. f. 380-81.* — Gallia mer.
submuricatus Schönh. *Ménétr. Cat. rais. 1832. p. 224.* — Gylh. *Falderm. Fn. Transc. II. p. 249; III. p. 207.* Bohem. *Schh. Gen. Curc. IV. p. 1067.* — Gallia.
taciturnus Motsch. *Bull. Mosc. 1866. II. p. 446.* — Ceylon.
tenuis Gemming. *Col. Heft. VIII. p. 123.* — Ins. Sandwich.
gracilis Bohem. *Res. Eugen. 1859. p. 149.* — „
teretirostris Klug. *Abhandl. Berl. Ac. I. 1833. p. 202.* — Madagascar.
trivialis Bohem. *Schh. Gen. Curc. IV. p. 1070.* — Cap bon. spei.
troglodytes Bohem. *l. c. p. 1073.* — Peru.
truncorum Germ. *Ins. Spec. nov. p. 308.* — Bohem. *Schh. Gen. Curc. IV. p. 1068.* — Jacq. Duv. *Gen. Col. Curc. 1854. t. 30. f. 144.* — ‡ Heeger. *Sitzgsb. Wien. Ac. 34. p. 212. t. 4.* — M.
{*culinaris* Sturm. *Dej. Cat. 3. ed. p. 330.* — Gallia.
{*sulcirostris* Meg. *Dej. Cat. l. c.* — Germania.
tenuirostris Creutz. *in litt.* — Suecia.

53

Hexarthrum

ἕξ, *sex;* ἄρθρον, *articulus.*

Wollaston. *Ann. nat. Hist. ser. 3. V. 1860. p. 448.*

Rhyncolus Wollaston.

capitulum Wollast. *Ann. nat. Hist. ser. 3. II. p. 410; Trans. ent. Soc. 1861. t. 18. f. 2.* — Madera.
compressum Wollast. *Ann. nat. Hist. ser. 3. V. p. 449.* — „

1

Eremotes

ἐρημωτής, *destructor.*

Wollaston. *Trans. ent. Soc. V. 1861. p. 364.*

Hylurgus Brullé. — *Syntomocerus* Wollast.

crassicornis Brullé. *Webb et Berth. Canar. Ent. 1838. p. 71.* — Wollast. *Trans. ent. Soc. 1861. p. 365. t. 18. f. 1.* Canariae.

1

Stenoscelis

στενός, *angustus;* σκελὶς, *perna.*

Wollaston. *The Journ. of Ent. 1. 1861. p. 141.*

hylastoides Wollaston. *Journ. of Ent. 1861. p. 142. t. 11. f. 1; Ann. nat. Hist. IV. 1869. p. 401.* Cap bon. spei.

1

Caulophilus

καυλὸς, *caulis;* φίλος, *amicus.*

Wollaston. *Ins. Mader. 1854. p. 315.*

sculpturatus Wollast. *Ins. Mader. p. 315. t. 6. f. 4.* Madera.

1

Onycholips

ὄνυξ, *unguis;* λίψ, *desiderium.*

Wollaston. *Trans. ent. Soc. 1861. p. 389.*

bifurcatus Wollaston. *Trans. ent. Soc. 1861. p. 394. t. 19. f. 2.* Canariae.

1

Georrhynchus

γῆ, *terra;* ῥύγχος, *rostrum.*

Roelofs. *Ann. Soc. Belg. X. 1866. p. 251.*

Morteti Roelofs. *Ann. Soc. Belg. X. p. 252; XI. 1867. p. 78. t. 2. f. 4.* — Lacord. *Gen. Col. VII.* 1866. *p. 348. not. 1.* Montevideo.

1

10134

Index Generum
ad Tom. VIII.

Addenda.

Sciaphilus maculatus Hampe. *Berl. Zeit. 1870. p. 334.*	Agram.
,, **caesius** Hampe. *l. c. p. 335.*	Transsylvania.
Barypithes vallestris Hampe. *l. c. p. 334.*	Brünn.
Troglorrhynchus latirostris Bargagli. *Bull. Soc. ent. ital. 1871. p. 37.*	Siena.
Anchonus angulicollis Suffr. *Wiegm. Arch. 1871. I. p. 181.*	Cuba.
,, **aspericollis** Suffr. *l. c. p. 176.*	,,
,, **bicornis** Suffr. *l. c. p. 179.*	,,
,, **incrassatus** Suffr. *l. c. p. 175.*	,,
,, **rusticus** Suffr. *l. c. p. 177.*	,,
Listroderes nigropunctatus Suffr. *l. c. p. 182.*	,,
Nesiotes horridus Wollast. *Ann. nat. Hist. 1871. p. 404.*	St. Helena.
Ceuthorrhynchus Maschelli Hochh. *Bull. Mosc. 1871. III.*	Volhynia.
Cleonus subsignatus Walker. *List. Col. coll. Lord. 1871. p. 17.*	Arabia.
Cleonus venustus Walker. *l. c.*	,,
Lixus invarius Walker. *l. c. p. 18.*	,,
Sibinia cinerascens Walker. *l. c.*	,,

Corrigenda.

p. 2352. *Bronchys* — lege *Bronchus.*
p. 2314. *Elythrocallus* — lege *Elytrocallus.*
p. 2532. *Microstylus rufus* Schönh. *delend. (Loc. system. p. 2246.)*

Monachii, ex typographia FF. Parcus.

Der Band VIII dieses Werkes wurde nicht so umfangreich, wie anfänglich bestimmt war und liefert unterzeichnete Verlagshandlung daher auch noch den IX. Band, welcher die Familien

Brenthidae
Anthotribidae
Scolytidae

umfasst, den geehrten Abonnenten ohne Berechnung.

München.

E. H. Gummi's Buchhandlung.
(Gustav Beck.)

Monachii, ex typographia FF. Parcus.